



Department of Public Works  
**Engineering Division**  
Robert F. Phillips, P.E., City Engineer

City-County Building, Room 115  
210 Martin Luther King, Jr. Boulevard  
Madison, Wisconsin 53703  
Phone: (608) 266-4751  
Fax: (608) 264-9275  
[engineering@cityofmadison.com](mailto:engineering@cityofmadison.com)  
[www.cityofmadison.com/engineering](http://www.cityofmadison.com/engineering)

**Assistant City Engineer**  
Michael R. Dailey, P.E.

**Principal Engineer 2**  
Gregory T. Fries, P.E.  
Christopher J. Petykowski, P.E.

**Principal Engineer 1**  
Christina M. Bachmann, P.E.  
Eric L. Dundee, P.E.  
John S. Fahrney, P.E.

**Facilities & Sustainability**  
Jeanne E. Hoffman, Manager

**Operations Manager**  
Kathleen M. Cryan

**Mapping Section Manager**  
Eric T. Pederson, P.S.

**Financial Manager**  
Steven B. Danner-Rivers

April 6, 2017

**NOTICE OF ADDENDUM  
ADDENDUM 3**

**CONTRACT NO. 7917**

**PENN PARK SHELTER RENOVATION  
AND CONCESSION/RESTROOM BUILDING**

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

**Spec Section 10 28 00 TOILET, BATH, AND LAUNDRY ACCESSORIES**

Insert missing page 10 28 00-1. This page was not in the original Specification.

**END OF ADDENDUM**

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 to receive the material by another route.

Sincerely,

Robert F. Phillips, P.E., City Engineer

Cc: Mike Dailey

## **SECTION 10 28 00 - TOILET, BATH, AND LAUNDRY ACCESSORIES**

### **PART 1 - GENERAL**

#### **1.1 SECTION REQUIREMENTS**

- A. Submittals: Product Data.

### **PART 2 - PRODUCTS**

#### **2.1 MATERIALS**

- A. Stainless Steel: ASTM A 666, Type 304, No. 4 finish (satin), 0.0312-inch minimum nominal thickness unless otherwise indicated.
- B. Brass: ASTM B 19, ASTM B 16 (ASTM B 16M), or ASTM B 30.
- C. Aluminum: ASTM B 221 (ASTM B 221M), Alloy 6063-T6 or 6463-T6.
- D. Sheet Steel: ASTM A 1008/A 1008M, 0.0359-inch (0.9-mm) minimum nominal thickness.
- E. Galvanized-Steel Sheet: ASTM A 653/A 653M, G60 (Z180).
- F. Galvanized-Steel Mounting Devices: ASTM A 153/A 153M, hot-dip galvanized after fabrication.
- G. Fasteners: Screws, bolts, and other devices of same material as accessory unit, tamper and theft resistant when exposed, and of galvanized steel when concealed.

#### **2.2 TOILET AND BATH ACCESSORIES**

- A. Toilet Tissue Dispenser:
  - 1. Basis-of-Design Product: Royce Rolls Ringer Co. Model # STP
  - 2. Type: Double-roll dispenser with paddle lock feature.
  - 3. Mounting: Surface mounted with concealed anchorage
  - 4. Material: Stainless steel.
  - 5. Operation: Controlled delivery
  - 6. Capacity: Designed for 4-1/2- or 5-inch- diameter-core tissue rolls.
- B. Liquid-Soap Dispenser:
  - 1. (Supplied by Owner installed by Contractor.)
- C. Grab Bar:
  - 1. Material: Stainless steel, 0.050 inch (1.3 mm) thick.