



# Madison Parks Division

210 Martin Luther King, Jr. Blvd., Room 104  
Madison, WI 53703  
608-266-4711 • cityofmadison.com/parks



May 21, 2018

## NOTICE OF ADDENDUM ADDENDUM 1

CONTRACT NO. 8194

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

### **SPECIAL PROVISIONS:**

Remove & replace BID ITEM 90000 – PAVEMENT CRACK SEALING – ACRYLIC SEALED SPORT COURTS. The revised BID ITEM 90000 is listed, below.

### **BID ITEM 90000 - PAVEMENT CRACK SEALING - ACRYLIC SEALED SPORT COURTS**

Work under this item shall include all costs associated with pavement crack sealing at acrylic sealed sport courts as specified in these special provisions.

This work consists of cleaning, preparing and filling pavement cracks 1/8" or wider within existing acrylic sealed bituminous pavements.

The Contractor shall note that water is not available at any of the sites.

Cracks less than 3/8" width shall be filled by hand packing with flexible, asbestos-free tennis court crack filler, level to surface. Cracks greater than 3/8" width shall be filled within 1/4" to the surface of the court with acrylic court patch binder mix and allowed to cure (including saw cut expansion joints). The remaining 1/4" or less shall then be filled with flexible crack filler, level to surface.

Pavement crack sealing as defined in this bid item, shall be performed at the following sites for the quantities listed below:

- Goodman Park basketball court – 850 linear feet
- Odana Hills East Park tennis courts – 550 linear feet
- Olbrich Park tennis courts – 1,780 linear feet
- Rennebohm Park tennis courts – 2,420 linear feet
- Walnut Grove Park tennis courts – 1,500 linear feet
- Westhaven Trails Park tennis courts – 2,420 linear feet

The above listed quantities include combined quantities for both cracks greater and less than 3/8" width. **Repainting portions of playing lines at Rennebohm Park tennis courts that have been obscured through pavement crack sealing is incidental to this bid item.**

**METHOD OF MEASUREMENT**

Pavement Crack Sealing – Acrylic Sealed Sport Courts shall be paid per linear foot.

**BASIS OF PAYMENT**

Pavement Crack Sealing – Acrylic Sealed Sport Courts shall be measured as described above and shall be paid for at the contract unit price which shall be full compensation for all work, materials, labor, tools, equipment, disposal, and incidentals required to complete the work as set forth in the description.

**PROPOSAL:**

Remove & replace BID ITEM 90000.5 and BID ITEM 90000.6. The revised BID ITEM 90000.5 and 90000.6 are listed, below and have been updated in Section B: Proposal Page on BidExpress.

90000.5	PAVEMENT CRACK SEALING - ACRYLIC SEALED SPORT COURTS - WALNUT GROVE PARK	1,500	LF	\$ -	\$ -
90000.6	PAVEMENT CRACK SEALING - ACRYLIC SEALED SPORT COURTS - WESTHAVEN TRAILS PARK	2,420	LF	\$ -	\$ -

**PLAN SET:**

No change

**CLARIFICATION:**

Pavement crack sealing quantities for two of the project sites were described incorrectly.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.



Eric Knepp, Parks Superintendent