

BID OF _____

2015

PROPOSAL, CONTRACT, BOND AND SPECIFICATIONS

FOR

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015**

CONTRACT NO. 7435

PROJECT NO. 53W1845

MUNIS NO. 10255

IN

MADISON, DANE COUNTY, WISCONSIN

AWARDED BY THE COMMON COUNCIL
MADISON, WISCONSIN ON _____

CITY ENGINEERING DIVISION
1600 EMIL STREET
MADISON, WISCONSIN 53713

<https://bidexpress.com/login>

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

INDEX

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS.....A-1
SECTION B: PROPOSAL SECTION.....B-1
SECTION C: SMALL BUSINESS ENTERPRISE C-1
SECTION D: SPECIAL PROVISIONS..... D-1
SECTION E: BIDDER'S ACKNOWLEDGEMENTE-1
SECTION F: DISCLOSURE OF OWNERSHIP & BEST VALUE CONTRACTING.....F-1
SECTION G: BID BOND G-1
SECTION H: AGREEMENT..... H-1
SECTION I: PAYMENT AND PERFORMANCE BOND I-1
SECTION J: PREVAILING WAGE RATES..... J-1

This Proposal, and Agreement have
been prepared by:

**CITY ENGINEERING DIVISION
CITY OF MADISON
MADISON, DANE COUNTY, WISCONSIN**



Robert F. Phillips, P.E., City Engineer

RFP: lh

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS

REQUEST FOR BID FOR PUBLIC WORKS CONSTRUCTION CITY OF MADISON, WISCONSIN

A BEST VALUE CONTRACTING MUNICIPALITY

| | |
|--|---|
| PROJECT NAME: | LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015 |
| CONTRACT NO.: | 7435 |
| SBE GOAL | 5% |
| BID BOND | 5% |
| PRE BID MEETING (1:00 P.M.) | MARCH 20, 2015 |
| PREQUALIFICATION APPLICATION DUE (1:00 P.M.) | MARCH 25, 2015 |
| BID SUBMISSION (1:00 P.M.) | APRIL 1, 2015 |
| BID OPEN (1:30 P.M.) | APRIL 1, 2015 |
| PUBLISHED IN WSJ | 3/13/15 & 3/20/15 & 3/27/15 |

PRE BID MEETING: Representatives of the Affirmative Action Department will be present to discuss the Small Business Enterprise requirements at 1600 Emil Street, Madison Wisconsin.

PREQUALIFICATION APPLICATION: Forms are available on our website, www.cityofmadison.com/business/pw/forms.cfm. If not currently prequalified in the categories listed in Section A, an amendment to your Prequalification will need to be submitted prior to the same due date. Postmark is not applicable.

BIDS TO BE SUBMITTED by hand to 1600 EMIL ST., MADISON, WI 53713 or online at www.bidexpress.com.

THE BID OPENING is at 1600 EMIL ST., MADISON, WI 53713.

STANDARD SPECIFICATIONS

The City of Madison's Standard Specifications for Public Works Construction - 2015 Edition, as supplemented and amended from time to time, forms a part of these contract documents as if attached hereto.

These standard specifications are available on the City of Madison Public Works website, www.cityofmadison.com/Business/PW/specs.cfm.

The Contractor shall review these Specifications prior to preparation of proposals for the work to be done under this contract, with specific attention to Article 102, "BIDDING REQUIREMENTS AND CONDITIONS" and Article 103, "AWARD AND EXECUTION OF THE CONTRACT." For the convenience of the bidder, below are highlights of three subsections of the specifications.

SECTION 102.1: PRE-QUALIFICATION OF BIDDERS

In accordance with Wisconsin State Statutes 66.0901 (2) and (3), all bidders must submit to the Board of Public Works proof of responsibility on forms furnished by the City. The City requires that all bidders be qualified on a biennial basis.

Bidders must present satisfactory evidence that they have been regularly engaged in the type of work specified herein and they are fully prepared with necessary capital, materials, machinery and supervisory personnel to conduct the work to be contracted for to the satisfaction of the City. All bidders must be pre-qualified by the Board of Public Works for the type of construction on which they are bidding prior to the opening of the bid.

In accordance with Section 39.02(9)(a)l. of the General Ordinances, all bidders shall submit in writing to the Affirmative Action Division Manager of the City of Madison, a Certificate of Compliance or an Affirmative Action Plan at the same time or prior to the submission of the proof of responsibility forms.

The bidder shall be disqualified if the bidder fails to or refuses to, prior to opening of the bid, submit a Certificate of compliance, Affirmative Action Plan or Affirmative Action Data Update, as applicable, as defined by Section 39.02 of the General Ordinances (entitled Affirmative Action) and as required by Section 102.11 of the Standard Specifications.

SECTION 102.4 PROPOSAL

No bid will be accepted that does not contain an adequate or reasonable price for each and every item named in the Schedule of Unit Prices.

A lump sum bid for the work in accordance with the plans and specifications is required. The lump sum bid must be the same as the total amounts bid for the various items and it shall be inserted in the space provided.

All papers bound with or attached to the proposal form are considered a part thereof and must not be detached or altered when the proposal is submitted. The plans, specifications and other documents designated in the proposal form will be considered a part of the proposal whether attached or not.

A proposal submitted by an individual shall be signed by the bidder or by a duly authorized agent. A proposal submitted by a partnership shall be signed by a member/partner or by a duly authorized agent thereof. A proposal submitted by a corporation shall be signed by an authorized officer or duly authorized registered agent of such corporation, and the proposal shall show the name of the State under the laws of which such corporation was chartered. The required signatures shall in all cases appear in the space provided thereof on the proposal.

Each proposal shall be placed, together with the proposal guaranty, in a sealed envelope, so marked as to indicate name of project, the contract number or option to which it applies, and the name and address of the Contractor or submitted electronically through Bid Express (www.bidexpress.com). Proposals will be accepted at the location, the time and the date designated in the advertisement. Proposals received after the time and date designated will be returned to the bidder unopened.

The Bidder shall execute the Disclosure of Ownership form. REFER TO SECTION F.

SECTION 102.5: BID DEPOSIT (PROPOSAL GUARANTY)

All bids, sealed or electronic, must be accompanied with a Bid Bond equal to at least 5% of the bid or a Certificate of Annual/Biennial Bid Bond or certified check, payable to the City Treasurer. Bid deposit of the successful bidders shall be returned within forty-eight (48) hours following execution of the contract and bond as required.

PREVAILING WAGE RATES

Prevailing Wage Rates may be required and are attached in Section J of the contract. See Special Provisions to determine applicability.

Bidders for this Contract(s) must be Pre-Qualified for at least one of the following type(s) of construction denoted by an

Building Demolition

- 101 Asbestos Removal
- 120 House Mover

- 110 Building Demolition

Street, Utility and Site Construction

- 201 Asphalt Paving
- 205 Blasting
- 210 Boring/Pipe Jacking
- 215 Concrete Paving
- 220 Con. Sidewalk/Curb & Gutter/Misc. Flat Work
- 221 Concrete Bases and Other Concrete Work
- 222 Concrete Removal
- 225 Dredging
- 230 Fencing
- 235 Fiber Optic Cable/Conduit Installation
- 240 Grading and Earthwork
- 241 Horizontal Saw Cutting of Sidewalk
- 242 Infrared Seamless Patching
- 245 Landscaping, Maintenance
- 250 Landscaping, Site and Street
- 251 Parking Ramp Maintenance
- 252 Pavement Marking
- 255 Pavement Sealcoating and Crack Sealing
- 260 Petroleum Above/Below Ground Storage Tank Removal/Installation
- 262 Playground Installer
- 265 Retaining Walls, Precast Modular Units

- 270 Retaining Walls, Reinforced Concrete
- 275 Sanitary, Storm Sewer and Water Main Construction
- 276 Sawcutting
- 280 Sewer Lateral Drain Cleaning/Internal TV Insp.
- 285 Sewer Lining
- 290 Sewer Pipe Bursting
- 295 Soil Borings
- 300 Soil Nailing
- 305 Storm & Sanitary Sewer Laterals & Water Svc.
- 310 Street Construction
- 315 Street Lighting
- 318 Tennis Court Resurfacing
- 320 Traffic Signals
- 325 Traffic Signing & Marking
- 332 Tree pruning/removal
- 333 Tree, pesticide treatment of
- 335 Trucking
- 340 Utility Transmission Lines including Natural Gas, Electrical & Communications
- 399 Other _____

Bridge Construction

- 501 Bridge Construction and/or Repair

Building Construction

- 401 Floor Covering (including carpet, ceramic tile installation, rubber, VCT)
- 402 Building Automation Systems
- 403 Concrete
- 404 Doors and Windows
- 405 Electrical - Power, Lighting & Communications
- 410 Elevator - Lifts
- 412 Fire Suppression
- 413 Furnishings - Furniture and Window Treatments
- 415 General Building Construction, Equal or Less than \$250,000
- 420 General Building Construction, \$250,000 to \$1,500,000
- 425 General Building Construction, Over \$1,500,000
- 428 Glass and/or Glazing
- 429 Hazardous Material Removal
- 430 Heating, Ventilating and Air Conditioning (HVAC)
- 433 Insulation - Thermal
- 435 Masonry/Tuck pointing

- 437 Metals
- 440 Painting and Wallcovering
- 445 Plumbing
- 450 Pump Repair
- 455 Pump Systems
- 460 Roofing and Moisture Protection
- 464 Tower Crane Operator
- 461 Solar Photovoltaic/Hot Water Systems
- 465 Soil/Groundwater Remediation
- 466 Warning Sirens
- 470 Water Supply Elevated Tanks
- 475 Water Supply Wells
- 480 Wood, Plastics & Composites - Structural & Architectural
- 499 Other _____

State of Wisconsin Certifications

- 1 Class 5 Blaster - Blasting Operations and Activities 2500 feet and closer to inhabited buildings for quarries, open pits and road cuts.
- 2 Class 6 Blaster - Blasting Operations and Activities 2500 feet and closer to inhabited buildings for trenches, site excavations, basements, underwater demolition, underground excavations, or structures 15 feet or less in height.
- 3 Class 7 Blaster - Blasting Operations and Activities for structures greater than 15 ' in height, bridges, towers, and any of the objects or purposes listed as "Class 5 Blaster or Class 6 Blaster".
- 4 Petroleum Above/Below Ground Storage Tank Removal and Installation (Attach copies of State Certifications.)
- 5 Hazardous Material Removal (Contractor to be certified for asbestos and lead abatement per the Wisconsin Department of Health Services, Asbestos and Lead Section (A&LS).) See the following link for application: www.dhs.wisconsin.gov/Asbestos/Cert. State of Wisconsin Performance of Asbestos Abatement Certificate must be attached.
- 6 Certification number as a Certified Arborist or Certified Tree Worker as administered by the International Society of Arboriculture
- 7 Pesticide application (Certification for Commercial Applicator For Hire with the certification in the category of turf and landscape (3.0) and possess a current license issued by the DATCP)
- 8 State of Wisconsin Master Plumbers License.

SECTION B: PROPOSAL

Please refer to the
Bid Express Website
at <https://bidexpress.com>
look up contract number
and go to
Section B: Proposal Page

You can access all City of Madison bid solicitations for FREE at www.bidexpress.com

Click on the "Register for Free" button and follow the instructions to register your company and yourself. You will be asked for a payment subscription preference, since you may wish to bid online someday. Simply choose the method to pay on a 'per bid' basis. This requires no payment until / unless you actually bid online. You can also choose the monthly subscription plan at this time. You will, however, be asked to provide payment information. Remember, you can change your preference at anytime. You will then be able to complete your free registration and have full access to the site. Your free access does not require completion of the 'Digital ID' process, so you will have instant access for viewing and downloading. To be prepared in case you ever do wish to bid online, you may wish to establish your digital ID also, since you cannot bid without a Digital ID.

If you have any problems with the free registration process, you can call the bidexpress help team, toll free at 1-888-352-2439 (option 1, option1).

SECTION C: SMALL BUSINESS ENTERPRISE

Instructions to Bidders City of Madison SBE Program Information

2 Small Business Enterprise (SBE) Program Information

2.1 Policy and Goal

The City of Madison reaffirms its policy of nondiscrimination in the conduct of City business by maintaining a procurement process which remains open to all who have the potential and ability to sell goods and services to the City. It is the policy of the City of Madison to allow Small Business Enterprises (SBE) maximum feasible opportunity to participate in City of Madison contracting. The bidder acknowledges that its bid has been submitted in accordance with the SBE program and is for the public's protection and welfare.

Please refer to the "ADVERTISEMENT FOR BIDS" for the goal for the utilization of SBEs on this project. SBEs may participate as subcontractors, vendors and/or suppliers, which provide a commercially useful function. The dollar value for SBE suppliers or 'materials only' vendors shall be discounted to 60% for purposes of meeting SBE goals.

A bidder which achieves or exceeds the SBE goal will be in compliance with the SBE requirements of this project. In the event that the bidder is unable to achieve the SBE goal, the bidder must demonstrate that a good faith effort to do so was made. Failure to either achieve the goal or demonstrate a good faith effort to do so will be grounds for the bidder being deemed a non-responsible contractor ineligible for award of this contract.

A bidder may count towards its attainment of the SBE goal only those expenditures to SBEs that perform a commercially useful function. For purposes of evaluating a bidder's responsiveness to the attainment of the SBE goal, the contract participation by an SBE is based on the percentage of the total base bid proposed by the Contractor. The total base bid price is inclusive of all addenda.

Work performed by an SBE firm in a particular transaction can be counted toward the goal only if it involves a commercially useful function. That is, in light of industry practices and other relevant considerations, does the SBE firm have a necessary and useful role in the transaction, of a kind for which there is a market outside the context of the SBE Program, or is the firm's role a superfluous step added in an attempt to obtain credit towards goals? If, in the judgment of the Affirmative Action Division, the SBE firm will not perform a commercially useful function in the transaction, no credit towards goals will be awarded.

The question of whether a firm is performing a commercially useful function is completely separate from the question of whether the firm is an eligible SBE. A firm is eligible if it meets the definitional criteria and ownership and control requirements, as set forth in the City of Madison's SBE Program.

If the City of Madison determines that the SBE firm is performing a commercially useful function, then the City of Madison must then decide what that function is. If the commercially useful function is that of an SBE vendor / supplier that regularly transacts business with the respective product, then the City of Madison will count 60% of the value of the product supplied toward SBE goals.

To be counted, the SBE vendor / supplier must be engaged in selling the product in question to the public. This is important in distinguishing an SBE vendor / supplier, which has a regular trade with a variety of customers, from a firm which performs supplier-like functions on an ad hoc basis or for only one or two contractors with whom it has a special relationship.

A supplier of bulk goods may qualify as an eligible SBE vendor / supplier if it either maintains an inventory or owns or operates distribution equipment. With respect to the distribution equipment; e.g., a fleet of trucks, the term "operates" is intended to cover a situation in which the supplier leases the equipment on a regular basis for its entire business. It is not intended to cover a situation in which the firm simply provides drivers for trucks owned or leased by another party; e.g., a prime contractor, or leases such a party's trucks on an ad hoc basis for a specific job.

If the commercially useful function being performed is not that of a qualified SBE vendor / supplier, but rather that of delivery of products, obtaining bonding or insurance, procurement of personnel, acting as a broker or manufacturer's representative in the procurement of supplies, facilities, or materials, etc., only the fees or commissions will apply towards the goal.

For example, a business that simply transfers title of a product from manufacturer to ultimate purchaser; e. g., a sales representative who re-invoices a steel product from the steel company to the Contractor, or a firm that puts a product into a container for delivery would not be considered a qualified SBE vendor / supplier. The Contractor would not receive credit based on a percentage of the cost of the product for working with such firms.

Concerning the use of services that help the Contractor obtain needed supplies, personnel, materials or equipment to perform a contract: only the fee received by the service provider will be counted toward the goal. For example, use of a SBE sales representative or distributor for a steel company, if performing a commercially useful function at all, would entitle the Contractor receiving the steel to count only the fee paid to the representative or distributor toward the goal. This provision would also govern fees for professional and other services obtained expressly and solely to perform work relating to a specific contract.

Concerning transportation or delivery services: if an SBE trucking company picks up a product from a manufacturer or a qualified vendor / supplier and delivers the product to the Contractor, the commercially useful function it is performing is not that of a supplier, but simply that of a transporter of goods. Unless the trucking company is itself the manufacturer or a qualified vendor / supplier in the product, credit cannot be given based on a percentage of the cost of the product. Rather, credit would be allowed for the cost of the transportation service.

The City is aware that the rule's language does not explicitly mention every kind of business that may contribute work on this project. In administering these programs, the City would, on a case-by-case basis, determine the appropriate counting formula to apply in a particular situation.

2.2 Contract Compliance

Questions concerning the SBE Program shall be directed to the Contract Compliance Officer of the City of Madison Department of Civil Rights, Affirmative Action Division, 210 Martin Luther King, Jr. Blvd., Room 523, Madison, WI 53703; telephone (608) 266-4910.

2.3 Certification of SBE by City of Madison

The Affirmative Action Division maintains a directory of SBEs which are currently certified as such by the City of Madison. Contact the Contract Compliance Officer as indicated in Section 2.2 to receive a copy of the SBE Directory or you may access the SBE Directory online at www.cityofmadison.com/dcr/aaTBDir.cfm.

All contractors, subcontractors, vendors and suppliers seeking SBE status must complete and submit the **Targeted Business Certification Application** to the City of Madison Affirmative Action Division by the time and date established for receipt of bids. A copy of the Targeted Business Certification Application is available by contacting the Contract Compliance Officer at the address and telephone indicated in Section 2.2 or you may access the Targeted Business Certification Application online at www.cityofmadison.com/dcr/aaTBDir.cfm. Submittal of the Targeted Business Certification Application by the time specified does not guarantee that the applicant will be certified as a SBE eligible to be utilized towards meeting the SBE goal for this project.

2.4 Small Business Enterprise Compliance Report

2.4.1 Good Faith Efforts

Bidders shall take all necessary affirmative steps to assure that SBEs are utilized when possible and that the established SBE goal for this project is achieved. A contractor who self performs a portion of the work, and is pre-qualified to perform that category of work, may subcontract that portion of the work, but shall not be required to do so. When a bidder is unable to achieve the established SBE goal, the bidder must demonstrate that a good faith effort to do so was made. Such a good faith effort should include the following:

- 2.4.1.1 Attendance at the pre-bid meeting.
- 2.4.1.2 Using the City of Madison's directory of certified SBEs to identify SBEs from which to solicit bids.
- 2.4.1.3 Assuring that SBEs are solicited whenever they are potential sources.
- 2.4.1.4 Referring prospective SBEs to the City of Madison Affirmative Action Division for certification.
- 2.4.1.5 Dividing total project requirements into smaller tasks and/or quantities, where economically feasible, to permit maximum feasible SBE participation.
- 2.4.1.6 Establishing delivery schedules, where requirements permit, which will encourage participation by SBEs.
- 2.4.1.7 Providing SBEs with specific information regarding the work to be performed.
- 2.4.1.8 Contacting SBEs in advance of the deadline to allow such businesses sufficient time to prepare a bid.
- 2.4.1.9 Utilizing the bid of a qualified and competent SBE when the bid of such a business is deemed reasonable (i.e. 5% above the lowest bidder), although not necessarily low.
- 2.4.1.10 Contacting SBEs which submit a bid, to inquire about the details of the bid and confirm that the scope of the work was interpreted as intended.

2.4.2 Reporting SBE Utilization and Good Faith Efforts

The Small Business Enterprise Compliance Report is to be submitted by the bidder with the bid: This report is due by the specified bid closing time and date. Bids submitted without a completed SBE Compliance Report as outlined below

shall be deemed non-responsible and the bidder ineligible for award of this contract.

2.4.2.1 If the Bidder meets or exceeds the goal established for SBE utilization, the Small Business Enterprise Compliance Report shall consist of the following:

2.4.2.1.1 **Cover Page**, Page C-6; and

2.4.2.1.2 **Summary Sheet**, C-7.

2.4.2.2 If the bidder does not meet the goal established for SBE utilization, the Small Business Enterprise Compliance Report shall consist of the following:

2.4.2.2.1 **Cover Page**, Page C-6;

2.4.2.2.2 **Summary Sheet**, C-7; and

2.4.2.2.3 **SBE Contact Report**, C-8 and C-9. (A separate Contact Report must be completed for each applicable SBE which is not utilized.)

2.5 Appeal Procedure

A bidder which does not achieve the established goal and is found non-responsible for failure to demonstrate a good faith effort to achieve such goal and subsequently denied eligibility for award of contract may appeal that decision to the Small Business Enterprises Appeals Committee. All appeals shall be made in writing, and shall be delivered to and received by the City Engineer no later than 4:30 PM on the third business day following the bidder's receipt of the written notification of ineligibility by the Affirmative Action Division Manager. Postmark not acceptable. The notice of appeal shall state the basis for the appeal of the decision of the Affirmative Action Division Manager. The Appeal shall take place in accordance with Madison General Ordinance 33.54.

2.6 SBE Requirements After Award of the Contract

The successful bidder shall identify SBE subcontractors, suppliers and vendors on the subcontractor list in accordance with the specifications. The Contractor shall submit a detailed explanation of any variances between the listing of SBE subcontractors, vendors and/or suppliers on the subcontractor list and the Contractor's SBE Compliance Report for SBE participation.

No change in SBE subcontractors, vendors and/or suppliers from those SBEs indicated in the SBE Compliance Report will be allowed without prior approval from the Engineer and the Affirmative Action Division. The contractor shall submit in writing to the City of Madison Affirmative Action Division a request to change any SBE citing specific reasons which necessitate such a change. The Affirmative Action Division will use a general test of reasonableness in approving or rejecting the contractor's request for change. If the request is approved, the Contractor will make every effort to utilize another SBE if available.

The City will monitor the project to ensure that the actual percentage commitment to SBE firms is carried out.

2.7 SBE Definition and Eligibility Guidelines

A Small Business Enterprise is a business concern awarded certification by the City of Madison. For the purposes of this program a Small Business Enterprise is defined as:

- A. An independent business operated under a single management. The business may not be a subsidiary of any other business and the stock or ownership may not be held by any individual or any business operating in the same or a similar field. In determining whether an entity qualifies as a SBE, the City shall consider all factors relevant to being an independent business including, but not limited to, the date the business was established, adequacy of its resources for the work in which it proposes to involve itself, the degree to which financial, equipment leasing and other relationships exist with other ineligible firms in the same or similar lines of work. SBE owner(s) shall enjoy the customary incidents of ownership and shall share in the risks and profits commensurate with their enjoyment interests, as demonstrated by an examination of the substance rather than form or arrangements that may be reflected in its ownership documents.
- B. A business that has averaged no more than \$4.0 million in annual gross receipts over the prior three year period and the principal owner(s) do not have a personal net worth in excess of \$1.32 million.

Firm and/or individuals that submit fraudulent documents/testimony may be barred from doing business with the City and/or forfeit existing contracts.

SBE certification is valid for one (1) year unless revoked.

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

Small Business Enterprise Compliance Report

**This information may be submitted electronically through
Bid Express or submitted with bid in sealed envelope.**

Cover Sheet

Prime Bidder Information

Company: _____

Address: _____

Telephone Number: _____ Fax Number: _____

Contact Person/Title: _____

Prime Bidder Certification

I, _____, _____ of
Name Title

_____ certify that the information
Company

contained in this SBE Compliance Report is true and correct to the best of my knowledge and belief.

Witness' Signature

Bidder's Signature

Date

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

Small Business Enterprise Compliance Report

Summary Sheet

SBE Subcontractors Who Are NOT Suppliers

| Name(s) of SBEs Utilized | Type of Work | % of Total Bid Amount |
|--|--------------|-----------------------|
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| Subtotal SBE who are NOT suppliers: | _____ | % |

SBE Subcontractors Who Are Suppliers

| Name(s) of SBEs Utilized | Type of Work | % of Total Bid Amount |
|--|-----------------------|-----------------------|
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| | | % |
| Subtotal Contractors who are suppliers: | _____ % x 0.6 = _____ | % (discounted to 60%) |

Total Percentage of SBE Utilization: _____ %.

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

Small Business Enterprise Compliance Report

SBE Contact Report

Submit separate copy of this form for each SBE which you are not able to utilize towards meeting the SBE goal for this project. Attach separate sheets if necessary.

SBE Information

Company: _____

Address: _____

Telephone Number: _____

Contact Person/Title: _____

1. Outline below all efforts to solicit a bid from the above SBE. Include date, means of contact, who from your company made this contact and the result.

2. Describe the information provided to the aforementioned SBE regarding the scope of work for which he/she was to provide a bid.

Is this the same scope of work on which the subcontractor you intend to utilize based his/her bid?

Yes No

3. Did this SBE submit a bid? Yes No

4. Is the General Contractor pre-qualified to self-perform this category of work?

Yes No

5. If you responded "Yes" to Question 3, please check the items below which apply and provide the requested detail. If you responded "No" to Question 3, please skip ahead to item 6 below.

The SBE listed above is unavailable for work on this project for the following reasons. Provide specific detail for this conclusion.

The SBE listed above is unqualified for work on this project. Provide specific details for this conclusion.

The SBE listed above provided a price that was unreasonable (i.e. more than 5% above the lowest bidder). Provide specific detail for this conclusion including the SBE's price and the price of the subcontractor you intend to utilize.

A contract with the SBE listed above may constitute a breach of the bidder's collective bargaining agreements. Provide specific detail for this conclusion including, but not limited to, correspondence from the SBE indicating it will not sign a project labor agreement and/or correspondence from the applicable trade union indicating a project labor agreement will not be allowed at the time of project bidding.

Other; please specify reason(s) other than listed above which made it impossible for you to utilize this SBE on this project.

6. Describe any other good faith efforts:

SECTION D: SPECIAL PROVISIONS

LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015 CONTRACT NO. 7435

It is the intent of these Special Provisions to set forth the final contractual intent as to the matter involved and shall prevail over the Standard Specifications and plans whenever in conflict therewith. In order that comparisons between the Special Provisions can be readily made, the numbering system for the Special Provisions is equivalent to that of the Specifications.

Whenever in these Specifications the term "Standard Specifications" appears, it shall be taken to refer to the City of Madison Standard Specifications for Public Works Construction and Supplements thereto.

SECTION 102.10: PREVAILING WAGE

For this project, payment of prevailing wages (white sheet) shall be required unless the box indicating prevailing wages are not required is checked below.

Prevailing wages shall not be required when this box is checked.

If prevailing wages (white sheets) are required, the wages and benefits paid on the contract shall not be less than those specified in the Prevailing Wage Determination included with these contract documents for the following types of work:

- Building or Heavy Construction
- Sewer, Water, or Tunnel Construction
- Local Street or Miscellaneous Paving Construction
- Residential or Agricultural Construction

When multiple boxes are checked, worker's wages may vary according to the type and area of work performed. It is the responsibility of the Contractor to determine and apply the appropriate wage rate for the specific work assigned.

SECTION 102.12: BEST VALUE CONTRACTING

This Contract shall be considered a Best Value Contract if the Contractor's bid is equal to or greater than \$55,500 for a single trade contract; or equal to or greater than \$271,500 for a multi-trade contract pursuant to MGO 33.07(7).

ARTICLE 104: SCOPE OF WORK

This project will include the construction portions of concrete curb and gutter, replacement of drive aprons, replacement of portions of the sidewalk, construction of new sanitary sewer and water mains and laterals, and the construction of related storm sewer. The pavement and base course will be replaced on Larkin St, Glenway St (north of Zwerg Dr.), Zwerg Dr., and Ross St. Hillcrest Drive and Glenway St. (Speedway to Zwerg) will be pulverized, shaped, and repaved.

ARTICLE 105.12: COOPERATION BY THE CONTRACTOR

The Contractor shall use care around existing trees, plantings, fences, walls, steps and driveways that are indicated on the plans to remain. Damage to these items during construction shall be repaired or replaced at the Contractor's expense. No trees, other than those shown on the plan to be removed, shall be cut without the approval of the Engineer and the City Forester; the abutting property owners shall be notified in accordance with the City's Administrative Procedure Memorandum No. 6-2.

The Contractor shall exercise caution when removing/replacing the curb adjacent to the driveway serving 3729-3733 Ross St. The apron was recently reconstructed utilizing rubberized asphalt. Any damage to the apron shall be repaired at the Contractors expense using materials similar to those used to originally construct the apron. Materials and replacement limits shall meet the approval of the property owners at 3729 and 3733 Ross St.

Construction shall be phased so that Larkin Street and Glenway Street are not under construction at the same time.

The Contractor shall maintain access for property owners, mail delivery and garbage/recycling pickup for all properties in the project area. All private storm sewer discharges shall be maintained for all properties in the project area.

Work in this contract may require utility relocations to install the new sanitary and storm sewer main. It will be the responsibility of the Contractor to work with the utilities located in the right of way to resolve conflicts during the construction process and provide working area for installation of new facilities.

Madison Gas & Electric (Gas)

Steve Beversdorf, P.E.; office (608) 252-1552, cell (608) 444-9620

Charter Communications

Brandon Storm; office (608) 274-3822 ext. 6642, cell (608) 444-9493

AT&T

Carol Anason, office: (608) 252-2385, email: ca2624@att.com

Chinmoy Roy, office: (608) 252-2448, email: cr093f@att.com

DETECTOR LOOPS

City Traffic Engineering crews will be installing traffic signal loops in the stone base course before the paving at the Glenway St and Speedway Rd intersection.

The contractor shall coordinate installation of any loop detectors and conduit with Traffic Engineering. The Contractor shall notify City Traffic Engineering Electrical Section (Jason Chandler, 266-4767), 48 hours prior to final paving.

Cost to repair damage to traffic signal loops that occur after their installation due to Contractor negligence, and cost for extra work to install the traffic signal loops in newly paved streets due to improper notice to the Traffic Engineering Division, will be deducted from the contract.

SECTION 107.6 DUST PROOFING

The Contractor shall take all necessary steps to control dust arising from operations connected with this contract. When ordered by the Engineer, the Contractor shall dust proof the construction area by using power sweepers and water. Dust proofing shall be incidental with operations connected with this contract.

ARTICLE 107.7: MAINTENANCE OF TRAFFIC

All signing and barricading shall conform to Part VI of the Federal Highways Administrations “Manual on Uniform Traffic Control Devices” (MUTCD), the State of Wisconsin Standard Facilities Development Manual (including Chapter 16 – Standard Detail Drawings) and the City of Madison Standards for sidewalk and bikeway closures.

The Contractor shall submit an acceptable Traffic Control Plan, including all necessary phases, to Tom Mohr, tmohr@cityofmadison.com, prior to the pre-construction meeting. The Traffic Control Plan shall address all requirements of this section of the Special Provisions. The successful bidder shall work with

the City Traffic Engineering Division to develop an approved Traffic Control Plan. The Contractor shall not start work on this project until the Traffic Engineering Division has approved a traffic control plan and traffic control devices have been installed, in accordance with the approved plan. Failure of the Contractor to obtain approval of a Traffic Control Plan, as specified above, may prevent the Contractor from starting work and shall be considered a delay of the project, caused by the Contractor.

The Contractor shall be responsible for installing and maintaining traffic control in accordance with the approved Traffic Control Plan and as directed by the City Traffic Engineer. The traffic control plan may need to be altered as conditions change in the field or as unexpected conditions occur. This may include relocating existing traffic control or providing additional traffic control. The Contractor shall install and maintain any necessary modifications or additions to the traffic control, as directed by the City Traffic Engineer, at no cost to the City.

Mineral Point Rd, Speedway Rd

At least one lane of westbound traffic and one lane of eastbound traffic must be maintained at all times. Two westbound lanes shall be open between 4:00 p.m. and 5:30 p.m. Two eastbound lanes shall be open between 7:00 a.m. and 8:30 a.m. Traffic lanes shall be a minimum of 10' of pavement or 12' to the face of curb. Traffic lanes shall be plated or on a hard, pavement surface.

Larkin St, Glenway St, Hillcrest Dr, Zwerg Dr, and Ross St

Streets may be closed to through traffic for the duration of construction. Maintain local and emergency vehicle access at all times.

Franklin Ave

Two-way traffic shall be maintained at all times. Flaggers may be used to maintain two-way traffic during work hours. The street shall be open to two lanes of traffic during non-work hours.

Regent St

Two-way traffic shall be maintained at all times. Flaggers may be used to maintain two-way traffic during work hours. The street shall be open to two lanes of traffic during non-work hours.

Larkin St and Glenway St intersection cross-traffic

Either Hammersley Ave or Hillcrest Dr shall be open to local traffic at all times to provide adequate access to residents. Adjacent intersections of Larkin St and Glenway St shall not be hard-closed at the same time.

The work areas shall be backfilled, plated, or protected by traffic control devices during non-working hours. If steel plates are used, the Contractor shall notify the City of Madison Streets Division, 266-4681, (1) working day prior to placement of the plates.

No construction equipment or materials shall be stored in the roadway or street right-of-way that is open to traffic during non-working hours. Construction equipment and materials are not to be stored within the street right-of-way that is outside the project limits as shown on the approved plan.

The Contractor may remove parking within the project limits as indicated on the Traffic Control Plan. The Contractor shall be responsible for posting and maintaining NO PARKING signs in accordance with City of Madison Police Department's "Guidelines for Temporary No Parking Restrictions for Construction or Special Events".

Contact Tom Mohr, Traffic Engineering Division, tmohr@cityofmadison.com, 267-8725, with any questions concerning these traffic control specifications.

ARTICLE 108.2: PERMITS

The City of Madison has obtained a City of Madison Erosion Control Permit and has submitted a DNR Notice of Intent (NOI) to obtain coverage under a Construction Site General Permit.

The Contractor shall meet the conditions of the permits by properly installing and maintaining the erosion control measures shown on the plans, specified in these Special Provisions, or as directed by the Construction Engineer or his designees. This work will be paid for under the appropriate contract bid items or, if appropriate items are not included in the contract, shall be paid for as Extra Work. A copy of the permit is available at the City of Madison, Engineering Division office.

This permit covers trench dewatering to a maximum of 70 gallons/minute from the project, provided appropriate control measures are in place. The City's obtaining this permit is not intended to be exhaustive of all permits that may be required to be obtained by the Contractor for construction of this project. It shall be the responsibility of the Contractor to identify and obtain any other permits needed for construction.

ARTICLE 109.2 PROSECUTION OF THE WORK

The Contractor shall begin operations on or before **May 18, 2015** and will have **One Hundred Thirty-one (131) calendar days** to complete the project. If weather permits, the Contractor may begin work earlier. The Contractor shall notify the Engineer a minimum of two weeks prior to the anticipated start of work date.

The Contractor shall also notify the City Engineer (contact the Construction Engineer at 266-9091) a minimum of 48 hours prior to the desired start date. The Engineer shall schedule a pre-construction meeting prior to the start of construction.

SECTION 210.1(d) STREET SWEEPING

When required, either by the erosion control plan or the Construction Engineer, the Contractor shall perform mechanical street sweeping on all streets or paved surfaces affected by construction equipment, hauling or related construction activities that result in mud tracking or siltation. Mechanical street sweeping shall be completed as directed by the Construction Engineer and shall remove all loose material to the satisfaction of the Construction Engineer. Depending on site conditions, construction activities, and hauling methods utilized by the Contractor mechanical street sweeping may be required multiple times throughout the day with an absolute minimum that all streets are clean at the end of the work day.

ARTICLE 500 SEWER AND SEWER STRUCTURES GENERAL

The sewer designer for the project is Kyle Frank. He may be contacted at (608) 266-4098 or kfrank@cityofmadison.com.

SANITARY SEWER GENERAL

This project shall included installing approximately 3,792 feet of new 8" PVC SDR-35/SDR-26 pipe and 2911 feet of new sanitary lateral SDR-35/SDR-26, in order to reconnect 82 sanitary laterals.

ASTM D3034 SDR-35 and SDR-26 sewer main and lateral as called for on the plan set shall be payable under Sanitary Sewer Main (Bid Item 50301) and Sanitary Lateral (Bid Item 50353). No additional compensation will be granted for ASTM D3034 SDR-26 pipe material

All new sanitary sewer access structures shall include Neenah R-1050 castings with the new City of Madison casting detail (see S.D.D. 5.7.16) of the City of Madison Standard Specifications for Public Works Construction 2015 ed. All new sewer main connections may be factory cored and shall be included in the structure. All existing main connections shall be field cored to accommodate existing conditions and shall be compensated under BID ITEM 50791 SANITARY SEWER TAP. All sewer main and/or laterals not slated for replacement that are damaged during the installation of a structure shall be replaced by the Contractor and shall be considered incidental to the project. All benches and flowlines shall have a smooth trowel finish.

Contractors shall have a locator device on-site if they intend to start laying lateral pipe at the property line to minimize the amount of extra sidewalk removal. Each sanitary lateral shall have a maximum of 4 sidewalk squares removed and replaced. No additional compensation shall be awarded beyond this amount for the replacement of a sewer lateral. If laterals called for reinstatement on the plans are to be plugged under the direction of the engineer on-site, contractors are required to use a sonde device to confirm that the laterals are not active.

All sanitary sewer laterals on this project were located by television inspection of the main and from City records.

It is advised that the Contractor visit the site prior to bidding to determine the type of trench protection that will be necessary for the sanitary sewer main installation.

STORM SEWER GENERAL

Storm sewer pipe work shall include installing approximately 360 feet of new storm sewer of various sizes ranging from 12" to 15".

Reconnection of existing pipes at new or existing structures, or new pipes at new or existing structures, shall be considered to be part of the work required to construct the new structure or to construct the new sewer pipe and shall not be rewarded with additional compensation. However, if the structure being removed is larger than the new structure, thus requiring additional pipe, the new pipe shall be paid under the appropriate bid item and the connection of the old pipe to the new pipe shall be accomplished with a concrete collar.

Where a new structure is to be constructed at an existing pipe, it is expected that the contractor shall saw cut the existing pipe in the required location to accommodate the placement of the new structure. If the contractor for his or her convenience deems it more suitable to remove the existing pipe to a full joint, the additional pipe and concrete collar required to reconnect to the new structure shall be the contractor's responsibility and shall not be compensated.

Connection of new pipes to existing structures shall be accommodated with a Storm Sewer Tap – Bid Item 50792.

Precast structures are only allowed where field poured structures are not specifically called for, and no precast structures are allowed until ULO's are completed and approval of the design engineer has been received.

SECTION 701 PROVISIONS FOR WATER INSTALLATION AND ABANDONMENT

The Water Utility designer for the project is Adam Wiederhoeft. He may be contacted at (608) 266-9121 or awiederhoeft@madisonwater.org.

Larkin Street

Water work on Larkin St consists of furnishing and installing approximately 1,250-feet of new 8-inch water main between Mineral Point Rd and Hillcrest Dr as shown on the plan and in accordance with the Standard Specifications.

Ross Street

Water work on Ross St consists of furnishing and installing approximately 700-feet of new 8-inch water main between Glenway St and S Franklin Ave as shown on the plan and in accordance with the Standard Specifications.

Zwerg Drive

Water work on Zwerg Dr consists of furnishing and installing approximately 625-feet of new 8-inch water main between Glenway St and S Franklin Ave as shown on the plan and in accordance with the Standard Specifications.

Hillcrest Drive

Water work on Hillcrest Dr consists of abandoning approximately 465-feet of existing 6-inch water main between Larkin St and Glenway St as shown on the plan and in accordance with the Standard Specifications. The work includes transferring and/or extending the existing service laterals to the existing 12-in water main located in this segment of Hillcrest Dr.

Glenway Street

Water work on Glenway St consists of furnishing and installing approximately 950-feet of new 8-inch water main the Water Utility Pumping Station No. 106 (110 Glenway St) and Regent St (near Hoyt School) as shown on the plan and in accordance with the Standard Specifications. The work also consists of installing approximately 525-feet of 20-inch ductile iron water main on Glenway St between the Water Utility Pumping Station No. 106 (110 Glenway St) and the existing 20-inch water main (at approximately 15 Glenway St).

The water work included in this contract also includes various connections into cross streets on or between these streets.

The water work also includes curb & gutter, sidewalk, and concrete drive/sidewalk ramp removal and/or replacement in various locations, as designated on the plans. Payment shall be made only for authorized and required curb replacement in the designated areas. Additional removal and replacement work to accommodate water main construction must be authorized by the Water Utility Construction Inspector or Engineer to be considered for payment.

Once the new systems have passed the required pressure and water quality tests, cut off, extend as necessary, and reconnect the existing water service laterals to the new, or designated existing water mains (unless the service is to be abandoned). Services will be reconnected to the new main as shown on the plans. Service lateral work in conflict with tree protection specifications and/or damaged service laterals may require relocation or replacement of the lateral. Any service lateral work other than what is designated on the plans must be authorized in advance by the Water Utility Inspector and will be paid under Bid Item 70053 – Replace 1-Inch Copper Service Lateral. Additionally, backyard service laterals serving properties along the east side of the 200-300 blocks of Larkin St are to be replaced with new street-side laterals. The new street-side laterals to serve these properties will be installed under Bid Item 70050 – Furnish and Install New 1-Inch Service Lateral – see Bid Item Special Provisions for more detailed information.

Note that a Madison Water Utility pressure-zone boundary, storage reservoir and booster pumping facility is located within the project limits at 110 Glenway St (located in Reservoir Park). **The existing valves and/or the proposed valve at this location shall not be operated without prior authorization of the Water Utility Engineer and Pump Operator.** Any operation of a pressure-zone boundary valve is required to be performed by Madison Water Utility personal unless other authorization has been given in writing by the Engineer. Provide at least two (2) business day notice to Madison Water Utility ahead of any anticipated valve operation required near this location.

Refer to the Water System Impact Plan to review anticipated notification areas required for the various system connections associated with the water work in this Contract. Note that the phasing of construction and order of installation could alter the notification requirements for each subsequent connection. The notification areas depicted in the Water System Impact Plan are prepared for the Contractors convenience and reference only, and represent each connection being executed with only the existing pre-construction system conditions in-service. Consult with the Water Utility Engineer and/or Water Utility Construction Inspector prior to installation of new water main segments to establish and confirm notification requirements prior to each water system connection.

Take all necessary precautions to protect the existing Madison Water Utility system and ensure its proper functioning during construction.

View the site prior to bidding and become familiar with existing conditions and utilities.

SECTION 702 MATERIALS

Furnish all materials, labor and equipment necessary to complete this project except the tapping sleeves, tapping valves and tapping valve boxes. Water Utility will furnish the tapping sleeves, tapping valves, tapping valve boxes, and the crew to perform the taps.

SECTION 703 CONSTRUCTION METHODS

Perform all work in accordance with these provisions and the City of Madison Standard Specifications, current edition. Keep all valves accessible and functioning throughout the duration of the work or directed otherwise by the Water Utility representative.

WATER SHUT-OFF AND NOTIFICATION REQUIREMENTS

In addition to the water shut-off and notification requirements in the Standard Specifications, the following requirements apply to work under this Contract:

Hoyt School/MSCR Offices, 3802 Regent St

Contact: Doug Parks, Building Maintenance, mobile: 608-228-3627

Alternate contact: Main/General, 204-3000

For any water shut-offs affecting Hoyt School provide at least 5 working day notice in advance of the service interruption.

Ripple Management, 3801 Regent St

Contact: Bob Lindholm, Building Manager, 238-8888

Alternate contact: Tom ripple, Owner (same number)

Note: reconnect existing 4-IN service later to new 8-IN high-pressure main, rather than reconnecting to the 20-IN low-pressure main (see sheet W-3, ~STA 35+60).

For any water shut-offs affecting 3801 Regent St, provide at least 5 working day notice in advance of the service interruption.

Bethany United Methodist Church, 3910 Mineral Point Rd

Contact: Main/General, 238-6381

Email: bethanyoffice@bethanymadison.org

For any water shut-offs affecting Bethany Church provide at least 5 working day notice in advance of the service interruption.

WATER UTILITY GENERAL NOTES FOR SPECIFIC WORK:

- | | |
|-----|---|
| WN1 | Replace the existing lead service with a new copper service. |
| WN2 | Extend and reconnect the existing copper service to the new water main. |
| WN3 | Existing service to be abandoned when water main is cut-off. |
| WN4 | Disconnect service from the old water main and reconnect the existing copper water service lateral to the new water main. |
| WN5 | Relocate the existing fire hydrant. |
| WN6 | Abandon water valve access structure. |
| WN7 | Furnish and install the new top section for the water access structure. |
| WN8 | Abandon the valve box. |

| | |
|------|--|
| WN9 | Furnish the ditch, compaction and all materials and labor for the installation of new service lateral. |
| WN10 | Remove and salvage existing hydrant. |
| WN11 | Replace the existing copper service with a new copper service. |

BID ITEM 21001 EROSION CONTROL PLAN & IMPLEMENTATION

In addition to the requirements detailed in Section 210.1(a) the Contractor shall supply a dewatering plan as part of the Erosion Control Implementation Plan. At a minimum the dewatering plan shall include the Contractor's methods, practices, and or devices to perform TYPE I or TYPE II Dewatering per Section 502.1(c) Dewatering in the City of Madison Standard Specifications for Public Works Construction and Wisconsin Department of Natural Resources (WDNR) SOC Technical Standard 1061 Dewatering. If TYPE II Dewatering is expected to be used at a rate in excess of 70 gallons/minute, the dewatering plan shall also include a copy of any applicable WDNR permits.

BID ITEM 20336 PIPE PLUG

With regard to the City of Madison Standard Specifications for Public Works Construction 2015 Edition Article 203.2(c), any pipe found in a trench that is less than 10" in diameter while installing a sewer facility shall be considered incidental to the pipe being installed.

No paid pipe plugs are expected for this project.

Any pipe plugs required to abandon or remove sewer access structure (pipes directly connected to the structure) shall be considered incidental to abandoning or removing the structure regardless of the size of the pipe being abandoned.

BID ITEM 50353 SANITARY SEWER LATERAL (SDR 35 & 26)

Sanitary sewer laterals shown on the construction plans were located by City television inspection and records only.

Where the existing sanitary sewer laterals are being extended to connect to the new sanitary sewer main (being installed in a different location as the existing main), pipe plugs shall be required to plug the existing sanitary sewer main on both sides of the old lateral location. The pipe plugs shall be considered incidental to the bid price for SANITARY SEWER LATERAL. All work associated with this bid item shall comply with Article 503 of the Standard Specifications.

Per the City of Madison Standard Specifications for sanitary sewer lateral construction on street reconstruction projects, Contractors are encouraged to begin installation of sanitary lateral pipe at the proposed sewer main. If Contractor starts excavation for the lateral at the property line, it shall be at the Contractor's risk. No Utility Line Openings (ULO) will be granted for the inability to locate the sanitary lateral at the property line. Any extra sidewalk removal will not be compensated to the Contractor looking for an existing sanitary lateral at the property line. Contractors are encouraged to have a locator device on-site if they intend to start laying lateral pipe at the property line to minimize the amount of extra sidewalk removal.

Proposed sanitary lateral locations near trees are subject to change based upon data obtained in the field and property owner involvement. Excavation near trees shall comply with Article 107.13 of the Standard Specifications. If 5 ft of separation from the tree to the excavation cannot be maintained, lateral replacement shall stop at the curb.

As part of this project, laterals for properties along Larkin Dr. will require laterals to be stubbed out to the property line for future connection. Lateral locations at the property line shall be marked with a Sewer Electronic Marker (BID ITEM 50390) and a 4"x4" timber 8' long extended from the end of lateral to 1' above finished grade (considered incidental to sanitary sewer lateral). The sanitary lateral pipe shall be payable under Sanitary Sewer Lateral (BID ITEM 50353) and the sanitary lateral wye connections shall

be considered incidental to the price of the sanitary sewer main. Affected properties are noted on the utility plan and profile sheets.

Each sanitary sewer lateral shall have a maximum of 4 sidewalk squares and 20' of curb and gutter removed and replaced. No additional compensation shall be awarded beyond this amount for the replacement of a sewer lateral.

BID ITEM 50354 RECONNECT SANITARY LATERAL

The first 5 feet of pipe shall be included with this bid item regardless of pipe type or fittings used. Beyond 5' shall be paid for separately (Bid Item 50353 SANITARY SEWER LATERAL).

The first 5 feet of sewer lateral pipe/ fittings measured from the sewer main shall be considered the reconnect for all sewer lateral reconnections. Lateral connections connecting to sewer access structures shall be paid for separately as a sanitary tap. 5' of lateral pipe is not considered incidental to the sanitary tap connection.

BID ITEM 50390 SEWER ELECTRONIC MARKERS

With regard to the City of Madison Standard Specifications for Public Works Construction 2010 Edition Section 503.3(c), each sanitary lateral shall have a minimum of two (2) electronic markers with the City providing the Contractor with the required number of electronic markers. For sanitary laterals, which only include the installation of a wye, a marker ball shall be installed directly above the wye connection to the main.

BID ITEM 50801 UTILITY LINE OPENING (ULO)

The work under this item shall be completed in accordance with Article 508 of the Standard Specifications for Public Works Construction. It is the discretion of the contractor to locate utilities by either a trench excavation or by a pothole technique. However, the contractor shall not be compensated more than once for multiple utilities located within a maximum distance of five (5) feet long.

BID ITEM 70050 FURNISH AND INSTALL NEW 1-INCH SERVICE LATERAL

Services along the east side of 200-300-blocks of Glenway St are currently coming off of an existing water main located in an easement along the back lot lines of these properties. These existing services are to be abandoned and replaced with services from the new water main in the Larkin St road right of way. The new services will be installed from the new water main, include the new curb stop, and extend to approximately the property line, or as designated on the plans. Property owners have been notified to privately reconnect their service to the new curb stop when their replacement service lateral becomes available. Coordinate as necessary with these residences, their private plumber, and the Water Utility to confirm the new service availability, and to establish the best location for the new service/curb stop.

BID ITEM 70056 RECONNECT 1-INCH SERVICE LATERAL

In addition to the Standard Specifications, work under this Bid Item includes service reconnections and extensions along Hillcrest Dr between Larkin St and Glenway St, being reconnected from the existing 6-IN water main (prior to abandonment) to the existing 12-IN water main along this segment.

BID ITEM 90160 RELOCATE EXISTING 20-INCH BUTTERFLY VALVE

A) DESCRIPTION

Remove the existing 20-inch butterfly valve (installed January 2014) from the east branch of the 20-inch x 20-inch cross located at approximately STA 28+95 on Glenway St, and relocate & install on the north branch of the 20-inch x 20-inch cross. The work includes furnishing and installing a 20-inch mechanical joint plug on the east branch of the 20-inch x 20-inch cross and plugging the existing 20-inch/14-inch pipe

to the east (20-in x 14-in reducer is located to the east of the 20-in valve), both of which are considered incidental to this valve relocation bid item.

B) MATERIALS

All materials except for the salvaged 20-inch butterfly valve shall be in conformance with the water material requirement of the Standard Specifications. Madison Water Utility will furnish new 20-inch Megalugs and bolts for the valve relocation – do not re-use the existing Megalugs or bolts.

C) CONSTRUCTION METHODS

Coordinate this work with the Water Utility Engineer and Pump Operator at least 5-business days prior to the anticipated start of work. Do not perform this work until authorized in writing by the Water Utility Engineer. Perform this work in accordance with the Standard Specifications for water main and water valve installations.

D) METHOD OF MEASUREMENT

Measured by each completed unit.

E) BASIS OF PAYMENT

Paid at the contract unit price under the following bid item – ‘90160 – Relocate Existing 20-Inch Butterfly Valve’.



Legend

⑧ Denotes Boring Location (approximate)

Notes

1. Soil borings drilled by Badger State Drilling in October 2014.

DWN: -

APP'D: MNS

Date: 10/14

C14051-27

OGC, Inc.

**SOIL BORING LOCATION PLAN
Glenway Street Area**



LOG OF TEST BORING

Project Glenway Street Area
Glenway: 150'S of Regent, Near CL
 Location Madison, Wisconsin

Boring No. 1
 Surface Elevation (ft) 76.9*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|------|--------------|-------|-------|--------------------------------------|-----------------|---------------------|---|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | w | LL | PL |
| | | | | | 0 | | | | | |
| 1 | | 8 | M | 12 | 10 | X | | | | |
| | | | | | 12 | □ | | | | |
| | | | | | 15 | □ | | | | |
| 2 | | 3 | M | 50/5" | 15 | □ | | | | |
| | | | | | 18 | □ | | | | |
| 3 | | 1 | M | 50/0" | 20 | □ | | | | |

10 in. Asphalt Pavement/5 in. Base Course

FILL: Brown Sand and Gravel with Silt and Clay

Weathered to Competent Light Brown Sandy Dolomitic Limestone BEDROCK

End boring at 6 ft due to auger refusal on competent bedrock

Borehole backfilled with soil cuttings and asphalt patch

*Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 10/8/14 End 10/8/14
 Driller Badger Chief JF Rig CME-55
 Logger MG Editor ESF
 Drill Method 2.25 HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Glenway Street Area
Glenway: 50'S of Ridge, 7'S of CL
 Location Madison, Wisconsin

Boring No. 2
 Surface Elevation (ft) 130.6*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|------|--------------|-------|----|--------------------------------------|---|---------------------|---|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 5 | 6 in. Asphalt Pavement/7 in. Base Course | | | | |
| 1 | | 12 | M | 27 | | | | | | |
| | | | | | 10 | | | | | |
| 2 | | 16 | M | 41 | | | | | | |
| | | | | | 15 | Little to Some Clay Near 14 ft | | | | |
| 3 | | 14 | M | 34 | | | | | | |
| | | | | | 20 | End boring at 15 ft Borehole backfilled with bentonite chips and asphalt patch *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley | | | | |
| 4 | | 18 | M | 28 | | | | | | |
| 5 | | 16 | M | 22 | | | | | | |

WATER LEVEL OBSERVATIONS

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

GENERAL NOTES

Start 10/8/14 End 10/8/14
 Driller Badger Chief JF Rig CME-55
 Logger MG Editor ESF
 Drill Method 2.25 HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Glenway Street Area
 Zwerg: 260'E of Glenway, 6'N of CL
 Location Madison, Wisconsin

Boring No. 3
 Surface Elevation (ft) 91.7*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | | | | | |
|--|------|--------------|-------|----|--------------------------------------|---|---------------------|---|----|----|--|--|--|--|--|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL | LI | | | | |
| | | | | | 0 | 5 in. Asphalt Pavement/10 in. Base Course | | | | | | | | | |
| 1 | █ | 6 | M | 7 | 7 | Stiff to Very Stiff, Brown Lean CLAY | | | | | | | | | |
| | | | | | 10 | (2.25) | | | | | | | | | |
| 2 | █ | 14 | M | 5 | 5 | | | | | | (1.25) | | | | |
| 3 | █ | 16 | M | 5 | 10 | | | | | | (1.75) | | | | |
| | | | | | 15 | Sandy near 8.5 ft | | | | | | | | | |
| 4 | █ | 16 | M | 19 | 19 | | | | | | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| | | | | | 20 | End boring at 15 ft | | | | | | | | | |
| 5 | █ | 6 | M | 22 | 22 | | | | | | Borehole backfilled with bentonite chips and asphalt patch | | | | |
| *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley | | | | | | | | | | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling ∇ NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 10/8/14 End 10/8/14
 Driller Badger Chief JF Rig CME-55
 Logger MG Editor ESF
 Drill Method 2.25 HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Glenway Street Area
Glenway: 75'S of Zwerg, Near CL
 Location Madison, Wisconsin

Boring No. 4
 Surface Elevation (ft) 104.6*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | |
|--------|------|--------------|-------|----|--------------------------------------|--|---------------------|---|----|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | w | LL | PL | LI |
| | | | | | X | 9 in. Asphalt Pavement/5 in. Base Course | | | | | |
| 1 | | 12 | M | 3 | | Medium Stiff, Brown/Dark Brown Mottled Lean Clay (CL) | (0.75) | | | | |
| 2 | | 10 | M | 6 | | Stiff to Very Stiff, Brown Lean CLAY (CL) | (1.75) | | | | |
| 3 | | 14 | M | 10 | | | (2.5) | | | | |
| 4 | | 14 | M | 9 | | | (1.5) | | | | |
| 5 | | 10 | M | 21 | | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbled (SM) | | | | | |
| | | | | | 15 | End boring at 15 ft | | | | | |
| | | | | | | Borehole backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | | | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley | | | | | |
| | | | | | 20 | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 10/8/14 End 10/8/14
 Driller Badger Chief JF Rig CME-55
 Logger MG Editor ESF
 Drill Method 2.25 HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Glenway Street Area
Glenway: 130'N of Ross, Near CL
 Location Madison, Wisconsin

Boring No. 5
 Surface Elevation (ft) 92.6*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|------|--------------|-------|----|--------------------------------------|--|---------------------|---|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 0 | 7 in. Asphalt Pavement/9 in. Base Course | | | | |
| 1 | | 8 | M | 5 | 5 | Stiff, Dark Brown Lean CLAY (CL) | | | | |
| | | | | | 7 | Stiff, Brown Lean CLAY | | | | |
| 2 | | 16 | M | 7 | 7 | (1.25) | | | | |
| | | | | | 10 | Loose, Brown SILT, Little to Some Clay (ML) | | | | |
| 3 | | 14 | M | 7 | 10 | (1.5) | | | | |
| | | | | | 13 | Sandy near 9 ft | | | | |
| 4 | | 18 | M | 7 | 13 | (1.75) | | | | |
| | | | | | 15 | Very Stiff to Hard, Brown Lean CLAY (CL) | | | | |
| 5 | | 16 | M | 21 | 15 | (4.0) | | | | |
| | | | | | 15 | End boring at 15 ft | | | | |
| | | | | | 15 | Borehole backfilled with bentonite chips and asphalt patch | | | | |
| | | | | | 15 | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley | | | | |
| | | | | | 20 | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 10/8/14 End 10/8/14
 Driller Badger Chief JF Rig CME-55
 Logger MG Editor ESF
 Drill Method 2.25 HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Glenway Street Area
 Location Ross: 250'E of Glenway, 6'N of CL
Madison, Wisconsin

Boring No. 6
 Surface Elevation (ft) 89.4*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | |
|--------|------|--------------|-------|-------|--------------------------------------|--|---------------------|---|----|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | 0 | 5 in. Asphalt Pavement/6 in. Base Course | | | | | |
| 1 | █ | 6 | M | 7 | 7 | Stiff to Very Stiff, Brown Lean CLAY (CL) | (2.0) | | | | |
| | | | | | 8 | Stiff, Brown Silty CLAY, Some Sand (CL-ML) | | | | | |
| 2 | █ | 14 | M | 4 | 14 | Stiff, Brown Lean CLAY with Some Silt (CL) | (1.5) | | | | |
| | | | | | 15 | Very Stiff, Brown Lean CLAY with Some Silt (CL) | | | | | |
| 3 | █ | 18 | M | 9 | 18 | Weathered to Competent, Light Greenish-Brown Sandy Dolomitic Limestone BEDROCK | (3.0) | | | | |
| | | | | | 19 | Weathered to Competent, Light Greenish-Brown Sandy Dolomitic Limestone BEDROCK | | | | | |
| 4 | █ | 18 | M | 13 | 18 | Weathered to Competent, Light Greenish-Brown Sandy Dolomitic Limestone BEDROCK | (2.75) | | | | |
| | | | | | 20 | Weathered to Competent, Light Greenish-Brown Sandy Dolomitic Limestone BEDROCK | | | | | |
| 5 | █ | 6 | M | 67/9" | 15 | End boring at 15 ft | | | | | |
| | | | | | 16 | Borehole backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | | 17 | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley | | | | | |
| | | | | | 18 | | | | | | |
| | | | | | 19 | | | | | | |
| | | | | | 20 | | | | | | |

WATER LEVEL OBSERVATIONS

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

GENERAL NOTES

Start 10/8/14 End 10/8/14
 Driller Badger Chief JF Rig CME-55
 Logger MG Editor ESF
 Drill Method 2.25 HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Glenway Street Area
Glenway: 120'S of Ross, Near CL
 Location Madison, Wisconsin

Boring No. 7
 Surface Elevation (ft) 94.5*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|------|--------------|-------|----|--------------------------------------|--|---------------------|---|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 0 | | | | | |
| | | | | | 0.5 | | | | | |
| 1 | | 8 | M | 5 | 0.5 | | | | | |
| | | | | | 1 | | | | | |
| 2 | | 16 | M | 4 | 1 | (0.75) | | | | |
| | | | | | 2 | | | | | |
| 3 | | 14 | M | 8 | 2 | (2.75) | | | | |
| | | | | | 3 | | | | | |
| 4 | | 16 | M | 7 | 3 | (1.75) | | | | |
| | | | | | 4 | | | | | |
| | | | | | 5 | | | | | |
| 5 | | 16 | M | 12 | 5 | (2.0) | | | | |
| | | | | | 6 | | | | | |
| | | | | | 7 | | | | | |
| | | | | | 8 | | | | | |
| | | | | | 9 | | | | | |
| | | | | | 10 | | | | | |
| | | | | | 11 | | | | | |
| | | | | | 12 | | | | | |
| | | | | | 13 | | | | | |
| | | | | | 14 | | | | | |
| | | | | | 15 | | | | | |
| | | | | | 15 | End boring at 15 ft | | | | |
| | | | | | 15 | Borehole backfilled with bentonite chips | | | | |
| | | | | | 15 | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley | | | | |
| | | | | | 16 | | | | | |
| | | | | | 17 | | | | | |
| | | | | | 18 | | | | | |
| | | | | | 19 | | | | | |
| | | | | | 20 | | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|---|--|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>10/8/14</u> End <u>10/8/14</u> Driller <u>Badger</u> Chief <u>JF</u> Rig <u>CME-55</u> Logger <u>MG</u> Editor <u>ESF</u> Drill Method <u>2.25 HSA; Autohammer</u> |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | |



LOG OF TEST BORING

Project Glenway Street Area
Glenway: 170'S of Hammersley, Near CL
 Location Madison, Wisconsin

Boring No. 8
 Surface Elevation (ft) 97.7*
 Job No. C14051-27
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--|------|--------------|-------|--------|--------------------------------------|--|---------------------|---|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 0 | 10 in. Asphalt Pavement/7 in. Base Course | | | | |
| 1 | | 8 | M | 9 | 1 | Very Stiff, Brown Lean CLAY (CL) | | | | |
| | | | | | 5 | Medium Dense, Brown Fine SAND, Little to Some Silt and Gravel (SP-SM/SM) | | | | |
| 2 | | 14 | M | 12 | 6 | | | | | |
| 3 | | 14 | M | 24 | 12 | | | | | |
| 4 | | 12 | M | 68/11" | 18 | | | | | |
| 5 | | 0 | M | 50/2" | 24 | End boring at 14 ft due to auger refusal on competent bedrock | | | | |
| | | | | | 20 | Borehole backfilled with bentonite chips | | | | |
| *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Glenway and Hammersley | | | | | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling **NW** Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 10/8/14 End 10/8/14
 Driller Badger Chief JF Rig CME-55
 Logger MG Editor ESF
 Drill Method 2.25 HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



Legend

○ Denotes Boring Location (approximate)

Notes

1. Soil borings performed by Badger State Drilling in October 2013

| | | | |
|--------|------------|-------------|-----------|
| DWN: - | APP'D: MNS | Date: 12/13 | C13064-16 |
|--------|------------|-------------|-----------|

CGC, Inc.

SOIL BORING LOCATION PLAN
Larkin Street Area
Madison, Wisconsin



LOG OF TEST BORING

Project Larkin Street Area
Larkin: 215'S of Regent, 7'W of Centerline
 Location Madison, Wisconsin

Boring No. 1
 Surface Elevation (ft) 75.6*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | |
|--------|------|--------------|-------|-------|--------------------------------------|-----------------|--|--------|----|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | 0 | X | 4.5" Asphalt Pavement/7" Base Course | | | | |
| 1 | | 14 | M | 19 | 1 | ■ | FILL: Gray Clay with Sand and Gravel | (3.75) | | | |
| | | | | | 2 | ■ | Medium Dense, Gray Silty Fine SAND to Sandy SILT (SM/ML) | | | | |
| 2 | | 16 | M | 19 | 3 | ■ | | | | | |
| | | | | | 4 | ■ | Medium Stiff, Gray-Brown Sandy Lean Clay (CL) | (0.75) | | | |
| 3 | | 15 | M | 6 | 5 | ■ | | | | | |
| | | | | | 6 | ■ | | | | | |
| 4 | | 4 | M | 54/9" | 7 | ■ | | (0.75) | | | |
| | | | | | 8 | ■ | | | | | |
| | | | | | 9 | ■ | | | | | |
| | | | | | 10 | ■ | Weathered to Competent Dolomitic Limestone BEDROCK | | | | |
| | | | | | 11 | ■ | End of Boring at 10.5 ft due to auger refusal on competent bedrock | | | | |
| | | | | | 12 | ■ | Borehole backfilled with bentonite chips and the surface patched with asphalt | | | | |
| | | | | | 13 | ■ | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest | | | | |
| | | | | | 14 | ■ | | | | | |
| | | | | | 15 | ■ | | | | | |
| | | | | | 16 | ■ | | | | | |
| | | | | | 17 | ■ | | | | | |
| | | | | | 18 | ■ | | | | | |
| | | | | | 19 | ■ | | | | | |
| | | | | | 20 | ■ | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 10/31/13 End 10/31/13
 Driller BSD Chief MC Rig CME-55
 Logger MG Editor ESF
 Drill Method 2 1/4" HSA

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Larkin Street Area
Larkin: 100'N of Pricilla, 5'E of Centerline
 Location Madison, Wisconsin

Boring No. 2
 Surface Elevation (ft) 85.9*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | |
|--------|-----------|--------------|-------|----|--------------------------------------|--|---------------------|---|----|----|----|
| No. | Type E | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | 0 | 7" Asphalt Pavement/10" Base Course | | | | | |
| 1 | | 9 | M | 6 | 0 | Stiff, Brown Lean CLAY, Some Sand and Gravel (CL) | (1.5) | | | | |
| 2 | | 18 | M | 5 | 5 | Soft, Brown Sandy Lean CLAY (CL) | (0.4) | | | | |
| 3 | | 18 | M | 9 | 5 | Loose, Brown Clayey SAND, Some Silt (SC/SM) | | | | | |
| 4 | | 18 | M | 14 | 10 | Medium Dense, Reddish Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | | |
| 5 | | 12 | M | 23 | 15 | End of Boring at 15 ft | | | | | |
| | | | | | 15 | Borehole backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | | 20 | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest | | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|---|---|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>10/31/13</u> End <u>10/31/13</u> Driller <u>BSD</u> Chief <u>MC</u> Rig <u>CME-55</u> Logger <u>MG</u> Editor <u>ESF</u> Drill Method <u>2 1/4" HSA</u> |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | |



LOG OF TEST BORING

Project Larkin Street Area
Larkin: 270'N of Hillcrest, 7'W of Centerline
 Location Madison, Wisconsin

Boring No. 3
 Surface Elevation (ft) 113.5*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | |
|--------|------|--------------|-------|----|--------------------------------------|--|---------------------|---|----|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | 5 | 4.5" Asphalt Pavement/13" Base Course | | | | | |
| 1 | | 6 | M | 10 | 5 | FILL: Brown Clay with Sand, Gravel and Asphalt Pieces | (3.5) | | | | |
| 2 | | 12 | M | 8 | 5 | Stiff to Very Stiff, Brown Lean CLAY, Occasional Lenses of Silt (CL) | (2.0) | | | | |
| 3 | | 18 | M | 15 | 5 | | (2.0) | | | | |
| 4 | | 16 | M | 16 | 10 | | (2.0) | | | | |
| 5 | | 18 | M | 14 | 15 | | (3.5) | | | | |
| | | | | | 15 | End of Boring at 15 ft | | | | | |
| | | | | | 20 | Borehole backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | | | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest | | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|---|---|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>10/31/13</u> End <u>10/31/13</u> Driller <u>BSD</u> Chief <u>MC</u> Rig <u>CME-55</u> Logger <u>MG</u> Editor <u>ESF</u> Drill Method <u>2 1/4" HSA</u> |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | |



LOG OF TEST BORING

Project Larkin Street Area
Larkin: 210'S of Hillcrest, 5'W of Centerline
 Location Madison, Wisconsin

Boring No. 4
 Surface Elevation (ft) 94.3*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | |
|--------|------|--------------|-------|----|--------------------------------------|--|---------------------|---|----|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | 0 | 5.5" Asphalt Pavement/15" Base Course | | | | | |
| 1 | | 6 | M | 10 | 10 | FILL: Brown Clay with Sand, Gravel and Asphalt Pieces | | | | | |
| 2 | | 12 | M | 4 | 14 | Stiff to Very Stiff, Brown Lean CLAY, Occasional Lenses of Silt (CL) | (1.5) | | | | |
| 3 | | 12 | M | 12 | 24 | Thick (6"+) Seam of Silty Sand noted at 7' | (2.5) | | | | |
| 4 | | 12 | M | 15 | 30 | Very Stiff to Hard near 9' | (4.0) | | | | |
| 5 | | 18 | M | 37 | 45 | Dense, Light Brown Fine SAND, Little to Some Silt (SP-SM/SM) | | | | | |
| | | | | | 15 | End of Boring at 15 ft | | | | | |
| | | | | | 20 | Borehole backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | | | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest | | | | | |

| WATER LEVEL OBSERVATIONS | | | | | GENERAL NOTES | | | | |
|---|-------------------------------------|----|-----------------------------|--|---------------|------------|--------|----------|------------|
| While Drilling | <input checked="" type="checkbox"/> | NW | Upon Completion of Drilling | | Start | 10/31/13 | End | 10/31/13 | |
| Time After Drilling | | | | | Driller | BSD | Chief | MC | Rig CME-55 |
| Depth to Water | | | | | Logger | MG | Editor | ESF | |
| Depth to Cave in | | | | | Drill Method | 2 1/4" HSA | | | |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | | | | | | | | | |



LOG OF TEST BORING

Project Larkin Street Area
Larkin: 245'S of Hammersley, near Centerline
 Location Madison, Wisconsin

Boring No. 5
 Surface Elevation (ft) 96.5*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|------|--------------|-------|----|--|-----------------|---------------------|---|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 10" Asphalt Pavement/5.5" Base Course | | | | | |
| 1 | | 12 | M | 7 | Stiff, Brown Lean CLAY (CL) | (1.75) | | | | |
| 2 | | 18 | M | 8 | Loose to Very Loose, Light Brown Fine SAND, Trace to Little Silt (SP/SP-SM) | | | | | |
| 3 | | 18 | M | 4 | | | | | | |
| 4 | | 14 | M | 14 | Very Stiff to Hard, Light Brown Lean CLAY, Occasional Lenses of Silty Fine Sand (CL) | (3.5) | | | | |
| 5 | | 18 | M | 19 | | (4.5+) | | | | |
| | | | | | End of Boring at 15 ft | | | | | |
| | | | | | Borehole backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest | | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|---|---|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>11/1/13</u> End <u>11/1/13</u> Driller <u>BSD</u> Chief <u>MC</u> Rig <u>CME-55</u> Logger <u>MG</u> Editor <u>ESF</u> Drill Method <u>2 1/4" HSA</u> |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | |



LOG OF TEST BORING

Project Larkin Street Area
 Hillcrest: 120'W of Standish, near Centerline
 Location Madison, Wisconsin

Boring No. 6
 Surface Elevation (ft) 98.7*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|---------------|--------------|-------|----|--------------------------------------|--|---|----|----|----|
| No. | Depth (ft) | Rec (in.) | Moist | N | | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | X | 3" Asphalt Pavement/6" Base Course | | | | |
| 1 | | 4 | M | 7 | | Loose to Medium Dense, Light Brown Fine to Medium SAND, Trace to Little Silt, Occasional Layers of Fine Sand with Trace Silt (SP/SP-SM) | | | | |
| 2 | | 14 | M | 12 | | | | | | |
| 3 | | 18 | M | 16 | | | | | | |
| 4 | | 14 | M | 14 | | | | | | |
| 5 | | 18 | M | 20 | | | | | | |
| | | | | | | Some Gravel noted near 9' | | | | |
| | | | | | | End of Boring at 15 ft | | | | |
| | | | | | | Borehole backfilled with bentonite chips and asphalt patch | | | | |
| | | | | | | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|---|---|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>11/1/13</u> End <u>11/1/13</u> Driller <u>BSD</u> Chief <u>MC</u> Rig <u>CME-55</u> Logger <u>MG</u> Editor <u>ESF</u> Drill Method <u>2 1/4" HSA</u> |

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Larkin Street Area
Hillcrest: 150'W of Alden, near Centerline
 Location Madison, Wisconsin

Boring No. 7
 Surface Elevation (ft) 103.9*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|-----------------|--------------|-------|----|--------------------------------------|--|---------------------|---|----|----|
| No. | TYPE REMARKS | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 5 | 5" Asphalt Pavement/3.5" Base Course | | | | |
| 1 | | 12 | M | 7 | | FILL: Brown Sand with Silt and Gravel | | | | |
| 2 | | 18 | M | 13 | | Medium Dense, Light Brown Fine to Medium SAND, Some Silt, Trace Gravel (SM) | | | | |
| 3 | | 18 | M | 8 | | Loose, Light Brown Fine SAND, Trace Silt (SP) | | | | |
| 4 | | 18 | M | 14 | | Medium Dense, Light Brown Silty Fine SAND to Sandy SILT (SM/ML) | | | | |
| 5 | | 14 | M | 14 | | Medium Dense, Brown Sandy SILT (ML) | | | | |
| | | | | | 15 | End of Boring at 15 ft | | | | |
| | | | | | | Borehole backfilled with bentonite chips and asphalt patch | | | | |
| | | | | | | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest | | | | |
| | | | | | 20 | | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|---|---|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>11/1/13</u> End <u>11/1/13</u> Driller <u>BSD</u> Chief <u>MC</u> Rig <u>CME-55</u> Logger <u>MG</u> Editor <u>ESF</u> Drill Method <u>2 1/4" HSA</u> |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | |



LOG OF TEST BORING

Project Larkin Street Area
Hillcrest: 130'W of Larkin, near Centerline
 Location Madison, Wisconsin

Boring No. 8
 Surface Elevation (ft) 98.7*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|--|---------------------|---|----|----|----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | 7" Asphalt Pavement/16" Base Course | | | | | |
| 1 | 0 | M | 8 | | Loose, Light Brown Silty Fine SAND to Sandy SILT (SM/ML) (Possible Fill) | | | | | |
| 2 | 4 | M | 8 | | Medium Dense, Light Brown Fine SAND, Some Silt (SM) | | | | | |
| 3 | 14 | M | 14 | | Medium Dense, Light Brown Sandy SILT (ML) | | | | | |
| 4 | 18 | M | 24 | | End of Boring at 15 ft | | | | | |
| 5 | 18 | M | 20 | | Borehole backfilled with bentonite chips and asphalt patch | | | | | |

*Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated at the intersection of Larkin and Hillcrest

| WATER LEVEL OBSERVATIONS | | | | | GENERAL NOTES | | | | |
|---|-------|-------|-----------------------------------|--|---------------|------------|--------|---------|------------|
| While Drilling | ∇ | NW | Upon Completion of Drilling _____ | | Start | 11/1/13 | End | 11/1/13 | |
| Time After Drilling | _____ | _____ | _____ | | Driller | BSD | Chief | MC | Rig CME-55 |
| Depth to Water | _____ | _____ | _____ | | Logger | MG | Editor | ESF | |
| Depth to Cave in | _____ | _____ | _____ | | Drill Method | 2 1/4" HSA | | | |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | | | | | | | | | |



LOG OF TEST BORING

Project Larkin Street Area
 Glenway: 135'S of Zwerg, near Centerline
 Location Madison, Wisconsin

Boring No. 9
 Surface Elevation (ft) 73.7*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|---|---------------------|---|----|----|----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | W | LL | PL | LI |
| | | | | | 7" Asphalt Pavement/8" Base Course | | | | | |
| 1 | 14 | M | 7 | | Stiff, Brown Lean CLAY (CL) | (1.75) | | | | |
| 2 | 18 | M | 6 | | | (1.25) | | | | |
| 3 | 18 | M | 36 | | Pushed Stone in Sample 3 | (1.75) | | | | |
| 4 | 18 | M | 6 | | Very Stiff near 9' | (2.25) | | | | |
| 5 | 14 | M | 20 | | Medium Dense, Reddish-Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | | |
| | | | | | End of Boring at 15 ft | | | | | |
| | | | | | Borehole backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated along the west side of Glenway between Zwerg and Ridge | | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|---|---|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>11/1/13</u> End <u>11/1/13</u> Driller <u>BSD</u> Chief <u>MC</u> Rig <u>CME-55</u> Logger <u>MG</u> Editor <u>ESF</u> Drill Method <u>2 1/4" HSA</u> |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | |



LOG OF TEST BORING

Project Larkin Street Area
Glenway: 160'N of Ridge, near Centerline
 Location Madison, Wisconsin

Boring No. **10**
 Surface Elevation (ft) 90.7*
 Job No. C13064-16
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|------|--------------|-------|----|--------------------------------------|---|---------------------|---|----|----|
| No. | TYPE | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 0 | 8.5" Asphalt Pavement/7.5" Base Course | | | | |
| 1 | | 14 | M | 12 | 12 | Medium Dense, Brown Sandy SILT (ML) | | | | |
| | | | | | 13 | Medium Dense to Dense, Light Brown Sandy SILT (ML) | | | | |
| 2 | | 18 | M | 13 | 13 | | | | | |
| | | | | | 29 | | | | | |
| 3 | | 18 | M | 29 | 29 | | | | | |
| | | | | | 43 | | | | | |
| 4 | | 18 | M | 43 | 43 | | | | | |
| | | | | | 40 | Dense, Brown SILT, Some Sand, Trace Clay (ML) | | | | |
| 5 | | 18 | M/W | 40 | 40 | | | | | |
| | | | | | 15 | End of Boring at 15 ft | | | | |
| | | | | | 15 | Borehole backfilled with bentonite chips and asphalt patch | | | | |
| | | | | | 15 | *Elevation determined using an assumed datum of 100.0 ft referencing the top nut of a hydrant situated along the west side of Glenway between Zwerg and Ridge | | | | |
| | | | | | 20 | | | | | |

| WATER LEVEL OBSERVATIONS | | | | | GENERAL NOTES | | | | |
|---|-------------------------------------|----|-----------------------------|-------------------------------------|---------------|------------|--------|---------|------------|
| While Drilling | <input checked="" type="checkbox"/> | NW | Upon Completion of Drilling | <input type="checkbox"/> | Start | 11/1/13 | End | 11/1/13 | |
| Time After Drilling | | | | | Driller | BSD | Chief | MC | Rig CME-55 |
| Depth to Water | | | | <input checked="" type="checkbox"/> | Logger | MG | Editor | ESF | |
| Depth to Cave in | | | | | Drill Method | 2 1/4" HSA | | | |
| The stratification lines represent the approximate boundary between soil types and the transition may be gradual. | | | | | | | | | |

SECTION E: BIDDERS ACKNOWLEDGEMENT

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

Bidder must state a Unit Price and Total Bid for each item. The Total Bid for each item must be the product of quantity, by Unit Price. The Grand Total must be the sum of the Total Bids for the various items. In case of multiplication errors or addition errors, the Grand Total with corrected multiplication and/or addition shall determine the Grand Total bid for each contract. The Unit Price and Total Bid must be entered numerically in the spaces provided. All words and numbers shall be written in ink.

1. The undersigned having familiarized himself/herself with the Contract documents, including Advertisement for Bids, Instructions to Bidders, Form of Proposal, City of Madison Standard Specifications for Public Works Construction - 2015 Edition thereto, Form of Agreement, Form of Bond, and Addenda issued and attached to the plans and specifications on file in the office of the City Engineer, hereby proposes to provide and furnish all the labor, materials, tools, and expendable equipment necessary to perform and complete in a workmanlike manner the specified construction on this project for the City of Madison; all in accordance with the plans and specifications as prepared by the City Engineer, including Addenda to the Contract Nos. _____ through _____ issued thereto, at the prices for said work as contained in this proposal. (Electronic bids submittals shall acknowledge addendum under Section E and shall not acknowledge here)
2. If awarded the Contract, we will initiate action within seven (7) days after notification or in accordance with the date specified in the contract to begin work and will proceed with diligence to bring the project to full completion within the number of work days allowed in the Contract or by the calendar date stated in the Contract.
3. The undersigned Bidder or Contractor certifies that he/she is not a party to any contract, combination in form of trust or otherwise, or conspiracy in restraint of trade or commerce or any other violation of the anti-trust laws of the State of Wisconsin or of the United States, with respect to this bid or contract or otherwise.
4. I hereby certify that I have met the Bid Bond Requirements as specified in Section 102.5. *(IF BID BOND IS USED, IT SHALL BE SUBMITTED ON THE FORMS PROVIDED BY THE CITY. FAILURE TO DO SO MAY RESULT IN REJECTION OF THE BID).*
5. I hereby certify that all statements herein are made on behalf of _____ (name of corporation, partnership, or person submitting bid) a corporation organized and existing under the laws of the State of _____ a partnership consisting of _____; an individual trading as _____; of the City of _____ State of _____; that I have examined and carefully prepared this Proposal, from the plans and specifications and have checked the same in detail before submitting this Proposal; that I have fully authority to make such statements and submit this Proposal in (its, their) behalf; and that the said statements are true and correct.

SIGNATURE

TITLE, IF ANY

Sworn and subscribed to before me this _____ day of _____, 20_____.

(Notary Public or other officer authorized to administer oaths)
My Commission Expires _____

Bidders shall not add any conditions or qualifying statements to this Proposal.

SECTION F: DISCLOSURE OF OWNERSHIP & BEST VALUE CONTRACTING

LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015 CONTRACT NO. 7435

State of Wisconsin
Department of Workforce Development
Equal Rights Division
Labor Standards Bureau

Disclosure of Ownership

| | | | |
|--|------|-------------|----------|
| <p>Notice required under Section 15.04(1)(m), Wisconsin Statutes. The statutory authority for the use of this form is prescribed in Sections 66.0903(12)(d) and 103.49(7)(d), Wisconsin Statutes. The use of this form is mandatory. The penalty for failing to complete this form is prescribed in Section 103.005(12), Wisconsin Statutes. Personal information you provide may be used for secondary purposes.</p> | | | |
| <p>(1) On the date a contractor submits a bid to or completes negotiations with a state agency or local governmental unit, on a project subject to Section 66.0903 or 103.49, Wisconsin Statutes, the contractor shall disclose to such state agency or local governmental unit the name of any "other construction business", which the contractor, or a shareholder, officer or partner of the contractor, owns or has owned within the preceding three (3) years.</p> <p>(2) The term "other construction business" means any business engaged in the erection, construction, remodeling, repairing, demolition, altering or painting and decorating of buildings, structures or facilities. It also means any business engaged in supplying mineral aggregate, or hauling excavated material or spoil as provided by Sections 66.0903(3), 103.49(2) and 103.50(2), Wisconsin Statutes.</p> <p>(3) This form must ONLY be filed, with the state agency or local governmental unit that will be awarding the contract, if both (A) and (B) are met.</p> <p>(A) The contractor, or a shareholder, officer or partner of the contractor:</p> <p style="margin-left: 20px;">(1) Owns at least a 25% interest in the "other construction business", indicated below, on the date the contractor submits a bid or completes negotiations.</p> <p style="margin-left: 20px;">(2) Or has owned at least a 25% interest in the "other construction business" at any time within the preceding three (3) years.</p> <p>(B) The Wisconsin Department of Workforce Development (DWD) has determined that the "other construction business" has failed to pay the prevailing wage rate or time and one-half the required hourly basic rate of pay, for hours worked in excess of the prevailing hours of labor, to any employee at any time within the preceding three (3) years.</p> | | | |
| Other Construction Business | | | |
| Not Applicable <input type="checkbox"/> | | | |
| Name of Business | | | |
| Street Address or P O Box | City | State | Zip Code |
| Name of Business | | | |
| Street Address or P O Box | City | State | Zip Code |
| Name of Business | | | |
| Street Address or P O Box | City | State | Zip Code |
| I hereby state under penalty of perjury that the information, contained in this document, is true and accurate according to my knowledge and belief. | | | |
| Print the Name of Authorized Officer | | | |
| Signature of Authorized Officer | | Date Signed | |
| Name of Corporation, Partnership or Sole Proprietorship | | | |
| Street Address or P O Box | City | State | Zip Code |

If you have any questions call (608) 266-0028

ERD-7777-E (R. 09/2003)

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

Best Value Contracting

1. The Contractor shall indicate the non-apprenticeable trades used on this contract.

2. Madison General Ordinance (M.G.O.), 33.07(7), does provide for some exemptions from the active apprentice requirement. Apprenticeable trades are those trades considered apprenticeable by the State of Wisconsin. Please check applicable box if you are seeking an exemption.

- Contractor has a total skilled workforce of four or less individuals in all apprenticeable trades combined.
- No available trade training program; The Contractor has been rejected by the only available trade training program, or there is no trade training program within 90 miles.
- Contractor is not using an apprentice due to having a journey worker on layoff status, provided the journey worker was employed by the contractor in the past six months.
- First-time Contractor on City of Madison Public Works contract requests a onetime exemption but intends to comply on all future contracts and is taking steps typical of a "good faith" effort.
- Contractor has been in business less than one year.
- Contractor doesn't have enough journeyman trade workers to qualify for a trade training program in that respective trade

3. The Contractor shall indicate on the following section which apprenticeable trades are to be used on this contract. Compliance with active apprenticeship, to the extent required by M.G.O. 33.07(7), shall be satisfied by documentation from an applicable trade training body; an apprenticeship contract with the Wisconsin Department of Workforce Development or a similar agency in another state; or the U.S Department of Labor. This documentation is required prior to the Contractor beginning work on the project site.

- The Contractor has reviewed the list and shall not use any apprenticeable trades on this project.

LIST APPRENTICABLE TRADES (check all that apply to your work to be performed on this contract)

- BRICKLAYER
- CARPENTER
- CEMENT MASON / CONCRETE FINISHER
- CEMENT MASON (HEAVY HIGHWAY)
- CONSTRUCTION CRAFT LABORER
- DATA COMMUNICATION INSTALLER
- ELECTRICIAN
- ENVIRONMENTAL SYSTEMS TECHNICIAN / HVAC SERVICE TECH/HVAC INSTALL / SERVICE
- GLAZIER
- HEAVY EQUIPMENT OPERATOR / OPERATING ENGINEER
- INSULATION WORKER (HEAT & FROST)
- IRON WORKER
- IRON WORKER (ASSEMBLER, METAL BLDGS)
- PAINTER & DECORATOR
- PLASTERER
- PLUMBER
- RESIDENTIAL ELECTRICIAN
- ROOFER & WATER PROOFER
- SHEET METAL WORKER
- SPRINKLER FITTER
- STEAMFITTER
- STEAMFITTER (REFRIGERATION)
- STEAMFITTER (SERVICE)
- TAPER & FINISHER
- TELECOMMUNICATIONS (VOICE, DATA & VIDEO) INSTALLER-TECHNICIAN
- TILE SETTER

SECTION G: BID BOND

KNOW ALL MEN BY THESE PRESENT, THAT _____ (a corporation of the State of _____) (individual), (partnership), hereinafter referred to as the "Principal") and _____, a corporation of the State of _____ (hereinafter referred to as the "Surety") and licensed to do business in the State of Wisconsin, are held and firmly bound unto the City of Madison, (hereinafter referred to as the "Obligee"), in the sum of five per cent (5%) of the amount of the total bid or bids of the Principal herein accepted by the Obligee, for the payment of which the Principal and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

The conditions of this obligation are such that, whereas the Principal has submitted, to the City of Madison a certain bid, including the related alternate, and substitute bids attached hereto and hereby made a part hereof, to enter into a contract in writing for the construction of:

LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015 CONTRACT NO. 7435

1. If said bid is rejected by the Obligee, then this obligation shall be void.
2. If said bid is accepted by the Obligee and the Principal shall execute and deliver a contract in the form specified by the Obligee (properly completed in accordance with said bid) and shall furnish a bond for his/her faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith, and shall in all other respects perform the agreement created by the acceptance of said bid, then this obligation shall be void.

If said bid is accepted by the Obligee and the Principal shall fail to execute and deliver the contract and the performance and payment bond noted in 2. above executed by this Surety, or other Surety approved by the City of Madison, all within the time specified or any extension thereof, the Principal and Surety agree jointly and severally to forfeit to the Obligee as liquidated damages the sum mentioned above, it being understood that the liability of the Surety for any and all claims hereunder shall in no event exceed the sum of this obligation as stated, and it is further understood that the Principal and Surety reserve the right to recover from the Obligee that portion of the forfeited sum which exceed the actual liquidated damages incurred by the Obligee.

The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no way impaired or affected by an extension of the time within which the Obligee may accept such bid, and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, on the day and year set forth below.

Seal

Principal

Date

By:

Name of Surety

By:

Date

This certifies that I have been duly licensed as an agent for the above company in Wisconsin under License No. _____ for the year _____, and appointed as attorney in fact with authority to execute this bid bond and the payment and performance bond referred to above, which power of attorney has not been revoked.

Date

Agent

Address

City, State and Zip Code

Telephone Number

NOTE TO SURETY & PRINCIPAL

The bid submitted which this bond guarantees shall be rejected if the following instrument is not attached to this bond:

Power of Attorney showing that the agent of Surety is currently authorized to execute bonds on behalf of the Surety, and in the amounts referenced above.

Certificate of Biennial Bid Bond

| |
|---|
| TIME PERIOD - VALID (FROM/TO) |
| NAME OF SURETY |
| NAME OF CONTRACTOR |
| CERTIFICATE HOLDER <p style="text-align: center;">City of Madison, Wisconsin</p> |

This is to certify that a biennial bid bond issued by the above-named Surety is currently on file with the City of Madison.

This certificate is issued as a matter of information and conveys no rights upon the certificate holder and does not amend, extend or alter the coverage of the biennial bid bond.

Cancellation: Should the above policy be cancelled before the expiration date, the issuing Surety will give thirty (30) days written notice to the certificate holder indicated above.

Signature of Authorized Contractor Representative

Date

SECTION H: AGREEMENT

THIS AGREEMENT made this _____ day of _____ in the year Two Thousand and Fifteen between _____ hereinafter called the Contractor, and the City of Madison, Wisconsin, hereinafter called the City.

WHEREAS, the Common Council of the said City of Madison under the provisions of a resolution adopted _____, and by virtue of authority vested in the said Council, has awarded to the Contractor the work of performing certain construction.

NOW, THEREFORE, the Contractor and the City, for the consideration hereinafter named, agree as follows:

1. **Scope of Work.** The Contractor shall, perform the construction, execution and completion of the following listed complete work or improvement in full compliance with the Plans, Specifications, Standard Specifications, Supplemental Specifications, Special Provisions and contract; perform all items of work covered or stipulated in the proposal; perform all altered or extra work; and shall furnish, unless otherwise provided in the contract, all materials, implements, machinery, equipment, tools, supplies, transportation, and labor necessary to the prosecution and completion of the work or improvements:

LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015 CONTRACT NO. 7435

2. **Completion Date/Contract Time.** Construction work must begin within seven (7) calendar days after the date appearing on mailed written notice to do so shall have been sent to the Contractor and shall be carried on at a rate so as to secure full completion SEE SPECIAL PROVISIONS, the rate of progress and the time of completion being essential conditions of this Agreement.
3. **Contract Price.** The City shall pay to the Contractor at the times, in the manner and on the conditions set forth in said specifications, the sum of _____ (\$_____) Dollars being the amount bid by such Contractor and which was awarded to him/her as provided by law.
4. **Wage Rates for Employees of Public Works Contractors**

General and Authorization. The Contractor shall compensate its employees at the prevailing wage rate in accordance with section 66.0903, Wis. Stats., DWD 290 of the Wisconsin Administrative Code and as hereinafter provided unless otherwise noted in Section D: Special Provisions, Subsection 102.10 – Minimum Rate of Wage Scale.

“Public Works” shall include building or work involving the erection, construction, remodeling, repairing or demolition of buildings, parking lots, highways, streets, bridges, sidewalks, street lighting, traffic signals, sanitary sewers, water mains and appurtenances, storm sewers, and the grading and landscaping of public lands.

“Building or work” includes construction activity as distinguished from manufacturing, furnishing of materials, or servicing and maintenance work, except for the delivery of mineral aggregate such as sand, gravel, bituminous asphaltic concrete or stone which is incorporated into the work under contract with the City by depositing the material directly in final place from transporting vehicle.

“Erection, construction, remodeling, repairing” means all types of work done on a particular building or work at the site thereof in the construction or development of the project, including without limitation, erecting, construction, remodeling, repairing, altering, painting, and decorating, the transporting of materials and supplies to or from the building or work done by the employees of the Contractor, Subcontractor, or Agent thereof, and the manufacturing or furnishing of

materials, articles, supplies or equipment on the site of the building or work, by persons employed by the Contractor, Subcontractor, or Agent thereof.

"Employees working on the project" means laborers, workers, and mechanics employed directly upon the site of work.

"Laborers, Workers, and Mechanics" include pre-apprentices, helpers, trainees, learners and properly registered and indentured apprentices but exclude clerical, supervisory, and other personnel not performing manual labor.

Establishment of Wage Rates. The Department of Public Works shall periodically obtain a current schedule of prevailing wage rates from DWD. The schedule shall be used to establish the City of Madison Prevailing Wage Rate Schedule for Public Works Construction (prevailing wage rate). The Department of Public Works may include known increases to the prevailing wage rate which can be documented and are to occur on a future specific date. The prevailing wage rate shall be included in public works contracts subsequently negotiated or solicited by the City. Except for known increases contained within the schedule, the prevailing wage rate shall not change during the contract. The approved wage rate is attached hereto.

Workforce Profile. The Contractor shall, at the time of signature of the contract, notify the City Engineer in writing of the names and classifications of all the employees of the Contractor, Subcontractors, and Agents proposed for the work. In the alternative, the Contractor shall submit in writing the classifications of all the employees of the Contractor, Subcontractors and Agents and the total number of hours estimated in each classification for the work. This workforce profile(s) shall be reviewed by the City Engineer who may, within ten (10) days, object to the workforce profile(s) as not being reflective of that which would be required for the work. The Contractor may request that the workforce profile, or a portion of the workforce profile, be submitted after the signature of the contract but at least ten (10) days prior to the work commencing. Any costs or time loss resulting from modifications to the workforce profile as a result of the City Engineer's objections shall be the responsibility of the Contractor.

Payrolls and Records. The Contractor shall keep weekly payroll records setting forth the name, address, telephone number, classification, wage rate and fringe benefit package of all the employees who work on the contract, including the employees of the Contractor's subcontractors and agents. Such weekly payroll records must include the required information for all City contracts and all other contracts on which the employee worked during the week in which the employee worked on the contract. The Contractor shall also keep records of the individual time each employee worked on the project and for each day of the project. Such records shall also set forth the total number of hours of overtime credited to each such employee for each day and week and the amount of overtime pay received in that week. The records shall set forth the full weekly wages earned by each employee and the actual hourly wage paid to the employee.

The Contractor shall submit the weekly payroll records, including the records of the Contractor's subcontractors and agents, to the City Engineer for every week that work is being done on the contract. The submittal shall be within twenty-one (21) calendar days of the end of the Contractor's weekly pay period.

Employees shall receive the full amounts accrued at the time of the payment, computed at rates not less than those stated in the prevailing wage rate and each employee's rate shall be determined by the work that is done within the trade or occupation classification which should be properly assigned to the employee.

An employee's classification shall not be changed to a classification of a lesser rate during the contract. If, during the term of the contract, an employee works in a higher pay classification than the one which was previously properly assigned to the employee, then that employee shall be considered to be in the higher pay classification for the balance of the contract, receive the appropriate higher rate of pay, and she/he shall not receive a lesser rate during the balance of the

contract. For purposes of clarification, it is noted that there is a distinct difference between working in a different classification with higher pay and doing work within a classification that has varying rates of pay which are determined by the type of work that is done within the classification. For example, the classification "Operating Engineer" provides for different rates of pay for various classes of work and the Employer shall compensate an employee classified as an "Operating Engineer" based on the highest class of work that is done in one day. Therefore, an "Operating Engineer's" rate may vary on a day to day basis depending on the type of work that is done, but it will never be less than the base rate of an "Operating Engineer". Also, as a matter of clarification, it is recognized that an employee may work in a higher paying classification merely by chance and without prior intention, calculation or design. If such is the case and the performance of the work is truly incidental and the occurrence is infrequent, inconsequential and does not serve to undermine the single classification principle herein, then it may not be required that the employee be considered to be in the higher pay classification and receive the higher rate of pay for the duration of the contract. However, the Contractor is not precluded or prevented from paying the higher rate for the limited time that an employee performs work that is outside of the employee's proper classification.

Questions regarding an employee's classification, rate of pay or rate of pay within a classification, shall be resolved by reference to the established practice that predominates in the industry and on which the trade or occupation rate/classification is based. Rate of pay and classification disputes shall be resolved by relying upon practices established by collective bargaining agreements and guidelines used in such determination by appropriate recognized trade unions operating within the City of Madison.

The Contractor, its Subcontractors and Agents shall submit to interrogation regarding compliance with the provisions of this ordinance.

Mulcting of the employees by the Contractor, Subcontractor, and Agents on Public Works contracts, such as by kickbacks or other devices, is prohibited. The normal rate of wage of the employees of the Contractor, Subcontractor, and Agents shall not be reduced or otherwise diminished as a result of payment of the prevailing wage rate on a public works contract.

Hourly contributions. Hourly contributions shall be determined in accordance with the prevailing wage rate and with DWD. 290.01(10), Wis. Admin. Code.

Apprentices and Subjourney persons. Apprentices and sub journeypersons performing work on the project shall be compensated in accordance with the prevailing wage rate and with DWD 290.02, and 290.025, respectively, Wis. Admin. Code.

Straight Time Wages. The Contractor may pay straight time wages as determined by the prevailing wage rate and DWD 290.04, Wis. Admin. Code.

Overtime Wages. The Contractor shall pay overtime wages as required by the prevailing wage rate and DWD 290.05, Wis. Admin. Code.

Posting of Wage Rates and Hours. A clearly legible copy of the prevailing wage rate, together with the provisions of Sec. 66.0903(10)(a) and (11)(a), Wis. Stats., shall be kept posted in at least one conspicuous and easily accessible place at the project site by the Contractor and such notice shall remain posted during the full time any laborers, workers or mechanics are employed on the contract.

Evidence of Compliance by Contractor. Upon completion of the contract, the Contractor shall file with the Department of Public Works an affidavit stating:

- a. That the Contractor has complied fully with the provisions and requirements of Sec. 66.0903(3), Wis. Stats., and Chapter DWD 290, Wis. Admin. Code; the Contractor has received evidence of compliance from each of the agents and subcontractors; and the

names and addresses of all of the subcontractors and agents who worked on the contract.

- b. That full and accurate records have been kept, which clearly indicate the name and trade or occupation of every laborer, worker or mechanic employed by the Contractor in connection with work on the project. The records shall show the number of hours worked by each employee and the actual wages paid therefore; where these records will be kept and the name, address and telephone number of the person who will be responsible for keeping them. The records shall be retained and made available for a period of at least three (3) years following the completion of the project of public works and shall not be removed without prior notification to the municipality.

Evidence of Compliance by Agent and Subcontractor. Each agent and subcontractor shall file with the Contractor, upon completion of their portion of the work on the contract an affidavit stating that all the provisions of Sec. 66.0903(3), Wis. Stats., have been fully complied with and that full and accurate records have been kept, which clearly indicate the name and trade or occupation of every laborer, worker or mechanic employed by the Contractor in connection with work on the project. The records shall show the number of hours worked by each employee and the actual wages paid therefore; where these records shall be kept and the name, address and telephone number of the person who shall be responsible for keeping them. The records shall be retained and made available for a period of at least three (3) years following the completion of the project of public works and shall not be removed without prior notification to the municipality.

Failure to Comply with the Prevailing Wage Rate. If the Contractor fails to comply with the prevailing wage rate, she/he shall be in default on the contract. In addition, if DWD finds that a contractor or subcontractor violated the prevailing wage law, DWD will assess liquidated damages of 100% of the wages owed to employees.

Establishment of Wage Rates. The Department of Public Works shall periodically obtain a current schedule of prevailing wage rates from DWD. The schedule shall be used to establish the City of Madison Prevailing Wage Rate Schedule for Public Works Construction (prevailing wage rate). The Department of Public Works may include known increases to the prevailing wage rate which can be documented and are to occur on a future specific date. The prevailing wage rate shall be included in public works contracts subsequently negotiated or solicited by the City. Except for known increases contained within the schedule, the prevailing wage rate shall not change during the contract. The approved wage rate and DWD prevailing wage requirements are attached hereto as Sec. I of the contract.

5. **Affirmative Action.** In the performance of the services under this Agreement the Contractor agrees not to discriminate against any employee or applicant because of race, religion, marital status, age, color, sex, disability, national origin or ancestry, income level or source of income, arrest record or conviction record, less than honorable discharge, physical appearance, sexual orientation, gender identity, political beliefs, or student status. The Contractor further agrees not to discriminate against any subcontractor or person who offers to subcontract on this contract because of race, religion, color, age, disability, sex, sexual orientation, gender identity or national origin.

The Contractor agrees that within thirty (30) days after the effective date of this agreement, the Contractor will provide to the City Affirmative Action Division certain workforce utilization statistics, using a form to be furnished by the City.

If the contract is still in effect, or if the City enters into a new agreement with the Contractor, within one year after the date on which the form was required to be provided, the Contractor will provide updated workforce information using a second form, also to be furnished by the City. The second form will be submitted to the City Affirmative Action Division no later than one year after the date on which the first form was required to be provided.

The Contractor further agrees that, for at least twelve (12) months after the effective date of this contract, it will notify the City Affirmative Action Division of each of its job openings at facilities in Dane County for which applicants not already employees of the Contractor are to be considered. The notice will include a job description, classification, qualifications and application procedures and deadlines. The Contractor agrees to interview and consider candidates referred by the Affirmative Action Division if the candidate meets the minimum qualification standards established by the Contractor, and if the referral is timely. A referral is timely if it is received by the Contractor on or before the date started in the notice.

Articles of Agreement

Article I

The Contractor shall take affirmative action in accordance with the provisions of this contract to insure that applicants are employed, and that employees are treated during employment without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national origin and that the employer shall provide harassment free work environment for the realization of the potential of each employee. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation and selection for training including apprenticeship insofar as it is within the control of the Contractor. The Contractor agrees to post in conspicuous places available to employees and applicants notices to be provided by the City setting out the provisions of the nondiscrimination clauses in this contract.

Article II

The Contractor shall in all solicitations or advertisements for employees placed by or on behalf of the Contractors state that all qualified or qualifiable applicants will be employed without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national origin.

Article III

The Contractor shall send to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding a notice to be provided by the City advising the labor union or worker's representative of the Contractor's equal employment opportunity and affirmative action commitments. Such notices shall be posted in conspicuous places available to employees and applicants for employment.

Article V

The Contractor agrees that it will comply with all provisions of the Affirmative Action Ordinance of the City of Madison, including the contract compliance requirements. The Contractor agrees to submit the model affirmative action plan for public works contractors in a form approved by the Affirmative Action Division Manager.

Article VI

The Contractor will maintain records as required by Section 39.02(9)(f) of the Madison General Ordinances and will provide the City Affirmative Action Division with access to such records and to persons who have relevant and necessary information, as provided in Section 39.02(9)(f). The City agrees to keep all such records confidential, except to the extent that public inspection is required by law.

Article VII

In the event of the Contractor's or subcontractor's failure to comply with the Equal Employment Opportunity and Affirmative Action Provisions of this contract or Section 39.03 and 39.02 of the Madison General Ordinances, it is agreed that the City at its option may do any or all of the following:

1. Cancel, terminate or suspend this Contract in whole or in part.
2. Declare the Contractor ineligible for further City contracts until the Affirmative Action requirements are met.
3. Recover on behalf of the City from the prime Contractor 0.5 percent of the contract award price for each week that such party fails or refuses to comply, in the nature of liquidated damages, but not to exceed a total of five percent (5%) of the contract price, or five thousand dollars (\$5,000), whichever is less. Under public works contracts, if a subcontractor is in noncompliance, the City may recover liquidated damages from the prime Contractor in the manner described above. The preceding sentence shall not be construed to prohibit a prime Contractor from recovering the amount of such damage from the non-complying subcontractor.

Article VIII

The Contractor shall include the above provisions of this contract in every subcontract so that such provisions will be binding upon each subcontractor. The Contractor shall take such action with respect to any subcontractor as necessary to enforce such provisions, including sanctions provided for noncompliance.

Article IX

The Contractor shall allow the maximum feasible opportunity to small business enterprises to compete for any subcontracts entered into pursuant to this contract. (In federally funded contracts the terms "DBE, MBE and WBE" shall be substituted for the term "small business" in this Article.)

6. Substance Abuse Prevention Program Required. Prior to commencing work on the Contract, the Contractor, and any Subcontractor, shall have in place a written program for the prevention of substance abuse among its employees as required under Wis. Stat. Sec. 103.503.

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

IN WITNESS WHEREOF, the Contractor has hereunto set his/her hand and seal and the City has caused these presents to be sealed with its corporate seal and to be subscribed by its Mayor and City Clerk the day and year first above written.

Countersigned:

| | |
|---------|--------------|
| | Company Name |
| Witness | Date |
| Witness | Date |
| Witness | Date |
| Witness | Date |

CITY OF MADISON, WISCONSIN

Provisions have been made to pay the liability that will accrue under this contract.

Approved as to form:

| | |
|---|---------------|
| Finance Director | City Attorney |
| Signed this _____ day of _____, 20_____ | |
| Witness | Mayor |
| Witness | Date |
| Witness | Date |
| Witness | Date |

SECTION I: PAYMENT AND PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS, that we _____
as _____ principal, _____ and

Company of _____ as surety, are held and firmly bound unto the City of Madison, Wisconsin, in the sum of _____ (\$_____) Dollars, lawful money of the United States, for the payment of which sum to the City of Madison, we hereby bind ourselves and our respective executors and administrators firmly by these presents.

The condition of this Bond is such that if the above bounden shall on his/her part fully and faithfully perform all of the terms of the Contract entered into between him/herself and the City of Madison for the construction of:

**LARKIN STREET, GLENWAY STREET, HILLCREST DRIVE, ZWERG DRIVE AND
ROSS STREET UTILITIES WITH RESURFACING ASSESSMENT DISTRICT - 2015
CONTRACT NO. 7435**

in Madison, Wisconsin, and shall pay all claims for labor performed and material furnished in the prosecution of said work, and save the City harmless from all claims for damages because of negligence in the prosecution of said work, and shall save harmless the said City from all claims for compensation (under Chapter 102, Wisconsin Statutes) of employees and employees of subcontractor, then this Bond is to be void, otherwise of full force, virtue and effect.

Signed and sealed this _____ day of _____

Countersigned:

Company Name (Principal)

Witness

President Seal

Secretary

Approved as to form:

Surety Seal
 Salary Employee Commission

City Attorney

By _____
Attorney-in-Fact

This certifies that I have been duly licensed as an agent for the above company in Wisconsin under License No. _____ for the year 20_____, and appointed as attorney-in-fact with authority to execute this payment and performance bond which power of attorney has not been revoked.

Date

Agent Signature

SECTION J: PREVAILING WAGE RATES

PREVAILING WAGE RATE DETERMINATION

Issued by the State of Wisconsin
Department of Workforce Development
Pursuant to s. 66.0903, Wis. Stats.
Issued On: 1/7/2015

DETERMINATION NUMBER: 201500014

EXPIRATION DATE: Prime Contracts MUST Be Awarded or Negotiated On Or Before 12/31/2015. If NOT, You MUST Reapply.

PROJECT NAME: ALL PUBLIC WORKS PROJECTS UNDER SEC. 66.0903, STATS-CITY OF MADISON

PROJECT LOCATION: MADISON CITY, DANE COUNTY, WI

CONTRACTING AGENCY: CITY OF MADISON - ENGINEERING

| | |
|-------------------------|--|
| CLASSIFICATION: | Contractors are responsible for correctly classifying their workers. Either call the Department of Workforce Development (DWD) with trade or classification questions or consult DWD's Dictionary of Occupational Classifications & Work Descriptions on the DWD website at: dwd.wisconsin.gov/er/prevailing_wage_rate/Dictionary/dictionary_main.htm . |
| OVERTIME: | <p>Time and one-half must be paid for all hours worked:</p> <ul style="list-style-type: none">- over 10 hours per day on prevailing wage projects- over 40 hours per calendar week- Saturday and Sunday- on all of the following holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25;- The day before if January 1, July 4 or December 25 falls on a Saturday;- The day following if January 1, July 4 or December 25 falls on a Sunday. <p>Apply the time and one-half overtime calculation to whichever is higher between the Hourly Basic Rate listed on this project determination or the employee's regular hourly rate of pay. Add any applicable Premium or DOT Premium to the Hourly Basic Rate before calculating overtime.</p> <p>A DOT Premium (discussed below) may supersede this time and one-half requirement.</p> |
| FUTURE INCREASE: | When a specific trade or occupation requires a future increase, you MUST add the full hourly increase to the "TOTAL" on the effective date(s) indicated for the specific trade or occupation. |
| PREMIUM PAY: | If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable. |
| DOT PREMIUM: | This premium only applies to highway and bridge projects owned by the Wisconsin Department of Transportation and to the project type heading "Airport Pavement or State Highway Construction." DO NOT apply the premium calculation under any other project type on this determination. |
| APPRENTICES: | Pay apprentices a percentage of the applicable journey person's hourly basic rate of pay and hourly fringe benefit contributions specified in this determination. Obtain the appropriate percentage from each apprentice's contract or indenture. |
| SUBJOURNEY: | Subjourney wage rates may be available for some of the trades or occupations indicated below with the exception of laborers, truck drivers and heavy equipment operators. Any employer interested in using a subjourney classification on this project MUST complete Form ERD-10880 and request the applicable wage rate from the Department of Workforce Development PRIOR to using the subjourney worker on this project. |

This document **MUST BE POSTED** by the **CONTRACTING AGENCY** in at least one conspicuous and easily accessible place **on the site of the project**. A local governmental unit may post this document at the place normally used to post public notices if there is no common site on the project. This document **MUST** remain posted during the entire time any worker is employed on the project and **MUST** be physically incorporated into the specifications and all contracts and subcontracts. If you have any questions, please write to the Equal Rights Division, Labor Standards Bureau, P.O. Box 8928, Madison, Wisconsin 53708 or call (608) 266-6861.

The following statutory provisions apply to local governmental unit projects of public works and are set forth below pursuant to the requirements of s. 66.0903(8), Stats.

s. 66.0903 (1) (f) & s. 103.49 (1) (c) "PREVAILING HOURS OF LABOR" for any trade or occupation in any area means 10 hours per day and 40 hours per week and may not include any hours worked on a Saturday or Sunday or on any of the following holidays:

1. January 1.
2. The last Monday in May.
3. July 4.
4. The first Monday in September.
5. The 4th Thursday in November.
6. December 25.
7. The day before if January 1, July 4 or December 25 falls on a Saturday.
8. The day following if January 1, July 4 or December 25 falls on a Sunday.

s. 66.0903 (10) RECORDS; INSPECTION; ENFORCEMENT.

(a) Each contractor, subcontractor, or contractor's or subcontractor's agent performing work on a project of public works that is subject to this section shall keep full and accurate records clearly indicating the name and trade or occupation of every person performing the work described in sub. (4) and an accurate record of the number of hours worked by each of those persons and the actual wages paid for the hours worked.

s. 66.0903 (11) LIABILITY AND PENALTIES.

(a) 1. Any contractor, subcontractor, or contractor's or subcontractor's agent who fails to pay the prevailing wage rate determined by the department under sub. (3) or who pays less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor is liable to any affected employee in the amount of his or her unpaid wages or his or her unpaid overtime compensation and in an additional amount as liquidated damages as provided under subd. 2., 3., whichever is applicable.

2. If the department determines upon inspection under sub. (10) (b) or (c) that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the department shall order the contractor to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages within a period specified by the department in the order.

3. In addition to or in lieu of recovering the liability specified in subd. 1. as provided in subd. 2., any employee for and in behalf of that employee and other employees similarly situated may commence an action to recover that liability in any court of competent jurisdiction. If the court finds that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the court shall order the contractor, subcontractor, or agent to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages.

5. No employee may be a party plaintiff to an action under subd. 3. unless the employee consents in writing to become a party and the consent is filed in the court in which the action is brought. Notwithstanding s. 814.04 (1), the court shall, in addition to any judgment awarded to the plaintiff, allow reasonable attorney fees and costs to be paid by the defendant.

| |
|---------------------------------------|
| BUILDING OR HEAVY CONSTRUCTION |
|---------------------------------------|

Includes sheltered enclosures with walk-in access for the purpose of housing persons, employees, machinery, equipment or supplies and non-sheltered work such as canals, dams, dikes, reservoirs, storage tanks, etc. A sheltered enclosure need not be "habitable" in order to be considered a building. The installation of machinery and/or equipment, both above and below grade level, does not change a project's character as a building. On-site grading, utility work and landscaping are included within this definition. Residential buildings of four (4) stories or less, agricultural buildings, parking lots and driveways are NOT included within this definition.

| |
|-----------------------|
| SKILLED TRADES |
|-----------------------|

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 101 | Acoustic Ceiling Tile Installer Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. | 32.72 | 16.00 | 48.72 |
| 102 | Boilermaker Future Increase(s): Add \$1.50/hr. on 01/01/2016 | 33.35 | 28.24 | 61.59 |
| 103 | Bricklayer, Blocklayer or Stonemason Future Increase(s): Add \$1.40 on 06/01/2015; Add \$1.45 on 06/06/2016 Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 32.82 | 18.66 | 51.48 |
| 104 | Cabinet Installer Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. | 32.72 | 16.00 | 48.72 |
| 105 | Carpenter Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 32.72 | 16.00 | 48.72 |
| 106 | Carpet Layer or Soft Floor Coverer Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. | 32.72 | 16.00 | 48.72 |
| 107 | Cement Finisher | 31.98 | 12.04 | 44.02 |
| 108 | Drywall Taper or Finisher | 26.05 | 18.23 | 44.28 |
| 109 | Electrician Future Increase(s): Add \$1.20/hr on 6/1/15; Add \$1.25/hr on 6/1/16. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 34.82 | 19.67 | 54.49 |
| 110 | Elevator Constructor | 43.84 | 27.09 | 70.93 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 111 | Fence Erector | 18.00 | 6.09 | 24.09 |
| 112 | Fire Sprinkler Fitter | 36.79 | 18.81 | 55.60 |
| 113 | Glazier Future Increase(s): Add \$.75/hr eff. 06/01/2015; Add \$.90/hr eff. 06/01/2016 | 37.07 | 14.42 | 51.49 |
| 114 | Heat or Frost Insulator | 33.43 | 25.81 | 59.24 |
| 115 | Insulator (Batt or Blown) Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. | 32.72 | 16.00 | 48.72 |
| 116 | Ironworker | 31.50 | 20.01 | 51.51 |
| 117 | Lather | 31.40 | 15.90 | 47.30 |
| 118 | Line Constructor (Electrical) | 39.50 | 17.73 | 57.23 |
| 119 | Marble Finisher | 16.25 | 2.32 | 18.57 |
| 120 | Marble Mason | 32.09 | 18.04 | 50.13 |
| 121 | Metal Building Erector | 19.05 | 8.08 | 27.13 |
| 122 | Millwright Future Increase(s): Add \$1.47/hr on 6/1/2015; Add \$1.47/hr on 6/1/2016. | 34.44 | 16.07 | 50.51 |
| 123 | Overhead Door Installer | 27.46 | 1.98 | 29.44 |
| 124 | Painter | 25.75 | 16.60 | 42.35 |
| 125 | Pavement Marking Operator | 30.10 | 17.34 | 47.44 |
| 126 | Piledriver Future Increase(s): Add \$1.50/hr on 6/1/2015; Add \$1.60/hr on 6/1/2016. Premium Increase(s): Add \$.65/hr for Piledriver Loftzman; Add \$.75/hr for Sheet Piling Loftzman. DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 30.11 | 26.51 | 56.62 |
| 127 | Pipeline Fuser or Welder (Gas or Utility) | 30.83 | 20.89 | 51.72 |
| 129 | Plasterer Future Increase(s): Add \$1.56 on 06/01/2015; Add \$1.61 on 06/01/2016; Add \$1.66 on 06/01/2017 | 32.65 | 19.36 | 52.01 |
| 130 | Plumber Future Increase(s): Add \$1.80 on 6/1/15 | 37.57 | 17.47 | 55.04 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 132 | Refrigeration Mechanic Future Increase(s): Add \$1.80 on 6/1/15 | 44.20 | 18.26 | 62.46 |
| 133 | Rofer or Waterproofer | 29.40 | 11.31 | 40.71 |
| 134 | Sheet Metal Worker | 34.45 | 22.54 | 56.99 |
| 135 | Steamfitter Future Increase(s): Add \$1.80/hr on 6/1/15. | 44.20 | 18.26 | 62.46 |
| 137 | Teledata Technician or Installer Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 22.50 | 12.74 | 35.24 |
| 138 | Temperature Control Installer | 42.95 | 15.04 | 57.99 |
| 139 | Terrazzo Finisher | 16.25 | 2.32 | 18.57 |
| 140 | Terrazzo Mechanic | 31.18 | 17.35 | 48.53 |
| 141 | Tile Finisher | 23.85 | 17.18 | 41.03 |
| 142 | Tile Setter | 29.81 | 17.18 | 46.99 |
| 143 | Tuckpointer, Caulker or Cleaner | 23.60 | 7.10 | 30.70 |
| 144 | Underwater Diver (Except on Great Lakes) | 35.40 | 15.90 | 51.30 |
| 146 | Well Driller or Pump Installer | 25.32 | 15.65 | 40.97 |
| 147 | Siding Installer | 36.17 | 19.44 | 55.61 |
| 150 | Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY | 30.16 | 15.11 | 45.27 |
| 151 | Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY | 31.60 | 26.76 | 58.36 |
| 152 | Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 27.65 | 14.49 | 42.14 |
| 153 | Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 27.83 | 15.01 | 42.84 |
| 154 | Groundman - ELECTRICAL LINE CONSTRUCTION ONLY | 21.90 | 9.83 | 31.73 |

TRUCK DRIVERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|----------------------------|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 201 | Single Axle or Two Axle | 32.89 | 18.96 | 51.85 |
| 203 | Three or More Axle | 18.00 | 21.99 | 39.99 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 204 | Articulated, Euclid, Dumptr, Off Road Material Hauler Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 33.69 | 19.78 | 53.47 |
| 205 | Pavement Marking Vehicle | 20.85 | 11.02 | 31.87 |
| 207 | Truck Mechanic | 18.00 | 21.99 | 39.99 |

LABORERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 301 | General Laborer Future Increase(s): Add \$1.35/hr eff. 06/01/2015; Add \$1.25/hr eff. 06/06/2016 Premium Increase(s): Add \$1.00/hr for certified welder; Add \$.25/hr for mason tender | 24.97 | 15.12 | 40.09 |
| 302 | Asbestos Abatement Worker | 18.00 | 9.58 | 27.58 |
| 303 | Landscaper | 18.75 | 10.26 | 29.01 |
| 310 | Gas or Utility Pipeline Laborer (Other Than Sewer and Water) | 21.55 | 14.14 | 35.69 |
| 311 | Fiber Optic Laborer (Outside, Other Than Concrete Encased) Premium Increase(s): DOT PREMIUMS: Pay two times the hourly basic rate on New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 18.82 | 14.16 | 32.98 |
| 314 | Railroad Track Laborer | 14.50 | 5.29 | 19.79 |
| 315 | Final Construction Clean-Up Worker Future Increase(s): Add \$1.35/hr eff. 06/01/2015; Add \$1.25/hr eff. 06/06/2016 | 24.97 | 15.12 | 40.09 |

**HEAVY EQUIPMENT OPERATORS
SITE PREPARATION, UTILITY OR LANDSCAPING WORK ONLY**

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | | | |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
| | | \$ | \$ | \$ |
| 501 | Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Milling Machine; Boring Machine (Directional, Horizontal or Vertical); Backhoe (Track Type) Having a Mfgr's Rated Capacity of 130,000 Lbs. or Over; Backhoe (Track Type) Having a Mfgr's Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Crane, Shovel, Dragline, Clamshells; Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Grader or Motor Patrol; Master Mechanic; Mechanic or Welder; Robotic Tool Carrier (With or Without Attachments); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Tractor (Scraper, Dozer, Pusher, Loader); Trencher (Wheel Type or Chain Type Having Over 8 Inch Bucket). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 33.69 | 19.78 | 53.47 |
| 502 | Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Environmental Burner; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Jeep Digger; Screed (Milling Machine); Skid Rig; Straddle Carrier or Travel Lift; Stump Chipper; Trencher (Wheel Type or Chain Type Having 8 Inch Bucket & Under). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 33.69 | 19.78 | 53.47 |
| 503 | Air Compressor (&/or 400 CFM or Over); Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Greaser; High Pressure Utility Locating Machine (Daylighting Machine); Mulcher; Oiler; Post Hole Digger or Driver; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 31.62 | 19.78 | 51.40 |
| 504 | Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer. | 41.65 | 21.71 | 63.36 |
| 505 | Work Performed on the Great Lakes Including Crane or Backhoe Operator; Assistant Hydraulic Dredge Engineer; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder; 70 Ton & Over Tug Operator. Premium Increase(s): Add \$.50/hr for Friction Crane, Lattice Boom or Crane Certification (CCO). | 41.65 | 21.71 | 63.36 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | | | |
|--|---|---------------------------------|-------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
| | | \$ | \$ | \$ |
| 506 | Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery. | 35.72 | 17.85 | 53.57 |
| 507 | Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY. | 35.46 | 20.40 | 55.86 |

**HEAVY EQUIPMENT OPERATORS
EXCLUDING SITE PREPARATION, UTILITY, PAVING LANDSCAPING WORK**

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | | | |
|--|--|---------------------------------|-------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
| | | \$ | \$ | \$ |
| 508 | Boring Machine (Directional); Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. Premium Increase(s): Add \$.50/hr for >200 Ton; Add \$1/hr at 300 Ton; Add \$1.50/hr at 400 Ton; Add \$2/hr at 500 Ton & Over. | 36.67 | 19.78 | 56.45 |
| 509 | Backhoe (Track Type) Having a Mfgr's Rated Capacity of 130,000 Lbs. or Over; Boring Machine (Horizontal or Vertical); Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Pile Driver; Versi Lifts, Tri-Lifts & Gantrys (20,000 Lbs. & Over). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. Premium Increase(s): Add \$.25/hr for all >45 Ton lifting capacity cranes. | 35.42 | 19.78 | 55.20 |
| 510 | Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Dredge (NOT Performing Work on the Great Lakes); Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Hydro-Blaster (10,000 PSI or Over); Milling Machine; Skid Rig; Traveling Crane (Bridge Type). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 34.22 | 19.78 | 54.00 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 511 | Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Environmental Burner; Gantrys (Under 20,000 Lbs.); Grader or Motor Patrol; High Pressure Utility Locating Machine (Daylighting Machine); Manhoist; Material or Stack Hoist; Mechanic or Welder; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tining or Curing Machine; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 33.69 | 19.78 | 53.47 |
| 512 | Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Grout Pump; Hoist (Tugger, Automatic); Industrial Locomotives; Jeep Digger; Lift Slab Machine; Mulcher; Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 31.62 | 19.78 | 51.40 |
| 513 | Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Boatmen (NOT Performing Work on the Great Lakes); Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Elevator; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Forklift; Generator (&/or 150 KW or Over); Greaser; Heaters (Mechanical); Loading Machine (Conveyor); Oiler; Post Hole Digger or Driver; Prestress Machine; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Robotic Tool Carrier (With or Without Attachments); Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 30.99 | 19.78 | 50.77 |
| 514 | Gas or Utility Pipeline, Except Sewer & Water (Primary Equipment). Future Increase(s): Add \$1/hr on 6/1/2015; Add \$1/hr on 5/30/2016. | 36.34 | 22.14 | 58.48 |
| 515 | Gas or Utility Pipeline, Except Sewer & Water (Secondary Equipment). Future Increase(s): Add \$1.65/hr on 6/1/2015. | 33.12 | 19.35 | 52.47 |
| 516 | Fiber Optic Cable Equipment | 28.89 | 17.95 | 46.84 |

| |
|--|
| SEWER, WATER OR TUNNEL CONSTRUCTION |
|--|

Includes those projects that primarily involve public sewer or water distribution, transmission or collection systems and related tunnel work (excluding buildings).

SKILLED TRADES

| CODE | TRADE OR OCCUPATION | Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | |
|-------------|---|--|---------------------------------------|--------------|
| | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
| | | \$ | \$ | \$ |
| 103 | Bricklayer, Blocklayer or Stonemason | 32.09 | 18.04 | 50.13 |
| 105 | Carpenter Future Increase(s): Add \$1.50/hr on 6/1/2015; Add \$1.65/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 34.13 | 20.61 | 54.74 |
| 107 | Cement Finisher Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. | 35.18 | 16.78 | 51.96 |
| 109 | Electrician Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 33.93 | 22.77 | 56.70 |
| 111 | Fence Erector | 18.00 | 6.09 | 24.09 |
| 116 | Ironworker | 31.50 | 20.01 | 51.51 |
| 118 | Line Constructor (Electrical) | 39.50 | 17.73 | 57.23 |
| 125 | Pavement Marking Operator | 30.10 | 17.34 | 47.44 |
| 126 | Piledriver | 29.56 | 25.71 | 55.27 |
| 130 | Plumber | 21.50 | 0.00 | 21.50 |
| 135 | Steamfitter | 42.95 | 17.81 | 60.76 |
| 137 | Teledata Technician or Installer | 22.25 | 12.24 | 34.49 |
| 143 | Tuckpointer, Caulker or Cleaner | 23.60 | 7.10 | 30.70 |
| 144 | Underwater Diver (Except on Great Lakes) | 35.40 | 15.90 | 51.30 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 146 | Well Driller or Pump Installer | 25.32 | 15.65 | 40.97 |
| 150 | Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY | 35.55 | 15.57 | 51.12 |
| 151 | Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY | 31.60 | 15.19 | 46.79 |
| 152 | Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 27.65 | 13.44 | 41.09 |
| 153 | Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 25.68 | 13.28 | 38.96 |
| 154 | Groundman - ELECTRICAL LINE CONSTRUCTION ONLY | 21.75 | 12.97 | 34.72 |

TRUCK DRIVERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 201 | Single Axle or Two Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 25.18 | 18.31 | 43.49 |
| 203 | Three or More Axle | 19.50 | 4.97 | 24.47 |
| 204 | Articulated, Euclid, Dumptor, Off Road Material Hauler | 32.89 | 18.96 | 51.85 |
| 205 | Pavement Marking Vehicle | 20.85 | 11.02 | 31.87 |
| 207 | Truck Mechanic | 19.50 | 4.97 | 24.47 |

LABORERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 301 | General Laborer Future Increase(s): Add \$1.35/hr eff. 06/01/2015; Add \$1.25/hr eff. 06/06/2016 Premium Increase(s): Add \$.20 for blaster, bracer, manhole builder, caulker, bottomman and power tool; Add \$.55 for pipelayer; Add \$1.00 for tunnel work 0-15 lbs. compressed air; Add \$2.00 for over 15-30 lbs. compressed air; Add \$3.00 for over 30 lbs. compressed air. | 26.34 | 15.13 | 41.47 |
| 303 | Landscaper | 39.43 | 0.00 | 39.43 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 304 | Flagperson or Traffic Control Person | 31.95 | 0.00 | 31.95 |
| 311 | Fiber Optic Laborer (Outside, Other Than Concrete Encased) | 18.33 | 13.65 | 31.98 |
| 314 | Railroad Track Laborer | 14.50 | 5.29 | 19.79 |

**HEAVY EQUIPMENT OPERATORS
SEWER, WATER OR TUNNEL WORK**

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 521 | Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Master Mechanic; Pile Driver. Future Increase(s): Add \$1.55/hr on 6/1/2015. Premium Increase(s): Add \$.25/hr for operating tower crane. | 37.24 | 20.10 | 57.34 |
| 522 | Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Boring Machine (Directional); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Spreader & Distributor; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. & Under; Dredge (NOT Performing Work on the Great Lakes); Milling Machine; Skid Rig; Telehandler; Traveling Crane (Bridge Type). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 34.22 | 19.78 | 54.00 |
| 523 | Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Boring Machine (Horizontal or Vertical); Bulldozer or Endloader (Over 40 hp); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Manhoist; Material or Stack Hoist; Mechanic or Welder; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 33.69 | 19.78 | 53.47 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 524 | Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Environmental Burner; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Hoist (Tugger, Automatic); Grout Pump; Jeep Digger; Lift Slab Machine; Mulcher; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Tining or Curing Machine; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames. | 30.82 | 18.96 | 49.78 |
| 525 | Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Loading Machine (Conveyor); Post Hole Digger or Driver; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. | 30.69 | 18.46 | 49.15 |
| 526 | Boiler (Temporary Heat); Forklift; Greaser; Oiler. | 30.19 | 18.96 | 49.15 |
| 527 | Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer. | 41.65 | 21.71 | 63.36 |
| 528 | Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder. | 41.65 | 21.71 | 63.36 |
| 529 | Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery. | 35.72 | 17.85 | 53.57 |
| 530 | Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under), Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY. | 35.46 | 20.40 | 55.86 |

AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION

Includes all airport projects (excluding buildings) and all projects awarded by the Wisconsin Department of Transportation (excluding buildings).

SKILLED TRADES

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 103 | Bricklayer, Blocklayer or Stonemason | 32.09 | 18.04 | 50.13 |
| 105 | Carpenter Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 32.72 | 16.00 | 48.72 |
| 107 | Cement Finisher Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. | 35.18 | 16.78 | 51.96 |
| 109 | Electrician Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 33.93 | 22.77 | 56.70 |
| 111 | Fence Erector | 18.00 | 6.09 | 24.09 |
| 116 | Ironworker | 31.50 | 20.01 | 51.51 |
| 118 | Line Constructor (Electrical) | 39.50 | 17.73 | 57.23 |
| 124 | Painter | 26.65 | 13.10 | 39.75 |
| 125 | Pavement Marking Operator | 29.22 | 25.90 | 55.12 |
| 126 | Piledriver Future Increase(s): Add \$1.44/hr on 6/1/2015; Add \$1.44/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 33.24 | 16.00 | 49.24 |
| 133 | Rofer or Waterproofofer | 29.40 | 11.31 | 40.71 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 137 | Teledata Technician or Installer | 22.25 | 12.24 | 34.49 |
| 143 | Tuckpointer, Caulker or Cleaner | 23.60 | 7.10 | 30.70 |
| 144 | Underwater Diver (Except on Great Lakes) | 35.40 | 15.90 | 51.30 |
| 150 | Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY | 35.55 | 15.57 | 51.12 |
| 151 | Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY | 31.60 | 15.29 | 46.89 |
| 152 | Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 27.65 | 13.44 | 41.09 |
| 153 | Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 25.68 | 12.83 | 38.51 |
| 154 | Groundman - ELECTRICAL LINE CONSTRUCTION ONLY | 21.73 | 12.17 | 33.90 |

TRUCK DRIVERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 201 | Single Axle or Two Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 25.18 | 18.31 | 43.49 |
| 203 | Three or More Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 25.28 | 18.31 | 43.59 |
| 204 | Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm . | 30.27 | 21.15 | 51.42 |
| 205 | Pavement Marking Vehicle | 23.16 | 21.13 | 44.29 |
| 206 | Shadow or Pilot Vehicle | 24.37 | 17.77 | 42.14 |

| | | | | |
|-----|----------------|-------|-------|-------|
| 207 | Truck Mechanic | 24.52 | 17.77 | 42.29 |
|-----|----------------|-------|-------|-------|

LABORERS

Fringe Benefits Must Be Paid On All Hours Worked

| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | <u>HOURLY BASIC RATE OF PAY</u> \$ | <u>HOURLY FRINGE BENEFITS</u> \$ | <u>TOTAL</u> \$ |
|-------------|--|---------------------------------------|-------------------------------------|--------------------|
| 301 | General Laborer Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s): Add \$.10/hr for topman, air tool operator, vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.15/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement) and strike off man; Add \$.20/hr for blaster and powderman; Add \$.25/hr for bottomman; Add \$.35/hr for line and grade specialist; Add \$.45/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period). | 30.41 | 15.14 | 45.55 |
| 302 | Asbestos Abatement Worker | 18.00 | 9.58 | 27.58 |
| 303 | Landscaper Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period). | 30.41 | 15.14 | 45.55 |
| 304 | Flagperson or Traffic Control Person Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s): | 26.76 | 15.14 | 41.90 |

Fringe Benefits Must Be Paid On All Hours Worked

| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | <u>HOURLY BASIC RATE OF PAY</u> \$ | <u>HOURLY FRINGE BENEFITS</u> \$ | <u>TOTAL</u> \$ |
|-------------|--|---------------------------------------|-------------------------------------|--------------------|
| | DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. | | | |
| 311 | Fiber Optic Laborer (Outside, Other Than Concrete Encased) | 18.33 | 13.65 | 31.98 |
| 314 | Railroad Track Laborer | 14.50 | 5.29 | 19.79 |

**HEAVY EQUIPMENT OPERATORS
AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION**

Fringe Benefits Must Be Paid On All Hours Worked

| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | <u>HOURLY BASIC RATE OF PAY</u> \$ | <u>HOURLY FRINGE BENEFITS</u> \$ | <u>TOTAL</u> \$ |
|-------------|--|---------------------------------------|-------------------------------------|--------------------|
| 531 | Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type). Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm . | 37.72 | 21.15 | 58.87 |
| 532 | Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm . | 37.22 | 21.15 | 58.37 |

Fringe Benefits Must Be Paid On All Hours Worked

| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | <u>HOURLY BASIC RATE OF PAY</u> \$ | <u>HOURLY FRINGE BENEFITS</u> \$ | <u>TOTAL</u> \$ |
|-------------|---|---------------------------------------|-------------------------------------|--------------------|
| 533 | <p>Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane Wlth a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.</p> <p>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm.</p> | 36.72 | 21.15 | 57.87 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 534 | <p>Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine.</p> <p>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm.</p> | 36.46 | 21.15 | 57.61 |
| 535 | <p>Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.</p> <p>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm.</p> | 36.17 | 21.15 | 57.32 |
| 536 | Fiber Optic Cable Equipment. | 28.89 | 17.95 | 46.84 |
| 537 | Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer. | 41.65 | 21.71 | 63.36 |
| 538 | Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder. | 41.65 | 21.71 | 63.36 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | \$ | \$ | \$ |
| 539 | Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery. | 35.72 | 17.85 | 53.57 |
| 540 | Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY. | 35.46 | 20.40 | 55.86 |

| |
|--|
| LOCAL STREET OR MISCELLANEOUS PAVING CONSTRUCTION |
|--|

Includes roads, streets, alleys, trails, bridges, paths, racetracks, parking lots and driveways (except residential or agricultural), public sidewalks or other similar projects (excluding projects awarded by the Wisconsin Department of Transportation).

| |
|-----------------------|
| SKILLED TRADES |
|-----------------------|

| CODE | TRADE OR OCCUPATION | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|-------------|--|---|---------------------------------------|--------------|
| | | \$ | \$ | \$ |
| 103 | Bricklayer, Blocklayer or Stonemason | 32.09 | 18.04 | 50.13 |
| 105 | Carpenter Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 32.72 | 16.00 | 48.72 |
| 107 | Cement Finisher Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. | 35.18 | 16.78 | 51.96 |
| 109 | Electrician | 35.72 | 19.17 | 54.89 |
| 111 | Fence Erector | 18.00 | 6.09 | 24.09 |
| 116 | Ironworker | 31.50 | 20.01 | 51.51 |
| 118 | Line Constructor (Electrical) | 39.50 | 17.73 | 57.23 |
| 124 | Painter | 25.75 | 16.60 | 42.35 |
| 125 | Pavement Marking Operator | 30.10 | 17.34 | 47.44 |
| 126 | Piledriver | 29.56 | 25.71 | 55.27 |
| 133 | Rofer or Waterproofer | 29.40 | 11.31 | 40.71 |
| 137 | Teledata Technician or Installer | 22.25 | 12.24 | 34.49 |
| 143 | Tuckpointer, Caulker or Cleaner | 23.60 | 7.10 | 30.70 |
| 144 | Underwater Diver (Except on Great Lakes) | 35.40 | 15.90 | 51.30 |
| 150 | Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY | 35.55 | 15.57 | 51.12 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 151 | Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY | 31.60 | 15.19 | 46.79 |
| 152 | Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 27.65 | 13.44 | 41.09 |
| 153 | Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 25.68 | 13.28 | 38.96 |
| 154 | Groundman - ELECTRICAL LINE CONSTRUCTION ONLY | 21.75 | 12.97 | 34.72 |

TRUCK DRIVERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 201 | Single Axle or Two Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 25.18 | 18.31 | 43.49 |
| 203 | Three or More Axle | 16.00 | 0.00 | 16.00 |
| 204 | Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 33.69 | 19.78 | 53.47 |
| 205 | Pavement Marking Vehicle | 20.85 | 11.02 | 31.87 |
| 206 | Shadow or Pilot Vehicle | 24.37 | 17.77 | 42.14 |
| 207 | Truck Mechanic | 16.00 | 0.00 | 16.00 |

LABORERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 301 | General Laborer | 29.32 | 12.44 | 41.76 |
| 303 | Landscaper Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s): | 30.13 | 15.14 | 45.27 |

Fringe Benefits Must Be Paid On All Hours Worked

| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | <u>HOURLY BASIC RATE OF PAY</u> \$ | <u>HOURLY FRINGE BENEFITS</u> \$ | <u>TOTAL</u> \$ |
|-------------|---|---------------------------------------|-------------------------------------|--------------------|
| | DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period). | | | |
| 304 | Flagperson or Traffic Control Person | 19.06 | 14.29 | 33.35 |
| 311 | Fiber Optic Laborer (Outside, Other Than Concrete Encased) | 18.33 | 13.65 | 31.98 |
| 314 | Railroad Track Laborer | 14.50 | 5.29 | 19.79 |

**HEAVY EQUIPMENT OPERATORS
CONCRETE PAVEMENT OR BRIDGE WORK**

Fringe Benefits Must Be Paid On All Hours Worked

| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | <u>HOURLY BASIC RATE OF PAY</u> \$ | <u>HOURLY FRINGE BENEFITS</u> \$ | <u>TOTAL</u> \$ |
|-------------|--|---------------------------------------|-------------------------------------|--------------------|
| 541 | Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm . | 37.72 | 21.15 | 58.87 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 542 | <p>Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. & Under; Crane, Tower Crane Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver.</p> <p>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm.</p> | 37.22 | 21.15 | 58.37 |
| 543 | <p>Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.</p> | 35.72 | 17.85 | 53.57 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 544 | Backfiller; Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm . | 36.46 | 21.15 | 57.61 |
| 545 | Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack. | 35.17 | 20.40 | 55.57 |
| 546 | Fiber Optic Cable Equipment. | 28.89 | 17.95 | 46.84 |
| 547 | Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer. | 41.65 | 21.71 | 63.36 |
| 548 | Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder. | 41.65 | 21.71 | 63.36 |
| 549 | Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or more); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery. | 35.72 | 17.85 | 53.57 |
| 550 | Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY. | 35.46 | 20.40 | 55.86 |

**HEAVY EQUIPMENT OPERATORS
ASPHALT PAVEMENT OR OTHER WORK**

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | | | |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
| | | \$ | \$ | \$ |
| 551 | Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads and/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. | 36.72 | 20.40 | 57.12 |
| 552 | Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm . | 37.22 | 21.15 | 58.37 |
| 553 | Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Laser/Screed; Concrete Slipform Placer Curb & Gutter Machine; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. | 33.69 | 19.78 | 53.47 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | <u>TOTAL</u> |
|--|--|---|---------------------------------------|---------------------|
| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | \$ | \$ | \$ |
| 554 | Backfiller; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self-Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. | 36.17 | 20.80 | 56.97 |
| 555 | Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm . | 36.17 | 21.15 | 57.32 |
| 556 | Fiber Optic Cable Equipment. | 27.89 | 17.20 | 45.09 |

| |
|---|
| RESIDENTIAL OR AGRICULTURAL CONSTRUCTION |
|---|

Includes single family houses or apartment buildings of no more than four (4) stories in height and all buildings, structures or facilities that are primarily used for agricultural or farming purposes, excluding commercial buildings. For classification purposes, the exterior height of a residential building, in terms of stories, is the primary consideration. All incidental items such as site work, driveways, parking lots, private sidewalks, private septic systems or sewer and water laterals connected to a public system and swimming pools are included within this definition. Residential buildings of five (5) stories and above are NOT included within this definition.

| |
|-----------------------|
| SKILLED TRADES |
|-----------------------|

| <u>CODE</u> | <u>TRADE OR OCCUPATION</u> | <u>HOURLY BASIC RATE OF PAY</u> | <u>HOURLY FRINGE BENEFITS</u> | <u>TOTAL</u> |
|-------------|---|---|---------------------------------------|--------------|
| | | \$ | \$ | \$ |
| 101 | Acoustic Ceiling Tile Installer | 33.07 | 16.07 | 49.14 |
| 102 | Boilermaker | 32.05 | 28.04 | 60.09 |
| 103 | Bricklayer, Blocklayer or Stonemason Future Increase(s): Add \$1.40 on 06/01/2015; Add \$1.45 on 06/06/2016 Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. | 32.82 | 18.66 | 51.48 |
| 104 | Cabinet Installer | 34.42 | 0.00 | 34.42 |
| 105 | Carpenter | 31.40 | 2.01 | 33.41 |
| 106 | Carpet Layer or Soft Floor Coverer | 30.00 | 0.00 | 30.00 |
| 107 | Cement Finisher | 24.08 | 0.00 | 24.08 |
| 108 | Drywall Taper or Finisher | 8.50 | 0.00 | 8.50 |
| 109 | Electrician | 20.00 | 6.62 | 26.62 |
| 110 | Elevator Constructor | 23.26 | 0.00 | 23.26 |
| 111 | Fence Erector | 16.00 | 3.76 | 19.76 |
| 112 | Fire Sprinkler Fitter | 39.00 | 18.00 | 57.00 |
| 113 | Glazier Future Increase(s): Add \$.75/hr eff. 06/01/2015; Add \$.90/hr eff. 06/01/2016 | 37.07 | 14.42 | 51.49 |
| 114 | Heat or Frost Insulator | 33.43 | 25.81 | 59.24 |
| 115 | Insulator (Batt or Blown) | 23.00 | 10.55 | 33.55 |
| 116 | Ironworker | 31.50 | 20.01 | 51.51 |
| 117 | Lather | 31.40 | 2.01 | 33.41 |
| 119 | Marble Finisher | 16.25 | 2.32 | 18.57 |
| 120 | Marble Mason | 32.09 | 18.04 | 50.13 |

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|---|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 121 | Metal Building Erector | 18.00 | 5.88 | 23.88 |
| 123 | Overhead Door Installer | 16.65 | 1.03 | 17.68 |
| 124 | Painter | 25.75 | 8.94 | 34.69 |
| 125 | Pavement Marking Operator | 18.75 | 2.47 | 21.22 |
| 129 | Plasterer | 25.00 | 10.45 | 35.45 |
| 130 | Plumber | 30.00 | 10.44 | 40.44 |
| 132 | Refrigeration Mechanic | 17.00 | 13.56 | 30.56 |
| 133 | Rofer or Waterproofer | 15.00 | 1.37 | 16.37 |
| 134 | Sheet Metal Worker | 22.54 | 5.20 | 27.74 |
| 135 | Steamfitter | 23.62 | 16.12 | 39.74 |
| 137 | Teledata Technician or Installer | 18.00 | 28.48 | 46.48 |
| 138 | Temperature Control Installer | 22.00 | 1.62 | 23.62 |
| 139 | Terrazzo Finisher | 16.25 | 2.32 | 18.57 |
| 140 | Terrazzo Mechanic | 30.71 | 16.52 | 47.23 |
| 141 | Tile Finisher | 23.85 | 17.18 | 41.03 |
| 142 | Tile Setter Future Increase(s): Add \$1.40/hr on 6/01/2015; Add \$1.45/hr on 6/06/2016. | 31.55 | 18.26 | 49.81 |
| 143 | Tuckpointer, Caulker or Cleaner | 14.00 | 8.75 | 22.75 |
| 146 | Well Driller or Pump Installer | 12.75 | 9.50 | 22.25 |
| 147 | Siding Installer | 17.25 | 0.00 | 17.25 |

TRUCK DRIVERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|----------------------------|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 201 | Single Axle or Two Axle | 16.50 | 0.00 | 16.50 |
| 203 | Three or More Axle | 18.00 | 2.44 | 20.44 |
| 205 | Pavement Marking Vehicle | 20.85 | 11.02 | 31.87 |
| 207 | Truck Mechanic | 18.00 | 2.44 | 20.44 |

LABORERS

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 301 | General Laborer | 24.21 | 8.02 | 32.23 |
| 302 | Asbestos Abatement Worker | 16.50 | 8.21 | 24.71 |
| 303 | Landscaper | 12.00 | 0.00 | 12.00 |
| 311 | Fiber Optic Laborer (Outside, Other Than Concrete Encased) | 18.33 | 13.65 | 31.98 |
| 315 | Final Construction Clean-Up Worker | 10.00 | 3.47 | 13.47 |

**HEAVY EQUIPMENT OPERATORS
RESIDENTIAL OR AGRICULTURAL CONSTRUCTION**

| Fringe Benefits Must Be Paid On <u>All</u> Hours Worked | | HOURLY BASIC RATE OF PAY | HOURLY FRINGE BENEFITS | TOTAL |
|--|--|---|---------------------------------------|--------------|
| CODE | TRADE OR OCCUPATION | \$ | \$ | \$ |
| 557 | Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type); Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Crane, Shovel, Dragline, Clamshells; Forestry Equipment, Timberco, Tree Shear, Tub Grinder, Processor; Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type); Winches & A-Frames. | 34.22 | 19.78 | 54.00 |

Future Increase(s):
Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.

| | | | | |
|-----|--|-------|-------|-------|
| 558 | Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Backfiller; Belting, Burlap, Texturing Machine; Boiler (Temporary Heat); Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Jeep Digger; Lift Slab Machine; Mulcher; Oiler; Post Hole Digger or Driver; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Rock, Stone Breaker; Roller (Rubber Tire, 5 Tons or Under); Screed (Milling Machine); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Stump Chipper; Telehandler; Vibratory Hammer or Extractor, Power Pack. | 36.72 | 21.15 | 57.87 |
|-----|--|-------|-------|-------|

Future Increase(s):

Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016;

Add \$1.25/hr on 6/1/2017.

Premium Increase(s):

DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day,

Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium.

See DOT'S website for details about the applicability of this night work premium at: <http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm>.

***** END OF RATES *****

PREVAILING WAGE – Contractors

Any public works project that has a total estimated project cost that equals or exceeds prevailing wage project thresholds requires a prevailing wage rate determination issued by the Department of Workforce Development (DWD). Public works include erecting, constructing, remodeling, repairing, demolishing, alterations, painting and decorating projects for a local governmental unit or state agency. State law excludes minor service or maintenance work, warranty work, or work under a supply-and-installation contract. There is a statutory definition for most of these exclusions. The prevailing wage laws that apply to local governmental units and their contractors are §§66.0903 and 103.503, Wis. Stats. The prevailing wage laws that apply to state agencies and their contractors are §§103.49 and 103.503, Wis. Stats. The applicable administrative rules for all prevailing wage projects are DWD 290 and DWD 294, Wis. Adm. Code. These laws include provisions that apply to all contractors and subcontractors working on prevailing wage projects.

Any contractor or subcontractor working on a local governmental unit or state agency's public works project that equals or exceeds current prevailing wage project thresholds must do all of the following:

- Receive and review the project's prevailing wage rate determination (i.e., white sheet).
- Tell subcontractors the project is subject to state prevailing wage law and include the prevailing wage rate determination in the construction contract, or if there is no written contract, provide a copy of the project determination to each subcontractor.
- Hire subcontractors who do *not* appear on the "Consolidated List of Debarred Contractors."
- Have a written substance abuse testing program in place that fulfills the requirements of §103.503, Wis. Stats., before commencing work on the project.

- Notify subcontractors that if DWD finds that a contractor or subcontractor violated the prevailing wage law, DWD will assess liquidated damages of 100% of the wages owed to employees.
- Apply to DWD for subjourney wage rates prior to employing these individuals on the project.
- Receive and retain a completed Affidavit of Compliance from each subcontractor brought on to the project before providing final payment to those subcontractors.
- Submit a completed Affidavit of Compliance to the contractor who brought the subcontractor on to the project before receiving final payment for the project.
- Maintain payroll records for 3 years that comply with §§66.0903(10)(a) or 103.49(5)(a), Stats. and DWD 274.06.
- Respond to requests from DWD or the project owner to provide payroll records and/or respond to prevailing wage complaints filed by employees or third parties.

For more information, visit the prevailing wage website: http://dwd.wisconsin.gov/er/prevailing_wage_rate/default.htm. For further assistance, call the Equal Rights Division at 608-266-6861 and ask for prevailing wage.