

PART VIII - STANDARD DETAIL DRAWINGS

SERIES 1 - EROSION CONTROL

- 1.01 RESERVED FOR FUTURE USE
- 1.02 [EROSION MAT](#)
- 1.03 RESERVED FOR FUTURE USE
- 1.04 RESERVED FOR FUTURE USE
- 1.05 [CLEAR STONE BERM FOR EROSION CONTROL](#)
- 1.06 RESERVED FOR FUTURE USE
- 1.07 [CONSTRUCTION ENTRANCE](#)
- 1.08 [STREET CONSTRUCTION ENTRANCE BERM](#)
- 1.09 RESERVED FOR FUTURE USE
- 1.10 [STREET CONSTRUCTION STONE BERM](#)
- 1.11 RESERVED FOR FUTURE USE

SERIES 2 - EARTHWORK

- 2.01 [STANDARD PLANTING TECHNIQUE FOR TREES IN TURF AREAS](#)
- 2.02 [STANDARD PLANTING TECHNIQUE FOR TREES IN TREE GRATES](#)
- 2.03 [STANDARD PLANTING TECHNIQUE FOR EVERGREENS](#)
- 2.04 [STANDARD PLANTING TECHNIQUE FOR SHRUBS](#)
- 2.05 [STANDARD PRUNING TECHNIQUES FOR DECIDUOUS AND CONIFEROUS TREES AND SHRUBS](#)
- 2.06 [TYPICAL FIELD STONE RETAINING WALL](#)
- 2.07 [WETLAND PLANTING PODS TYPE #1](#)
- 2.08 [WETLAND PLANTING PODS TYPE #2](#)
- 2.09 [RAINGARDEN & BIO-RETENTION DETAIL](#)

SERIES 3 - CONCRETE AND CONCRETE STRUCTURES

- 3.01 [STANDARD SPECIAL WATERWAY](#)
- 3.02 [MADISON STANDARD CURB CUT DETAILS](#)
- 3.03 [STANDARD CURB RAMPS TYPES 1 AND 2](#)
- 3.04 [CURB RAMPS GENERAL AND CURB RAMP TYPE 2-A](#)
- 3.05 [CURB & GUTTER DETAIL AT END OF CUL-DE-SAC](#)
- 3.06 [MADISON STANDARD CONCRETE CURB & GUTTER](#)
- 3.07 [MADISON STANDARD CONCRETE CURB & GUTTER](#)
- 3.08 [MADISON STANDARD CONCRETE CURB & GUTTER](#)
- 3.09 RESERVED FOR FUTURE USE
- 3.10 [LONGITUDINAL JOINTS AND PAVEMENT TIES DETAIL](#)
- 3.11 [DOWELED CONCRETE PAVEMENT DETAIL](#)
- 3.12 [MADISON STANDARD SECTION CORNER MONUMENT DETAIL](#)
- 3.13 [CONCRETE MOUNTABLE MEDIAN ISLAND NOSE DETAILS](#)
- 3.14 [BIKE/PED RAMP DETAIL](#)
- 3.15 [TREE GRATE DETAIL](#)

SERIES 4 - PAVEMENTS

- 4.01 [TYPICAL SECTION 32' STREET](#)
- 4.02 [TYPICAL SECTION VARIOUS WIDTH STREETS](#)
- 4.03 [TYPICAL SECTION BOULEVARD STREET](#)
- 4.04 [TYPICAL SECTION TEMPORARY STREET](#)
- 4.05 [TYPICAL SECTION WITH UNDERDRAINS](#)
- 4.06 [PAVEMENT DESIGN CRITERIA](#)
- 4.07 [TYPICAL ALLEY WITH CURB & GUTTER](#)

- 4.08 [TYPICAL SECTION BIKE PATH](#)
- 4.09 [GRINDING DETAIL](#)
- 4.10 [CONCRETE SPEED HUMP](#)
- 4.11 [CONCRETE SPEED HUMP RAISED GUTTER](#)

SERIES 5 - SEWER AND SEWER STRUCTURES

- 5.1 GENERAL
- 5.1.1 [MANDREL DETAIL](#)
- 5.1.2 [RCBC REPAIR TYPE I & TYPE II](#)
- 5.1.3 [TYPICAL SECTION SAS ACCESS ROAD TEMPORARY](#)
- 5.1.4 [TYPICAL SECTION SAS ACCESS ROAD PERMANENT](#)
- 5.1.4A [TYPICAL SECTION SAS ACCESS ROAD PERMANENT - FARM](#)
- 5.2 TRENCH EXCAVATION, BEDDING AND BACKFILL
- 5.2.1 [PIPE BEDDING AND BACKFILL](#)
- 5.2.1A [STORM PIPE BEDDING AND BACKFILL](#)
- 5.2.2 [TYPICAL TRENCH COMPACTION](#)
- 5.2.3 [TYPICAL TRENCH COMPACTION \(GREENWAY/PARK\)](#)
- 5.2.4 [TYPICAL PAVEMENT PATCH SECTIONS](#)
- 5.3 SANITARY SEWER PIPES
- 5.3.1 [RISER DETAIL](#)
- 5.3.2 [LOCATION OF SANITARY LATERALS](#)
- 5.3.3 [COUPLING DETAILS](#)
- 5.4 STORM SEWER PIPES, APRON ENDWALLS AND OTHER STORM WATER CHANNELS
- 5.4.1 [APRON ENDWALLS FOR PIPES AND PIPE ARCHES](#)
- 5.4.2 [MULTIPLE RCP AE](#)
- 5.4.3 [MULTIPLE HERCP AE](#)
- 5.4.4 [RIPRAP AT APRON END WALLS](#)
- 5.4.5 [CONCRETE COLLAR](#)
- 5.4.6 [CONCRETE PIPE JOINT TIES](#)
- 5.4.7 [DRAINAGE FLUME DETAIL](#)
- 5.4.8 [DRAINAGE FLUME DETAIL](#)
- 5.4.9 [SIDEWALK FLUME DETAIL](#)
- 5.4.10 [CURB TO DITCH TRANSITION ASPHALT FLUME](#)
- 5.4.11 [TYPICAL GREENWAY SECTION \(GRASSED-FLOWLINE\)](#)
- 5.4.12 [TYPICAL GREENWAY SECTION \(STABILIZED-FLOWLINE\)](#)
- 5.4.13 RESERVED FOR FUTURE USE
- 5.5 BOX CULVERTS AND WINGWALLS
- 5.5.1 [BOX CULVERT WINGWALL](#)
- 5.5.2 [RIPRAP AT BOX CULVERT WINGWALLS](#)
- 5.6 STORM SEWER GATES
- 5.6.1 [RCP AE GATE](#)
- 5.6.2 [BOX CULVERT INLET GATE \(UPSTREAM\)](#)
- 5.6.3 [BOX CULVERT OUTLET GATE \(DOWNSTREAM\)](#)
- 5.6.4 [STANDARD BASIN OUTLET STRUCTURE](#)
- 5.6.5 [STANDARD-BASIN OUTLET PIPE GATE DETAIL](#)
- 5.7 SEWER STRUCTURES
- 5.7.1 [SANITARY SEWER CAST-IN-PLACE SAS](#)
- 5.7.2 [SANITARY SEWER PRECAST SAS](#)
- 5.7.3 [STORM SEWER FIELD POURED SAS AND CATCH BASINS](#)
- 5.7.4 [STORM SEWER 6'X6' CATCHBASIN](#)
- 5.7.5 [STORM SEWER PRECAST SAS \(THROUGH SECTION VIEW\)](#)
- 5.7.6 [STORM SEWER PRECAST SAS \(TOP VIEW\)](#)
- 5.7.7 [TYPE "H" INLET](#)
- 5.7.7A [PVC DRAIN PIPE AT LOW POINTS WITHOUT SURFACE PAVEMENT](#)
- 5.7.8 [SADDLED INLET TYPE I](#)
- 5.7.9 [SADDLED INLET TYPE II](#)

- 5.7.9A [STORM SEWER FIELD POURED SADDLED SAS](#)
- 5.7.10 [STORM SEWER PRECAST SADDLED INLET](#)
- 5.7.10A [STORM SEWER PRECAST SADDLED SAS](#)
- 5.7.11 [ADJUST TUB INLET](#)
- 5.7.12 [TERRACE INLET TYPE 1](#)
- 5.7.12A [TERRACE INLET TYPE 2](#)
- 5.7.12B [TERRACE INLET TYPE 3](#)
- 5.7.12C [TERRACE INLET TYPE 4](#)
- 5.7.12D [TERRACE INLET TYPE 5](#)
- 5.7.13 [CURB OUTLET STRUCTURE](#)
- 5.7.14 [UNDERDRAIN](#)
- 5.7.15 [SAS CHIMNEY AND CASTING](#)
- 5.7.16 [SAS FRAME AND COVER](#)
- 5.7.16A [SAS LOCKING FRAME & LOGO COVER](#)
- 5.7.17 [SAS INTERNAL CHIMNEY SEAL](#)
- 5.7.18 [R-3067 FRAME](#)
- 5.7.20 [R-3067 TYPE R GRATE](#)
- 5.7.21 [R-3067 TYPE V GRATE \(VANE\)](#)
- 5.7.22 [R-3067 EL CURB BOX](#)
- 5.7.24 [R-3067 CDS CURB BOX](#)
- 5.7.25 [TYPE "S" INLET & R-3281 CASTING](#)
- 5.7.26 [CONSTRUCTION STORM STAKING LAYOUT](#)
- 5.7.27 [H INLET LOCATIONS IN DIFFERENT CURB TYPES](#)
- 5.7.28 [INLET IN TYPE "H" CURB AND GUTTER WITH CONCRETE PAVEMENT](#)
- 5.7.29 [INLET CASTING OFFSET CRITERIA FOR H INLETS](#)
- 5.7.30 [INSIDE DROP FOR SANITARY LATERAL](#)
- 5.7.31 [FLEXIBLE PIPE TO SAS CONNECTOR](#)
- 5.7.32 [STORM SEWER TAP DETAIL](#)
- 5.7.33 [H INLET ALLEY CURB](#)
- 5.7.34 [DITCH INLET STRUCTURE](#)
- 5.7.35 [TERRACE FLUME](#)
- 5.7.36 [SIDEWALK DRAIN](#)
- 5.7.37 [RIBBON CURB CASTING R-3382](#)
- 5.7.38 [CURB HEAD PLATE FOR DRIVEWAY R-3067-7000](#)
- 5.7.39 [SCREEN TREATMENT DEVICE](#)
- 5.7.39A [SCREEN TREATMENT DEVICE](#)
- 5.7.40 [LATERAL BACKFLOW PREVENTER](#)
- 5.7.41 [LATERAL CLEANOUT](#)
- 5.8 [UTILITY CROSSINGS](#)
- 5.8.1 [CONCRETE SUPPORTS](#)
- 5.8.2 [REINFORCED CONCRETE BEAM SUPPORT](#)

SERIES 6 - TRAFFIC ENGINEERING

- 6.01 [TYPICAL ELEVATIONS FOR BASES](#)
- 6.02 [TYPICAL PLAN VIEW OF DUCT INSTALLATION & DUCT IMPRINT LOCATION](#)
- 6.03 [DUCT TERMINATION DETAIL](#)
- 6.04 [LOOP LEAD DUCT DETAIL](#)
- 6.05 [CONCRETE POLE BURIAL DETAIL](#)
- 6.06 [POLE MOUNTED STREET LIGHT CONTROL PANEL](#)
- 6.07 [PEDESTAL MOUNTED STREET LIGHT CONTROL PANEL](#)
- 6.08 [120V STREET LIGHT CONTROL PANEL ELECTRICAL SERVICE DETAIL](#)
- 6.09 [CONDUIT PLACEMENT DETAILS FOR COMMERCIAL DRIVE APPROACH](#)
- 6.10 [TYPE "M" AND "P" CONTROLLER BASE DETAIL](#)
- 6.11 [TYPE "G" BASE DETAIL](#)
- 6.12 [LB-1 BASE DETAIL](#)
- 6.13 [LB-2 DETAIL](#)

| | |
|-------|---|
| 6.14 | <u>LB-3 DETAIL</u> |
| 6.15 | <u>LB-4 DETAIL</u> |
| 6.17 | <u>LB-6 DETAIL</u> |
| 6.18 | <u>LB-7 BASE DETAIL</u> |
| 6.19 | <u>LB-8 BASE DETAIL</u> |
| 6.20 | <u>OFFSET BASE DETAIL</u> |
| 6.21 | <u>TYPICAL DETAIL FOR AUGERING A HOLE(S) IN EXISTING BASE FOR DUCT ENTRANCE</u> |
| 6.22 | <u>TYPE I HANDHOLE DETAIL</u> |
| 6.23 | <u>TYPE II HANDHOLE DETAIL</u> |
| 6.24 | <u>TYPE III HANDHOLE DETAIL</u> |
| 6.25 | <u>TYPE IV HANDHOLE DETAIL</u> |
| 6.26 | <u>TYPE V HANDHOLE DETAIL</u> |
| 6.26A | <u>TYPE VII HANDHOLE DETAIL</u> |
| 6.27 | <u>ELECTRICAL UTILITY ACCESS STRUCTURE DETAIL</u> |
| 6.28 | <u>ELECTRICAL CONDUIT BOX-OUT DETAIL</u> |
| 6.29 | <u>STREET BARRICADE DETAILS</u> |
| 6.29A | <u>END-OF-ROADWAY SIGNING DETAILS</u> |
| 6.30 | <u>SUPPLEMENTAL TRAFFIC CONTROLS FOR BIKEWAY CLOSURES</u> |
| 6.31 | <u>BARRICADES AND SIGNS FOR MAINLINE CLOSURES</u> |
| 6.32 | <u>BARRICADES AND SIGNS FOR SIDEROAD CLOSURES</u> |
| 6.33 | <u>TRAFFIC CONTROL, SINGLE LANE CLOSURE NON-FREEWAY/EXPRESSWAY</u> |
| 6.34 | <u>TRAFFIC CONTROL, INTERSECTION WITHIN SINGLE LANE CLOSURE</u> |
| 6.35 | <u>TRAFFIC CONTROL FOR LANE CLOSURE (SUITABLE FOR MOVING OPERATIONS)</u> |
| 6.36 | <u>TRAFFIC CONTROL, SIDEWALK CLOSURE</u> |
| 6.37 | <u>PAVEMENT MARKING DETAILS, PAGE 1</u> |
| 6.38 | <u>PAVEMENT MARKING DETAILS, PAGE 2</u> |
| 6.39 | <u>PAVEMENT MARKING DETAILS, PAGE 3</u> |
| 6.40 | <u>PAVEMENT MARKING DETAILS, PAGE 4</u> |
| 6.41 | <u>PIPE INSERT IN CONCRETE FOR SIGNING</u> |
| 6.42 | <u>PRECAST SIGN POST BASE DETAILS</u> |
| 6.43 | <u>SIGN POST DETAIL</u> |
| 6.44 | <u>ALTERNATE BUSINESS ACCESS SIGN</u> |
| 6.45 | <u>LB-9 BASE DETAIL</u> |
| 6.46 | <u>TYPICAL CONDUIT INSTALLATION PARALLEL TO CURB AND GUTTER</u> |
| 6.47 | <u>MULTISPACE PARKING METER BASE DETAIL</u> |

SERIES 7 - WATER MAINS AND SERVICE LATERALS

| | |
|------|---|
| 7.01 | <u>TYPICAL WATER PIPE TRENCH</u> |
| 7.02 | <u>FIELD INSTALLATION POLYETHYLENE WRAP / TAPPING POLYETHYLENE WRAP</u> |
| 7.03 | <u>TYPICAL STYROFOAM INSTALLATION</u> |
| 7.04 | <u>TYPICAL HYDRANT INSTALLATION</u> |
| 7.05 | <u>WATER MAIN VALVE ACCESS STRUCTURE</u> |
| 7.06 | <u>WATER VALVE BOX ALIGNMENT</u> |
| 7.07 | <u>2-IN TEMPORARY FLUSHING / BLOW-OFF FOR 8-IN PIPE AND SMALLER</u> |
| 7.09 | <u>LOCATION OF WATER SERVICES</u> |
| 7.10 | <u>SERVICE INSTALLATION – PRIVATE CONTRACT</u> |
| 7.13 | <u>STANDARD CONCRETE BLOCK THRUST RESTRAINT</u> |
| 7.14 | <u>GRAVITY BLOCK THRUST RESTRAINT FOR VERTICAL BENDS</u> |
| 7.15 | <u>ROD & CONCRETE BLOCK THRUST RESTRAINT FOR VERTICAL BENDS</u> |
| 7.16 | <u>JOINT RESTRAINT LENGTHS FOR VERTICAL BENDS</u> |
| 7.17 | <u>THREADED ROD – JOINT RESTRAINT</u> |
| 7.20 | <u>STANDARD HDPE TRACER WIRE VALVE BOX</u> |
| 7.21 | <u>CASING SPACERS</u> |
| 7.22 | <u>OFFSETTING EXISTING WATER MAIN UNDER UTILITY CONFLICTS</u> |
| 7.23 | <u>CLAY TRENCH PLUG</u> |

- 7.28 2" SENSUS OMNI T2 TURBINE METER STANDARD INSTALLATION
- 7.29 2" BADGER RECORDALL TURBO SERIES METER STANDARD INSTALLATION
- 7.30 WATER METER PIT CONSTRUCTION
- 7.31 WATER METER PIT DIMENSIONS
- 7.32 WATER METER PIT CONSTRUCTION NOTES
- 7.33 WATER METER ENCLOSURE
- 7.34 YARD HYDRANT/DRINKING FOUNTAIN STANDARD INSTALLATION
- 7.35 STANDARD 5/8", 3/4", 1" METER INSTALLATION
- 7.36 STANDARD 1-1/2" – 2" METER INSTALLATION
- 7.37 BADGER RECORDALL COMPOUND METER STANDARD INSTALLATION
- 7.38 SENSUS OMNI COMPOUND METER STANDARD INSTALLATION
- 7.39 STANDARD MAG METER INSTALLATION BADGER M2000 ELECTROMAGNETIC FLOW METER
- 7.40 BADGER RECORDALL TURBO SERIES METER STANDARD INSTALLATION
- 7.41 SENSUS OMNI T2 TURBINE METER STANDARD INSTALLATION
- 7.42 SEWER DEDUCT METER/WATER ONLY STANDARD INSTALLATION