

TYPICAL 2x6 SIDING EXT. WALL:
TYVEK
7/16" OSB SHEATHING
2x6 STUDS @ 16" o.c.
R23 BIB INSULATION
6 mil POLY V.B.
1/2" DRYWALL

SOFFIT AND
FASCIA TO MATCH
EXISTING

2x6 FT PLATE

8" POURED CONCRETE
FOUNDATION WALL
1" RIDGED INS.

4" DRAIN TILE
W/ CRUSHED STONE

TYPICAL TRUSS ROOF:
ARCHITECTURAL SHINGLES
1/2" OSB ROOF SHEATHING W/H CLIPS
PRE-ENGINEERED TRUSSES @ 24" o.c.
ENERGY HEEL TO MATCH EXISTING
2x4 TRUSS BRACING
R50 BLOWN INSULATION
6 mil POLY V.B.
5/8" CEILING BOARD
TAPED & SANDED

9' 1-1/8" TALL WALLS

RIGID THERMAL
BREAK

3'9" TALL WALLS

TYPICAL SLAB ON GRADE:
4" CONCRETE SLAB c/w
FIBRE MESH REINFORCEMENT
2" RIGID INSULATION
6 mil POLY VAPOR BARRIER
COMPACTED GRANULAR FILL

SECTION THROUGH

NO SCALE

HALL TO
EXISTING
STRUCTURE

FRONT ELEVATION

SCALE: 1/4" = 1'-0"

REAR ELEVATION

SCALE: 1/4" = 1'-0"

AMERICAN DESIGN CONCEPTS

KIRCH CONSTRUCTION
CBRF ADDITION

AMERICAN DESIGN CONCEPTS

1334 APPELGATE

MADISON

(608) 273-OTTO

ALL RIGHTS RESERVED

© AMERICAN DESIGN CONCEPTS

ELEVATIONS

SCALE: 1/4" = 1'

PLAN START DATE 12/22/12

REVISED 11/09/12

REVISED 11/16/12

REVISED 11/03/12


REVISED 05/02/13



LEFT ELEVATION
SCALE: 1/4" = 1'-0"




RIGHT ELEVATION
SCALE: 1/4" = 1'-0"



FIRST FLOOR FLOOR PLAN
SCALE: 1/4" = 1'-0"
2449 SQFT

A3	AMERICAN DESIGN CONCEPTS		FIRST FLOOR FLOOR PLAN	
	1334 APFLEGATE		2449 SQFT FINISHED AREA	
	DESIGNED BY MADISON		SCALE: 1/4" = 1'	
	(608) 273-OTTO			
ALL RIGHTS RESERVED		PLAN START DATE 10/22/12		REVISED 09/02/13
© AMERICAN DESIGN CONCEPTS		REVISED 11/09/12		
		REVISED 11/6/12		
		REVISED 10/03/12		
		KIRCH CONSTRUCTION		
		CBRF ADDITION		
		AMERICAN DESIGN CONCEPTS		



FOUNDATION PLAN	
SCALE: 1/4" = 1'	
PLAN START DATE 10/22/12	REVISED 08/02/13
REVISED 11/09/12	
REVISED 11/16/12	
REVISED 12/03/12	

AMERICAN DESIGN CONCEPTS

KIRCH CONSTRUCTION

CBRF ADDITION

AMERICAN DESIGN CONCEPTS	1324 APFLEGATE
DESIGNED BY	MADISON
(608) 273-OTTO	
ALL RIGHTS RESERVED	
© AMERICAN DESIGN CONCEPTS	