




**1 LEVEL 0 ENLARGED PLAN AT EXPANDED AREAWAY**  
A002 1/4" = 1'-0"




**2 LEVEL 1 ENLARGED PLAN AT EXPANDED AREAWAY**  
A002 1/4" = 1'-0"




**3 LEVEL 0 ENLARGED PLAN AT EXISTING LIGHT WELL**  
A002 1/4" = 1'-0"



**4 LEVEL 0 ENLARGED PLAN AT NEW LIGHT WELL**  
A002 1/4" = 1'-0"




**7 WEST RAILING AT AREAWAY STAIR**  
A002 3/8" = 1'-0"




**8 NORTH RAILING ELEVATION AT EXPANDED AREAWAY**  
A002 3/8" = 1'-0"




**9 WEST RAILING ELEVATION AT EXPANDED AREAWAY**  
A002 3/8" = 1'-0"




**10 SOUTH RAILING ELEVATION AT EXPANDED AREAWAY**  
A002 3/8" = 1'-0"




**11 EXISTING AREAWAY STAIR NOSING**  
A002 1 1/2" = 1'-0"




**13 NORTH ELEVATION AT WEST LIGHT WELL**  
A002 3/8" = 1'-0"




**14 WEST ELEVATION AT WEST LIGHT WELL**  
A002 3/8" = 1'-0"




**15 SOUTH ELEVATION AT WEST LIGHT WELL**  
A002 3/8" = 1'-0"




**12 ENLARGED PLAN AT WEST LIGHT WELL**  
A002 1/4" = 1'-0"




**16 ENLARGED DOTY ST ENTRY PLAN**  
A002 1/4" = 1'-0"



**17 WEST ELEVATION AT DOTY ST ENTRY**  
A002 3/8" = 1'-0"



**18 SECTION THROUGH DOTY STREET ENTRY**  
A002 3/8" = 1'-0"



**19 SOUTH ELEVATION AT DOTY STREET ENTRY**  
A002 3/8" = 1'-0"

- GENERAL NOTES**
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC. IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONSTRUCTION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY X-RAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genlar Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53705  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.274.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL


**WISCONSIN**  
DANIEL JACK POLING  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT

Signature: *Daniel Jack Poling*  
Print Name: Daniel Jack Poling  
Date: 10.07.2016 License No.: A-8984


ISSUE MARK DATE DESCRIPTION  
1 03.24.2017 BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 Ken Saiki Design, Inc. All Rights Reserved.


**SITE FEATURES**  
**EXHIBIT E**  
**A002**




1 ENLARGED PLAN AT SW LIGHT WELL A003 1/4" = 1'-0"  
 2 WEST ELEVATION A003 3/8" = 1'-0"  
 3 SOUTH ELEVATION A003 3/8" = 1'-0"  
 4 EAST ELEVATION A003 3/8" = 1'-0"  
 5 ENLARGED LIGHT WELL PLAN A003 1/4" = 1'-0"




6 WEST ELEVATION AT SOUTH LIGHT WELL 1 A003 3/8" = 1'-0"  
 7 SOUTH ELEVATION AT SOUTH LIGHT WELL 1 A003 3/8" = 1'-0"




8 ENLARGED PLAN AT MAIN ENTRY EXTERIOR STAIR A003 1/4" = 1'-0"




9 WEST EXTERIOR RAILING AT MLK ENTRY A003 3/8" = 1'-0"  
 10 EAST EXTERIOR RAILING AT MLK ENTRY A003 3/8" = 1'-0"




11 ENLARGED LIGHT WELL PLAN A003 1/4" = 1'-0"



12 EXTERIOR RAILING AT EXIT STAIR A003 3/8" = 1'-0"  
 13 EXTERIOR RAILING AT EXIT STAIR A003 3/8" = 1'-0"  
 14 EXTERIOR RAILING AT EXIT STAIR A003 3/8" = 1'-0"



15 SECTION 1 THROUGH EXISTING STAIR A003 3/8" = 1'-0"  
 16 SECTION 2 THROUGH EXISTING STAIR A003 3/8" = 1'-0"



17 SOUTH ELEVATION AT SOUTH LIGHT WELL 2 A003 3/8" = 1'-0"  
 18 EAST ELEVATION AT SOUTH LIGHT WELL 2 A003 3/8" = 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATION THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPEPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISERS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
 Minneapolis, Minnesota 55401-2282  
 Architecture 612.375.0336 tel  
 Interiors and Urban Design 612.342.2216 fax  
 www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
 303 South Peterson St  
 Madison, WI 53703  
 608.223.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
 1800 Denning Way, Suite 200  
 Madison, WI 53713  
 608.223.9600 tel

MEP Engineers  
**MEP Associates**  
 860 Blue Genian Road, Suite 175  
 Englewood, MN 55121  
 651.379.9120 tel

Lighting Designer  
**Gallina Design**  
 30232 County 7  
 Chaska, MN 55123  
 507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
 5641 Wilcoyby Plz  
 Madison, WI 53706  
 608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
 115 E. Main Street, Suite 200  
 Madison, WI 53703  
 608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
 575 Minnehaha Ave. W.  
 St. Paul, MN 55103  
 651.251.1879 tel

Acoustical Consultant  
**KRA**  
 4826 Chicago Avenue South, Suite 206  
 Minneapolis, MN 55417  
 612.374.3600 tel

Civil Engineers  
**VIERBICHER**  
 999 Fountain Drive, Suite 201  
 Madison, WI 53717

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL


**WISCONSIN**  
 DANIEL JACK POLING  
 A-8984  
 MINNEAPOLIS, MN  
 ARCHITECT

Signature: *[Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984


ISSUE MARK DATE DESCRIPTION  
 1 03.24.2017 BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: ES CHECKED BY: Checker  
Copyright © 2017 MSR, Ken Saiki Design, Inc. & KJWW, Inc.

**SITE FEATURES**  
**EXHIBIT E**  
**A003**




**1 TYPICAL EXTERIOR RAILING ELEVATION**  
A004 1" = 1'-0"




**3 SURFACE MOUNT RAILING**  
A004 1" = 1'-0"


**4 SURFACE MOUNT RAILING BASE**  
A004 1 1/2" = 1'-0"




**5 TYPICAL EXTERIOR HANDRAIL AT STEPS**  
A004 1" = 1'-0"




**6 ADA BOLLARD**  
A004 1" = 1'-0"




**7 ADA BOLLARD SECTION**  
A004 1" = 1'-0"




**8 ADA BOLLARD PLAN**  
A004 1" = 1'-0"




**9 MLK BLVD MONUMENT SIGN PLAN**  
A004 3/8" = 1'-0"




**10 DOTY STREET MONUMENT SIGN PLAN**  
A004 3/8" = 1'-0"




**11 SECTION THROUGH MONUMENT SIGN**  
A004 3/4" = 1'-0"




**13 MONUMENT SIGN ELEVATION**  
A004 3/4" = 1'-0"




**14 FACADE FIXTURE (GRID A.8)**  
A004 1" = 1'-0"



**15 FACADE FIXTURE (GRID L.2)**  
A004 1" = 1'-0"



**16 FACADE LIGHTING FIXTURE**  
A004 1/2" = 1'-0"



**17 FACADE LIGHTING AT LEVEL TWO WINDOWS**  
A004 3/8" = 1'-0"

- GENERAL NOTES**
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  - CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY PARTITION, U.N.O.
  - ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF GRID, U.N.O.
  - DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  - REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  - DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  - SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  - THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  - FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  - REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  - THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISERS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  - ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  - PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  - REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282

Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design [www.msrdesign.com](http://www.msrdesign.com)

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.225.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilcothy Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourrier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**

**BPW Project #7939**  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.

**DANIEL JACK POLING**  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT

Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 Ken Saiki Design, Inc. All Rights Reserved.

**SITE FEATURES**


**EXHIBIT E**

**A004**




**1 WILSON ST STAIR**

A005 1/4" = 1'-0"




**2 WILSON STREET STAIR SOUTH ELEVATION**

A005 1/4" = 1'-0"




**3 WILSON STREET STAIR EAST ELEVATION**

A005 1/4" = 1'-0"




**4 WILSON ST STAIR - BELOW GRADE PLAN**

A005 1/4" = 1'-0"




**5 WILSON STREET STAIR NORTH ELEVATION**

A005 1/4" = 1'-0"




**6 WILSON STREET ENTRY STAIR DIAGRAM**

A005




**7 WILSON ST STAIR - SECTION**

A005 1/4" = 1'-0"




**8 LEVEL 1 ELECTRICAL VAULT ROOF PLAN**

A005 1/4" = 1'-0"



**9 LEVEL 0 ELECTRICAL VAULT PLAN**

A005 1/4" = 1'-0"



**10 CROSS SECTION THROUGH ELECTRICAL VAULT ROOF**

A005 1/2" = 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX 'E' ARE HISTORIC. IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING, DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design [www.msrdesign.com](http://www.msrdesign.com)

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pl  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0824 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3600 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
		03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker

**SITE FEATURES**

EXHIBIT E  
**A005**

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *[Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY ES/SK/SF CHECKED BY MSR/CITY  
Copyright © 2017 Ken Saiki Design, Inc. & Ken Saiki, Inc.

**GROUND LEVEL PLAN**

**EXHIBIT E  
 A100**


**GENERAL NOTES**

- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
- CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
- EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
- ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
- DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
- REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
- DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
- SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
- INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL, COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
- THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
- FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
- REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
- THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED, EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
- ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
- REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**ALTERNATE #1 TO ALL W1, W5, W5a, W6, W7 WINDOWS**  
 BASE BID: EXISTING 1980S ALUMINUM WINDOW AND INSULATING GLASS TO REMAIN AS IS.  
 ALTERNATE: REPLACE EXISTING 1980S WINDOW WITH NEW REPLACEMENT WINDOW (W6-F) IN EXISTING MASONRY OPENING.


**FLOOR, WALL AND PARTITION KEY**

- NEW WALLS AND PARTITIONS
- EXISTING WALLS AND PARTITIONS
- EXISTING FLOOR STRUCTURE BELOW FINISH
- FILL HOLE IN EXISTING FLOOR STRUCTURE - SEE 1926 P-SERIES AND 2016 S-SERIES DWGS.
- ZONE OF NEW SLAB ON GRADE, PER STRUCTURAL DETAILS (APPLIES TO GROUND LEVEL ONLY)



**1 GROUND LEVEL**  
 A100 1/8" = 1'-0"






**ROOF PLAN NOTES**

1. TARGET ELEVATIONS SHOWN ARE THAT OF THE NEW ROOF MEMBRANE
2. SEE EXTERIOR REHABILITATION (BE-SERIES) DOCUMENTS (REFERENCED ON ROOF PLAN) FOR DETAILS OF ROOF MEMBRANE TERMINATION AT ROOF EDGES AND/OR PARAPETS

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENINGS SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY PARTITION, U.N.O.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF GRID, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL. COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURE. CONDITIONS TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISERS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**FLOOR, WALL AND PARTITION KEY**



**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Patterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.225.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
608.279.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilouby Rd  
Madison, WI 53705  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
612.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: ES/SK/SF CHECKED BY: SB

**LEVEL TWO PLAN**

**EXHIBIT E**  
**A102**





- GENERAL NOTES**
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  - CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  - ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  - DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  - REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  - DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 052110 FOR HISTORIC DOOR REHABILITATION.
  - SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION/EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  - THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  - FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  - REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  - THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  - ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  - PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON DRAWING PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  - REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**FLOOR, WALL AND PARTITION KEY**

- NEW WALLS AND PARTITIONS
- EXISTING WALLS AND PARTITIONS
- EXISTING FLOOR STRUCTURE BELOW FINISH
- FILL HOLE IN EXISTING FLOOR STRUCTURE - SEE 1926 P-SERIES AND 2016 S-SERIES DWGS.
- ZONE OF NEW SLAB ON GRADE. PER STRUCTURAL DETAILS (APPLIES TO GROUND LEVEL ONLY)

**1 LEVEL THREE**  
A103 1/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pk  
Madison, WI 53703  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL

**WISCONSIN ARCHITECT**  
DANIEL JACK POLING  
A-8984  
MINNEAPOLIS, MN

Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984





MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK/SF CHECKED BY SB  
ES/SK/SF ARCHITECTS & ENGINEERS, LLC

**LEVEL THREE PLAN**

**EXHIBIT E**  
**A103**







**ROOF PLAN NOTES**

1. TARGET ELEVATIONS SHOWN ARE THAT OF THE NEW ROOF MEMBRANE
2. SEE EXTERIOR REHABILITATION (BE-SERIES) DOCUMENTS (REFERENCED ON ROOF PLAN) FOR DETAILS OF ROOF MEMBRANE TERMINATION AT ROOF EDGES AND/OR PARAPETS

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATINGS. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGINGS SYSTEMS, TAGBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.



**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK/SF CHECKED BY SB

**ROOF PLAN**

**EXHIBIT E  
A105**

**Madison Municipal  
 Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *[Handwritten Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker

**REFLECTED  
 CEILING  
 REFERENCE PLANS**  
**EXHIBIT E**  
**A110**

**CEILING ZONES KEY**

**HISTORIC PLASTER REPAIR ZONE:**  
 CLEAN AND PREPARE FOR PAINTING. NO EQUIPMENT TO BE MOUNTED ON HISTORIC CEILINGS IN THIS AREA, WITH THE EXCEPTION OF LIGHTING. NO OCCUPANT SENSORS PER THE DESIGN. DOCUMENTS, SMOKE DETECTORS AND STROBES THAT ARE REQUIRED TO MEET LIFE SAFETY CODE. SEE E-SERIES DRAWINGS FOR THOSE ITEMS.

**CEILING TYPES LEGEND**

ACT-1, ACT-2:  
 REFER TO TAGS FOR LOCATIONS PER TYPE.


ACT-3

GWB:  
 GYPSUM WALL BOARD INCL. ACOUSTICALLY ISOLATED ACA-1 - REFER TO TAGS FOR LOCATIONS PER TYPE.


SAI-1:  
 SPRAY APPLIED ACOUSTICAL INSULATION.

SHADE-1  
 MANUAL ROLLER SHADE


ESS-1  
 EQUIPMENT SUPPORT SYSTEM




**1 GROUND LEVEL REFLECTED CEILING PLAN**  
 A110 1/16" = 1'-0"



**2 LEVEL ONE REFLECTED CEILING PLAN**  
 A110 1/16" = 1'-0"



**3 LEVEL TWO REFLECTED CEILING PLAN**  
 A110 1/16" = 1'-0"



**4 LEVEL THREE REFLECTED CEILING PLAN**  
 A110 1/16" = 1'-0"

**Madison Municipal  
 Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	ISSUE
2		ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY ES/SK/SF CHECKED BY SB


**GROUND LEVEL  
 REFLECTED  
 CEILING PLAN**  
 EXHIBIT E  
**A120**

**GENERAL NOTES**

- LIGHTING SYMBOLS ON THIS DRAWING INDICATE PRESENCE OF FIXTURE FOR COORDINATION PURPOSE ONLY - SEE LIGHTING DRAWINGS FOR SETTING OUT DIMENSIONS AND DETAILS.
- SEE CEILING COORDINATION DRAWINGS FOR MECH/ELEC/PLUMB LOCATIONS. SEE MECH/ELEC/PLUMB DRAWINGS FOR DETAIL.
- WHERE NOT NOTED ON THIS DRAWING, REFER TO FINISH PLANS FOR PAINT FINISH AND COLOR.
- ALL EXPOSED STRUCTURE MEMBERS SUCH AS STEEL BEAMS, COLUMNS AND METAL DECK SHALL BE 1HR FIRE PROTECTED. PROVIDE INTUMESCENT PAINT ON ALL EXPOSED STEEL BEAMS AND COLUMNS IN PUBLIC AREA AND SPRAY FIRE PROOFING UNDER METAL DECK UNLESS NOTED OTHERWISE.
- ACT-3 DIMENSIONAL SETTING OUT IS CENTERED ON LIGHT FIXTURE ARRANGEMENT WITHIN EACH STRUCTURAL BAY UNLESS NOTED OTHERWISE.
- THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
- EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL, AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
- THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS. TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
- THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
- CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
- ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
- CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
- UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
- REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.

**CEILING TYPES LEGEND**

	ACT-1, ACT-2, REFER TO TAGS FOR LOCATIONS PER TYPE.
	ACT-3
	GYWB: GYPSUM WALL BOARD INCL. ACOUSTICALLY ISOLATED ACA-1 - REFER TO TAGS FOR LOCATIONS PER TYPE.
	SAI-1: SPRAY APPLIED ACOUSTICAL INSULATION.
	SHADE-1 MANUAL ROLLER SHADE
	ESS-1 EQUIPMENT SUPPORT SYSTEM



**1 GROUND LEVEL REFLECTED CEILING PLAN**  
 A120 1/8" = 1'-0"

**GENERAL NOTES**

1. LIGHTING SYMBOLS ON THIS DRAWING INDICATE PRESENCE OF FIXTURE FOR COORDINATION PURPOSE ONLY - SEE LIGHTING DRAWINGS FOR SETTING OUT DIMENSIONS AND DETAILS.
2. MECH/ELEC/PLUMB ON THIS DRAWING INDICATE LOCATION OF MECH/ELEC/PLUMB PATHWAYS AND DEVICES FOR COORDINATION ONLY - SEE MECH/ELEC/PLUMB DRAWINGS FOR DETAIL.
3. REFER TO ARCHITECTURAL CEILING PLANS FOR CEILING SETTING OUT AND PAINT FINISH AND COLOR.
4. THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
5. EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
6. THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS. TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
7. THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
8. CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
9. ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
10. CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
11. UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
12. REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 W. County Rd  
Madison, WI 53705  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

**GROUND LEVEL REFLECTED CEILING COORDINATION**  
EXHIBIT E  
**A121**



**1 GROUND LEVEL REFLECTED CEILING COORDINATION**  
1/8" = 1'-0"

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
 Print Name: Jack Poling  
 License No. A-8984

DATE: 10.07.2018  
 MARK DATE: 03.24.2017  
 DESCRIPTION: BID ISSUE


PROJECT NO: 2014057  
 PROJECT PHASE: BID ISSUE  
 DRAWN BY: ES/SK/SF  
 CHECKED BY: SB

**LEVEL ONE REFLECTED CEILING PLAN**

**EXHIBIT E  
 A122**

CEILING TYPES LEGEND	
	ACT-1, ACT-2: REFER TO TAGS FOR LOCATIONS PER TYPE.
	ACT-3
	GWB: GYPSUM WALL BOARD INCL. ACOUSTICALLY ISOLATED ACA-1 - REFER TO TAGS FOR LOCATIONS PER TYPE.
	SAI-1: SPRAY APPLIED ACOUSTICAL INSULATION.
	SHADE-1: MANUAL ROLLER SHADE
	ESS-1: EQUIPMENT SUPPORT SYSTEM

- GENERAL NOTES**
- LIGHTING SYMBOLS ON THIS DRAWING INDICATE PRESENCE OF FIXTURE FOR COORDINATION PURPOSE ONLY - SEE LIGHTING DRAWINGS FOR SETTING OUT DIMENSIONS AND DETAILS.
  - SEE CEILING COORDINATION DRAWINGS FOR MECH/ELEC/PLUMB LOCATIONS. SEE MECH/ELEC/PLUMB DRAWINGS FOR DETAIL.
  - WHERE NOT NOTED ON THIS DRAWING, REFER TO FINISH PLANS FOR PAINT FINISH AND COLOR.
  - ALL EXPOSED STRUCTURE MEMBERS SUCH AS STEEL BEAMS, COLUMNS AND METAL DECK SHALL BE 1HR FIRE PROTECTED. PROVIDE INTUMESCENT PAINT ON ALL EXPOSED STEEL BEAMS AND COLUMNS IN PUBLIC AREA AND SPRAY FIRE PROOFING UNDER METAL DECK UNLESS NOTED OTHERWISE.
  - ACT-3 DIMENSIONAL SETTING OUT IS CENTERED ON LIGHT FIXTURE ARRANGEMENT WITHIN EACH STRUCTURAL BAY UNLESS NOTED OTHERWISE.
  - THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
  - EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
  - THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
  - THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
  - CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
  - ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
    - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
    - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
    - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
    - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
    - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
  - CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
  - UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
  - REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.



**1 LEVEL ONE REFLECTED CEILING PLAN**  
 A122 1/8" = 1'-0"

**GENERAL NOTES**

1. LIGHTING SYMBOLS ON THIS DRAWING INDICATE PRESENCE OF FIXTURE FOR COORDINATION PURPOSE ONLY - SEE LIGHTING DRAWINGS FOR SETTING OUT DIMENSIONS AND DETAILS.
2. MECH/ELEC/PLUMB ON THIS DRAWING INDICATE LOCATION OF MECH/ELEC/PLUMB PATHWAYS AND DEVICES FOR COORDINATION ONLY - SEE MECH/ELEC/PLUMB DRAWINGS FOR DETAIL.
3. REFER TO ARCHITECTURAL CEILING PLANS FOR CEILING SETTING OUT AND PAINT FINISH AND COLOR.
4. THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
5. EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL, AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
6. THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
7. THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
8. CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
9. ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
10. CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
11. UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
12. REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.

**MSR** 710 South 2nd Street, 8th Floor  
 Minneapolis, Minnesota 55401-2282  
 Architecture 612.375.0336 tel  
 Interiors and 612.342.2216 fax  
 Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
 303 South Paterson St  
 Madison, WI 53703  
 608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
 1800 Deming Way, Suite 200  
 Madison, WI 53713  
 608.225.9600 tel

MEP Engineers  
**MEP Associates**  
 860 Blue Genian Road, Suite 175  
 Englewood, WI 53121  
 651.379.9120 tel

Lighting Designer  
**Gallina Design**  
 30232 County 7  
 Chesham, WI 53523  
 507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
 5641 Wilkoyby Rd  
 Madison, WI 53560  
 608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
 115 E. Main Street, Suite 200  
 Madison, WI 53703  
 608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
 575 Minnehaha Ave. W.  
 St. Paul, MN 55103  
 651.251.1879 tel

Acoustical Consultant  
**KRA**  
 4826 Chicago Avenue South, Suite 206  
 Minneapolis, MN 55417  
 612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
 999 Fournier Drive, Suite 201  
 Madison, WI 53717

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *[Handwritten Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: Author CHECKED BY: Checker

**LEVEL ONE REFLECTED CEILING COORDINATION**  
 EXHIBIT E  
**A123**





**1 LEVEL ONE REFLECTED CEILING COORDINATION**  
 A123 1/8" = 1'-0"

20220715.DWG Rev. 07/15/2022 © 2022 MSR Design, Inc. All Rights Reserved.

CEILING TYPES LEGEND	
	ACT-1, ACT-2 REFER TO TAGS FOR LOCATIONS PER TYPE.
	ACT-3
	GWB: GYPSUM WALL BOARD INCL. ACOUSTICALLY ISOLATED ACA-1 - REFER TO TAGS FOR LOCATIONS PER TYPE.
	SAI-1: SPRAY APPLIED ACOUSTICAL INSULATION.
	SHADE-1 MANUAL ROLLER SHADE
	ESS-1 EQUIPMENT SUPPORT SYSTEM

- ### GENERAL NOTES
- LIGHTING SYMBOLS ON THIS DRAWING INDICATE PRESENCE OF FIXTURE FOR COORDINATION PURPOSE ONLY - SEE LIGHTING DRAWINGS FOR SETTING OUT DIMENSIONS AND DETAILS.
  - SEE CEILING COORDINATION DRAWINGS FOR MECH/ELEC/PLUMB LOCATIONS. SEE MECH/ELEC/PLUMB DRAWINGS FOR DETAIL.
  - WHERE NOT NOTED ON THIS DRAWING, REFER TO FINISH PLANS FOR PAINT FINISH AND COLOR.
  - ALL EXPOSED STRUCTURE MEMBERS SUCH AS STEEL BEAMS, COLUMNS AND METAL DECK SHALL BE 1HR FIRE PROTECTED. PROVIDE INTUMESCENT PAINT ON ALL EXPOSED STEEL BEAMS AND COLUMNS IN PUBLIC AREA AND SPRAY FIRE PROOFING UNDER METAL DECK UNLESS NOTED OTHERWISE.
  - ACT-3 DIMENSIONAL SETTING OUT IS CENTERED ON LIGHT FIXTURE ARRANGEMENT WITHIN EACH STRUCTURAL BAY UNLESS NOTED OTHERWISE.
  - THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
  - EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL, AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
  - THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
  - THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
  - CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
  - ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
    - ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
    - POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
    - ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
    - PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
    - WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
  - CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
  - UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
  - REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.



**1 LEVEL TWO REFLECTED CEILING PLAN**  
A124 1/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE MARK DATE DESCRIPTION  
1 03.24.2017 BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: ES/SK/SF CHECKED BY: SB

**LEVEL TWO REFLECTED CEILING PLAN**

**EXHIBIT E**  
**A124**

**Madison Municipal  
 Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker

**LEVEL TWO  
 REFLECTED  
 CEILING  
 COORDINATION  
 EXHIBIT E  
 A125**

**GENERAL NOTES**

1. LIGHTING SYMBOLS ON THIS DRAWING INDICATE PRESENCE OF FIXTURE FOR COORDINATION PURPOSE ONLY - SEE LIGHTING DRAWINGS FOR SETTING OUT DIMENSIONS AND DETAILS.
2. MECH/ELEC/PLUMB ON THIS DRAWING INDICATE LOCATION OF MECH/ELEC/PLUMB PATHWAYS AND DEVICES FOR COORDINATION ONLY - SEE MECH/ELEC/PLUMB DRAWINGS FOR DETAIL.
3. REFER TO ARCHITECTURAL CEILING PLANS FOR CEILING SETTING OUT AND PAINT FINISH AND COLOR.
4. THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
5. EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL, AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
6. THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
7. THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
8. CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
9. ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
10. CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
11. UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
12. REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.



**1 LEVEL TWO REFLECTED CEILING COORDINATION**  
 A125 1/8" = 1'-0"

**Madison Municipal  
 Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY ES/SK/SF CHECKED BY SB


**LEVEL THREE  
 REFLECTED  
 CEILING PLAN**  
 EXHIBIT E  
**A126**

	ACT-1, ACT-2 - REFER TO TAGS FOR LOCATIONS PER TYPE.
	ACT-3
	GWB: GYPSUM WALL BOARD INCL. ACOUSTICALLY ISOLATED ACT-1 - REFER TO TAGS FOR LOCATIONS PER TYPE.
	SAI-1: SPRAY APPLIED ACOUSTICAL INSULATION.
	SHADE-1 MANUAL ROLLER SHADE
	ESS-1 EQUIPMENT SUPPORT SYSTEM

- GENERAL NOTES**
- LIGHTING SYMBOLS ON THIS DRAWING INDICATE PRESENCE OF FIXTURE FOR COORDINATION PURPOSE ONLY - SEE LIGHTING DRAWINGS FOR SETTING OUT DIMENSIONS AND DETAILS.
  - SEE CEILING COORDINATION DRAWINGS FOR MECH/ELEC/PLUMB LOCATIONS. SEE MECH/ELEC/PLUMB DRAWINGS FOR DETAIL.
  - WHERE NOT NOTED ON THIS DRAWING, REFER TO FINISH PLANS FOR PAINT FINISH AND COLOR.
  - ALL EXPOSED STRUCTURE MEMBERS SUCH AS STEEL BEAMS, COLUMNS AND METAL DECK SHALL BE 1HR FIRE PROTECTED. PROVIDE INTUMESCENT PAINT ON ALL EXPOSED STEEL BEAMS AND COLUMNS IN PUBLIC AREA AND SPRAY FIRE PROOFING UNDER METAL DECK UNLESS NOTED OTHERWISE.
  - ACT-3 DIMENSIONAL SETTING OUT IS CENTERED ON LIGHT FIXTURE ARRANGEMENT WITHIN EACH STRUCTURAL BAY UNLESS NOTED OTHERWISE.
  - THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
  - EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL, AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
  - THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
  - THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
  - CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
  - ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
    - ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
    - POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
    - ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
    - PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
    - WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
  - CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
  - UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
  - REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.



**1 LEVEL THREE REFLECTED CEILING PLAN**  
 A126 1/8" = 1'-0"





**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: Author CHECKED BY: Checker  
Ken Saiki Design, Inc. - Owner's Representative

**TOILET ROOM PLANS AND ELEVATIONS**  
 EXHIBIT E  
**A151**

**TOILET ROOM ELEVATION GENERAL NOTES**

1. REFER TO TECHNICAL / DATA PLANS FOR LOCATION OF AV EQUIPMENT AND CABLES
2. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS
3. PATCH CONCRETE COLUMNS AS NEEDED
4. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM. INSTALLER RESPONSIBLE FOR FIELD VERIFYING ALL QUANTITIES, DIMENSIONS, AND CONDITIONS. INSTALLER RESPONSIBLE FOR SUBMITTING COLOR-CODED TILE PATTERN SHOP DRAWINGS TO ARCHITECT FOR APPROVAL.
5. COORDINATE EXTENT OF FLOOR AND WALL FINISHES WITH MILLWORK DRAWINGS.
6. PROTECT EXISTING MARBLE WALLS IN HISTORIC RESTROOMS ON LEVELS 2 AND 3. EXISTING PENETRATIONS TO BE REPAIRED TO MATCH EXISTING MARBLE. REUSE EXISTING PENETRATIONS FOR ELECTRICAL SWITCHES WHERE POSSIBLE.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. "T" DENOTES SAFETY / TEMPERED GLASS
9. ALL GWB CEILINGS TO BE PAINTED PT2B U.N.O.
10. INSTALLER RESPONSIBLE FOR FIELD VERIFYING ALL QUANTITIES, DIMENSIONS AND CONDITIONS.
11. REFER TO A700-SERIES DRAWINGS FOR FLOOR TRANSITION DETAIL CALLOUTS.
12. REMEDIATION ZONES OF EXISTING, HISTORIC TILE AT LEVELS 2 AND 3 INDICATED ON A700-SERIES DRAWINGS.
13. REPAIR AND REPLACE EXISTING TILE AS REQUIRED. EXISTING FIXTURES THAT ARE REMOVED MAY REQUIRE PATCHING OF TILE.
14. PROVIDE SUPPORT BLOCKING WITHIN WALL ASSEMBLIES AS NEEDED FOR ALL TYPES OF MOUNTING EQUIPMENT AND FIXTURES, ETC.

**NOTE:** SEAT HEIGHT SHALL BE BETWEEN 17" - 19" AFF

**NOTE:** MANUAL FLUSH CONTROL @ 48" MAX AFF

**NOTE:** EXPOSED PIPES SHALL BE INSULATED OR CONFIGURED TO PROTECT AGAINST CONTACT

**NOTE:** TOILET PAPER DISPENSER SHALL BE INSTALLED BENEATH HORIZONTAL GRAB BAR AND 7" - 9" BEYOND THE FRONT EDGE OF WATER CLOSET MEASURED FROM THE CENTERLINE OF THE DISPENSER

**NOTE:** TOP OF SPOUT FOR ACCESSIBILITY SHALL BE NO MORE THAN 36" ABOVE FLOOR

**NOTE:** PAPER TOWELS SHOULD BE 3" - 4" ABOVE THE FLOOR

**NOTE:** MIRROR DIMENSION VARIES SEE SPECIFICATIONS / ELEVATIONS FOR SIZE

**NOTE:** MAXIMUM HEIGHT OF 48" ABOVE THE FLOOR TO HIGHEST OPERABLE PART OF THE DEVICE TO INSURE FORWARD REACH

**NOTE:** 40" ABOVE THE FLOOR SUGGESTED MOUNTING HEIGHTS FOR VARIOUS ACCESSORIES OPERABLE PART OF DEVICE

**ACCESSORIES SCHEDULE**









(TA01) TOILET TISSUE (ROLL) DISPENSER	(TA07) WASTE RECEPTACLE	(TA13) SANITARY NAPKIN VENDOR	(TA19) HOOK
(TA02) COMBINATION TOILET TISSUE DISPENSER	(TA08) COMBINATION TOWEL (FOLDED) DISPENSER / WASTE RECEPTACLE	(TA14) SANITARY-NAPKIN DISPOSAL UNIT	(TA20) SHOWER CURTAIN ROD
(TA03) TOILET TISSUE (FOLDED) DISPENSER	(TA09) COMBINATION TOWEL (ROLL) DISPENSER / WASTE RECEPTACLE	(TA15) SEAT-COVER DISPENSER	(TA21) FOLDING SHOWER SEAT
(TA04) TOILET TISSUE DISPENSER JUMBO-ROLL	(TA10) MULTIPURPOSE SOAP/TOWEL DISPENSER UNIT	(TA16) FOLD-DOWN PURSE SHELF	(TA22) SOAP DISH
(TA05) PAPER TOWEL (FOLDED) DISPENSER	(TA11) LIQUID-SOAP DISPENSER	(TA17) MIRROR UNIT (FRAMED)	(TA23) WARM-AIR DRYERS
(TA06) PAPER TOWEL (ROLL) DISPENSER	(TA12) GRAB BAR	(TA18) FACIAL TISSUE DISPENSER	(TA24) DIAPER-CHANGING STATION

INDICATES MOUNTING TYPE  
 R = RECESSED  
 P = PARTITION  
 S = SURFACE  
 SR = SEMI RECESSED

REFER TO SPECIFICATION SECTION 102800 FOR ADDITIONAL REQUIREMENTS

SOME ACCESSORIES DESCRIBED HERE MAY NOT BE USED ON THIS PROJECT. SEE PLANS FOR SPECIFIC TYPES USED. \* UNDERLINED ACCESSORIES ARE USED ON THIS PROJECT

**FIXTURE AND ACCESSORY MOUNTING HEIGHTS**



**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker

**TOILET ROOM PLANS AND ELEVATIONS**


**EXHIBIT E  
 A152**

**TOILET ROOM ELEVATION GENERAL NOTES**

1. REFER TO TECHNICAL / DATA PLANS FOR LOCATION OF AV EQUIPMENT AND CABLES
2. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS
3. PATCH CONCRETE COLUMNS AS NEEDED
4. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM. INSTALLER RESPONSIBLE FOR FIELD VERIFYING ALL QUANTITIES, DIMENSIONS, AND CONDITIONS. INSTALLER RESPONSIBLE FOR SUBMITTING COLOR-CODED TILE PATTERN SHOP DRAWINGS TO ARCHITECT FOR APPROVAL.
5. COORDINATE EXTENT OF FLOOR AND WALL FINISHES WITH MILLWORK DRAWINGS.
6. PROTECT EXISTING MARBLE WALLS IN HISTORIC RESTROOMS ON LEVELS 2 AND 3. EXISTING PENETRATIONS TO BE REPAIRED TO MATCH EXISTING MARBLE. REUSE EXISTING PENETRATIONS FOR ELECTRICAL SWITCHES WHERE POSSIBLE.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. "T" DENOTES SAFETY / TEMPERED GLASS
9. ALL GWB CEILINGS TO BE PAINTED PT2B U.N.O.
10. INSTALLER RESPONSIBLE FOR FIELD VERIFYING ALL QUANTITIES, DIMENSIONS AND CONDITIONS.
11. REFER TO A700-SERIES DRAWINGS FOR FLOOR TRANSITION DETAIL CALLOUTS.
12. REMEDIATION ZONES OF EXISTING, HISTORIC TILE AT LEVELS 2 AND 3 INDICATED ON A700-SERIES DRAWINGS.
13. REPAIR AND REPLACE EXISTING TILE AS REQUIRED. EXISTING FIXTURES THAT ARE REMOVED MAY REQUIRE PATCHING OF TILE.
14. PROVIDE SUPPORT BLOCKING WITHIN WALL ASSEMBLIES AS NEEDED FOR ALL TYPES OF MOUNTING EQUIPMENT AND FIXTURES, ETC.




**1 ENLARGED TOILET PLAN - MEN'S 107**  
 A152 1/4" = 1'-0"




**2 MEN'S 107 - NORTH ELEVATION**  
 A152 1/4" = 1'-0"

**3 LV 1 MEN'S 107 - EAST ELEVATION**  
 A152 1/4" = 1'-0"




**4 LV 1 MEN'S 107 - SOUTH ELEVATION**  
 A152 1/4" = 1'-0"

**5 MEN'S 107 - WEST ELEVATION**  
 A152 1/4" = 1'-0"




**6 ENLARGED TOILET PLAN - WOMEN'S 115**  
 A152 1/4" = 1'-0"




**7 LV 1 WOMEN'S 115 - NORTH ELEVATION**  
 A152 1/4" = 1'-0"

**8 WOMEN'S 115 - EAST ELEVATION**  
 A152 1/4" = 1'-0"




**9 LV 1 WOMEN'S 115 - SOUTH ELEVATION**  
 A152 1/4" = 1'-0"


**10 WOMEN'S 115 - WEST ELEVATION**  
 A152 1/4" = 1'-0"




**11 DRINKING FOUNTAIN**  
 A152 1/4" = 1'-0"




**12 ENLARGED TOILET PLANS - 137, 139**  
 A152 1/4" = 1'-0"




**13 MEN'S 137 - SOUTH ELEVATION**  
 A152 1/4" = 1'-0"




**14 MEN'S 137 - WEST ELEVATION**  
 A152 1/4" = 1'-0"




**15 MEN'S 137 - NORTH ELEVATION**  
 A152 1/4" = 1'-0"




**16 WOMEN'S 139 - SOUTH ELEVATION**  
 A152 1/4" = 1'-0"



**17 WOMEN'S 139 - WEST ELEVATION**  
 A152 1/4" = 1'-0"




**18 WOMEN'S 139 - NORTH ELEVATION**  
 A152 1/4" = 1'-0"




**19 DRINKING FOUNTAIN**  
 A152 1/4" = 1'-0"







**1 ENLARGED TOILET PLANS - MEN'S 327**  
A154 1/4" = 1'-0"




**2 LV 3 MEN'S 327 - NORTH ELEVATION**  
A154 1/4" = 1'-0"




**3 LV 3 MEN'S 327 - EAST ELEVATION**  
A154 1/4" = 1'-0"



**4 LV 3 MEN'S 327 - SOUTH ELEVATION**  
A154 1/4" = 1'-0"




**5 LV 3 MEN'S 327 - WEST ELEVATION**  
A154 1/4" = 1'-0"




**6 DRINKING FOUNTAIN**  
A154 1/4" = 1'-0"




LEVEL 3 WOMEN'S RESTROOM - EXISTING




**7 ENLARGED TOILET PLANS - 314**  
A154 1/4" = 1'-0"




**8 LV 3 WOMEN'S 314 - NORTH ELEVATION**  
A154 1/4" = 1'-0"



**9 LV 3 WOMEN'S 314 - EAST ELEVATION**  
A154 1/4" = 1'-0"



**10 LV 3 WOMEN'S 314 - SOUTH ELEVATION**  
A154 1/4" = 1'-0"



**11 LV 3 WOMEN'S 314 - WEST ELEVATION**  
A154 1/4" = 1'-0"

**TOILET ROOM ELEVATION GENERAL NOTES**

1. REFER TO TECHNICAL / DATA PLANS FOR LOCATION OF AV EQUIPMENT AND CABLES
2. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS
3. PATCH CONCRETE COLUMNS AS NEEDED
4. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM. INSTALLER RESPONSIBLE FOR FIELD VERIFYING ALL QUANTITIES, DIMENSIONS, AND CONDITIONS. INSTALLER RESPONSIBLE FOR SUBMITTING COLOR-CODED TILE PATTERN SHOP DRAWINGS TO ARCHITECT FOR APPROVAL.
5. COORDINATE EXTENT OF FLOOR AND WALL FINISHES WITH MILLWORK DRAWINGS.
6. PROTECT EXISTING MARBLE WALLS IN HISTORIC RESTROOMS ON LEVELS 2 AND 3. EXISTING PENETRATIONS TO BE REPAIRED TO MATCH EXISTING MARBLE. REUSE EXISTING PENETRATIONS FOR ELECTRICAL SWITCHES WHERE POSSIBLE.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. "T" DENOTES SAFETY / TEMPERED GLASS
9. ALL GWB CEILINGS TO BE PAINTED PT2B U.N.O.
10. INSTALLER RESPONSIBLE FOR FIELD VERIFYING ALL QUANTITIES, DIMENSIONS AND CONDITIONS.
11. REFER TO A700-SERIES DRAWINGS FOR FLOOR TRANSITION DETAIL CALLOUTS.
12. REMEDIATION ZONES OF EXISTING, HISTORIC TILE AT LEVELS 2 AND 3 INDICATED ON A700-SERIES DRAWINGS.
13. REPAIR AND REPLACE EXISTING TILE AS REQUIRED. EXISTING FIXTURES THAT ARE REMOVED MAY REQUIRE PATCHING OF TILE.
14. PROVIDE SUPPORT BLOCKING WITHIN WALL ASSEMBLIES AS NEEDED FOR ALL TYPES OF MOUNTING EQUIPMENT AND FIXTURES, ETC.

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282

Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pl  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fountain Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker

**TOILET ROOM PLANS AND ELEVATIONS**


EXHIBIT E  
**A154**




1 ENLARGED LEVEL 1 PLAN - ADDITION




2 ENLARGED PLAN AT WINDOWS ABOVE BICYCLE STORAGE AND STAFF ENTRY




3 ENLARGED GROUND LEVEL PLAN - ADDITION




4 ROOF PLAN - ADDITION



5 ADDITION EAST ELEVATION



6 ADDITION NORTH ELEVATION



7 ADDITION WEST ELEVATION

ROOF PLAN NOTES

1. TARGET ELEVATIONS SHOWN ARE THAT OF THE NEW ROOF MEMBRANE ON ROOF PLAN; FOR DETAILS OF ROOF MEMBRANE TERMINATION AT ROOF EDGES AND/OR PARAPETS
2. SEE EXTERIOR REHABILITATION (BE-SERIES) DOCUMENTS (REFERENCED ON ROOF PLAN) FOR DETAILS OF ROOF MEMBRANE TERMINATION AT ROOF EDGES AND/OR PARAPETS

GENERAL NOTES

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX 'E' ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION/EXFILTRATION EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
 Minneapolis, Minnesota 55401-2282  
 Architecture 612.375.0336 tel  
 Interiors and Urban Design 612.342.2216 fax  
 www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
 303 South Peterson St  
 Madison, WI 53703  
 608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
 1800 Denning Way, Suite 200  
 Madison, WI 53713  
 608.223.9600 tel

MEP Engineers  
**MEP Associates**  
 860 Blue Genian Road, Suite 175  
 Eagle, WI 53121  
 651.379.9120 tel

Lighting Designer  
**Gallina Design**  
 30232 County 7  
 Chalfont, MN 55923  
 507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
 5641 Wiloughby Pkwy  
 Madison, WI 53705  
 608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
 115 E. Main Street, Suite 200  
 Madison, WI 53703  
 608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
 575 Minnehaha Ave. W.  
 St. Paul, MN 55103  
 651.261.1879 tel

Acoustical Consultant  
**KRA**  
 4826 Chicago Avenue South, Suite 206  
 Minneapolis, MN 55417  
 612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
 999 Fourier Drive, Suite 201  
 Madison, WI 53717

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
**ARCHITECT SEAL**

**WISCONSIN**  
 DANIEL JACK POLING  
 A-8984  
 MINNEAPOLIS, MN  
 ARCHITECT


Signature: *[Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY ES CHECKED BY Checker  
 (www.msrdesign.com, www.kjww.com, www.mepassoc.com)

**ENLARGED PLANS AND ELEVATIONS - NEW ADDITION**


**EXHIBIT E**  
**A191**




**1 ENLARGED LV 1 PLAN - ENTRY VESTIBULE**  
A192 1/4" = 1'-0"




**2 ENLARGED PLANS - CONF ROOM 103 & 104 - TYP.**  
A192 1/4" = 1'-0"



**3 LEVEL 1 LOBBY - CONF 103/105 TYP.**  
A192 1/4" = 1'-0"



**4 SECTION AT LEVEL 1 ENTRY VESTIBULE**  
A192 1/2" = 1'-0"



**5 TYPICAL SECTION AT LEVEL 1 PUBLIC MEETING ROOMS**  
A192 1/2" = 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pk  
Madison, WI 53705  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3600 tel

Civil Engineers  
**VIERBICHER**  
999 Fountain Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**

**BPW Project #7939**  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *[Handwritten Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker

**ENLARGED PLANS AND ELEVATIONS - LEVEL 1 LOBBY**

**EXHIBIT E**  
**A192**



**3 BUILDING EAST INTERIOR**  
A201 1/8" = 1'-0"



**2 BUILDING WEST ELEVATION**  
A201 1/8" = 1'-0"


**KEYED NOTES: BUILDING ELEVATIONS**

- 1 NEW WINDOW IN PREVIOUSLY BRICK-FILLED EXISTING WINDOW OPENING, WIN-2
- 2 NEW WINDOW IN EXISTING WINDOW MASONRY OPENING, WIN-1
- 3 NEW WALL WITH METAL CLADDING, MTL-P-1
- 4 NEW GLAZING SYSTEM, GLWS-4, ENCLOSING NEW ENTRY VESTIBULE
- 5 NEW CMU WALL WITH H.M. DOUBLE DOOR
- 6 NEW STAIRS TO FIRST FLOOR ENTRY VESTIBULE
- 7 NEW MECHANICAL EQUIPMENT, REF. MEP DOCS.
- 8 BASE BID: EXISTING 1980S ALUMINUM WINDOWS SHALL REMAIN AS IS. ALTERNATE 1: REPLACE WINDOWS WITH WIN-1 PER THE DETAILS.
- 9 EXISTING HISTORIC WINDOW TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION, TYP.
- 10 EXISTING CAST IRON / STEEL SPANDREL TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION, TYP.

**ALTERNATE #1 TO ALL W1, W5, W5a, W6, W7 WINDOWS**  
BASE BID: EXISTING 1980S WINDOW TO REMAIN, REPLACE EXISTING GLASS WITH GL-3, PAINT WINDOW FRAME WITH PT-XX  
ALTERNATE: REPLACE EXISTING 1980S WINDOW WITH NEW REPLACEMENT WINDOW (WIN-1) AS SHOWN IN THIS SHEET

**GENERAL ELEVATION NOTES**

1. REFER TO BE-SERIES EXTERIOR REHABILITATION DRAWINGS FOR SCOPE OF EXTERIOR REHABILITATION WORK.
2. "AW-1" DENOTES INTERIOR ACCESSORY WINDOW MOUNTED BEHIND SELECTED EXISTING HISTORIC WINDOWS AT LEVELS 2 AND 3.
3. EXISTING HISTORIC WINDOWS AT LEVEL 2 AND 3 TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION, TYP., UNLESS KEY-NOTED OTHERWISE.



**1 BUILDING SOUTH ELEVATION**  
A201 1/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denney Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55303  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilcoyby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.734.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: ES/SK/SF CHECKED BY: SB  
Reviewed by: [Signature]

**BUILDING ELEVATIONS**  
**EXHIBIT E**  
**A201**



**1 BUILDING WEST INTERIOR**  
A202 1/8" = 1'-0"


**2 BUILDING EAST ELEVATION**  
A202 1/8" = 1'-0"

- KEYED NOTES: BUILDING ELEVATIONS**
- NEW WINDOW IN PREVIOUSLY BRICK-INFILLED EXISTING WINDOW OPENING, WIN-2.
  - NEW WINDOW IN EXISTING WINDOW MASONRY OPENING, WIN-1.
  - NEW WALL WITH METAL PANEL GLADDING, MFLP-1.
  - NEW GLAZING SYSTEM, GLWS-4, ENCLOSING NEW ENTRY VESTIBULE.
  - NEW CMU WALL WITH H.M. DOUBLE DOOR.
  - NEW STAIRS TO FIRST FLOOR ENTRY VESTIBULE.
  - NEW MECHANICAL EQUIPMENT, REF. MEP DOCS.
  - BASE BID: EXISTING 1980S ALUMINUM WINDOWS SHALL REMAIN AS IS. ALTERNATE 1: REPLACE WINDOWS WITH WIN-1 PER THE DETAILS.
  - EXISTING HISTORIC WINDOW TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION, TYP.
  - EXISTING CAST IRON / STEEL SPANDREL TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION, TYP.

**ALTERNATE #1 TO ALL W1, W5, W5a, W6, W7 WINDOWS**  
BASE BID: EXISTING 1980S ALUMINUM WINDOW AND INSULATING GLASS TO REMAIN AS IS.  
ALTERNATE: REPLACE EXISTING 1980S WINDOW WITH NEW REPLACEMENT WINDOW (WIN-1) IN EXISTING MASONRY OPENING.

**GENERAL ELEVATION NOTES**

- REFER TO BE-SERIES EXTERIOR REHABILITATION DRAWINGS FOR SCOPE OF EXTERIOR REHABILITATION WORK.
- "AW-F" DENOTES INTERIOR ACCESSORY WINDOW MOUNTED BEHIND SELECTED EXISTING HISTORIC WINDOWS AT LEVELS 2 AND 3.
- EXISTING HISTORIC WINDOWS AT LEVEL 2 AND 3 TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION, TYP., UNLESS KEY-NOTED OTHERWISE.



**3 BUILDING NORTH ELEVATION**  
A202 1/8" = 1'-0"

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984


ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK/SF CHECKED BY SB  
T.O. FOOTING SEE STRUCTURAL 86'-0"

**BUILDING ELEVATIONS**  
**EXHIBIT E**  
**A202**



**1 SECTION A**  
A251 1/8" = 1'-0"



**2 SECTION B**  
A251 1/8" = 1'-0"

**GENERAL COORDINATION NOTES**

1. THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
2. EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL, AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR / SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
3. THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
4. THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
5. CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
6. ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
7. CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
8. UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
9. REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.444.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.261.1878 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal  
Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling License No. A-8984  
Date: 10.07.2018

ISSUE DATE DESCRIPTION  
MARK 03.24.2017 BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK/SF CHECKED BY SB

**BUILDING  
SECTIONS**  
**EXHIBIT E**  
**A251**




**1 ADDITION EAST-WEST SECTION LOOKING SOUTH**

A252 1/4" = 1'-0"




**2 SECTION C**

A252 1/8" = 1'-0"



**3 ADDITION EAST-WEST SECTION LOOKING SOUTH**

A252 1/4" = 1'-0"



**4 ADDITION NORTH-SOUTH SECTION**

A252 1/4" = 1'-0"

**GENERAL COORDINATION NOTES**

1. THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
2. EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL, AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
3. THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
4. THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
5. CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
6. ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
7. CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
8. UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
9. REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.

**MSR** 710 South 2nd Street, 8th Floor  
 Minneapolis, Minnesota 55401-2282  
 Architecture 612.375.0336 tel  
 Interiors and Urban Design 612.342.2216 fax  
 www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
 303 South Paterson St  
 Madison, WI 53703  
 608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
 1800 Deming Way, Suite 200  
 Madison, WI 53713  
 608.223.9600 tel

MEP Engineers  
**MEP Associates**  
 860 Blue Gentian Road, Suite 175  
 Eden, MN 55121  
 651.379.9120 tel

Lighting Designer  
**Gallina Design**  
 30232 County 7  
 Chaska, MN 55303  
 507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
 5641 Wiloughby Rd  
 Madison, WI 53706  
 608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
 115 E. Main Street, Suite 200  
 Madison, WI 53703  
 608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
 575 Minnehaha Ave. W.  
 St. Paul, MN 55103  
 651.251.1879 tel

Acoustical Consultant  
**KRA**  
 4826 Chicago Avenue South, Suite 206  
 Minneapolis, MN 55417  
 612.734.3800 tel

Civil Engineers  
**VIERBICHER**  
 999 Fournier Drive, Suite 201  
 Madison, WI 53717

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY ES/SK/SF CHECKED BY SB  
© 2017 Ken Saiki Design, Inc. All Rights Reserved.


**BUILDING SECTIONS**  
**EXHIBIT E**  
**A252**




**1 LEVEL 1 SHAFT D-6**  
A291 1/2" = 1'-0"




**2 LEVEL 1 SHAFT D-5**  
A291 1/2" = 1'-0"




**4 E-W SECTION THROUGH SHAFT D-6**  
A291 1/2" = 1'-0"




**5 E-W SECTION THROUGH SHAFT D-5**  
A291 1/2" = 1'-0"




**8 LEVEL 1 SHAFT K-4**  
A291 1/2" = 1'-0"




**9 LEVEL 1 SHAFT L-3**  
A291 1/2" = 1'-0"




**10 E-W SECTION THROUGH SHAFT K-4**  
A291 1/2" = 1'-0"




**11 N-S SECTION THROUGH SHAFT L-3**  
A291 1/2" = 1'-0"



**3 LEVEL 1 SHAFT C-3**  
A291 1/2" = 1'-0"




**6 E-W SECTION THROUGH SHAFT C-3**  
A291 1/2" = 1'-0"




**7 N-S SECTION THROUGH SHAFT C-3**  
A291 1/2" = 1'-0"

**DUCT CHASE / SHAFT NOTES**


1. PROVIDE 2-HR RATED FIRESTOPPING AROUND ALL PIPE PENETRATIONS THROUGH FLOORS AND RATED PARTITIONS.
2. PROVIDE FIRE DAMPERS AT ALL DUCT PENETRATIONS THROUGH RATED PARTITIONS. SEE MECHANICAL DOCUMENTS.
3. SETTING OUT DIMENSIONS OF NEW OPENINGS TO BE ADJUSTED BASED ON XRAY OF EXISTING FLOORS. SEE LAYOUT GUIDE AND GENERAL NOTE #13.




**TYP. DUCT EXIT THROUGH 2-HR RATED PARTITION**



**NEW OPENINGS LAYOUT GUIDE**



**TYP. STRUCTURAL FRAMING AT NEW FLOOR OPENING**




**TYPICAL FLOOR SYSTEM AT BEAM (1926 STRUCTURAL DRAWINGS)**

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF GRID, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS, ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC. IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION, EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**GENERAL COORDINATION NOTES**

1. THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
2. EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTORS WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
3. THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
4. THE A/E RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
5. CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE A/E.
6. ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE A/E AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE A/E AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
7. CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
8. UPDATED COORDINATION DRAWINGS THAT REFLECT AS-BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
9. REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.



**LEVEL 1 SHAFTS KEY**  
A291 3/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55303  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0820 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.281.1878 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703


I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
**DANIEL JACK POLING**  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT SEAL

Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984


ISSUE	DATE	DESCRIPTION
MARK	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES CHECKED BY Checker


**SHAFT DETAILS**  
**EXHIBIT E**  
**A291**




**1 LEVEL 2 SHAFT B-3.5**  
A292 1/2" = 1'-0"




**2 LEVEL 2 SHAFT C-1**  
A292 1/2" = 1'-0"




**3 LEVEL 2 SHAFT L-3.5**  
A292 1/2" = 1'-0"




**7 LEVEL 3 SHAFT B-3.5**  
A292 1/2" = 1'-0"




**8 LEVEL 3 SHAFT C-2**  
A292 1/2" = 1'-0"




**9 LEVEL 3 SHAFT J-2**  
A292 1/2" = 1'-0"




**10 LEVEL 3 SHAFT L-3.5**  
A292 1/2" = 1'-0"




**11 N-S SECTION THROUGH SHAFT B-3.5**  
A292 1/2" = 1'-0"



**12 E-W SECTION THROUGH SHAFT C-2**  
A292 1/2" = 1'-0"







**13 N-S SECTION THROUGH SHAFT J-2**  
A292 1/2" = 1'-0"



**14 E-W SECTION THROUGH SHAFT L-3.5**  
A292 1/2" = 1'-0"

**DUCT CHASE / SHAFT NOTES**

1. PROVIDE 2-HR RATED FIRESTOPPING AROUND ALL PIPE PENETRATIONS THROUGH FLOORS AND RATED PARTITIONS.
2. PROVIDE FIRE DAMPERS AT ALL DUCT PENETRATIONS THROUGH RATED PARTITIONS. SEE MECHANICAL DOCUMENTS.
3. SETTING OUT DIMENSIONS OF NEW OPENINGS TO BE ADJUSTED BASED ON XRAY OF EXISTING FLOORS. SEE LAYOUT GUIDE AND GENERAL NOTE #13




**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 095110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION/EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MOLDINGS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**GENERAL COORDINATION NOTES**

1. THE BUILDING SERVICES AND UTILITIES CONTRACT DRAWINGS ARE SCHEMATIC IN NATURE AND DO NOT SHOW EVERY FITTING AND APPURTENANCE FOR EACH UTILITY. COORDINATION DRAWINGS ARE NOT SHOP DRAWINGS AND SHALL NOT BE SUBMITTED AS SUCH.
2. EACH CONTRACTOR/SUBCONTRACTOR IS EXPECTED TO HAVE INCLUDED IN HIS/HER BID SUFFICIENT FITTINGS, MATERIAL AND LABOR TO ALLOW FOR ADJUSTMENTS IN ROUTING OF UTILITIES MADE NECESSARY BY THE COORDINATION PROCESS AND TO PROVIDE A COMPLETE AND FUNCTIONAL SYSTEM. THE CONTRACTOR/SUBCONTRACTOR WILL NOT BE ALLOWED ADDITIONAL COSTS OR TIME EXTENSIONS DUE TO PARTICIPATION IN THE COORDINATION PROCESS.
3. THE CONTRACTORS SHALL USE THE COORDINATION PROCESS TO IDENTIFY THE PROPER SEQUENCE OF INSTALLATION OF ALL UTILITIES ABOVE CEILINGS AND IN OTHER CONGESTED AREAS, TO ENSURE AN ORDERLY AND COORDINATED END RESULT, AND TO PROVIDE ADEQUATE ACCESS FOR SERVICE AND MAINTENANCE.
4. THE AE RESERVES THE RIGHT TO DETERMINE SPACE PRIORITY OF EQUIPMENT IN THE EVENT OF SPATIAL CONFLICTS OR INTERFERENCE BETWEEN EQUIPMENT, PIPING, CONDUIT, DUCTS, AND EQUIPMENT PROVIDED BY THE TRADES.
5. CHANGES TO THE CONTRACT DOCUMENTS THAT ARE NECESSARY FOR SYSTEMS INSTALLATION AND COORDINATION SHALL BE BROUGHT TO THE ATTENTION OF THE AE.
6. ACCESS PANELS SHALL PREFERABLY OCCUR ONLY IN GYPSUM BOARD WALLS OR PLASTER CEILINGS WHERE INDICATED ON THE DRAWINGS.
  - A. ACCESS TO MECHANICAL, ELECTRICAL, TECHNOLOGY, AND OTHER ITEMS LOCATED ABOVE THE CEILING SHALL BE THROUGH ACCESSIBLE LAY-IN CEILING TILE AREAS.
  - B. POTENTIAL LAYOUT CHANGES SHALL BE MADE TO AVOID ADDITIONAL ACCESS PANELS.
  - C. ADDITIONAL ACCESS PANELS SHALL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM THE AE AT THE COORDINATION DRAWING STAGE.
  - D. PROVIDING ADDITIONAL ACCESS PANELS SHALL BE CONSIDERED AFTER OTHER ALTERNATIVES ARE REVIEWED AND DISCARDED BY THE AE AND THE OWNER'S REPRESENTATIVE.
  - E. WHEN ADDITIONAL ACCESS PANELS ARE REQUIRED, THEY SHALL BE PROVIDED WITHOUT ADDITIONAL COST TO THE OWNER.
7. CONFLICTS THAT RESULT AFTER THE COORDINATION DRAWINGS ARE SIGNED OFF SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR OR SUBCONTRACTOR WHO DID NOT PROPERLY IDENTIFY THEIR WORK REQUIREMENTS, OR INSTALLED THEIR WORK WITHOUT PROPER COORDINATION.
8. UPDATED COORDINATION DRAWINGS THAT REFLECT AS BUILT CONDITIONS MAY BE USED AS RECORD DOCUMENTS.
9. REFER TO PROJECT SPECIFICATIONS RELATED TO EACH TRADE FOR MORE DETAILED REQUIREMENTS RELATED TO COORDINATION ACTIVITIES.



**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pl  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL

**WISCONSIN ARCHITECT**  
DANIEL JACK POLING  
A-8984  
MINNEAPOLIS, MN


Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES CHECKED BY Checker  
© 2018 MSR Engineering, Technology, AV, Ken Saiki Design, Inc.

**SHAFT DETAILS**  
**EXHIBIT E**  
**A292**






1 SECTION THROUGH EXPANDED AREAWAY  
A302 1/2" = 1'-0"




2 WALL SECTION AT NEW LIGHT WELL  
A302 1/2" = 1'-0"




3 WALL SECTION AT DOCK LEVELER  
A302 1/2" = 1'-0"

- GENERAL NOTES**
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS. REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATINGS. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX 'E' ARE HISTORIC. IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE 'SOFT SPOTS' FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RIBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.



4 SECTION THROUGH EXISTING LIGHT WELL  
A302 1/2" = 1'-0"



6 SECTION THROUGH EXISTING LIGHT WELL  
A302 1/2" = 1'-0"

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703


I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker




1 ADDITION L-0 PLAN DETAIL AT NW CORNER OF ADDITION  
A351 3'-1-0"



2 ADDITION L-0 RETAINING WALL JUNCTION WITH EXTG  
A351 3'-1-0"




3 ADDITION L-0 EQUIPMENT STORAGE DOOR JAMB DETAIL AT EXTG  
A351 3'-1-0"




11 RAIN LEADER GUARD ELEVATION  
A351 3'-1-0"


10 RAIN LEADER GUARD DETAIL (PLAN)  
A351 3'-1-0"




7 ADDITION L-0 EXTG WALL OPEN'G JAMB  
A351 3'-1-0"




4 ADDITION L-0 TRASH ENCLOSURE ROLLER SHUTTER JAMB DETAIL  
A351 3'-1-0"



5 ADDITION L-0 WILSON ST ENTRY DOOR JAMB DETAIL  
A351 3'-1-0"



6 ADDITION L-0 WILSON ST DOOR JAMB JUNCTION WITH EXTG  
A351 3'-1-0"



8 COILING DOOR HEAD DETAIL  
A351 3'-1-0"

9 COILING DOOR THRESHOLD DETAIL  
A351 3'-1-0"

- GENERAL NOTES**
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  - ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  - DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  - REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNUAL SPACE AROUND PENETRATIONS.
  - DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 0821.10 FOR HISTORIC DOOR REHABILITATION.
  - SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL, COLOR AND REQUIRE OWNER AND ARCHITECT APPROVAL.
  - THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  - FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  - REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  - THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY X-RAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RIBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  - ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  - PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  - REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XGT WALLS REMOVED TO MATCH XGT COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.225.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.887.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilcoyby Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.481.1878 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourer Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL


**WISCONSIN ARCHITECT**  
DANIEL JACK POLING  
A-8984  
MINNEAPOLIS, MN

Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 MSR Design, Inc. All Rights Reserved. 01/17/17


**EXTERIOR DETAILS**  
**EXHIBIT E**  
**A351**




**1 ADDITION L-1 PLAN DETAIL AT NW CORNER**  
A352 3" = 1'-0"




**2 ADDITION L-1 PLAN DETAIL AT NE CORNER**  
A352 3" = 1'-0"




**7 LV-1 BICYCLE STORAGE DOOR JAMB DETAIL**  
A352 3" = 1'-0"




**3 ADDITION L-1 PLAN DETAIL AT SW CORNER**  
A352 3" = 1'-0"



**4 ADDITION L-1 PLAN DETAIL AT SE CORNER**  
A352 3" = 1'-0"




**5 ADDITION L-1 PLAN DETAIL AT DOTY ENTRY DOOR JAMB**  
A352 3" = 1'-0"




**6 ADDITION L-1 PLAN DETAIL AT SE JUNCTION WITH EXISTING**  
A352 3" = 1'-0"

- GENERAL NOTES**
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (GETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF GRID, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC. IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.



**8 ADDITION L-1 PLAN DETAIL AT CMU TERMINATION**  
A352 3" = 1'-0"



**9 ADDITION L-1 PLAN DETAIL AT CMU CORNER**  
A352 3" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Madison, WI 53711  
617.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chesham, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wicouphy Pk  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL

**DANIEL JACK POLING**  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT

Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 MSRD Design, Inc. - 0109 - 8 x 11 inches - 1/8"

**EXTERIOR DETAILS**  
**EXHIBIT E**  
**A352**

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984


ISSUE	DATE	DESCRIPTION
MARK	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: Author CHECKED BY: Checker  
© 2018 Ken Saiki Design, Inc. All Rights Reserved.


**EXTERIOR DETAILS**  
**EXHIBIT E**  
**A353**

**GENERAL NOTES**


1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO 6-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATINGS. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC. IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED, RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. NEW ADDS: THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF ALL FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED, EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERCARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.




**1 TYPICAL PARAPET WALL AT ADDITION**  
 A353 3' x 1'-0"




**2 CURTAIN WALL SILL DETAIL ABOVE BIKE STORAGE**  
 A353 3' x 1'-0"




**4 TYPICAL ROOF EDGE JUNCTION WITH PERIMETER WALL AT ADDITION**  
 A353 3' x 1'-0"




**5 ADDITION FOUNDATION DETAIL**  
 A353 3' x 1'-0"




**6 TYPICAL FLOOR JUNCTION WITH EXTERIOR WALL AT NEW ADDITION**  
 A353 3' x 1'-0"




**7 ADDITION FOUNDATION DETAIL**  
 A353 3' x 1'-0"




**3 CURTAIN WALL HEAD DETAIL**  
 A353 3' x 1'-0"




**8 CURTAIN WALL SILL DETAIL**  
 A353 3' x 1'-0"




**9 BIKE STORAGE DOOR HEAD AND SILL**  
 A353 3' x 1'-0"




**1 ADDITION PARAPET ABOVE CURTAINWALL**  
A354 3" = 1'-0"




**4 ADDITION PARAPET ABOVE CURAINWALL AT CANOPY**  
A354 3" = 1'-0"




**2 ADDITION SLAB EDGE AT CURTAINWALL**  
A354 3" = 1'-0"



**5 ADDITION DOOR HEAD DETAIL**  
A354 3" = 1'-0"



**3 ADDITION DOOR THRESHOLD DETAIL**  
A354 3" = 1'-0"



**6 ADDITION THRESHOLD DETAIL 1**  
A354 3" = 1'-0"

- GENERAL NOTES**
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING GLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55023  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

**EXTERIOR DETAILS**

**EXHIBIT E**  
**A354**

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE









PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: Author CHECKED BY: Checker

**EXTERIOR DETAILS**


**EXHIBIT E**  
**A355**

**GENERAL NOTES**


1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPEPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISERS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.




- NOTES:
1. REFER TO MFGFR AND OTHER RELATED PUBLISHED DOCUMENTATION, PRODUCT DATA SHEETS AND SAFETY DATA SHEETS FOR ADDITIONAL INFORMATION.
  2. HOT WORK: THE CONTRACTOR IS RESPONSIBLE FOR DETERMINING APPROPRIATE CONDITIONS TO UTILIZE HEAT-WELDING EQUIPMENT. REFER TO THE NFCA CERTA RECOMMENDATION, LOCAL CODES AND BUILDING OWNERS REQUIREMENTS FOR HOT WORK OPERATIONS.
  3. PRIMER: WHERE NOT SHOWN OR INDICATED ON DETAIL DRAWINGS, REFER TO MATERIAL PRODUCT DATA SHEETS FOR PRIMER APPLICATION REQUIREMENTS
  4. FLASHING PLYS MUST EXTEND VERTICALLY A MINIMUM OF 8" FROM ROOF SURFACE. FLASHING PLYS EXTENDING MORE THAN 24" FROM ROOF SURFACE MUST BE ADHERED AND MECHANICALLY FASTENED ALONG THE TOP LEADING EDGE. REFER TO PUBLISHED DOCUMENTATION.
  5. FOR 90° TRANSITIONS, FLASHING PLYS MUST MEET THE FOLLOWING REQUIREMENTS: HEAT WELD POLYESTER REINFORCED FLASHING BASE PLYS; HEAT WELD POLYESTER REINFORCED GRANULE FLASHING CAP SHEET, OR HEAT WELD FOIL/FILM CLAD FLASHING CAPSHEET.
- CONFIRM ALL DETAILS WITH MFGFR




**A** TYPICAL ROOF MEMBRANE BASE TIE-IN AT CURB  
A381 3" = 1'-0"




**B** TYPICAL ROOF WALL FLASHING WITH REGLET  
A381 3" = 1'-0"




**C** TYPICAL ROOF PIPE PENETRATION  
A381 3" = 1'-0"




**D** TYPICAL ROOF GRAVELSTOP DETAIL  
A381 3" = 1'-0"




**E** TYPICAL ROOF DRAIN & OVERFLOW  
A381 1 1/2" = 1'-0"




**F** TYPICAL ROOF CURB  
A381 1 1/2" = 1'-0"




**1** Section Through Screen Wall  
A381 1 1/2" = 1'-0"



**3** SECTION THROUGH CHIMNEY  
A381 3/4" = 1'-0"



**4** CHILLER PIPES @ CHIMNEY  
A381 3/4" = 1'-0"



**5** SECTION THROUGH LOWER ROOF (LOOKING SOUTH)  
A381 1/4" = 1'-0"

- GENERAL NOTES
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNUAL SPACE AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY X-RAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL











Signature: *Jack Poling*  
Print Names: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
		03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

ROOF DETAILS

EXHIBIT E  
**A381**



- GENERAL NOTES**
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPONT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISKS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTS WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53703  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fountain Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL

**WISCONSIN**  
DANIEL JACK POLING  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT

Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984


MARK	DATE	DESCRIPTION
	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
Checked by: *Author*


**ROOF DETAILS**  
EXHIBIT E  
**A382**

**GENERAL NOTES**


1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED, EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS, EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.




**3 ROOF ATTIC ACCESS STAIR SECTION - TYP.**  
A383 1" = 1'-0"



**4 SECTION THROUGH ROOM 260 CEILING STRUCTURE AND ROOF HATCH**  
A383 3/4" = 1'-0"



**5 TYPICAL ROOF HATCH CURB DETAIL**  
A383 3" = 1'-0"



**6 LONGITUDINAL SECTION AT CEILING AND ROOF ATTIC OVER ROOM 260**  
A383 1/2" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design [www.msrdesign.com](http://www.msrdesign.com)

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentle Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wroughty Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fountain Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: ES/MSR CHECKED BY: SRB  
© 2017 MSRD Design, Inc. All Rights Reserved.

**ROOF DETAILS**  
**EXHIBIT E**  
**A383**




**A** ISOMETRIC VIEW AT NORTH EDGE OF UPPER ROOF

A384




**B** LOWER ROOF NORTH EDGE WITH SKYLIGHT AND NEW ADDITION ROOF

A384




**1** ADDITION EXPANSION JOINT AXONOMETRIC AT CORNER

A384




**3** ROOF JOINT TO WALL JOINT TRANSITION (PLAN)

A384 3'-0" x 1'-0"




**5** SECTION THROUGH GABLE END OF SKYLIGHT AND LOWER ROOF PARAPET

A384 3'-0" x 1'-0"



**4** SKYLIGHT DETAIL ABOVE WALL

A384 3'-0" x 1'-0"



**6** SKYLIGHT CROSS SECTION, TYP. SECTION

A384 3'-0" x 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENINGS SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPEPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY X-RAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Patterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55123  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilouphy Rd  
Madison, WI 53706  
608.444.9825 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

Roofing and Cladding Dept. - Diller & Richardson, Ltd.

**ROOF DETAILS**

**EXHIBIT E**

**A384**

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL


**WISCONSIN**  
 DANIEL JACK POLING  
 A-8984  
 MINNEAPOLIS, MN  
 ARCHITECT

Signature: *[Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE



PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: Author CHECKED BY: Checker  
© 2017 Ken Saiki Design, Inc. All Rights Reserved.

**VERTICAL CIRCULATION**  
**EXHIBIT E**  
**A401**




**GENERAL NOTES - VERTICAL CIRCULATION**


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
3. FIELD-VERIFY ALL INTERIOR DIMENSIONS OF ELEVATOR CAR.
4. FOR NEW INTERIOR STAIR AND RAILING, ALL METAL SURFACES TO BE GROUND TO REMOVE ALL WELD SPLATTERS, UNEVEN AND SHARP SURFACES AND ARRISSES, AND PAINTED PT-3H, UNLESS NOTED OTHERWISE.
5. FOR ELEVATOR LIGHTING AND VENTILATION FAN UPGRADES, SEE AL-SERIES AND M-SERIES DRAWINGS.




9 STAIR ISOMETRIC DRAWING A401 1 1/2" = 1'-0"  
 10 STAIR ISOMETRIC DRAWINGview2 A401 1 1/2" = 1'-0"  
 11 DETAIL - GUARD RAIL AND FLOOR OPENING AT STAIR A A401 1 1/2" = 1'-0"  
 12 STAIR RAILING DETAIL A401 1 1/2" = 1'-0"




**1** LEVEL 1 ENLARGED PLAN AT EAST HISTORIC STAIR  
A402 1/4" = 1'-0"




**2** LEVEL 2 ENLARGED PLAN AT EAST HISTORIC STAIR  
A402 1/4" = 1'-0"




**3** LEVEL 3 ENLARGED PLAN AT EAST HISTORIC STAIR  
A402 1/4" = 1'-0"




**4** EAST HISTORIC STAIR WEST ELEVATION  
A402 1/4" = 1'-0"




**5** EAST HISTORIC STAIR NORTH ELEVATION  
A402 1/4" = 1'-0"




**6** EAST HISTORIC STAIR EAST ELEVATION  
A402 1/4" = 1'-0"




**7** EAST HISTORIC STAIR SOUTH ELEVATION  
A402 1/4" = 1'-0"



**8** WD-3 HANDRAIL TERMINATION AT GLWS-3  
A402 1" = 1'-0"



**9** WD-3 HANDRAIL TERMINATION AXONOMETRIC  
A402



**10** EXISTING STAIR HANDRAIL DETAIL  
A402 1/2" = 1'-0"

**GENERAL NOTES - VERTICAL CIRCULATION**

1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
3. FIELD-VERIFY ALL INTERIOR DIMENSIONS OF ELEVATOR CAR.
4. FOR NEW INTERIOR STAIR AND RAILING, ALL METAL SURFACES TO BE GROUND TO REMOVE ALL WELD SPLATTERS, UNEVEN AND SHARP SURFACES AND ARRISES, AND PAINTED PT-3H, UNLESS NOTED OTHERWISE.
5. FOR ELEVATOR LIGHTING AND VENTILATION FAN UPGRADES, SEE AL-SERIES AND M-SERIES DRAWINGS.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denney Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Garden Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53713  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pk  
Madison, WI 53560  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker


**VERTICAL CIRCULATION**

**EXHIBIT E**  
**A402**




**1** LEVEL 0 ENLARGED PLAN AT WEST HISTORIC STAIR

A403 1/4" = 1'-0"




**2** LEVEL 1 ENLARGED PLAN AT WEST HISTORIC STAIR

A403 1/4" = 1'-0"



**3** LEVEL 2 ENLARGED PLAN AT WEST HISTORIC STAIR

A403 1/4" = 1'-0"




**4** LEVEL 3 ENLARGED PLAN AT WEST HISTORIC STAIR

A403 1/4" = 1'-0"


**GENERAL NOTES - VERTICAL CIRCULATION**

1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
3. FIELD-VERIFY ALL INTERIOR DIMENSIONS OF ELEVATOR CAR.
4. FOR NEW INTERIOR STAIR AND RAILING, ALL METAL SURFACES TO BE GROUND TO REMOVE ALL WELD SPATTERS, UNEVEN AND SHARP SURFACES AND ARRISES, AND PAINTED PT.9H, UNLESS NOTED OTHERWISE.
5. FOR ELEVATOR LIGHTING AND VENTILATION FAN UPGRADES, SEE AL-SERIES AND M-SERIES DRAWINGS.




**5** WEST HISTORIC STAIR SOUTH ELEVATION

A403 1/4" = 1'-0"




**6** WEST HISTORIC STAIR WEST ELEVATION

A403 1/4" = 1'-0"




**7** WEST HISTORIC STAIR NORTH ELEVATION

A403 1/4" = 1'-0"




**8** WEST HISTORIC STAIR EAST ELEVATION

A403 1/4" = 1'-0"




**9** WEST HISTORIC STAIR WEST INTERIOR ELEVATION AT LEVEL 1

A403 1/4" = 1'-0"



**10** WEST HISTORIC STAIR SOUTH INTERIOR ELEVATION AT LEVEL 1

A403 1/4" = 1'-0"



**11** WEST HISTORIC STAIR EAST INTERIOR ELEVATION

A403 1/4" = 1'-0"

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker


**VERTICAL CIRCULATION**

**EXHIBIT EXHIBIT E**  
**A403**




**GENERAL NOTES - INTERIOR ELEVATIONS**


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
4. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES
9. "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6", AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.



**1 GROUND LEVEL CUSTOMER SERVICE NORTH**  
A501 1/4" = 1'-0"




**2 GROUND LEVEL CUSTOMER SERVICE EAST**  
A501 1/4" = 1'-0"




**3 GROUND LEVEL CUSTOMER SERVICE SOUTH**  
A501 1/4" = 1'-0"




**4 GROUND LEVEL CUSTOMER SERVICE WEST**  
A501 1/4" = 1'-0"




**5 GROUND LEVEL STAFF CIRCULATION NORTH**  
A501 1/4" = 1'-0"



**6 GROUND LEVEL STAFF CIRCULATION EAST**  
A501 1/4" = 1'-0"



**7 GROUND LEVEL STAFF CIRCULATION SOUTH**  
A501 1/4" = 1'-0"



**8 GROUND LEVEL STAFF CIRCULATION WEST**  
A501 1/4" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984














ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: ES/SK/SF CHECKED BY: SB

**INTERIOR ELEVATIONS - GROUND LEVEL**  
**EXHIBIT E**  
**A501**

**GENERAL NOTES - INTERIOR ELEVATIONS**

1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
4. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES.
9. "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 098300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.



**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Patterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Chesham, WI 53703  
608.223.9600 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chesham, WI 53703  
507.887.1625 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilouby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
**ENLARGED PLANS & INTERIOR ELEVATIONS - GROUND LEVEL**  
EXHIBIT E  
**A502**

**GENERAL NOTES - INTERIOR ELEVATIONS**


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
4. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES
9. "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM FACING OR OFFICE FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1989S WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TECHBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




**1 GROUND LEVEL OPEN OFFICE 032 - NORTH ELEVATION**  
A503 1/4" = 1'-0"




**2 GROUND LEVEL OPEN OFFICE - EAST ELEVATION**  
A503 1/4" = 1'-0"




**3 GROUND LEVEL OPEN OFFICE 032 - SOUTH ELEVATION**  
A503 1/4" = 1'-0"




**4 GROUND LEVEL OPEN OFFICE 044 - SOUTH ELEVATION**  
A503 1/4" = 1'-0"




**5 GROUND LEVEL OPEN OFFICE 044 - WEST ELEVATION**  
A503 1/4" = 1'-0"




**6 GROUND LEVEL OPEN OFFICE 044 - NORTH ELEVATION**  
A503 1/4" = 1'-0"



**7 PERMITTING 044 - NORTH ELEVATION**  
A503 1/4" = 1'-0"




**8 PERMITTING 044 - SOUTH ELEVATION**  
A503 1/4" = 1'-0"




**9 PERMITTING 044 - WEST ELEVATION**  
A503 1/4" = 1'-0"



**10 ZONING 044 - WEST ELEVATION**  
A503 1/4" = 1'-0"



**11 ZONING 044 - NORTH ELEVATION**  
A503 1/4" = 1'-0"



**12 ZONING 044 - EAST ELEVATION**  
A503 1/4" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53705  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.261.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
Checked by: [Signature]


**INTERIOR ELEVATIONS - GROUND LEVEL**

**EXHIBIT E**  
**A503**







**1 LEVEL 1 LOBBY NORTH**  
A505 3/16" = 1'-0"




**2 LEVEL 1 LOBBY SOUTH - INTERIOR FACADE**  
A505 3/16" = 1'-0"



**3 LEVEL 1 LOBBY SOUTH**  
A505 3/16" = 1'-0"




**4 GR-1 METAL GRATE ELEVATION**  
A505 1" = 1'-0"



**7 LEVEL 1 LOBBY EAST**  
A505 3/16" = 1'-0"



**8 LEVEL 1 CIRCULATION - SOUTH ELEVATION A**  
A505 3/16" = 1'-0"



**9 LEVEL 1 CIRCULATION EAST**  
A505 3/16" = 1'-0"



**10 LEVEL 1 CIRCULATION NORTH**  
A505 3/16" = 1'-0"



**11 LEVEL 1 CIRCULATION WEST**  
A505 3/16" = 1'-0"

**GENERAL NOTES - INTERIOR ELEVATIONS**

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES
- "T" OR "I" DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980S 1980S WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55123  
507.887.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilouby Rd  
Madison, WI 53705  
608.444.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK/SF CHECKED BY SB

**INTERIOR ELEVATIONS - LEVEL 1**  
**EXHIBIT E**  
**A505**



1 ENLARGED LEVEL 1 PLAN - CUSTOMER SERVICE

A506 1/4" = 1'-0"




6 CONFERENCE ROOM 152 - NORTH ELEVATION

A506 1/4" = 1'-0"




7 CONFERENCE ROOM 152 - EAST ELEVATION

A506 1/4" = 1'-0"




8 CONFERENCE ROOM 152 - SOUTH ELEVATION

A506 1/4" = 1'-0"




9 CONFERENCE ROOM 152 - WEST ELEVATION

A506 1/4" = 1'-0"




10 STAIR A LOBBY - NORTH ELEVATION

A506 1/4" = 1'-0"




11 STAIR A LOBBY - SOUTH ELEVATION

A506 1/4" = 1'-0"




12 STAIR A LOBBY - STAIR ENCLOSURE

A506 1/4" = 1'-0"




13 DIRECTOR'S OFFICE 151 (TYP.) - NORTH ELEVATION

A506 1/4" = 1'-0"




14 DIRECTOR'S OFFICE 151 (TYP.) - EAST ELEVATION

A506 1/4" = 1'-0"




15 DIRECTOR'S OFFICE 151 (TYP.) - SOUTH ELEVATION

A506 1/4" = 1'-0"




16 DIRECTOR'S OFFICE 151 (TYP.) - WEST ELEVATION

A506 1/4" = 1'-0"




2 CUSTOMER SERVICE - NORTH ELEVATION

A506 1/4" = 1'-0"




3 CUSTOMER SERVICE - EAST ELEVATION

A506 1/4" = 1'-0"



4 CUSTOMER SERVICE - SOUTH ELEVATION

A506 1/4" = 1'-0"



5 CUSTOMER SERVICE - WEST ELEVATION

A506 1/4" = 1'-0"

GENERAL NOTES - INTERIOR ELEVATIONS

1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
3. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO A1-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES
9. "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6" AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 090312 AND FINISHED PER SPECIFICATION 090300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 090300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genstar Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**

**BPW Project #7939**  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Names: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	ES/SF/GF
CHECKED BY	SB

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 1**


EXHIBIT E  
**A506**



1 ENLARGED LV 1 PLAN - CONF 110, 111, HOUSING RECEPTION 112  
A507 1/4" = 1'-0"




2 CONFERENCE ROOM 110 - NORTH ELEVATION  
A507 1/4" = 1'-0"



3 CONFERENCE ROOM 110 - EAST ELEVATION  
A507 1/4" = 1'-0"




4 CONFERENCE ROOM 110 - SOUTH ELEVATION  
A507 1/4" = 1'-0"




5 CONFERENCE ROOM 110 - WEST ELEVATION  
A507 1/4" = 1'-0"

GENERAL NOTES - INTERIOR ELEVATIONS


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
3. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
6. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO A1-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES
9. "T" OR "I" DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM FACINGS OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 0". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 0". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099500. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




6 CONFERENCE ROOM 111 - NORTH ELEVATION  
A507 1/4" = 1'-0"




7 CONFERENCE ROOM 111 - EAST ELEVATION  
A507 1/4" = 1'-0"




8 CONFERENCE ROOM 111 - SOUTH ELEVATION  
A507 1/4" = 1'-0"




9 CONFERENCE ROOM 111 - WEST ELEVATION  
A507 1/4" = 1'-0"




10 WAITING ROOM 112 - NORTH ELEVATION  
A507 1/4" = 1'-0"



11 WAITING ROOM 112 - EAST ELEVATION  
A507 1/4" = 1'-0"



12 WAITING ROOM 112 - SOUTH ELEVATION  
A507 1/4" = 1'-0"



13 WAITING ROOM 112 & HOUSING CORRIDOR - WEST ELEVATION  
A507 1/4" = 1'-0"

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wroughty Rd  
Madison, WI 53705  
608.444.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1878 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.734.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SF/GF CHECKED BY SB

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 1**

EXHIBIT E  
**A507**



**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

ISSUE	DATE	DESCRIPTION
MAK	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 1**


**EXHIBIT E**  
**A509**



**1 LEVEL 1 ROOM 140 - NORTH ELEVATION**  
 A509 1/4" = 1'-0"




**2 LEVEL 1 ROOM 140 - EAST ELEVATION A**  
 A509 1/4" = 1'-0"




**3 LEVEL 1 ROOM 140 - EAST ELEVATION B**  
 A509 1/4" = 1'-0"

**GENERAL NOTES - INTERIOR ELEVATIONS**


- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1800x1800x1800 WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




**4 LEVEL 1 ROOM 140 - SOUTH ELEVATION**  
 A509 1/4" = 1'-0"




**5 LEVEL 1 ROOM 140 - WEST ELEVATION**  
 A509 1/4" = 1'-0"




**6 ENLARGED LEVEL 1 PLAN - TRAFFIC CONTROL ROOM 141**  
 A509 1/4" = 1'-0"




**7 LV 1 CONTROL ROOM 141 - EAST ELEVATION**  
 A509 1/4" = 1'-0"




**8 LV 1 CONTROL ROOM 141 - SOUTH ELEVATION**  
 A509 1/4" = 1'-0"




**9 LV 1 CONTROL ROOM 141 - WEST ELEVATION**  
 A509 1/4" = 1'-0"




**10 ENLARGED LEVEL 1 PLAN - OFFICE 146, 147**  
 A509 1/4" = 1'-0"




**11 LV 1 MANAGER OFFICE 146 (TYP.) - NORTH ELEVATION**  
 A509 1/4" = 1'-0"




**12 LV 1 MANAGER OFFICE 146 (TYP.) - EAST ELEVATION**  
 A509 1/4" = 1'-0"




**13 LV 1 MANAGER OFFICE 146 (TYP.) - SOUTH ELEVATION**  
 A509 1/4" = 1'-0"




**14 LV 1 MANAGER OFFICE 146 (TYP.) - WEST ELEVATION**  
 A509 1/4" = 1'-0"




**15 LV 1 MANAGER OFFICE 147 (TYP.) - NORTH ELEVATION**  
 A509 1/4" = 1'-0"



**16 LV 1 MANAGER OFFICE 147 (TYP.) - EAST ELEVATION**  
 A509 1/4" = 1'-0"



**17 LV 1 MANAGER OFFICE 147 (TYP.) - SOUTH ELEVATION**  
 A509 1/4" = 1'-0"




**18 LV 1 MANAGER OFFICE 147 (TYP.) - WEST ELEVATION**  
 A509 1/4" = 1'-0"


202511.03.2018 11:25 AM - C:\projects\BIM\A509\A509.dwg

**GENERAL NOTES - INTERIOR ELEVATIONS**


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
4. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH GEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES.
9. "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1990S 1990S WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




**1 LEVEL 1 ROOM 118 - NORTH ELEVATION A**  
AS10 1/4" = 1'-0"




**2 LEVEL 1 ROOM 118 - NORTH ELEVATION B**  
AS10 1/4" = 1'-0"




**3 LEVEL 1 ROOM 118 - EAST ELEVATION A**  
AS10 1/4" = 1'-0"




**4 LEVEL 1 ROOM 118 - EAST ELEVATION B**  
AS10 1/4" = 1'-0"




**5 LEVEL 1 ROOM 118 - SOUTH ELEVATION A**  
AS10 1/4" = 1'-0"




**6 LEVEL 1 ROOM 118 - SOUTH ELEVATION B**  
AS10 1/4" = 1'-0"




**7 LEVEL 1 ROOM 118 - WEST ELEVATION A**  
AS10 1/4" = 1'-0"




**8 LEVEL 1 ROOM 118 - WEST ELEVATION B**  
AS10 1/4" = 1'-0"




**9 LEVEL 1 ROOM 118 - WEST ELEVATION C**  
AS10 1/4" = 1'-0"




**10 ENLARGED LEVEL 1 PLAN - INTERVIEW 124 & STAFF OFFICE 121**  
AS10 1/4" = 1'-0"




**11 LV 1 INTERVIEW 124 (TYP.) - NORTH ELEVATION**  
AS10 1/4" = 1'-0"




**12 LV 1 INTERVIEW 124 (TYP.) - EAST ELEVATION**  
AS10 1/4" = 1'-0"




**13 LV 1 INTERVIEW 124 (TYP.) - SOUTH ELEVATION**  
AS10 1/4" = 1'-0"



**15 LV 1 STAFF OFFICE 121 (TYP.) - NORTH ELEVATION**  
AS10 1/4" = 1'-0"



**16 LV 1 STAFF OFFICE 121 (TYP.) - EAST ELEVATION**  
AS10 1/4" = 1'-0"



**17 LV 1 STAFF OFFICE 121 (TYP.) - SOUTH ELEVATION**  
AS10 1/4" = 1'-0"

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK.	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 1**


**EXHIBIT E**  
**A510**




**1 LEVEL 1 ENLARGED PLAN - OPEN OFFICE 130**  
AS11 1/4" = 1'-0"




**2 OPEN OFFICE 130 - NORTH ELEVATION**  
AS11 1/4" = 1'-0"




**3 OPEN OFFICE 130 - EAST ELEVATION**  
AS11 1/4" = 1'-0"




**4 OPEN OFFICE 130 - SOUTH ELEVATION**  
AS11 1/4" = 1'-0"




**5 OPEN OFFICE 130 - WEST ELEVATION**  
AS11 1/4" = 1'-0"




**7 LEVEL 1 ROOM 144 TYP. - NORTH ELEVATION**  
AS11 1/4" = 1'-0"




**8 LEVEL 1 ROOM 144 TYP. - EAST ELEVATION**  
AS11 1/4" = 1'-0"




**9 LEVEL 1 ROOM 144 TYP. - SOUTH ELEVATION**  
AS11 1/4" = 1'-0"




**10 LEVEL 1 ROOM 144 TYP. - WEST ELEVATION**  
AS11 1/4" = 1'-0"



**6 LEVEL 1 ENLARGED PLAN - MANAGER OFFICES**  
AS11 1/4" = 1'-0"




**14 LEVEL 1 ROOM 140 EAST - WEST ELEVATION**  
AS11 1/4" = 1'-0"



**11 LEVEL 1 ROOM 140 EAST - NORTH ELEVATION**  
AS11 1/4" = 1'-0"



**12 LEVEL 1 ROOM 140 EAST - EAST ELEVATION A**  
AS11 1/4" = 1'-0"



**13 LEVEL 1 ROOM 140 EAST - EAST ELEVATION B**  
AS11 1/4" = 1'-0"

**GENERAL NOTES - INTERIOR ELEVATIONS**

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT ON FLOOR SLAB X-RAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES.
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THESE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 1**

EXHIBIT E  
**A511**

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984


ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY ES/SF/GF CHECKED BY SB


**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 2**  
 EXHIBIT E  
**A512**




**1 LEVEL 2 CORRIDOR NORTH**  
 A512 3/16" = 1'-0"




**2 LEVEL 2 CORRIDOR SOUTH**  
 A512 3/16" = 1'-0"



**5 ENLARGED LEVEL 2 PLAN - WEST STAIR**  
 A512 1/4" = 1'-0"




**3 LEVEL 2 WEST CORRIDOR - WEST ELEVATION**  
 A512 3/16" = 1'-0"




**4 LEVEL 2 EAST CORRIDOR - EAST ELEVATION**  
 A512 3/16" = 1'-0"

**GENERAL NOTES - INTERIOR ELEVATIONS**


- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




1 ENLARGED PLANS - CONF ROOM 202, 205 & 207  
A513 1/4" = 1'-0"




2 CONFERENCE ROOM 202 - NORTH ELEVATION  
A513 1/4" = 1'-0"




3 CONFERENCE ROOM 202 - EAST ELEVATION  
A513 1/4" = 1'-0"




4 CONFERENCE ROOM 202 - SOUTH ELEVATION  
A513 1/4" = 1'-0"




5 CONFERENCE ROOM 202 - WEST ELEVATION  
A513 1/4" = 1'-0"




6 CONFERENCE ROOM 205 - NORTH ELEVATION  
A513 1/4" = 1'-0"




7 CONFERENCE ROOM 205 - EAST ELEVATION  
A513 1/4" = 1'-0"




8 CONFERENCE ROOM 205 - SOUTH ELEVATION  
A513 1/4" = 1'-0"




9 CONFERENCE ROOM 205 - WEST ELEVATION  
A513 1/4" = 1'-0"




10 CONFERENCE ROOM 207 - NORTH ELEVATION  
A513 1/4" = 1'-0"



11 CONFERENCE ROOM 207 - EAST ELEVATION  
A513 1/4" = 1'-0"



12 CONFERENCE ROOM 207 - SOUTH ELEVATION  
A513 1/4" = 1'-0"



13 CONFERENCE ROOM 207 - WEST ELEVATION  
A513 1/4" = 1'-0"

GENERAL NOTES - INTERIOR ELEVATIONS

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES.
- "T" OR (T) DENOTES SAFETY TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980S 1980S WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 09512 AND FINISHED PER SPECIFICATION 098300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THESE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 098300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Patterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.225.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chesham, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilcochy Rd  
Madison, WI 53760  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.734.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
		03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SF/GF CHECKED BY SB

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 2**


**EXHIBIT E A513**




1 ENLARGED LEVEL 2 PLAN - ROOM 216  
A514 1/4" = 1'-0"




2 ROOM 216 - WEST ELEVATION  
A514 1/4" = 1'-0"




3 ROOM 216 - NORTH ELEVATION  
A514 1/4" = 1'-0"




4 ROOM 216 - EAST ELEVATION  
A514 1/4" = 1'-0"




5 LV 2 ROOM 216 - SOUTH ELEVATION  
A514 1/4" = 1'-0"



6 LV 2 STAFF OFFICE 212 (TYP.) - NORTH ELEVATION  
A514 1/4" = 1'-0"




7 LV 2 STAFF OFFICE 212 (TYP.) - EAST ELEVATION  
A514 1/4" = 1'-0"




8 LV 2 STAFF OFFICE 212 (TYP.) - SOUTH ELEVATION  
A514 1/4" = 1'-0"



9 LV 2 STAFF OFFICE 212 (TYP.) - WEST ELEVATION  
A514 1/4" = 1'-0"




10 LV 2 MANAGER OFFICE 218 (TYP.) - NORTH ELEVATION  
A514 1/4" = 1'-0"



11 LV 2 MANAGER OFFICE 218 (TYP.) - EAST ELEVATION  
A514 1/4" = 1'-0"



12 LV 2 MANAGER OFFICE 218 (TYP.) - SOUTH ELEVATION  
A514 1/4" = 1'-0"



13 LV 2 MANAGER OFFICE 218 (TYP.) - WEST ELEVATION  
A514 1/4" = 1'-0"

GENERAL NOTES - INTERIOR ELEVATIONS

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES.
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Plg  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Names: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: ES/SF/GF CHECKED BY: SB

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 2**

EXHIBIT E  
**A514**




4 ENLARGED LEVEL 2 PLAN - STAFF BREAK ROOM  
A515 1/4" = 1'-0"




1 WEST STAIR LV 2 - NORTH ELEVATION  
A515 1/4" = 1'-0" SEE ALSO VERTICAL CIRCULATION A400

2 WEST STAIR LV 2 - EAST ELEVATION  
A515 1/4" = 1'-0" SEE ALSO VERTICAL CIRCULATION A400




3 WEST STAIR LV 2 - SOUTH ELEVATION  
A515 1/4" = 1'-0" SEE ALSO VERTICAL CIRCULATION A400




5 STAFF BREAK ROOM - EAST ELEVATION  
A515 1/4" = 1'-0"


6 STAFF BREAK ROOM - SOUTH ELEVATION  
A515 1/4" = 1'-0"




7 STAFF BREAK ROOM - WEST ELEVATION  
A515 1/4" = 1'-0"




8 LEVEL 2 STAFF OFFICE (TYP.)  
A515 1/4" = 1'-0"




9 LV 2 STAFF OFFICE 272 (TYP.) - NORTH ELEVATION  
A515 1/4" = 1'-0"




10 LV 2 STAFF OFFICE 272 (TYP.) - EAST ELEVATION  
A515 1/4" = 1'-0"




11 LV 2 STAFF OFFICE 272 (TYP.) - SOUTH ELEVATION  
A515 1/4" = 1'-0"



12 LV 2 STAFF OFFICE 272 (TYP.) - WEST ELEVATION  
A515 1/4" = 1'-0"



13 ROOM 271 - NORTH ELEVATION  
A515 1/4" = 1'-0"



14 ROOM 271 - EAST ELEVATION  
A515 1/4" = 1'-0"



15 ROOM 271 - WEST ELEVATION  
A515 1/4" = 1'-0"

GENERAL NOTES - INTERIOR ELEVATIONS

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES.
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6", AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE ABOVE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Waterloo St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
608.827.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wroughton Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK.	DATE	DESCRIPTION
	1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

**ENLARGED PLANS & INTERIOR ELEVATIONS - LEVEL 2**  
EXHIBIT E  
**A515**

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE





PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: Author  
 CHECKED BY: Checker

**ENLARGED PLAN AND CEILING PLAN - ROOM 260**

**EXHIBIT E  
 A516**


**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMERS WITH CODE REQUIRED RATINGS. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNUAL SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RIBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.



**ROOM 260 KEY NOTES**


- 1 REMOVE EXISTING ACOUSTICAL WALL PANELS AND REPLACE WITH NEW (TYP. AROUND ROOM 260)
- 2 ADD NEW WOOD STILES AND RAILS WHERE NEEDED TO MATCH ORIGINAL. REPLACE WOOD PANELS, MULLIONS, STILES AND RAILS WHERE DAMAGED FROM PREVIOUS WORK, AND/OR WHERE EQUIPMENT HAS BEEN REMOVED OR WHERE EXISTING CUTOUTS/HOLES/REMOVABLE PANELS ARE NO LONGER NEEDED. HAND SAND TO BARE WOOD AND REFINISH ALL WOODWORK. REFINISH PER SPEC SECTION 099300.
- 3 EXISTING WOOD WAINSCOT, WHERE DAMAGED FROM PREVIOUS WORK AND/OR WHERE EQUIPMENT HAS BEEN REMOVED OR WHERE EXISTING CUTOUTS/HOLES/SURROUNDING TRIM WITH NEW TO MATCH ORIGINAL. REFINISH PER SPEC SECTION 099300.
- 4 REPAIR AREA OF PLASTER DAMAGE (TONED AREAS) AND PAINT EXISTING PLASTER WALL PT-1F.
- 5 RETAIN, PREPARE, PRIME AND REPAINT EXISTING METAL GRILLE PT-2G.
- 6 EXISTING HISTORIC VENTILATION RECESS USED FOR WAP AND/OR SPEAKER LOCATION. PROVIDE BLACK ACOUSTICALLY TRANSPARENT FELT DIRECTLY BEHIND EXISTING GRILLE.
- 7 STRIP, REPAIR AND REFINISH ALL BASEBOARD PER SPEC SECTION 099300.
- 8 EXISTING HISTORIC WINDOW TO REMAIN. REFINISH IN PLACE AND FINISH PER SPEC SECTION 099300.
- 9 NEW WOOD DOOR AND FRAME, CASING WITH WOOD PANEL VENEER SIMILAR TO EXISTING "HIDDEN" DOOR ON EAST WALL. RECONFIGURE, REPAIR AND FINISH ADJACENT PANELING ALL AROUND TO MATCH ORIGINAL.
- 10 EXISTING WOOD CEILING BEAMS AND NAILERS TO REMAIN. STRIP AND REFINISH PER SPEC SECTION 099300.
- 11 NEW LINEAR AIR VENTS - REFER TO MECHANICAL DRAWINGS AND NARRATIVE. COLOR: PT-G.
- 12 NEW HYDRONIC UNITS IN EXISTING RADIATOR RECESSES BEHIND EXISTING METAL GRILLES. GRILLE TO BE PAINTED PT-2G. REMOVE EXISTING SHROUDS OVER RADIATOR GRILLES.
- 13 REMOVE ELECTRICAL EQUIPMENT WHERE APPLICABLE, AND REPLACE WITH NEW WOOD TRIM OR PANEL TO MATCH EXISTING.
- 14 PTZ CAMERA, SURFACE MOUNTED TO PROPRIETARY BRACKET. SEE TECHNOLOGY DOCS. COLOR: WHITE.
- 15 NEW EDGE TRIM AT DOORS TO MATCH ORIGINAL FINISH OCT-1 AND OCT-2. NEW LEATHER SURFACE PER SPEC 082110. REUSE BUTTONS. REPLACE ANY MISSING BUTTONS WITH MATCHING BUTTONS. REFINISH BRASS/METAL COMPONENTS.
- 16 REMOVE METAL BRACKETS, FILL, REPAIR, STAIN AND VARNISH OCT-1 AND OCT-2 TO MATCH EXISTING.
- 17 RECESSED J-BOX IN WINDOW JAMB LINING AT SILL LEVEL AT ALL WINDOWS IN ROOM 260. SEE E202.
- 18 EMPTY CONDUIT PATHWAY IN WALL FOR FUTURE POWER SUPPLY TO AUTOMATED WINDOW SHADE.
- 19 CAREFULLY DISASSEMBLE WOOD WAINSCOT/PANELING AND PLASTER/CLAY TILE WALL LAYERS TO ALLOW FOR REPLACEMENT OF RAIN LEADERS AND OVERFLOWS. REPLACE AND REPAIR WOOD WAINSCOT/PANELING AND PLASTER. PROVIDE NEW WOOD COMPONENTS AS NECESSARY. MATCH ADJACENT EXISTING.
- 20 EXISTING WOOD TRIM - STRIP PAINT AND UNDER LAYERS AND REFINISH PER SPEC SECTION 099300.
- 21 PER ORIGINAL WOOD DENTILS IN ROOM 260 TO BE REFINISHED LIGHTER THAN SURROUNDING WOOD FINISH USING HISTORIC COLOR AS DETERMINED BY TESTING IN FIELD.
- 22 PROTECT AND PRESERVE EXISTING HISTORIC PAINTED PLASTER MOLDING.
- 23 VENEER PANEL AND TRIM TO REMAIN. REFINISH PER SPEC SECTION 099300.
- 24 REFINISH ALL WOOD DOORS PER SPEC SECTION 099300.
- 25 NEW WALL CLOCK, CLOCK-2. COLOR: WHITE FACE AND FRAME.
- 26 EXISTING JUDGE'S BENCH TO REMAIN AND PROTECTED DURING CONSTRUCTION. STRIP AND REFINISH PER SPEC SECTION 099300. REFER TO MILLWORK DRAWING 6/A807.
- 27 NEW WOOD DOOR AND FRAME, CASING WITH WOOD PANEL FACING SIMILAR TO EXISTING "HIDDEN" DOOR. RE-CONFIGURE, REPAIR AND FINISH ADJACENT PANELING ALL AROUND TO MATCH ORIGINAL.
- 28 NEW EXIT SIGN - SEE E-SERIES DRAWINGS. FRAME COLOR: PT-G.
- 29 NEW HIDDEN STROBE LOCATIONS - SEE FIRE PROTECTION AND ELECTRICAL DRAWINGS.
- 30 EXISTING HISTORIC PLASTER MOLDING TO BE PRESERVED IN PLACE AND RE-PAINTED PT-2J.




EXCERPT FROM 1926 DRAWING OF ROOM 260 TYPICAL WALL PANELING, AND EAST ELEVATION (N.T.S.)

**GENERAL NOTES - INTERIOR ELEVATIONS**


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
4. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES
9. "T" OR "R" DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s/1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.



1 ROOM 260: NORTH ELEVATION  
AS17 1/4" = 1'-0"




2 ROOM 260: EAST ELEVATION  
AS17 1/4" = 1'-0"



3 ROOM 260: SOUTH ELEVATION  
AS17 1/4" = 1'-0"


SEE RECORD DRAWING DETAIL AT SOUTH ELEVATION ON THIS SHEET



4 ROOM 260: WEST ELEVATION  
AS17 1/4" = 1'-0"

**5 TYPICAL DENTILS IN ROOM 260**

AS17 3/4" = 1'-0"



EXCERPT FROM 1926 DRAWING OF ROOM 260 TYPICAL WALL PANELING, AND SOUTH ELEVATION AT DOORS (N.T.S.)



EXISTING DROPPED CEILING, ETC. TO BE REMOVED AND ORIGINAL CEILING REHABILITATED.  
EXISTING PLASTER MOLDING TO BE PROTECTED AND REFINISHED.  
EXISTING WALL PANELING TO BE PROTECTED AND REFINISHED.  
EXISTING ENTRY DOORS TO BE PROTECTED AND REFINISHED.  
EXISTING CARPET REMOVED, EXTG WOOD FLOOR TO BE PROTECTED AND REFINISHED.



EXISTING DROPPED CEILING, ETC. TO BE REMOVED AND ORIGINAL CEILING REHABILITATED.  
EXISTING PLASTER MOLDING TO BE PROTECTED AND REFINISHED.  
EXISTING WALL PANELING TO BE PROTECTED AND REFINISHED.  
EXISTING ACOUSTICAL PANELS TO BE REMOVED AND REPLACED WITH NEW - 3 SIDES OF ROOM.  
EXISTING RADIATOR GRILLES TO BE PROTECTED AND REFINISHED.




EXISTING DROPPED CEILING, ETC. TO BE REMOVED AND ORIGINAL CEILING REHABILITATED.  
EXISTING PLASTER MOLDING TO BE PROTECTED AND REFINISHED.  
EXISTING WALL PANELING TO BE PROTECTED AND REFINISHED.  
EXISTING ACOUSTICAL PANELS TO BE REMOVED AND REPLACED WITH NEW - 3 SIDES OF ROOM.  
EXISTING RADIATOR GRILLES TO BE PROTECTED AND REFINISHED.



EXISTING DROPPED CEILING, ETC. TO BE REMOVED AND ORIGINAL CEILING REHABILITATED.  
EXISTING PLASTER MOLDING TO BE PROTECTED AND REFINISHED.  
EXISTING WALL PANELING TO BE PROTECTED AND REFINISHED.  
EXISTING ACOUSTICAL PANELS TO BE REMOVED AND REPLACED WITH NEW - 3 SIDES OF ROOM.  
EXISTING RADIATOR GRILLES TO BE PROTECTED AND REFINISHED.



EXISTING THEATER LINING GRID, ETC. TO BE REMOVED AND ORIGINAL CEILING REHABILITATED.  
EXISTING STEEL WINDOWS TO BE PROTECTED AND REFINISHED, RE-GLAZED.  
EXISTING WALL PANELING TO BE PROTECTED AND REFINISHED.  
EXISTING ACOUSTICAL PANELS TO BE REMOVED AND REPLACED WITH NEW - 3 SIDES OF ROOM.  
EXISTING DOOR REMOVED AND REPLACED WITH NEW "HIDDEN" DOOR.




PHOTOGRAPHS OF ROOM 260 EXISTING WALL PANELING, CEILING, DOORS, THEATER SETUP, ETC.




**GENERAL NOTES - INTERIOR ELEVATIONS**


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
4. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES
9. "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
11. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980S WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6", AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL, NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




**3 ENLARGED LV 3 PLAN - CONF ROOM 302 & RECEPTION**  
AS19 1/4" = 1'-0"




**4 CONFERENCE ROOM 303 - NORTH ELEVATION**  
AS19 1/4" = 1'-0"




**5 CONFERENCE ROOM 303 - EAST ELEVATION**  
AS19 1/4" = 1'-0"



**6 CONFERENCE ROOM 303 - SOUTH ELEVATION**  
AS19 1/4" = 1'-0"



**7 CONFERENCE ROOM 303 - WEST ELEVATION**  
AS19 1/4" = 1'-0"




**12 LEVEL 3 RECEPTION - NORTH ELEVATION**  
AS19 1/4" = 1'-0"




**13 LV 3 RECEPTION - EAST ELEVATION**  
AS19 1/4" = 1'-0"




**14 LV 3 RECEPTION - SOUTH ELEVATION**  
AS19 1/4" = 1'-0"




**15 LV 3 RECEPTION - WEST ELEVATION**  
AS19 1/4" = 1'-0"




**1 LEVEL 3 CORRIDOR WEST - EAST ELEVATION**  
AS19 1/4" = 1'-0"




**8 CONFERENCE ROOM 302 - NORTH ELEVATION**  
AS19 1/4" = 1'-0"



**9 CONFERENCE ROOM 302 - EAST ELEVATION**  
AS19 1/4" = 1'-0"



**10 CONFERENCE ROOM 302 - SOUTH ELEVATION**  
AS19 1/4" = 1'-0"



**11 CONFERENCE ROOM 302 - WEST ELEVATION**  
AS19 1/4" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genium Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53713  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Milwaukee Rd  
Madison, WI 53705  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	GF/SF/DK
CHECKED BY	SB


**INTERIOR ELEVATIONS - LEVEL 3**  
**EXHIBIT E**  
**A519**

**GENERAL NOTES - INTERIOR ELEVATIONS**

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




**1** LV 3 STAFF OFFICE 306 (TYP.) - NORTH ELEVATION    **2** LV 3 STAFF OFFICE 306 (TYP.) - EAST ELEVATION    **3** LV 3 STAFF OFFICE 306 (TYP.) - SOUTH ELEVATION    **4** LV 3 STAFF OFFICE 306 (TYP.) - WEST ELEVATION




**5** ENLARGED LEVEL 3 PLAN - OFFICES 305, 306, 307




**7** LV 3 DIRECTOR OFFICE (TYP.) - NORTH ELEVATION    **8** LV 3 DIRECTOR OFFICE (TYP.) - EAST ELEVATION    **9** LV 3 DIRECTOR OFFICE (TYP.) - SOUTH ELEVATION    **10** LV 3 DIRECTOR OFFICE (TYP.) - WEST ELEVATION




**6** ENLARGED LEVEL 3 PLAN - DIRECTOR OFFICE 310




**11** LV 3 OPEN OFFICE 304 - NORTH ELEVATION    **12** LV 3 OPEN OFFICE 304 - EAST ELEVATION    **13** LV 3 OPEN OFFICE 304 - SOUTH ELEVATION    **14** LV 3 OPEN OFFICE 304 - WEST ELEVATION



**15** LV 3 DIRECTOR OFFICE 310 - NORTH ELEVATION    **16** LV 3 DIRECTOR OFFICE 310 - EAST ELEVATION    **17** LV 3 DIRECTOR OFFICE 310 - SOUTH ELEVATION    **18** LV 3 DIRECTOR OFFICE 310 - WEST ELEVATION



**19** ENLARGED LEVEL 3 PLAN - CONF ROOM 319



**20** CONFERENCE ROOM 319 - NORTH ELEVATION    **21** CONFERENCE ROOM 319 - EAST ELEVATION    **22** CONFERENCE ROOM 319 - SOUTH ELEVATION    **23** CONFERENCE ROOM 319 - WEST ELEVATION

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282

Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.225.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.225.3600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**

**BPW Project #7939**  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.

**DANIEL JACK POLING**  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT

Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF/SF/DK CHECKED BY SB


**INTERIOR ELEVATIONS - LEVEL 3**

**EXHIBIT E**


**A520**




**1 SECTION THROUGH LEVEL 1 FEATURE GLASS WALL**  
AS30 1" = 1'-0"




**2 RATED GLASS AT STAIRWELL LV 2**  
AS30 1" = 1'-0"




**3 RATED GLASS AT STAIRWELL LV 3**  
AS30 1" = 1'-0"



**4 VESTIBULE WALL SECTION AT ADDITON**  
AS30 1" = 1'-0"



**5 ENLARGED LEVEL 1 PLAN - TYPICAL FEATURE GLASS WALL BAY**  
AS30 1" = 1'-0"



**6 LV2 CORRIDOR WALL SECTION & CEILING ABOVE CONFERENCE ROOMS**  
AS30 1" = 1'-0"

- GENERAL NOTES**
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATINGS. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY X-RAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED, EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wroughtby Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**

**BPW Project #7939**  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984


ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker


**INTERIOR WALL SECTIONS**

**EXHIBIT E**


**A530**




**1 WALL BASES**  
A551 3" = 1'-0"




**24 TYP. JUNCTION DETAIL AT EXTG AND NEW L-0 SLAB**  
A551 3" = 1'-0"




**25 FLOOR TRANSITION AT XFLOOR-CPT AT DOOR**  
A551 3" = 1'-0"




**26 FLOOR TRANSITIONS AT XFLOOR-CPT AND XTILE**  
A551 3" = 1'-0"




**2 FLOOR TRANSITIONS - H**  
A551 3" = 1'-0"




**3 FLOOR TRANSITIONS - A**  
A551 3" = 1'-0"




**4 FLOOR TRANSITIONS - Q**  
A551 3" = 1'-0"




**5 FLOOR TRANSITIONS - N**  
A551 3" = 1'-0"




**6 FLOOR TRANSITIONS - O**  
A551 3" = 1'-0"




**7 FLOOR TRANSITIONS - E**  
A551 3" = 1'-0"




**8 FLOOR TRANSITIONS - B**  
A551 3" = 1'-0"




**9 FLOOR TRANSITIONS - D**  
A551 3" = 1'-0"




**10 FLOOR TRANSITIONS - F**  
A551 3" = 1'-0"




**11 FLOOR TRANSITIONS - I**  
A551 3" = 1'-0"




**12 FLOOR TRANSITIONS - C**  
A551 3" = 1'-0"




**13 FLOOR TRANSITIONS - J**  
A551 3" = 1'-0"




**14 FLOOR TRANSITIONS - K**  
A551 3" = 1'-0"




**15 FLOOR TRANSITIONS - M**  
A551 3" = 1'-0"




**16 DOOR TRIM**  
A551 3" = 1'-0"




**17 TYPICAL HISTORIC FLOOR MOSAIC TILE REPAIR**  
A551 6" = 1'-0"




**18 COLUMN AT H-4**  
A551 1" = 1'-0"




**19 MANUAL ROLLER SHADE CEILING MOUNT**  
A551 3" = 1'-0"




**20 MANUAL ROLLER SHADE WALL MOUNT**  
A551 3" = 1'-0"



**21 TYP. FAUX COLUMN AT GRID 2**  
A551 1" = 1'-0"



**22 TYP. COLUMN AT GRID 2**  
A551 1" = 1'-0"



**23 COLUMN AT H-2**  
A551 1" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wroughty Rd  
Madison, WI 53705  
608.444.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717


**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
**DANIEL JACK POLING**  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT


Signature:	<i>[Signature]</i>	
Print Name:	Jack Poling	
Date:	10.07.2016	
License No.:	A-8984	
ISSUE MARK. DATE DESCRIPTION		
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY SF CHECKED BY Checker


**INTERIOR DETAILS**  
**EXHIBIT E**  
**A551**




**1** LEVEL 1 FEATURE GLASS WALL - TYP. HEAD DETAIL  
A552 3" = 1'-0"





**2** CEILING AT ROOM 111 BEAMS  
A552 3" = 1'-0"




**3** DUCTWORK PENETRATION (TYP.)  
A552 3" = 1'-0"



**4** ACOUSTICALLY ISOLATED DUCTWORK PENETRATION (TYP.)  
A552 3" = 1'-0"



**5** ACOUSTIC WALL PANEL AWP-2  
A552 3" = 1'-0"



**6** TECH WALL BOX @ FLAT PANEL MONITORS (TYP.)  
A552 3" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53560  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourrier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 MSR Design, Inc. All Rights Reserved.


**INTERIOR DETAILS**  
**A552**




**1 LV-1 CONF ROOM CEILING/GLASS EDGE DETAIL**  
 ASS3 1 1/2" x 1'-0"




**2 LV-1 CONF ROOM CEILING/WINDOW DETAIL**  
 ASS3 1 1/2" x 1'-0"




**3 LV-1 CONF ROOM FLOOR/GLASS EDGE DETAIL**  
 ASS3 1 1/2" x 1'-0"




**4 LV-1 CONF ROOM FLOOR DETAIL**  
 ASS3 1 1/2" x 1'-0"




**12 PLAN DETAIL OF 6" ROOF DRAIN IN MASONRY WALL**  
 ASS3 3" x 1'-0"




**13 TYP. PLAN DETAIL AT 4" ROOF DRAIN IN EXISTING WALL**  
 ASS3 3" x 1'-0"




**5 LV 1 CONF ROOM FRAMELESS CORNER**  
 ASS3 3" x 1'-0"




**6 LV 1 CONF ROOM TEE AT PARTITION**  
 ASS3 3" x 1'-0"




**7 LV 1 CONF ROOM CORNER**  
 ASS3 3" x 1'-0"




**8 LV 1 CONF ROOM FRAMELESS TERMINATION**  
 ASS3 3" x 1'-0"



**9 LV-1 VESTIBULE CEILING/GLASS EDGE DETAIL**  
 ASS3 1 1/2" x 1'-0"



**10 LV 1 - ENTRY VESTIBULE GLASS CORNER**  
 ASS3 3" x 1'-0"



**11 LV 1 - ENTRY VESTIBULE GLASS WALL JAMB DETAIL**  
 ASS3 3" x 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
 Minneapolis, Minnesota 55401-2282  
 Architecture 612.375.0336 tel  
 Interiors and 612.342.2216 fax  
 Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
 303 South Paterson St  
 Madison, WI 53703  
 608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
 1800 Deming Way, Suite 200  
 Madison, WI 53713  
 608.223.9600 tel

MEP Engineers  
**MEP Associates**  
 860 Blue Gentian Road, Suite 175  
 Eden, MN 55921  
 651.379.9120 tel

Lighting Designer  
**Gallina Design**  
 30232 County 7  
 Chalfont, MN 55923  
 507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
 5641 Wiloughby Plg  
 Madison, WI 53705  
 608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
 115 E. Main Street, Suite 200  
 Madison, WI 53703  
 608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
 575 Minnehaha Ave. W.  
 St. Paul, MN 55103  
 651.251.1879 tel

Acoustical Consultant  
**KRA**  
 4828 Chicago Avenue South, Suite 206  
 Minneapolis, MN 55417  
 612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
 999 Fourier Drive, Suite 201  
 Madison, WI 53717

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *[Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984


ISSUE	MARK	DATE	DESCRIPTION
		03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: Author CHECKED BY: Checker  
© 2018 MSR Design Group, Inc. All Rights Reserved. L&L

**INTERIOR DETAILS**  
**EXHIBIT E**  
**A553**




1 LV2 ROOM 260 - WALL PANEL TYP JOINT DETAIL  
A554 6" = 1'-0"




PHOTOGRAPHS OF TYPICAL EXISTING ACUSTICAL PANEL DETAILS IN ROOM 260 TO BE REMOVED.

2 LV2 ROOM 260 - WALL PANEL PLAN DETAIL AT TYPICAL PILASTER  
A554 6" = 1'-0"




3 LV2 (260) - TYP. @ TECH EXTG BEHIND HIST. GRILLE  
A554 3" = 1'-0"




4 ROOM 260 TYP. DETAIL AT N-S FAUX BEAM AND MECH VENT  
A554 1 1/2" = 1'-0"




PHOTOGRAPHS OF EXISTING RADIATOR RECESSES AND GRILLES, NORTH ELEVATION.




5 ROOM 260 TYP. CEILING ACOUSTICAL PANEL SECTION DETAIL  
A554 3" = 1'-0"




6 ROOM 260 TYP. ACOUSTICAL CEILING DETAIL AT E-W FAUX BEAMS  
A554 3" = 1'-0"




8 ROOM 260 'HIDDEN' DOOR PLAN DETAIL  
A554 1" = 1'-0"



7 SECTION DETAIL AT BASE OF ROOM 260 NORTH WALL  
A554 1 1/2" = 1'-0"



EXCERPT FROM ORIGINAL 1920s RECORD DRAWING OF FLUSH WOOD DOOR AT WALL PANELING, EAST ELEVATION (N.T.S.)



EXCERPT FROM ORIGINAL 1920s RECORD DRAWING OF FLUSH WOOD DOOR AT WALL PANELING, EAST ELEVATION (N.T.S.)

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Patterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wroughty Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703


I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL

Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2018 MSR Design, Inc. All Rights Reserved.

**INTERIOR DETAILS ROOM 260**  
**EXHIBIT E**  
**A554**




**1 CEILING AT LEVEL 2 CONFERENCE ROOMS**  
A555 3" = 1'-0"

**2 NOT USED**  
A101 1/8" = 1'-0"




**3 CEILING DETAILS**  
A555 3" = 1'-0"




**ACT - 3: EDGE CONDITION**

**ACT - 3: MIDSPAN**




**8 CEILING ACCESS PANEL DETAIL**  
A555 3" = 1'-0"




**4 SECTION AT OVERHEAD GRILLE, ZONING**  
A555 1/2" = 1'-0"

**5 SECTION AT OVERHEAD GRILLE, PERMITTING**  
A555 1/2" = 1'-0"



**6 DETAIL AT OVERHEAD GRILLE, ZONING**  
A555 1 1/2" = 1'-0"



**7 DETAIL AT OVERHEAD GRILLE, PERMITTING**  
A555 1 1/2" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pk  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK.	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 MSR Design, Inc. All Rights Reserved.

**INTERIOR DETAILS**  
**EXHIBIT E**  
**A555**


DOOR SCHEDULE													
DOOR NO.	WIDTH	HEIGHT	DOOR		FRAME				TYPE	MAT'L	HDWR	FIRE	COMMENTS
			THICKNESS	D9	MAT'L	HEAD	SILL	JAMB					
001A	6'-0"	7'-0"	1 7/8"	D1	HM	9/A602	9/A602	7/A603	F6	HM	60 MIN	26B	STC50 MIN., PASSAGE LATCH
001B	5'-4"	9'-0"	1 3/4"	D2	HM	6/A603	6/A603	7/A603	F5	HM	32A	EXIT ONLY, DOOR MONITORING	
002A	2'-8"	7'-0"	1 3/4"	D1	HM	9/A602	9/A602	7/A603	F1	HM	60 MIN	19	STOREROOM LOCK
003	2'-8"	7'-0"	1 7/8"	D8	HM	9/A602	9/A602	7/A602	F2	HM	60 MIN	11C	STC50 MIN., PASSAGE LATCH
004A	6'-4"	7'-0"	1 3/4"	D2	HM	9/A602	9/A602	7/A602	F2	HM	60 MIN	31B	LOCK
004B	3'-0"	7'-0"	1 3/4"	D1	HM	9/A602	9/A602	7/A602	F1	HM	60 MIN	20A	LOCK, DOOR MONITORING
005	8'-0"	8'-0"	1 3/4"	D-X4	COIL-2	8/A351	9/A351	4/A351	-	COIL-2	68	CARD READER	
006	3'-0"	7'-0"	1 7/8"	D8	HM	9/A602	9/A602	7/A602	F6	HM	60 MIN	20	STC50 MIN., PASSAGE LATCH
009	4'-0"	7'-0"	1 7/8"	D8	HM	9/A602	9/A602	7/A602	F6	HM	60 MIN	28B	STC50 MIN., CARD READER
010	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	20	STOREROOM LOCK	
011	2'-8"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	23	PRIVACY W/DB & IND	
012	2'-8"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	23	PRIVACY W/DB & IND	
013	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A1/A614	18A1/A614	18B1/A614	F1	GLWS-2	50A	CARD READER, DOOR MONITORING	
015	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A1/A614	18A1/A614	18B1/A614	F1	GLWS-2	50B	CARD READER, DOOR MONITORING	
017A	6'-2"	7'-0"	1 3/4"	D4	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	56	CARD READER	
017B	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A1/A614	18A1/A614	18B1/A614	F1	GLWS-1	50A	CARD READER	
019	6'-2"	7'-0"	1 3/4"	D2	HM	1A/A602	1A/A602	1B/A602	F2	HM	90 MIN	74G	CARD READER, ADA ACTUATOR
020	2'-8"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	90 MIN	20A	LOCK, DOOR MONITORING
021	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	34	CARD READER, DOOR MONITORING	
022	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A1/A614	18A1/A614	18B1/A614	F1	GLWS-2	50A	CARD READER	
023	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	13	LOCK	
024	2'-8"	7'-0"	1 3/4"	D5	HM/GL	1A/A602	1A/A602	1B/A602	F1	HM	33	CARD READER	
025	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	69	PUSH/PULL WITH DEADBOLT	
026	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	23	PRIVACY W/DB & IND	
027	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	69	PUSH/PULL WITH DEADBOLT	
028A	6'-0"	7'-0"	1 3/4"	D4	GLWS-1	17A1/A610	17A1/A610	17B1/A610	F2	GLWS-1	66	CARD READER, PANIC HARDWARE, ADA ACTUATOR	
028B	3'-0"	7'-0"	1 3/4"	D3	GLWS-4	9/A351	9/A351	9/A351	F2	GLWS-4	48B	CARD READER, PANIC HARDWARE, ADA ACTUATOR	
028C	3'-0"	7'-0"	1 3/4"	D3	GLWS-4	9/A351	9/A351	9/A351	F2	GLWS-4	48B	PAIRED WITH 028B	
029	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	07	LOCK	
030	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	07	LOCK	
031	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	17A2/A610	17A2/A610	17B1/A610	F1	GLWS-1	51	LOCK, CLOSER.	
033	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
034	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
035	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
036	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
037	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
038	3'-0"	7'-0"	1 3/4"	D2	HM	1A/A602	1A/A602	1B/A602	F1	HM	28	LOCK	
039	4'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	34	CARD READER	
040	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
041	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
042	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
043	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
044	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	41	EXIT ONLY, DOOR MONITORING	
045	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	35	CARD READER, MONITORING CONTROL	
046	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A1/A611	19A1/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
VAULT DOOR	2'-7"	6'-8"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F2	GLWS-1	EXTG	EXTG	FINAL DOOR POSITIONS TO BE PER THE DRAWINGS.
100A	6'-0"	7'-0"	1 3/4"	D4	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F2	GLWS-1	66	PUSH/PULL	
100B	6'-0"	7'-0"	1 3/4"	D4	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F2	GLWS-1	66	PUSH/PULL	
100C	6'-0"	7'-0"	1 3/4"	D4	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F2	GLWS-1	66A	PUSH/PULL, ADA ACTUATOR	
101	6'-0"	7'-0"	1 3/4"	D4	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F2	GLWS-1	61B	CARD READER, HOLD-OPEN, DOOR MONITORING	
102A	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	50A	CARD READER, DOOR MONITORING	
102B	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	50A	CARD READER, DOOR MONITORING	
103	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-2	50	CARD READER	
104	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-2	50	CARD READER	
105	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-2	50	CARD READER	
106	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-2	50	CARD READER	
107	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	20	LOCK	
108	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	49C	CARD READER	
109A	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	50B	CARD READER, HOLD OPEN.	
109B	3'-0"	7'-0"	1 3/4"	D3	WOOD	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	67	CARD READER, DOOR MONITORING	
109C	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	50B	CARD READER, HOLD OPEN.	
110	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-2	50B	CARD READER	
111A	6'-0"	7'-0"	1 3/4"	D4	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F2	GLWS-2	58A	CARD READER, HOLD-OPEN, DOOR MONITORING	
111B	3'-0"	7'-0"	1 3/4"	D3	HM/GL	1A/A602	1A/A602	1B/A602	F1	HM	34	CARD READER ON CONF. ROOM 111 SIDE.	
112A	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	49D	DOOR MONITORING, ADA ACTUATOR	
112B	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	17A1/A610	17A1/A610	17B1/A610	F1	GLWS-1	50A	CARD READER	
113	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	01	LOCK	
114	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	17A2/A610	17A2/A610	17B1/A610	F1	GLWS-1	50B	CARD READER ON ROOM 114 SIDE.	
115	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	20	LOCK	
116	5'-4"	7'-0"	1 3/4"	D2	HM	1A/A602	1A/A602	1B/A602	F2	HM	60 MIN	09	LOCK
117	6'-0"	7'-0"	1 3/4"	D3	GLWS-1	18A2/A614	18A2/A614	18B1/A614	F1	GLWS-1	30	CARD READER, DOOR MONITORING	
118	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	17A1/A610	17A1/A610	17B1/A610	F1	GLWS-1	50B	CARD READER	
119	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
120	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
121	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
122	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
123	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
124	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
125	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
126A	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
126B	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
127	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	50B	CARD READER	
128	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	33	CARD READER, DOOR MONITORING.	
129	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
130A	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	17A2/A610	17A2/A610	17B1/A610	F1	GLWS-1	50A	CARD READER, DOOR MONITORING	
130B	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	17A2/A610	17A2/A610	17B1/A610	F1	GLWS-1	50B	CARD READER, DOOR MONITORING	
132A	3'-0"	7'-0"	1 3/4"	D3	GLWS-1	17A2/A610	17A2/A610	17B1/A610	F1	GLWS-1	50A	CARD READER, DOOR MONITORING	
132B	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	40	CARD READER, DOOR MONITORING	
134	3'-4"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	40	CARD READER	
135A	6'-0"	7'-0"	1 3/4"	D4	GLWS-1	17A2/A610	17A2/A610	17B1/A610	F2	GLWS-1	66	PUSH/PULL	
135B	6'-0"	7'-0"	1 3/4"	D4	GLWS-4	5/A354	6/A354	3 & 5/A352	F2	GLWS-4	48B	CARD READER, PANIC HARDWARE, ADA ACTUATOR	
136	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	23	PRIVACY W/DB & IND	
137	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	69	PUSH/PULL WITH DEADBOLT	
138	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	07	LOCK	
139	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	69	PUSH/PULL WITH DEADBOLT	
141	3'-0"	7'-0"	1 3/4"	D1	HM	1A/A602	1A/A602	1B/A602	F1	HM	11A	PASSAGE LATCH	
143	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
144	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
145	3'-0"	7'-0"	1 3/4"	D3	GLWS-2	19A2/A611	19A2/A611	19B1/A611	F1	GLWS-2	49B	PASSAGE LATCH	
146	3'-0"	7'-0"	1 3/4"	D3	GLWS-2								




A - HEAD AT NEW PARTITION




B - JAMB AT NEW PARTITION




A - HEAD AT NEW PARTITION




B - JAMB AT NEW PARTITION




C - HEAD AT EXISTING MASONRY PARTITION



D - JAMB AT EXISTING MASONRY PARTITION



C - HEAD AT EXTG MASONRY PARTITION




D - JAMB AT EXTG MASONRY PARTITION

**1 DOOR - TYPICAL H.M. HEAD/JAMB DETAIL**

A602 3\"/>


**2 DOOR - TYPICAL WD JAMB DETAIL**

A602 3\"/>




**3 RELOCATED VAULT DOOR**

A602 1 1/2\"/>




**4 RELOCATED VAULT DOOR THRESHOLD DETAIL**

A602 3\"/>




**5 ENLARGED PLAN OF ACOUSTICAL DOUBLE DOOR**

A602 3 1/4\"/>




**6 ENLARGED PLAN OF ACOUSTICAL SINGLE DOOR**

A602 3 1/4\"/>




**7 ACOUSTICAL DOOR JAMB**

A602 3\"/>



**8 ACOUSTICAL DOOR ASTRAGAL**

A602 3\"/>



**9 ACOUSTICAL DOOR HEAD AND SILL**

A602 3\"/>

- GENERAL NOTES**
1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACES AROUND PENETRATIONS.
  7. DOORS WITH DOOR NUMBER PREFIX 'E' ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION/EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE 'SOFT SPOTS' FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Names: Jack Poling  
Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK CHECKED BY SB  
www.msrdesign.com © 2016 MSR & KJWW, LLC

**DOOR AND PARTITION DETAILS**  
**EXHIBIT E**  
**A602**




**A LEVEL 0+1 EXTERIOR DOORS F1, F8, F9, F10, F17, 032 INFORMATIONAL PHOTOS**  
A603 1/2" = 1'-0"




**2 F8, F9, F10 JAMB DETAIL**  
A603 1 1/2" = 1'-0"

**1 F1 PLAN DETAIL**  
A603 1 1/2" = 1'-0"

**3 F17 JAMB DETAIL**  
A603 1 1/2" = 1'-0"




**8 W21 INTERIOR ELEVATION**  
A603 1 1/2" = 1'-0"




**4 F1, F8, F9, F10, F17 DOOR TRANSOM DETAIL**  
A603 3" = 1'-0"



**5 F8, F9, F10, F17 THRESHOLD DETAIL (F1 SIM)**  
A603 3" = 1'-0"



**6 DOOR 001B THRESHOLD AND HEAD DETAIL**  
A603 1 1/2" = 1'-0"



**7 DOOR 001B JAMB DETAIL**  
A603 1 1/2" = 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENINGS SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATION THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALCULATIONS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISERS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilouphy Rd  
Madison, WI 53705  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fountain Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
Author Checker

**DOOR AND PARTITION DETAILS**  
EXHIBIT E  
**A603**




1 GLWS-1 TYP.

A610 3/8" = 1'-0"




2 GLWS-1 TYP. (REV.)

A610 3/8" = 1'-0"




3 GLWS-1 5'-0"

A610 3/8" = 1'-0"




4 GLWS-1 DOUBLE DOOR

A610 3/8" = 1'-0"




5 DOUBLE DOOR WITH TRANSOME

A610 3/8" = 1'-0"




6 GLWS-1 AT LEVEL 1 OPEN OFFICE 140

A610 3/8" = 1'-0"




7 GLWS-1 AT LEVEL 1 CIRCULATION

A610 3/8" = 1'-0"




8 GLWS-1 AT LEVEL 1 CIRCULATION

A610 3/8" = 1'-0"




9 GLWS-1 AT LEVEL 3

A610 3/8" = 1'-0"




10 GLWS-1 - TYP. HEAD

A610 3" = 1'-0"




11 GLWS-1 -TYP. DOOR FRAME HEAD

A610 3" = 1'-0"




12 GLWS-1 - TYP. JAMB

A610 3" = 1'-0"




13 GLWS-1 - TYP. BUTT GLAZED JOINT

A610 3" = 1'-0"




14 GLWS-1 - TYP. BASE

A610 3" = 1'-0"




15 GLWS-1 - TYP. HORIZONTAL MULLION @ DOOR

A610 3" = 1'-0"



16 GLWS-1 - TYP. BASE @ DOOR

A610 3" = 1'-0"



A3 - HORIZONTAL MULLION

17 GLWS-1 - TYP. HORIZONTAL MULLION

A610 3" = 1'-0"

GENERAL NOTES - INTERIOR ELEVATIONS

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES
- "T" OR "T)" DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM), APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282

Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilcoyby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fountain Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

**INTERIOR GLASS PARTITIONS**


EXHIBIT E  
**A610**




**1 GLWS-2.**  
A611 3/8" = 1'-0"




**2 GLWS-2 (REV.)**  
A611 3/8" = 1'-0"




**3 GLWS-2 AT LEVEL 1**  
A611 3/8" = 1'-0"




**4 GLWS-2 AT LEVEL 1 122, 123, 124, 125 TYP.**  
A611 3/8" = 1'-0"




**5 GLWS-2 AT LEVEL 2**  
A611 3/8" = 1'-0"




**6 GLWS-2 AT LEVEL 2**  
A611 3/8" = 1'-0"




**7 GLWS-2 AT LEVEL 2**  
A611 3/8" = 1'-0"




**8 GLWS-2 AT LEVEL 3 305, 307, 308 TYP.**  
A611 3/8" = 1'-0"




**9 GLWS-2 - A-HEAD**  
A611 3/8" = 1'-0"




**10 GLWS-2 - TYP. HORIZONTAL MULLION@DOOR**  
A611 3/8" = 1'-0"




**11 GLWS-2 - TYP. JAMB**  
A611 3/8" = 1'-0"




**12 GLWS-2 TYP. BUTT GLAZED JOINT**  
A611 3/8" = 1'-0"




**13 GLWS-2 - CORNER**  
A611 3/8" = 1'-0"



**14 GLWS-2 TYP. HORIZONTAL MULLION**  
A611 3/8" = 1'-0"



**15 GLWS-2 - C-BASE**  
A611 3/8" = 1'-0"



**16 GLWS-2 - TYP. VERTICAL MULLION@DOOR**  
A611 3/8" = 1'-0"

**GENERAL NOTES - INTERIOR ELEVATIONS**

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES.
- "T" OR "(T)" DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 280 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 280.

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker

**INTERIOR GLASS PARTITIONS**


**EXHIBIT E**  
**A611**




**1 GLWS-3 AT LEVEL 1 LOBBY**  
A613 38" = 1'-0"




**2 GLWS-3 AT LEVEL 2 WEST STAIR**  
A613 38" = 1'-0"



**3 GLWS-3 AT LEVEL 2 EAST STAIR**  
A613 38" = 1'-0"




**4 GLWS-3 AT LEVEL 3 EAST STAIR**  
A613 38" = 1'-0"




**5 GLWS-3 AT LEVEL 3 WEST STAIR**  
A613 38" = 1'-0"

**GENERAL NOTES - INTERIOR ELEVATIONS**


1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
2. REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
3. EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
3. AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
5. REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
6. REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
7. REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
8. REFER TO A120-SERIES FOR CEILING FINISHES
9. "T" OR "I" DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
10. ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
12. OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
13. AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6", AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
14. LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
16. REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.




**6 GLWS-3 - A - HEAD@LV2**  
A613 3" = 1'-0"




**7 GLWS-3 - A3-HEAD@LV3**  
A613 3" = 1'-0"




**8 GLWS-3 - B-JAMB**  
A613 3" = 1'-0"




**9 GLWS-3 - B2-VERTICAL MULLION**  
A613 3" = 1'-0"




**10 GLWS-3 - C-BASE**  
A613 3" = 1'-0"




**11 GLWS-3 FIRE-RATED DOOR / PARTITION - A1-HEAD@DOOR**  
A613 3" = 1'-0"




**12 GLWS-3 - A2-HORIZONTAL MULLION@DOOR**  
A613 3" = 1'-0"




**13 GLWS-3 - B1-JAMB@DOOR**  
A613 3" = 1'-0"




**14 GLWS-3 - B3-HORIZONTAL MULLION**  
A613 3" = 1'-0"




**15 GLWS-3 - B4-DOUBLE DOOR MEETING STILES@REMOVABLE MULLION**  
A613 3" = 1'-0"




**1** GLWS-2 AT GROUND LEVEL  
A614 3/8" = 1'-0"




**2** GLWS-2 AT GROUND LEVEL  
A614 3/8" = 1'-0"




**3** GLWS-1 AT GROUND LEVEL  
A614 3/8" = 1'-0"




**4** GLWS-1 AT GROUND LEVEL  
A614 3/8" = 1'-0"




**5** GLWS-2 AT GROUND LEVEL  
A614 3/8" = 1'-0"




**6** GLWS-1 AT G.L. STAIR ENCLOSURE  
A614 3/8" = 1'-0"




**7** GLWS-1 AT G.L. STAIR ENCLOSURE  
A614 3/8" = 1'-0"




**8** GLWS-1 AT G.L. STAIR ENCLOSURE  
A614 3/8" = 1'-0"




**9** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"




**10** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"




**11** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"




**12** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"




**13** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**14** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**15** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**16** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**9** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**10** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"




**11** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**12** GLWS-1 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"




**13** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**14** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**15** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"



**16** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"

**17** GLWS-2 AT LEVEL 1 LOBBY  
A614 3/8" = 1'-0"

**GENERAL NOTES - INTERIOR ELEVATIONS**

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO AL-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES FOR CEILING FINISHES
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM-FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s 1980s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6", AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THE THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 200 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 200.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.9600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Madison, WI 53713  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilcoxby Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.274.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fountain Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 MSR Design, Inc. All Rights Reserved.

**INTERIOR GLASS PARTITIONS**


**EXHIBIT E**  
**A614**




1 GLWS-1 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




2 GLWS-1 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




3 GLWS-1 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




4 GLWS-2 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




5 GLWS-1 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




6 GLWS-1 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




7 GLWS-1 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




8 GLWS-1 AT LEVEL 1 CIRCULATION  
A615 3/8" = 1'-0"




9 GLWS-2 AT CONFERENCE ROOMS 103 & 104  
A615 3/8" = 1'-0"




10 GLWS-1 (TYP.)  
A615 3/8" = 1'-0"




11 GLWS-2 AT CONFERENCE ROOMS 103, 104, 105, 106 (TYP.)  
A615 3/8" = 1'-0"



12 GLWS-2 AT CONFERENCE ROOMS 105 & 106  
A615 3/8" = 1'-0"



13 GLWS-1 AT LEVEL 1 LOBBY VESTIBULE  
A615 3/8" = 1'-0"



14 GLWS-2 AT LEVEL 1 LOBBY VESTIBULE (TYP.)  
A615 3/8" = 1'-0"

GENERAL NOTES - INTERIOR ELEVATIONS

- NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN INTERIOR ELEVATION CONDITIONS AND EXISTING CONDITIONS OPENED UP IN THE FIELD DURING CONSTRUCTION.
- REFER TO T-SERIES DRAWINGS FOR LOCATION OF DATA AND AV EQUIPMENT AND CABLE PATHWAYS.
- EXACT LOCATION OF FLOOR BOXES (FBOX) TO BE VERIFIED IN FIELD BASED ON FLOOR SLAB X-RAYS.
- AFTER REMOVING ALL EXISTING ANCHORS AND COMPONENTS FROM EXISTING CONCRETE COLUMNS OR WALL THAT WILL BE EXPOSED AS A FINAL FINISH, PATCH WITH CEMENTITIOUS FILLER BRUSH-FINISHED FLUSH WITH ADJACENT SURFACES.
- REFER TO A700-SERIES PLANS FOR GENERAL FINISHES BY ROOM.
- REFER TO A800-SERIES MILLWORK PLANS AND ELEVATIONS.
- REFER TO A1-SERIES DRAWINGS FOR LIGHT FIXTURE TYPES, ETC.
- REFER TO A120-SERIES DRAWINGS FOR CEILING FINISHES.
- "T" OR (T) DENOTES SAFETY / TEMPERED GLASS. REFER TO INTERIOR GLASS PARTITIONS DRAWINGS FOR TEMPERED GLASS LOCATIONS.
- ON GLASS PARTITION SHEETS, ACOUSTICAL GLASS TYPES INDICATED AS "INTERIOR" REFER TO GLASS PANE ON CONFERENCE ROOM FACING OR OFFICE-FACING SIDE OF GLASS PARTITION FRAME AT CONFERENCE ROOM OR CLOSED OFFICE.
- ON GLASS PARTITION SHEETS REFER TO OVERALL INTERIOR ELEVATIONS FOR DETAILS AND SETTING OUT OF PRIVACY FILM (WINDOW FILM) APPLIED TO GLASS.
- OVERALL DIMENSIONS OF GLASS PARTITIONS ARE BASED ON ROUGH OPENINGS. ALL ROUGH OPENINGS TO BE FIELD VERIFIED PRIOR TO MANUFACTURING.
- AT GROUND LEVEL AND LEVEL 1 PERIMETER WALLS, ADD NEW TYPE N2 WALL FURRING ABOVE EXISTING CEILING LEVEL TO MATCH 1980s/1990s WALL FURRING BELOW EXISTING CEILING LEVEL. THE DESIGN ASSUMES EXISTING FURRING EXTENDS ABOVE CEILING LEVEL BY 6". AND THIS NEEDS TO BE EXTENDED TO DECK ABOVE WHERE THERE IS NO NEW CEILING AT THE PERIMETER.
- LEVEL 2 HISTORIC CORRIDOR WALL PANELS DAMAGED BY PREVIOUS EQUIPMENT MOUNTS TO BE COMPLETELY REPLACED AT EACH PANEL. NOT PATCHED/REPAIRED. HISTORIC MUNTINS AND FRAMING SHALL BE PATCHED PER SPECIFICATION 060312 AND FINISHED PER SPECIFICATION 099300.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, SHELVING, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL OF THOSE DISCIPLINES.
- REFINISH ALL EXISTING HISTORIC WOOD PANELING, MUNTINS, FRAMES, TRIM, DOORS, FRAMES, ARCHITRAVES, WHETHER THEY HAVE UNDERGONE REPAIR OR NOT, PER SPEC 099300. SEE ROOM 260 SHEETS FOR WOOD FINISH REQUIREMENTS IN ROOM 260.

**Madison Municipal  
Building Renovation**

**BPW Project #7939**  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker

**INTERIOR GLASS  
PARTITIONS**


**EXHIBIT E  
A615**









**1 LEVEL 0 WINDOW W1 (ALTERNATE #1)**  
A622 1/2" = 1'-0"




**2 LEVEL 0 WINDOW W1, W5 SECTION (ALTERNATE #1)**  
A622 1/2" = 1'-0"




**3 LEVEL 0 WINDOW W5 (ALTERNATE #1)**  
A622 1/2" = 1'-0"




**6 LEVEL 0 WINDOW W5a (ALTERNATE #1)**  
A622 1/2" = 1'-0"




**4 LEVEL 0 WINDOW W1 PLAN (ALTERNATE #1)**  
A622 1/2" = 1'-0"




**5 LEVEL 0 WINDOW W5 PLAN (ALTERNATE #1)**  
A622 1/2" = 1'-0"




**7 LEVEL 1 WINDOW W6 (ALTERNATE #1)**  
A622 1/2" = 1'-0"




**8 LEVEL 1 WINDOW W6, W7 SECTION**  
A622 1/2" = 1'-0"



**9 LEVEL 1 WINDOW W7 (ALTERNATE #1)**  
A622 1/2" = 1'-0"



**10 LEVEL 1 WINDOW W6 PLAN (ALTERNATE #1)**  
A622 1/2" = 1'-0"



**11 LEVEL 1 WINDOW W7 PLAN (ALTERNATE #1)**  
A622 1/2" = 1'-0"

- GENERAL NOTES**
- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
  - CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
  - ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
  - DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
  - REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
  - DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
  - SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
  - INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
  - THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
  - FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
  - REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
  - THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISERS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
  - ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
  - PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
  - REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**ALTERNATE #1 TO ALL W1, W5, W5a, W6, W7 WINDOWS**  
BASE BID: EXISTING 1980S ALUMINUM WINDOW AND INSULATING GLASS TO REMAIN AS IS.  
ALTERNATE: REPLACE EXISTING 1980S WINDOW WITH NEW REPLACEMENT WINDOW (WIN-1) IN EXISTING MASONRY OPENING.

\* ALL DETAILS IN SHEET A622 ARE FOR ALTERNATE #1

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984


ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK/SF CHECKED BY: SB  
DESIGNED BY: SB


**WINDOW TYPES - W1, W5, W6, W7**  
**EXHIBIT E**  
**A622**




1 LEVEL 2 WINDOW W12  
A623 12" = 1'-0"




4 LEVEL 2 WINDOW W12 - PLAN  
A623 12" = 1'-0"




6 LEVEL 2 WINDOW W14  
A623 12" = 1'-0"




9 LEVEL 2 WINDOW W14 - PLAN  
A623 12" = 1'-0"




11 LEVEL 3 WINDOW W19  
A623 12" = 1'-0"




14 LEVEL 3 WINDOW W19 - PLAN  
A623 12" = 1'-0"




2 LEVEL 2 WINDOW W12, W13 - SECTION  
A623 12" = 1'-0"




7 LEVEL 2 WINDOW W14, W18 - SECTION  
A623 12" = 1'-0"




12 LEVEL 3 WINDOW W19, W20 - SECTION  
A623 12" = 1'-0"




15 LEVEL 3 WINDOW W20 - PLAN  
A623 12" = 1'-0"




13 LEVEL 3 WINDOW W20  
A623 12" = 1'-0"




15 LEVEL 3 WINDOW W20 - PLAN  
A623 12" = 1'-0"




3 LEVEL 2 WINDOW W13  
A623 12" = 1'-0"




5 LEVEL 2 WINDOW W13 - PLAN  
A623 12" = 1'-0"




8 LEVEL 2 WINDOW W18  
A623 12" = 1'-0"



10 LEVEL 2 WINDOW W18 - PLAN  
A623 12" = 1'-0"



13 LEVEL 3 WINDOW W20  
A623 12" = 1'-0"




15 LEVEL 3 WINDOW W20 - PLAN  
A623 12" = 1'-0"




16 LEVEL 3 EXISTING HISTORIC WINDOW (ROOM 260)  
A623 12" = 1'-0"



18 LEVEL 3 EXISTING HISTORIC WINDOW (ROOM 260) - PLAN  
A623 12" = 1'-0"




16 LEVEL 3 EXISTING HISTORIC WINDOW (ROOM 260)  
A623 12" = 1'-0"




18 LEVEL 3 EXISTING HISTORIC WINDOW (ROOM 260) - PLAN  
A623 12" = 1'-0"



17 LEVEL 3 EXISTING HISTORIC WINDOW (ROOM 260) - SECTION  
A623 12" = 1'-0"




17 LEVEL 3 EXISTING HISTORIC WINDOW (ROOM 260) - SECTION  
A623 12" = 1'-0"




21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"




21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"




21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"




21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"




21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"




21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"




20 CHIMNEY GRILLE INFORMATIONAL PHOTO  
A623 12" = 1'-0"



21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"



21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"



21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"



21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"



21 CHIMNEY GRILLE ELEVATION (TYP. 1 OF 4)  
A623 3/8" = 1'-0"

GENERAL NOTES

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNUAL SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARPPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY X-RAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS, EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282

Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 W. County Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.274.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Forner Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
		03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: ES/SK/SF CHECKED BY: SB

**WINDOW TYPES - W12, 13, 14, 15, 18, 19, 20**


**EXHIBIT E A623**




**1 LEVEL 1 WINDOWS W8 - HISTORIC F25, F26, F36**  
A624 1/2" = 1'-0"




**2 LEVEL 1 WINDOW W9 - HISTORIC F27**  
A624 1/2" = 1'-0"




**3 LEVEL 1 WINDOW W8 & W9 SECTION**  
A624 1/2" = 1'-0"




**4 LEVEL 0 WINDOW W3 - HISTORIC B23, B24**  
A624 1/2" = 1'-0"




**5 LEVEL 0 WINDOW W4 - B25**  
A624 1/2" = 1'-0"




**6 LEVEL 0 WINDOW W3 & W4 SECTION**  
A624 1/2" = 1'-0"




**16 TYPICAL DETAIL AT VERTICAL MULLION**  
A624 3" = 1'-0"



**7 LEVEL 0-1 WINDOW W3 & W8 PLAN**  
A624 1/2" = 1'-0"




**8 LEVEL 0-1 WINDOW W4 & W9 PLAN**  
A624 1/2" = 1'-0"




**15 TYPICAL DETAIL AT SIMULATED MUTIN**  
A624 3" = 1'-0"


**13 W3, 4, 8, 9 INTERMEDIATE DETAIL AT AWNING OPENING**  
A624 3" = 1'-0"




**9 W3,4,8,9 JAMB**  
A624 3" = 1'-0"



**10 W3,4,8,9 HEAD**  
A624 3" = 1'-0"



**11 W8,9 HEAD AT SIMULATED VENT SASH**  
A624 3" = 1'-0"



**14 W3,4,8,9 SILL**  
A624 3" = 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNUAL SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 0821.10 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design [www.msrdesign.com](http://www.msrdesign.com)

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55203  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pl  
Madison, WI 53705  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**

**BPW Project #7939**  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703


I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.

**WISCONSIN ARCHITECT**  
DANIEL JACK POLING  
A-8984  
MINNEAPOLIS, MN


Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES CHECKED BY Checker  
WINDOW TYPES AND DETAILS - W3, W4, W8, W9  
EXHIBIT E  
**A624**




**2 ANNEX - EAST GLAZING LEVEL 1**  
A625 1/2" = 1'-0"



**1 ANNEX - EAST ENTRY GLAZING**  
A625 1/2" = 1'-0"



**3 ANNEX - WEST GLAZING LEVEL 1**  
A625 1/2" = 1'-0"



**4 ANNEX - WEST ENTRY GLAZING**  
A625 1/2" = 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY PARTITION, U.N.O.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF GRID, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATINGS. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC. IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RIBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design [www.msrdesign.com](http://www.msrdesign.com)

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK.	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker  
© 2017 KJWW Engineering, Technology, AV

**WINDOW TYPES AND DETAILS**


**EXHIBIT E**  
**A625**



**1 LEVEL 3 W16 - HEAD DETAIL**  
A651 3" = 1'-0"




**2 LEVEL 3 W16 - SILL DETAIL**  
A651 3" = 1'-0"



**3 LEVEL 3 W16 - MULLION DETAIL**  
A651 3" = 1'-0"

**4 LEVEL 3 W16 - JAMB DETAIL**  
A651 3" = 1'-0"





**5 LEVEL 2 W10 - HEAD DETAIL**  
A651 3" = 1'-0"


**8 LEVEL 2 W10 - SILL DETAIL**  
A651 3" = 1'-0"

**10 LEVEL 2 W10 - MULLION DETAIL**  
A651 3" = 1'-0"


**11 LEVEL 2 W10 - JAMB DETAIL**  
A651 3" = 1'-0"



**6 LEVEL 2 W10 - ARCH TRANSOM DETAIL**  
A651 3" = 1'-0"




**7 LEVEL 2 W10 - TRANSOM DETAIL**  
A651 3" = 1'-0"




**8 LEVEL 2 W10 - SILL DETAIL**  
A651 3" = 1'-0"

**10 LEVEL 2 W10 - MULLION DETAIL**  
A651 3" = 1'-0"


**11 LEVEL 2 W10 - JAMB DETAIL**  
A651 3" = 1'-0"



**9 LEVEL 2 W10 - TRANSOM JAMB ANCHORAGE DETAIL**  
A651 3" = 1'-0"



**10 LEVEL 2 W10 - MULLION DETAIL**  
A651 3" = 1'-0"



**11 LEVEL 2 W10 - JAMB DETAIL**  
A651 3" = 1'-0"

**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 092110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION/EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL. COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHARED POINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RIBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG COND. ADJACENT.

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
	03.24.2017	BID ISSUE

PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	Author
CHECKED BY	Checker

**WINDOW DETAILS**  
IAW-10, IAW-16

**EXHIBIT E**  
**A651**

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

**WINDOW DETAILS  
IAW-11, IAW-17**


**EXHIBIT E  
A652**

**GENERAL NOTES**


- THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
- CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
- EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
- ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF GRID, U.N.O.
- DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
- REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
- DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
- SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
- INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
- THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING, DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
- FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
- REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
- THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS, TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED. EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
- ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
- PROVIDE FIRE RETARDANT TREATED WOOD BLOCKINGS AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
- REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.




**1 W17 HEAD**  
A652 3'-1'-0"




**2 LEVEL 2 - W11 - HEAD, W17-SILL DETAIL**  
A652 3'-1'-0"




**4 LEVEL 2 - W11, W17 - TYP. JAMB DETAIL**  
A652 3'-1'-0"



**5 LEVEL 2 - W11 - MULLION DETAIL**  
A652 3'-1'-0"




**3 LEVEL 2 - W11 - SILL DETAIL**  
A652 3'-1'-0"




**6 W17 MULLION**  
A652 3'-1'-0"


2/20/2017 10:28:28 AM - C:\pwork\A652\A652.dwg




**1 LEVEL 0 W1, W5 - TYP. JAMB DETAIL (ALTERNATE #1)**  
A653 3" = 1'-0"




**2 LEVEL 0 W5 CENTER JAMB DETAIL (ALTERNATE #1)**  
A653 3" = 1'-0"



**3 LEVEL 0 W1, W5 - HEAD DETAIL (ALTERNATE #1)**  
A653 3" = 1'-0"



**4 LEVEL 0 W1, W5 - INTERMEDIATE (ALTERNATE #1)**  
A653 3" = 1'-0"




**5 LEVEL 0 W1, W5 - SILL DETAIL (ALTERNATE #1)**  
A653 3" = 1'-0"


**GENERAL NOTES**

1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.C.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.C.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNUAL SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED, EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.C.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.


**ALTERNATE #1 TO ALL W1, W5, W6, W7 WINDOWS**  
**BASE BID:** EXISTING 1985S ALUMINUM WINDOW AND INSULATING GLASS TO REMAIN AS IS.  
**ALTERNATE:** REPLACE EXISTING 1985S WINDOW WITH NEW REPLACEMENT WINDOW (WIN-6) IN EXISTING MASONRY OPENING.  
**\* ALL DETAILS IN SHEET A653 ARE FOR ALTERNATE #1**




**6 W6, W7 HEAD (ALTERNATE #1)**  
A653 3" = 1'-0"




**7 W6, W7 TRANSOM (ALTERNATE #1)**  
A653 3" = 1'-0"



**8 W6, W7 HORIZ. INTERMEDIATE RAIL (ALTERNATE #1)**  
A653 3" = 1'-0"



**9 W6, W7 SILL (ALTERNATE #1)**  
A653 3" = 1'-0"




**10 W6, W7 HORIZ. INTERMEDIATE RAIL (ALTERNATE #1)**  
A653 3" = 1'-0"



**11 W7 MULLION (ALTERNATE #1)**  
A653 3" = 1'-0"



**12 W6 MULLION (ALTERNATE #1)**  
A653 3" = 1'-0"



**13 W6, W7 JAMB (ALTERNATE #1)**  
A653 3" = 1'-0"

**Madison Municipal Building Renovation**  
**BPW Project #7939**  
**215 Martin Luther King, Jr. Blvd**  
**Madison, WI 53703**

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE DATE DESCRIPTION  
MARK 03.24.2017 BID ISSUE

PROJECT NO. 2014057

PROJECT PHASE BID ISSUE

DRAWN BY: ES CHECKED BY: Checker

**WINDOW DETAILS**  
**W1,5, W6-7**

**EXHIBIT E**

**A653**

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984

DATE	DESCRIPTION
03.24.2017	BID ISSUE


PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY: ES, SB CHECKED BY: SB, CITY

**WINDOW DETAILS**  
 W12-14,18-20, W15


**EXHIBIT E**  
**A654**

**GENERAL NOTES**


1. THE CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
2. CONTRACTOR TO VERIFY ALL EXISTING SITE AND BUILDING CONDITIONS AND EXISTING OPENING SIZES. DISCREPANCIES BETWEEN EXISTING AND NEW CONDITIONS (SETTING OUT OF WALLS, ETC.) SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
3. EXISTING, HISTORIC WINDOWS TO REMAIN TO BE REHABILITATED BY OTHERS SHALL BE PROTECTED DURING CONSTRUCTION.
4. ALL PARTITION SETTING OUT DIMENSIONS ARE TO CENTERLINE OF PARTITION, U.N.O.
5. DIMENSIONS TO FACE OF WALL ARE TIED TO CENTERLINE OF STRUCTURAL GRID, U.N.O.
6. REFER TO G-SERIES CODE PLAN DRAWINGS FOR FIRE RATED WALL LOCATIONS. ROOMS WITH RATED WALLS REQUIRE RATED DOORS AND ANY DUCTS PASSING THROUGH REQUIRE FIRE RATED WALLS OR FLOORS REQUIRE UL RATED FIRE DAMPERS WITH CODE REQUIRED RATING. ANY CONDUIT AND/OR PIPING PENETRATIONS THROUGH FIRE WALLS OR FLOORS REQUIRE UL RATED FIRE RATED SEALANT TO COMPLETELY SEAL ANNULAR SPACE AROUND PENETRATIONS.
7. DOORS WITH DOOR NUMBER PREFIX "E" ARE HISTORIC, IN VERY GOOD CONDITION, AND ARE TO REMAIN IN PLACE OR BE RELOCATED. RECONDITION EXISTING DOORS AND FRAMES - SEE FLOOR PLANS AND SCHEDULE FOR SPECIFIC DETAILS ON RELOCATION, WHERE APPLICABLE, AND SPECIFICATION 082110 FOR HISTORIC DOOR REHABILITATION.
8. SEE STRUCTURAL DRAWINGS FOR LAYOUT AND DIMENSIONING OF STRUCTURAL GRIDS AND ELEMENTS. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER AND ARCHITECT.
9. INSTALL SEALANT AT EXTERIOR SIDE OF ALL JOINTS, SEAMS, CONNECTIONS OR OPENINGS WHICH COULD ALLOW WATER OR AIR INFILTRATION / EXFILTRATION, EXCEPT AS NOTED OTHERWISE. SEALANT COLOR TO MATCH ADJACENT, VISIBLE MATERIAL COLOR AND REQUIRES OWNER AND ARCHITECT APPROVAL.
10. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND MAINTAINING A WEATHER TIGHT BUILDING. DETAILS AND OMISSIONS ON DRAWINGS, NOTWITHSTANDING ALL DRAWING CONFLICTS OR APPARENT CONFLICTS, WHICH MAY NOT ALLOW A WEATHER TIGHT CONDITION, SHALL BE BROUGHT TO THE ATTENTION OF OWNER AND ARCHITECT PRIOR TO COMMENCING WORK IN THAT AREA.
11. FOR MORE INFORMATION ON HISTORIC DETAIL REFERENCES, REFER TO CITY OF MADISON SHAREPOINT WEBSITE FOR ACCESS TO ORIGINAL SHOP DRAWINGS OF HISTORIC STONE, WINDOW AND CAST IRON PROFILES.
12. REFER TO SPECIFICATIONS FOR ALL MATERIAL CODES / CALLOUTS AND FOR MORE DETAILED SPECIFICATION REQUIREMENTS RELATED TO ALL COMPONENTS AND FINISHES.
13. THE LOCATION OF ALL FLOOR PENETRATIONS, INCLUDING LOCATIONS OF FLOOR BOX CORE DRILLS, ARE TO BE VERIFIED IN THE FIELD BY XRAYING EXISTING FLOOR STRUCTURAL CONDITIONS. TO ENSURE EXISTING CONCRETE JOISTS ARE NOT PENETRATED, EXISTING CLAY TILES BETWEEN CONCRETE JOISTS ARE "SOFT SPOTS" FOR PENETRATIONS. EXCEPTIONS ARE THOSE LOCATIONS WHERE EXISTING CONCRETE RISBS NEED TO BE CUT AND NEW STRUCTURAL SUPPORT FRAMING IS PROVIDED, PER THE STRUCTURAL DRAWINGS.
14. ALL NEW EXTERIOR STEEL TO BE PAINTED PT-7G, U.N.O.
15. PROVIDE FIRE RETARDANT TREATED WOOD BLOCKING AT ALL GYP WALLS FOR ANCHORING FLAT PANEL MONITORS, MARKERBOARDS, DISPLAY CASES, ART WORK AND HANGING SYSTEMS, TACKBOARD, AND ANY OTHER MECHANICAL, ELECTRICAL, PLUMBING, TECHNOLOGY AND AUDIO-VISUAL EQUIPMENT INDICATED ON FLOOR PLANS AND/OR INTERIOR ELEVATIONS FOR ALL DISCIPLINES.
16. REPAIR WALL ZONES THAT WILL BE LEFT EXPOSED, AND FLOOR SURFACES THAT WILL BE EXPOSED TO VIEW WHERE XTG WALLS REMOVED TO MATCH XTG COND. ADJACENT.




**1 LEVEL 2-3 W12-W15, W18-W20 - HEAD DETAIL**  
 A654 3" = 1'-0"




**2 LEVEL 2 W12, W13 TRANSOM**  
 A654 3" = 1'-0"



**3 LEVEL 2 W12, W13, W14, W18, W19, W20 INTERMEDIATE RAIL**  
 A654 3" = 1'-0"




**4 LEVEL 2-3 W12-W15, W18-W20 - SILL DETAIL**  
 A654 3" = 1'-0"





**9 VERTICAL WINDOW MULLION**  
 A654 3" = 1'-0"


**7 LEVEL 2-3 W12-W15, W18-W20 - JAMB DETAIL**  
 A654 3" = 1'-0"



**8 W15 JAMB**  
 A654 3" = 1'-0"



**5 W15 HEAD**  
 A654 3" = 1'-0"




**6 W15 SILL**  
 A654 3" = 1'-0"

**FINISH PLAN GENERAL NOTES**

- HISTORIC FLOOR FINISHES ARE EXISTING AND REQUIRE CLEANING AND RESTORATION AS INDICATED IN THE CONTRACT DOCUMENTS. SEE SHEET G-002 FOR DEFINITIONS.
- EXACT SCOPE OF RESTORATION AT LEVEL 1 PUBLIC AREA WILL BE DETERMINED ON REMOVAL OF EXISTING FINISHES AND PARTITIONS. ASSUME 1,200 SF OF LEVEL 1 HISTORIC FLOOR AREA REQUIRES NEW TILE. AND 20% REQUIRES RESTORATION/REFURBISHMENT PER SPEC 093016. AT LEVELS 2 AND 3, ZONES NEEDING REHABILITATION PER SPEC 044550 ARE INDICATED ON A702 AND A703. ALL EXISTING AND NEW FLOOR TILE NEEDS CLEANING PER THEIR RESPECTIVE SPEC SECTIONS.
- RESTROOM FLOOR FINISHES TO BE NEW PORCELAIN TILE, UNLESS INDICATED AS HISTORIC FINISHES (LEVELS 2 AND 3).
- MECHANICAL ROOMS TO BE FINISHED PER PLANS AND SPECIFICATIONS.
- STORAGE ROOMS NOT ASSOCIATED WITH OFFICE AREAS TO BE SEALED CONCRETE, U.N.O.
- PROVIDE FOR TRANSITION STRIPS AT ALL FLOOR FINISH CHANGES. WHERE THESE OCCUR AT DOORWAYS THEY ARE TO BE CENTERED ON THE DOOR LEAF.
- EXISTING STAIR TREADS FROM GROUND FLOOR TO FIRST FLOOR TO HAVE EXISTING RUBBER FINISHES REMOVED (PER DEMO DRAWINGS) AND CLEANED AND REFINISHED AS POLISHED CONCRETE, CFF-1. EXISTING STAIR TREAD FINISHES FROM LEVELS 1 TO 3 ARE HISTORIC, AND ARE TO BE PROTECTED DURING CONSTRUCTION. THEY NEED TO BE REPAIRED AND CLEANED PER THE MARBLE REHABILITATION SPEC 044550.
- PROVIDE FOR FLOOR MATS AT MLK AND NORTH ENTRY VESTIBULES, FOR FULL VESTIBULE SIZE - TREAD RAILS MUST RUN PERPENDICULAR TO TRAFFIC DIRECTION.
- SEE PROJECT MANUAL SPECIFICATION FOR KEY TO FINISH CODES. PROVIDE SUBMITTALS, SHOP DRAWINGS AND/OR MOCK-UPS AS OUTLINED IN EACH SPEC SECTION.
- COORDINATE EXTENT OF FLOOR AND WALL FINISHES WITH MILLWORK DRAWINGS.
- SEE SHEETS A151, A152, A153, A154 FOR TOILET ROOM PLANS AND ELEVATIONS SHOWING WALL TILE PATTERNS & PAINT LOCATIONS ABOVE. ALIGN FACE OF ALL TILE FINISHES. TRIM AT TILE CORNERS AND BASES.
- EXPOSED FLOOR DECK, M.E.P. AND F.P. TO BE PAINTED PER A120-SERIES R.C.P.s.
- GLASS PARTITION SYSTEMS HAVE NO ADDED WALL BASE.
- REMEDIATION ZONES OF EXISTING, HISTORIC TILE AT LEVELS 2 AND 3 INDICATED THUS: 

15. LEVEL 1 HISTORIC REHABILITATION ZONE: NEW FLOOR TILES TO MATCH COLOR RANGE OF EXISTING FLOOR TILES INDICATED IN TONES AREA THUS: 

16. INTERIOR FACE OF EXISTING HISTORIC WINDOWS IN 2ND AND 3RD FLOOR SHALL BE PAINTED WITH PT-12A BY G.C. U.N.O.



**1** GROUND LEVEL FINISH PLAN  
A700 1/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denning Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL





Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
		03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY ES/SK/SF CHECKED BY MSR / CITY

**GROUND LEVEL FINISH PLAN**  
**EXHIBIT E**  
**A700**

**1 LEVEL ONE FINISH PLAN**  
A701 1/8" = 1'-0"



**2 PLAN OF TYP. "MEDALLION"**  
A701 1/8" = 1'-0"

**FINISH PLAN GENERAL NOTES**

- HISTORIC FLOOR FINISHES ARE EXISTING AND REQUIRE CLEANING AND RESTORATION AS INDICATED IN THE CONTRACT DOCUMENTS. SEE SHEET G-002 FOR DEFINITIONS.
- EXACT SCOPE OF RESTORATION AT LEVEL 1 PUBLIC AREA WILL BE DETERMINED ON REMOVAL OF EXISTING FINISHES AND PARTITIONS. ASSUME 1,200 SF OF LEVEL 1 HISTORIC FLOOR AREA REQUIRES NEW TILE. AND 20% REQUIRES RESTORATION/REFURBISHMENT PER SPEC 093016. AT LEVELS 2 AND 3, ZONES NEEDING REHABILITATION PER SPEC 044550 ARE INDICATED ON A702 AND A703. ALL EXISTING AND NEW FLOOR TILE NEEDS CLEANING PER THEIR RESPECTIVE SPEC. SECTIONS.
- RESTROOM FLOOR FINISHES TO BE NEW PORCELAIN TILE, UNLESS INDICATED AS HISTORIC FINISHES (LEVELS 2 AND 3).
- MECHANICAL ROOMS TO BE FINISHED PER PLANS AND SPECIFICATIONS.
- STORAGE ROOMS NOT ASSOCIATED WITH OFFICE AREAS TO BE SEALED CONCRETE, U.N.O.
- PROVIDE FOR TRANSITION STRIPS AT ALL FLOOR FINISH CHANGES. WHERE THESE OCCUR AT DOORWAYS THEY ARE TO BE CENTERED ON THE DOOR LEAF.
- EXISTING STAIR TREADS FROM GROUND FLOOR TO FIRST FLOOR TO HAVE EXISTING RUBBER FINISHES REMOVED (PER DEMO DRAWINGS) AND CLEANED AND REFINISHED AS POLISHED CONCRETE. CFF-1. EXISTING STAIR TREAD FINISHES FROM LEVELS 1 TO 2 ARE HISTORIC, AND ARE TO BE PROTECTED DURING CONSTRUCTION. THEY NEED TO BE REPAIRED AND CLEANED PER THE MARBLE REHABILITATION SPEC 044550.
- PROVIDE FOR FLOOR MATS AT MLK AND NORTH ENTRY VESTIBULES, FOR FULL VESTIBULE SIZE - TREAD RAILS MUST RUN PERPENDICULAR TO TRAFFIC DIRECTION.
- SEE PROJECT MANUAL SPECIFICATION FOR KEY TO FINISH CODES. PROVIDE SUBMITTALS, SHOP DRAWINGS AND/OR MOCK-UPS AS OUTLINED IN EACH SPEC SECTION.
- COORDINATE EXTENT OF FLOOR AND WALL FINISHES WITH MILLWORK DRAWINGS.
- SEE SHEETS A151, A152, A153, A154 FOR TOILET ROOM PLANS AND ELEVATIONS SHOWING WALL TILE PATTERNS & PAINT LOCATIONS ABOVE. ALIGN FACE OF ALL TILE FINISHES. TRIM AT TILE CORNERS AND BASES.
- EXPOSED FLOOR DECK, M.E.P. AND F.P. TO BE PAINTED PER A120-SERIES R.C.P.s.
- GLASS PARTITION SYSTEMS HAVE NO ADDED WALL BASE.
- REMEDIATION ZONES OF EXISTING, HISTORIC TILE AT LEVELS 2 AND 3 INDICATED THUS:
- LEVEL 1 HISTORIC REHABILITATION ZONE: NEW FLOOR TILES TO MATCH COLOR RANGE OF EXISTING FLOOR TILES INDICATED IN TONES AREA THUS:
- INTERIOR FACE OF EXISTING HISTORIC WINDOWS IN 2ND AND 3RD FLOOR SHALL BE PAINTED WITH PT-12A BY G.C. U.N.O.

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Genian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53560  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF/SF/DK CHECKED BY MSR / CITY

**LEVEL ONE FINISH PLAN**


**EXHIBIT E**  
**A701**

**FINISH PLAN GENERAL NOTES**

- HISTORIC FLOOR FINISHES ARE EXISTING AND REQUIRE CLEANING AND RESTORATION AS INDICATED IN THE CONTRACT DOCUMENTS. SEE SHEET G-002 FOR DEFINITIONS.
- EXACT SCOPE OF RESTORATION AT LEVEL 1 PUBLIC AREA WILL BE DETERMINED ON REMOVAL OF EXISTING FINISHES AND PARTITIONS. ASSUME 1,200 SF OF LEVEL 1 HISTORIC FLOOR AREA REQUIRES NEW TILE. AND 20% REQUIRES RESTORATION/REFURBISHMENT PER SPEC 04.03016 AT LEVELS 2 AND 3. ZONES NEEDING REHABILITATION PER SPEC 04.0550 ARE INDICATED ON A702 AND A703. ALL EXISTING AND NEW FLOOR TILE NEEDS CLEANING PER THEIR RESPECTIVE SPEC SECTIONS.
- RESTROOM FLOOR FINISHES TO BE NEW PORCELAIN TILE, UNLESS INDICATED AS HISTORIC FINISHES (LEVELS 2 AND 3).
- MECHANICAL ROOMS TO BE FINISHED PER PLANS AND SPECIFICATIONS.
- STORAGE ROOMS NOT ASSOCIATED WITH OFFICE AREAS TO BE SEALED CONCRETE, U.N.O.
- PROVIDE FOR TRANSITION STRIPS AT ALL FLOOR FINISH CHANGES. WHERE THESE OCCUR AT DOORWAYS THEY ARE TO BE CENTERED ON THE DOOR LEAF.
- EXISTING STAIR TREADS FROM GROUND FLOOR TO FIRST FLOOR TO HAVE EXISTING RUBBER FINISHES REMOVED (PER DEMO DRAWINGS) AND CLEANED AND REFINISHED AS POLISHED CONCRETE. CFF-1. EXISTING STAIR TREAD FINISHES FROM LEVELS 1 TO 3 ARE HISTORIC, AND ARE TO BE PROTECTED DURING CONSTRUCTION. THEY NEED TO BE REPAIRED AND CLEANED PER THE MARBLE REHABILITATION SPEC 04.4550.
- PROVIDE FOR FLOOR MATS AT MLK AND NORTH ENTRY VESTIBULES. FOR FULL VESTIBULE SIZE - TREAD RAILS MUST RUN PERPENDICULAR TO TRAFFIC DIRECTION.
- SEE PROJECT MANUAL SPECIFICATION FOR KEY TO FINISH CODES. PROVIDE SUBMITTALS, SHOP DRAWINGS AND/OR MOCK-UPS AS OUTLINED IN EACH SPEC SECTION.
- COORDINATE EXTENT OF FLOOR AND WALL FINISHES WITH MILLWORK DRAWINGS.
- SEE SHEETS A151, A152, A153, A154 FOR TOILET ROOM PLANS AND ELEVATIONS SHOWING WALL TILE PATTERNS & PAINT LOCATIONS ABOVE. ALIGN FACE OF ALL TILE FINISHES. TRIM AT TILE CORNERS AND BASES.
- EXPOSED FLOOR DECK, M.E.P. AND F.P. TO BE PAINTED PER A120-SERIES R.C.P.s.
- GLASS PARTITION SYSTEMS HAVE NO ADDED WALL BASE.
- REMEDIATION ZONES OF EXISTING, HISTORIC TILE AT LEVELS 2 AND 3 INDICATED THUS: 

15. LEVEL 1 HISTORIC REHABILITATION ZONE: NEW FLOOR TILES TO MATCH COLOR RANGE OF EXISTING FLOOR TILES INDICATED IN TONES AREA THUS: 

16. INTERIOR FACE OF EXISTING HISTORIC WINDOWS IN 2ND AND 3RD FLOOR SHALL BE PAINTED WITH PT-12A BY G.C. U.N.O.



**LEVEL TWO FINISH PLAN**  
A702 1/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wroughton Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Forner Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling License No.: A-8984  
Date: 10.07.2016


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF/SF/DK CHECKED BY MSR / CITY

**LEVEL TWO FINISH PLAN**  
**EXHIBIT E**  
**A702**

**FINISH PLAN GENERAL NOTES**

- HISTORIC FLOOR FINISHES ARE EXISTING AND REQUIRE CLEANING AND RESTORATION AS INDICATED IN THE CONTRACT DOCUMENTS. SEE SHEET G-002 FOR DEFINITIONS.
- EXACT SCOPE OF RESTORATION AT LEVEL 1 PUBLIC AREA WILL BE DETERMINED ON REMOVAL OF EXISTING FINISHES AND PARTITIONS. ASSUME 1,200 SF OF LEVEL 1 HISTORIC FLOOR AREA REQUIRES NEW TILE, AND 20% REQUIRES RESTORATION/REFURBISHMENT PER SPEC 044550. AT LEVELS 2 AND 3, ZONES NEEDING RESTORATION/REFURBISHMENT PER SPEC 044550 ARE INDICATED ON A702 AND A703. ALL EXISTING AND NEW FLOOR TILE NEEDS CLEANING PER THEIR RESPECTIVE SPEC SECTIONS.
- RESTROOM FLOOR FINISHES TO BE NEW PORCELAIN TILE, UNLESS INDICATED AS HISTORIC FINISHES (LEVELS 2 AND 3).
- MECHANICAL ROOMS TO BE FINISHED PER PLANS AND SPECIFICATIONS.
- STORAGE ROOMS NOT ASSOCIATED WITH OFFICE AREAS TO BE SEALED CONCRETE, U.N.O.
- PROVIDE FOR TRANSITION STRIPS AT ALL FLOOR FINISH CHANGES, WHERE THESE OCCUR AT DOORWAYS THEY ARE TO BE CENTERED ON THE DOOR LEAF.
- EXISTING STAIR TREADS FROM GROUND FLOOR TO FIRST FLOOR TO HAVE EXISTING RUBBER FINISHES REMOVED (PER DEMO DRAWINGS) AND CLEANED AND REFINISHED AS POLISHED CONCRETE. CPT-1, EXISTING STAIR TREAD FINISHES FROM LEVELS 1 TO 3 ARE HISTORIC, AND ARE TO BE PROTECTED DURING CONSTRUCTION, THEY NEED TO BE REPAIRED AND CLEANED PER THE MARBLE REHABILITATION SPEC 044550.
- PROVIDE FOR FLOOR MATS AT MLK AND NORTH ENTRY VESTIBULES, FOR FULL VESTIBULE SIZE - TREAD RAILS MUST RUN PERPENDICULAR TO TRAFFIC DIRECTION.
- SEE PROJECT MANUAL SPECIFICATION FOR KEY TO FINISH CODES. PROVIDE SUBMITTALS, SHOP DRAWINGS AND/OR MOCK-UPS AS OUTLINED IN EACH SPEC SECTION.
- COORDINATE EXTENT OF FLOOR AND WALL FINISHES WITH MILLWORK DRAWINGS.
- SEE SHEETS A151, A152, A153, A154 FOR TOILET ROOM PLANS AND ELEVATIONS SHOWING WALL TILE PATTERNS & PAINT LOCATIONS ABOVE. ALIGN FACE OF ALL TILE FINISHES. TRIM AT TILE CORNERS AND BASES.
- EXPOSED FLOOR DECK, M.E.P. AND F.P. TO BE PAINTED PER A120-SERIES R.C.P.s.
- GLASS PARTITION SYSTEMS HAVE NO ADDED WALL BASE.
- REMEDIATION ZONES OF EXISTING, HISTORIC TILE AT LEVELS 2 AND 3 INDICATED THUS: 
- LEVEL 1 HISTORIC REHABILITATION ZONE: NEW FLOOR TILES TO MATCH COLOR RANGE OF EXISTING FLOOR TILES INDICATED IN TONES AREA THUS: 
- INTERIOR FACE OF EXISTING HISTORIC WINDOWS IN 2ND AND 3RD FLOOR SHALL BE PAINTED WITH PT-12A BY G.C. U.N.O.



**1 LEVEL THREE FINISH PLAN**  
A703 1/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, MN 55923  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wilcoyby Rd  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF/SF/DK CHECKED BY MSR / CITY

**LEVEL THREE FINISH PLAN**

**EXHIBIT E  
A703**



1 GROUND LEVEL  
A800 1/8" = 1'-0"

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pk  
Madison, WI 53705  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF CHECKED BY SB  
Checked by: SB

**MILLWORK PLANS - GROUND LEVEL**

**EXHIBIT E**  
**A800**



**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY	GF
CHECKED BY	SB

**MILLWORK PLANS - LEVEL 1**


**EXHIBIT E  
 A801**



**1 LEVEL ONE**  
 A801 1/8" = 1'-0"



20201711.02.01 Rev. 01  
 © 2017 Ken Saiki Design, Inc. All Rights Reserved.



**1** LEVEL TWO  
A802 1/8" = 1'-0"

**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pk  
Madison, WI 53760  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL




Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF CHECKED BY SB  
© 2017 Ken Saiki Design, Inc. All Rights Reserved.


**MILLWORK PLANS - LEVEL 2**

**EXHIBIT E**  
**A802**





**1 LEVEL THREE**  
A803 1/8" = 1'-0"



**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
302 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Pk  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourrier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL










Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1	GF	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: GF CHECKED BY: SB  
© 2017 MSR Design, Inc. All Rights Reserved.

















**MILLWORK PLANS - LEVEL 3**

**EXHIBIT E**  
**A803**



**GENERAL NOTES - MILLWORK**

1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN MILLWORK PLANS AND ELEVATIONS AND FIELD CONDITIONS.
2. ALL LOOSE FURNITURE, DESKTOP COMPUTERS AND SCREEN, PAPER COPIERS AND KITCHEN / LAUNDRY EQUIPMENT INDICATED ON MILLWORK DRAWINGS WILL BE OWNER FURNISHED EQUIPMENT INSTALLED.
3. REFER TO SPECIFICATIONS FOR ALL MATERIAL TAGS AND OTHER REQUIREMENTS.
4. MILLWORK FITTING BETWEEN EXISTING OR NEW WALL OPENINGS AND/OR NICHES ARE TO BE SIZED BASED ON FIELD-VERIFIED DIMENSIONS ONCE THOSE OPENINGS ARE COMPLETED.



**MSR** 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Peterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Denney Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chaska, WI 55203  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wauquoby Pk  
Madison, WI 53706  
608.443.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnesota Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fournier Drive, Suite 201  
Madison  
WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL

**DANIEL JACK POLING**  
A-8984  
MINNEAPOLIS, MN  
ARCHITECT


Signature: *[Signature]*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
1		03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF CHECKED BY SB  
PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF CHECKED BY SB


**MILLWORK PLANS AND DETAILS**

**EXHIBIT E**  
**A804**




1 MW14 PLAN @ SERVICE COUNTER TRAFFIC ENGINEERING / PARKING UTILITY

AB05 3/8" = 1'-0"




2 MW14 @ TRAFFIC ENGINEERING / PARKING UTILITY SERVICE ELEV

AB05 3/8" = 1'-0"




3 MW14 @ SIDE ELEV TEPU

AB05 3/8" = 1'-0"




4 MW14 @ PUBLIC ELEV TRAFFIC ENGINEERING / PARKING UTILITY

AB05 3/8" = 1'-0"




5 MW15 PLAN @ WC SINK

AB05 3/8" = 1'-0"




6 MW15 @ SINK COUNTER ELEV

AB05 3/8" = 1'-0"




7 MW16 PLAN @ SERVICE COUNTER HOD

AB05 3/8" = 1'-0"




8 MW16 @ PUBLIC ELEV HOD

AB05 3/8" = 1'-0"




9 MW16 @ SERVICE ELEV HOD

AB05 3/8" = 1'-0"




10 MW17 PLAN @ CONTROL ROOM COUNTER TEPU

AB05 3/8" = 1'-0"




11 MW17 @ FRONT ELEV TEPU

AB05 3/8" = 1'-0"




12 MW18 PLAN @ BREAKROOM COUNTER LEVEL 1

AB05 3/8" = 1'-0"




13 MW18 @ NORTH ELEV TEPU

AB05 3/8" = 1'-0"




14 MW19 PLAN @ WC SINK

AB05 3/8" = 1'-0"




15 MW19 @ SINK COUNTER ELEV

AB05 3/8" = 1'-0"




16 MW20 & 21 PLAN @ WC SINK

AB05 3/8" = 1'-0"




17 MW20 & 21 @ SINK COUNTER ELEV

AB05 3/8" = 1'-0"



18 MW22 PLAN LEVEL 1

AB05 3/8" = 1'-0"



19 MW22 ELEV LEVEL 1

AB05 3/8" = 1'-0"

GENERAL NOTES - MILLWORK

1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN MILLWORK PLANS AND ELEVATIONS AND FIELD CONDITIONS.
2. ALL LOOSE FURNITURE, DESKTOP COMPUTERS AND SCREEN, PAPER COPIERS AND KITCHEN / LAUNDRY EQUIPMENT INDICATED ON MILLWORK DRAWINGS WILL BE OWNER FURNISHED OWNER INSTALLED.
3. REFER TO SPECIFICATIONS FOR ALL MATERIAL TAGS AND OTHER REQUIREMENTS.
4. MILLWORK FITTING BETWEEN EXISTING OR NEW WALL OPENINGS AND/OR NICHES ARE TO BE SIZED BASED ON FIELD-VERIFIED DIMENSIONS ONCE THOSE OPENINGS ARE COMPLETED.

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.



Signature: *Jack Poling*  
Print Names: Jack Poling  
Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	GF
CHECKED BY:	SB

**MILLWORK PLANS AND DETAILS**

EXHIBIT E  
**A805**

**GENERAL NOTES - MILLWORK**

1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN MILLWORK PLANS AND ELEVATIONS AND FIELD CONDITIONS.
2. ALL LOOSE FURNITURE, DESKTOP COMPUTERS AND SCREEN, PAPER COPIERS AND KITCHEN/LAUNDRY EQUIPMENT INDICATED ON MILLWORK DRAWINGS WILL BE OWNER FURNISHED OWNER INSTALLED.
3. REFER TO SPECIFICATIONS FOR ALL MATERIAL TAGS AND OTHER REQUIREMENTS.
4. MILLWORK FITTING BETWEEN EXISTING OR NEW WALL OPENINGS AND/OR NICHS ARE TO BE SIZED BASED ON FIELD-VERIFIED DIMENSIONS ONCE THOSE OPENINGS ARE COMPLETED.



2 MW23 PLAN @ OPEN OFFICE TEPU  
A806 3/8" = 1'-0"

3 MW23 @ NORTH ELEV TEPU  
A806 3/8" = 1'-0"

4 MW23 @ EAST ELEV TEPU  
A806 3/8" = 1'-0"

5 MW23 @ SOUTH ELEV TEPU  
A806 3/8" = 1'-0"

6 MW27 @ WEST KITCHEN ELEV LEVEL 2  
A806 3/8" = 1'-0"

7 MW27 @ NORTH KITCHEN ELEV LEVEL 2  
A806 3/8" = 1'-0"

8 MW27 @ EAST KITCHEN ELEV LEVEL 2  
A806 3/8" = 1'-0"

9 MW24 & 25 PLAN @ WC  
A806 3/8" = 1'-0"

10 MW24 & 25 @ WC SINK COUNTER ELEV  
A806 3/8" = 1'-0"

11 MW26 PLAN @ WC SINK  
A806 3/8" = 1'-0"

12 MW26 @ WC SINK COUNTER ELEV  
A806 3/8" = 1'-0"

13 MW28 PLAN @ KITCHENETTE LEVEL 2  
A806 3/8" = 1'-0"

14 MW28 @ KITCHENETTE ELEV LEVEL 2  
A806 3/8" = 1'-0"

15 MW29 PLAN @ RECEPTION COUNTER  
A806 3/8" = 1'-0"

16 MW29 @ PUBLIC ELEV HR  
A806 3/8" = 1'-0"

17 MW31 PLAN @ KITCHENETTE LEVEL 3  
A806 3/8" = 1'-0"

18 MW31 @ KITCHENETTE ELEV LEVEL 3  
A806 3/8" = 1'-0"

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: Author CHECKED BY: Checker

**MILLWORK PLANS AND DETAILS**

EXHIBIT E  
**A806**

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO.	2014057
PROJECT PHASE	BID ISSUE
DRAWN BY:	Author
CHECKED BY:	Checker

**MILLWORK PLANS AND DETAILS**


**EXHIBIT E  
 A807**




**1 MW30 PLAN @ RECEPTION COUNTER EDD**  
 A807 3'8\"/>




**2 MW30 @ PUBLIC ELEV EDD**  
 A807 3'8\"/>




**3 MW32 PLAN @ KITCHENETTE LEVEL 3**  
 A807 3'8\"/>




**4 MW32 @ FRONT ELEV LEVEL 3**  
 A807 3'8\"/>




**5 MW - EXISTING JUDGES BENCH PLAN**  
 A807 3'8\"/>



**6 MW - JUDGE'S BENCH - WEST ELEV.**  
 A807 3'8\"/>



**7 MW - JUDGE'S BENCH - EAST ELEV.**  
 A807 3'8\"/>



**8 MW - JUDGE'S BENCH - SOUTH ELEV.**  
 A807 3'8\"/>






**9 MW - JUDGE'S BENCH - NORTH ELEV.**  
 A807 3'8\"/>

**NOTE: ALL REHABILITATION WORK TO JUDGE'S BENCH TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF SPECIFICATION SECTION 060312.**

- GENERAL NOTES - MILLWORK**
1. NOTIFY OWNER AND ARCHITECT OF ALL DEVIATIONS AND/OR INCONSISTENCIES BETWEEN DRAWN MILLWORK PLANS AND ELEVATIONS AND FIELD CONDITIONS.
  2. ALL LOOSE FURNITURE, DESKTOP COMPUTERS AND SCREEN, PAPER COPIERS AND KITCHEN / LAUNDRY EQUIPMENT INDICATED ON MILLWORK DRAWINGS WILL BE OWNER FURNISHED OWNER INSTALLED.
  3. REFER TO SPECIFICATIONS FOR ALL MATERIAL TAGS AND OTHER REQUIREMENTS.
  4. MILLWORK FITTING BETWEEN EXISTING OR NEW WALL OPENINGS AND/OR NICHS ARE TO BE SIZED BASED ON FIELD-VERIFIED DIMENSIONS ONCE THOSE OPENINGS ARE COMPLETED.



INFORMATIONAL PHOTOGRAPHS OF JUDGES BENCH



REPLACE EXTG LEATHER WITH NEW LEATHER PER SPEC 082110.

REPAIR CORNER DETAIL, TYPICAL.

REPAIR ORNAMENTAL DETAIL, TYP.

EXISTING DAIS - REMOVE EXISTING FINISHES AND REFINISH EXISTING WOOD.

PANEL MOLDING DETAIL

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *Jack Poling*  
 Print Name: Jack Poling  
 Date: 10.07.2018 License No.: A-8984

MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE


PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY GF CHECKED BY SB  
© 2017 Ken Saiki Design, Inc. All Rights Reserved.

**MILLWORK SECTIONS**


**EXHIBIT E  
 A851**




**1 MW SECTION @ SERVICE COUNTER**  
 A851 1 1/2" = 1'-0"




**2 MW SECTION @ SERVICE COUNTER**  
 A851 1 1/2" = 1'-0"




**11 MW - 12" DEEP UPPER CABINET - SECTION**  
 A851 1 1/2" = 1'-0"




**3 MW - TRASH/RECYCLING DRAWER - SECTION**  
 A851 1 1/2" = 1'-0"




**5 MW - SINK COUNTER - SECTION**  
 A851 1 1/2" = 1'-0"




**6 MW17 - WORK COUNTER SECTION**  
 A851 1 1/2" = 1'-0"




**7 MW18 - UPPER & BASE CABINET SECTION**  
 A851 1 1/2" = 1'-0"



**8 MW18 - TRASH/RECYCLING DRAWER SECTION**  
 A851 1 1/2" = 1'-0"




**9 MW01 SECTION**  
 A851 1 1/2" = 1'-0"




**10 MW - STORAGE SHROUD**  
 A851 1 1/2" = 1'-0"





**1** GROUND LEVEL FURNITURE PLAN  
 A900 1/8" = 1'-0"



FOR REFERENCE

**MSR** 710 South 2nd Street, 8th Floor  
 Minneapolis, Minnesota 55401-2282  
 Architecture 612.375.0336 tel  
 Interiors and Urban Design 612.342.2216 fax  
 www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
 303 South Paterson St  
 Madison, WI 53703  
 608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
 1800 Deming Way, Suite 200  
 Madison, WI 53713  
 608.223.9600 tel

MEP Engineers  
**MEP Associates**  
 860 Blue Gentian Road, Suite 175  
 Eden, MN 55321  
 651.379.9120 tel

Lighting Designer  
**Gallina Design**  
 30232 County 7  
 Chalfont, WI 53523  
 507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
 5641 Wiloughby Pl  
 Madison, WI 53706  
 608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
 115 E. Main Street, Suite 200  
 Madison, WI 53703  
 608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
 575 Minnehaha Ave. W.  
 St. Paul, MN 55103  
 651.251.1879 tel

Acoustical Consultant  
**KRA**  
 4828 Chicago Avenue South, Suite 206  
 Minneapolis, MN 55417  
 612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
 999 Fourier Drive, Suite 201  
 Madison, WI 53717

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *[Handwritten Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
MARK	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY GF CHECKED BY TUSB

**GROUND LEVEL FURNITURE PLAN**

EXHIBIT E  
**A900**



**1** LEVEL ONE FURNITURE PLAN  
A901 1/8" = 1'-0"

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and Urban Design 612.342.2216 fax  
www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 W. Roughly Rd  
Madison, WI 53760  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4828 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Frontier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Daniel Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2016 License No.: A-8984


MARK	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY: GF CHECKED BY: TUSB

**LEVEL ONE FURNITURE PLAN**


**EXHIBIT E**  
**A901**

FOR REFERENCE



1 LEVEL TWO FURNITURE PLAN

A902 1/8" = 1'-0"



FOR REFERENCE

MSR 710 South 2nd Street, 8th Floor  
Minneapolis, Minnesota 55401-2282  
Architecture 612.375.0336 tel  
Interiors and 612.342.2216 fax  
Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
303 South Paterson St  
Madison, WI 53703  
608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
1800 Deming Way, Suite 200  
Madison, WI 53713  
608.223.9600 tel

MEP Engineers  
**MEP Associates**  
860 Blue Gentian Road, Suite 175  
Eagan, MN 55121  
651.379.9120 tel

Lighting Designer  
**Gallina Design**  
30232 County 7  
Chalfont, WI 53523  
507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
5641 Wiloughby Rd  
Madison, WI 53706  
608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
115 E. Main Street, Suite 200  
Madison, WI 53703  
608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
575 Minnehaha Ave. W.  
St. Paul, MN 55103  
651.251.1879 tel

Acoustical Consultant  
**KRA**  
4826 Chicago Avenue South, Suite 206  
Minneapolis, MN 55417  
612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
999 Fourier Drive, Suite 201  
Madison, WI 53717

**Madison Municipal Building Renovation**  
BPW Project #7939  
215 Martin Luther King, Jr. Blvd  
Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
ARCHITECT SEAL



Signature: *Jack Poling*  
Print Name: Jack Poling  
Date: 10.07.2018 License No.: A-8984

ISSUE	MARK	DATE	DESCRIPTION
		03.24.2017	BID ISSUE

PROJECT NO. 2014057  
PROJECT PHASE BID ISSUE  
DRAWN BY GF CHECKED BY SB

**LEVEL TWO FURNITURE PLAN**

EXHIBIT E  
**A902**

MSR 710 South 2nd Street, 8th Floor  
 Minneapolis, Minnesota 55401-2282  
 Architecture 612.375.0336 tel  
 Interiors and 612.342.2216 fax  
 Urban Design www.msrdesign.com

Civil Engineering and Landscape Architects  
**Ken Saiki Design, Inc**  
 303 South Paterson St  
 Madison, WI 53703  
 608.251.3600 tel

Structural Engineering, Technology, AV  
**KJWW**  
 1800 Deming Way, Suite 200  
 Madison, WI 53713  
 608.223.9600 tel

MEP Engineers  
**MEP Associates**  
 860 Blue Gentian Road, Suite 175  
 Eden, MN 55121  
 651.379.9120 tel

Lighting Designer  
**Gallina Design**  
 30232 County 7  
 Chalfont, WI 53523  
 507.867.1628 tel

Preservation Architect  
**Charles Quagliana, AIA**  
 5641 Wiloughby Pl  
 Madison, WI 53706  
 608.449.9589 tel

Building Envelope Consultant  
**Insite Consulting Architects**  
 115 E. Main Street, Suite 200  
 Madison, WI 53703  
 608.204.0825 tel

Fire & Code Consultant  
**Summit Fire Consulting**  
 575 Minnehaha Ave. W.  
 St. Paul, MN 55103  
 651.251.1879 tel

Acoustical Consultant  
**KRA**  
 4826 Chicago Avenue South, Suite 206  
 Minneapolis, MN 55417  
 612.374.3800 tel

Civil Engineers  
**VIERBICHER**  
 999 Fourier Drive, Suite 201  
 Madison, WI 53717

**Madison Municipal Building Renovation**  
 BPW Project #7939  
 215 Martin Luther King, Jr. Blvd  
 Madison, WI 53703

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.  
 ARCHITECT SEAL




Signature: *[Handwritten Signature]*  
 Print Name: Jack Poling  
 Date: 10.07.2016 License No.: A-8984

ISSUE	DATE	DESCRIPTION
1	03.24.2017	BID ISSUE

PROJECT NO. 2014057  
 PROJECT PHASE BID ISSUE  
 DRAWN BY GF CHECKED BY TUSB

**LEVEL THREE FURNITURE PLAN**

**EXHIBIT E**  
**A903**



**1 LEVEL THREE FURNITURE PLAN**  
 A903 1/8" = 1'-0"

**FOR REFERENCE**