



Department of Public Works
Engineering Division
Robert F. Phillips, P.E., City Engineer

City-County Building, Room 115
210 Martin Luther King, Jr. Boulevard
Madison, Wisconsin 53703
Phone: (608) 266-4751
Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

Assistant City Engineer

Gregory T. Fries, P.E.
Kathleen M. Cryan

Principal Engineer 2

Christopher J. Petykowski, P.E.
John S. Fahrney, P.E.

Principal Engineer 1

Christina M. Bachmann, P.E.
Mark D. Moder, P.E.
Janet Schmidt, P.E.

Facilities & Sustainability

Jeanne E. Hoffman, Manager
Bryan Cooper, Principal Architect

Mapping Section Manager

Eric T. Pederson, P.S.

Financial Manager

Steven B. Danner-Rivers

July 13, 2018

**NOTICE OF ADDENDUM
ADDENDUM 2
CONTRACT NO. 8213
PARK EDGE/PARK RIDGE EMPLOYMENT CENTER**

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

CHANGES TO SPECIFICATIONS (DIVISIONS 2 THRU 33):

1. Section 07 42 13 METAL WALL PANELS
 - a. Add 2.04 A. 2) Or approved equal system by American Metalcraft Inc.
2. Section 09 30 00 TILING
 - a. 2.01 B. 1. d. Installation. Revise to read "Installation: Running Bond. Install long edge parallel to dominant wall or wall with full height WT-1."
3. Section 09 65 00 RESILIENT FLOORING
 - a. 2.01 C. Revise to read "Installation pattern to be provided by Architect with a pattern containing (3) materials/colors."
4. Section 22 30 00 PLUMBING EQUIPMENT
 - a. Page 22 30 00-2, Revise Article 2.2, Subpart A to include as follows: "Water Control Corporation".

CHANGES TO DRAWINGS:

5. Sheet C200 SITE AND LANDSCAPE PLAN
 - a. At northwest corner of building omit note referencing Existing Pole Light.
 - b. At northwest corner of building omit note referencing Monument Sign. Revise note to: "Demo existing trees, bushes and shrubs surrounding building."
6. Sheet A201, FIRST FLOOR PLAN

- a. In Kitchenette, Room Number 113, slide the range opening to the south and add a dimension from the centerline of the range to the face of dishwasher handle indicating 24" minimum clear."
 - b. Self Serve Kiosk Room 117, Reduce east dimension to from 9 ½" to 3 ½". Slide kiosk east 6".
7. Sheet A700 WALL PARTITION TYPES
- a. All Partition Types: Revise note to read "5/8" GWB to Structure or to GWB Ceiling, See A301. Acoustical Seal both sides of wall with sound attenuation insulation."
8. Sheet A800, INTERIOR ELEVATIONS
- a. Elevation 3: Add WT-1 on the wall behind the sink.
 - b. Elevation 6: Reduce width of sliding glass window and counter to 70". Center within the 8'-9 1/8" wall.
 - c. Elevations 19 and 20: Revise note at range to read "Range with accessible controls – OFCI. Verify all equipment with Owner and fully coordinate kitchen casework shop drawings with Owner Furnished equipment."
 - d. Elevations 19 and 20: Revise note at microwave to read "Range Hood/Microwave with accessible hood wall switch controls – OFCI."
 - e. Elevation 21: Reduce east dimension to from 9 ½" to 3 ½". Slide kiosk east 6".
9. Sheet A850, INTERIOR DETAILS
- a. Revise the following detail names for clarity: "Detail 5: Sliding Window Sill. Detail 6: Sliding Window Head, 9: Plan Detail, 10: Detail."
10. Sheet A851, INTERIOR DETAILS
- a. Revise Detail 1 in indicate a 70" wide sliding glass window centered within the wall per Interior Elevation 6A800.
11. Sheet A900 FIRST FLOOR FINISH PLAN
- a. Revise Vestibule 100 and Kitchen 113 Base Material from RF-1 to BT-1.
 - b. Material Finish Legend
 - 1) Add EXP-1 Exposed Concrete, seal.
12. Sheet S100, FOUNDATION PLAN AND GENERAL NOTES
- a. Refer to architectural for exterior window opening rough opening dimensions, see A701.
 - b. Refer to architectural and omit (2) HSS 4x4x1/4 interior columns and footings on Column Line 3. Existing columns to remain on Column Line 3, see A201.
13. Sheet S101, ROOF FRAMING PLAN
- a. Refer to architectural for exterior window opening rough opening dimensions, see A701.
 - b. Refer to architectural and omit (2) HSS 4x4x1/4 interior columns and MC 12 x 10.6 headers on Column Line 3. Existing structure and LVL header to remain on Column Line 3, see A201.
 - c. Refer to architectural for exterior canopy dimensions, see A604.
14. Sheet S300, STRUCTURAL FRAMING DETAILS
- a. Omit detail 3S300 in its entirety.
15. Sheet P100, P200 and P201 GENERAL NOTES

July 13, 2018

Page 3

- a. Revise General Note 2 to read: "PC to coordinate limits of demo for GC. GC responsible for all floor cutting, removal and patching."
16. Sheet E500, SPECIAL PURPOSE OUTLET SCHEDULE
- a. Special Outlet Schedule
 - 1) Add to note 2 "Provide switch to operate microwave range hood in ADA accessible location. Coordinate with owner's appliance selection."
 - b. Light Fixture Schedule
 - 1) Add note 6 "Provide 0-10 volt control option LDCM-PL-120-277-010V-GR." Apply to type B.
 - 2) Add note 7 "Equivalent by Phillips is acceptable." Apply to types A, B, B1, D, E, EM-EX, OA.
 - 3) Add note 8 "Equivalent by Lumium is acceptable." Apply to types C12 and C14.
 - 4) Add note 9 "Equivalent by Emergilite is acceptable." Apply to type EBU, X and XA.
 - 5) Add note 10 "Equivalent by Artemide/Ron Rezek is acceptable." Apply to type H and J.
 - 6) Add note 11 "Equivalent by Mercury Lighting is acceptable." Apply to types K12, K18 and K24.

END OF ADDENDUM

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 to receive the material by another route.

Sincerely,



Robert F. Phillips, P.E., City Engineer

Cc: Greg Fries