



Department of Public Works
Engineering Division
Robert F. Phillips, P.E., City Engineer

City-County Building, Room 115
210 Martin Luther King, Jr. Boulevard
Madison, Wisconsin 53703
Phone: (608) 266-4751
Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

Deputy City Engineer

Gregory T. Fries, P.E.

Deputy Division Manager

Kathleen M. Cryan

Principal Engineer 2

Christopher J. Petykowski, P.E.

John S. Fahrney, P.E.

Principal Engineer 1

Christina M. Bachmann, P.E.

Mark D. Moder, P.E.

Janet Schmidt, P.E.

James M. Wolfe, P.E.

Facilities & Sustainability

Bryan Cooper, Principal Architect

Mapping Section Manager

Eric T. Pederson, P.S.

Financial Manager

Steven B. Danner-Rivers

March 13, 2020

NOTICE OF ADDENDUM
ADDENDUM NO. 1
CONTRACT NO. 8306

TOEPFFER AVENUE, HOLLY AVENUE, EUCLID AVENUE, AND ST. CLAIR STREET
ASSESSMENT DISTRICT - 2019

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

ADD TO SPECIAL PROVISIONS:

ST. CLAIR ST. SOIL BORINGS

The City has received additional soil borings on St. Clair St., and this addendum includes the map and logs for these additional borings.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.


Sincerely,

FOE
Robert F. Phillips, P.E.
City Engineer

RFP:JMW



Legend

 Denotes Boring Location

Notes

1. Boring locations are approximate
2. Soil borings performed by Badger State Drilling in March 2020



Scale: Reduced

Date:	2/2020
Job No.	C20051-2



Soil Boring Location Map
 Saint Claire Street
 Madison, WI



LOG OF TEST BORING

Project St. Claire Street (Additional Borings)
120'E of Toepfer, 5'S of Centerline
 Location Madison, Wi

Boring No. B-10
 Surface Elevation (ft) 956±
 Job No. C20051-2
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		qu (qa) (tsf)	W	LL	PL	LI
				5	5 in. Asphalt Pavement/12 in. Base Course					
1	18	M	12		FILL: Medium Dense Brown Sand with Clay and Gravel					
				5						
2	18	M	6		Loose to Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
				5						
3	18	M	24							
				5						
4	18	M	18							
				5						
				10						
5	18	M	25							
				5						
				15	End Boring at 15 ft					
				5	Borehole backfilled with bentonite chips and asphalt patch					
				5						
				20						

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 3/6/20 End 3/6/20
 Driller BSD Chief MC Rig CME-55
 Logger GB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project St. Claire Street (Additional Borings)
410'E of Toepfer, 5'S of Centerline
 Location Madison, Wi

Boring No. B-11
 Surface Elevation (ft) 942±
 Job No. C20051-2
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		q _u (qa) (tsf)	W	LL	PL	LI
				0	5 in. Asphalt Pavement/10 in. Base Course					
1	18	M	13	13	FILL: Medium Dense Silty Sand with Clay					
2	18	M	12	12	Very Stiff to Very Soft, Brown Lean CLAY (CL)	(2.25)				
3	18	M	6	6	Very Stiff to Very Soft, Brown Lean CLAY (CL)	(0.25)				
4	18	M	13	13	Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
5	18	M	21	21	End Boring at 15 ft					
				15	Borehole backfilled with bentonite chips and asphalt patch					
				20						

WATER LEVEL OBSERVATIONS

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

GENERAL NOTES

Start 3/6/20 End 3/6/20
 Driller BSD Chief MC Rig CME-55
 Logger GB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project St. Claire Street (Additional Borings)
175'W of Glenway, 5'S of Centerline
 Location Madison, Wi

Boring No. B-12
 Surface Elevation (ft) 937±
 Job No. C20051-2
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES					
No.	Pipe Elev (in.)	Rec (in.)	Moist	N		Depth (ft)	q _u (qa) (tsf)	W	LL	PL	LI
					5	X	5 in. Asphalt Pavement/10 in. Base Course				
1	12	M	8		8	□	FILL: Loose Brown Sand with Silt and Topsoil				
					9	▨	Very Stiff, Brown Lean CLAY, Trace Sand (CL)				
2	12	M	9		9		(2.5)				
					15	●	Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)				
3	6	M	15		15						
					11						
4	18	M	11		11						
					22						
5	18	M	22		22						
End Boring at 15 ft											
Borehole backfilled with bentonite chips and asphalt patch											

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling ∇ NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 3/6/20 End 3/6/20
 Driller BSD Chief MC Rig CME-55
 Logger GB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.