



Department of Public Works
Engineering Division
Robert F. Phillips, P.E., City Engineer
City-County Building, Room 115
210 Martin Luther King, Jr. Boulevard
Madison, Wisconsin 53703
Phone: (608) 266-4751
Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

Deputy City Engineer
Gregory T. Fries, P.E.
Deputy Division Manager
Kathleen M. Cryan
Principal Engineer 2
Christopher J. Petykowski, P.E.
John S. Fahrney, P.E.
Janet Schmidt, P.E.
Principal Engineer 1
Christina M. Bachmann, P.E.
Mark D. Moder, P.E.
James M. Wolfe, P.E.
Facilities & Sustainability
Bryan Cooper, Principal Architect
Mapping Section Manager
Eric T. Pederson, P.S.
Financial Manager
Steven B. Danner-Rivers

May 18, 2020

**NOTICE OF ADDENDUM
ADDENDUM NO. 1
CONTRACT NO. 8514**

JULIA STREET, JULIA CIRCLE AND BAKER AVENUE ASSESSMENT DISTRICT - 2020

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

CONTRACT:

Insert soil boring information after page D-8.

The Bid Submission Deadline (Date and Time) has NOT been modified.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:
<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.

Sincerely,

Robert F. Phillips, P.E., City Engineer

Cc: Greg Fries



Legend

☛ Denotes Boring Location



Notes

1. Boring locations are approximate
2. Soil Borings performed by Badger State Drilling in May 2020

Scale: Reduced

Date: 5/2020
Job No. C20051-7



Soil Boring Location Map
Julia Street
Madison, WI



LOG OF TEST BORING

Project Julia Street
15'NW of Baker, 8'NE of Centerline
 Location Madison, WI

Boring No. B-1
 Surface Elevation (ft) 900±
 Job No. C20051-7
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	q _u (qa) (tsf)	W	LL	PL
					0	3 in. Asphalt Pavement/10 in. Base Course				
1	█	12	M	9	9	Brown and Rust-Brown (Mottled) Lean CLAY (CL)				
					12	Stiff, Brown Lean CLAY, Trace to Little Sand (CL)				
2	█	18	M	8	12	(1.25)				
					15	Loose to Medium Dense, Light Brown Fine to Medium SAND, Little to Some Silt and Gravel (SP-SM/SM)				
3	█	18	M	8	15					
4	█	18	M	7	21					
5	█	10	M	24	24					
End Boring at 15 ft										
Borehole backfilled with bentonite chips and asphalt patch										

WATER LEVEL OBSERVATIONS

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

GENERAL NOTES

Start 5/15/20 End 5/15/20
 Driller BSD Chief MC Rig CME-55
 Logger GB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Julia Street
350'NW of Baker, 8'NE of Centerline
 Location Madison, WI

Boring No. B-2
 Surface Elevation (ft) 880±
 Job No. C20051-7
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		q _u (q _a) (tsf)	W	LL	PL	LI
				0	3 in. Asphalt Pavement/10 in. Base Course					
1	18	M	9	9	FILL: Loose Dark Gray Silty Sand					
2	18	M	7	7	Stiff, Brown Lean CLAY, Trace to Little Sand (CL)					
3	18	W	7	7	Loose to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
4	18	W	32	32	(Rough Drilling Noted 8'-12')					
5	0	W	8	8						
				15	End Boring at 15 ft					
				15	Borehole backfilled with bentonite chips and asphalt patch					
				20						

WATER LEVEL OBSERVATIONS

While Drilling ∇ 6.0' Upon Completion of Drilling 6.5'
 Time After Drilling _____ 1 Hour
 Depth to Water _____ 6.5' ∇
 Depth to Cave in _____ 10.5'

GENERAL NOTES

Start 5/15/20 End 5/15/20
 Driller BSD Chief MC Rig CME-55
 Logger GB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Julia Street
600'NW of Baker, 10'SW of Centerline
 Location Madison, WI

Boring No. B-3
 Surface Elevation (ft) 878±
 Job No. C20051-7
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	TYP E P Y T	Rec (in.)	Moist	N		Depth (ft)	q _u (qa) (tsf)	W	LL	PL
					3 in. Asphalt Pavement/10 in. Base Course					
1		18	M	9	FILL: Stiff Dark Gray Sandy Clay with Gravel	(1.5)				
					Stiff, Dark Gray to Black Lean CLAY, Little to Some Sand (CL - Possible Fill)					
2		12	M	6		(1.25)				
					Medium Dense, Brown Sandy SILT (ML)					
3		18	M/W	20						
					Medium Dense, Light Brown Fine to Medium SAND, Trace to Little Silt (SP-SP/SM)					
4		18	W	29						
5		10	W	18						
					End Boring at 15 ft					
					Borehole backfilled with bentonite chips and asphalt patch					

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling ∇ 8.0' Upon Completion of Drilling 3'
 Time After Drilling 2 Hours
 Depth to Water 3' ∇
 Depth to Cave in 6'

Start 5/15/20 End 5/15/20
 Driller BSD Chief MC Rig CME-55
 Logger GB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.