

Exhibit-E: Contaminated Soils Map


NOTES
 1. STM EXCAVATIONS ASSUME AN EQUAL BOTTOM ELEVATION. BOTTOM ELEVATION IS DETERMINED BY [RIM ELEVATION]-[LOWEST INVERT ELEVATION]

CONTRACTOR SHALL OBTAIN PERMIT TO PLUG AND ABANDON INACTIVE SERVICE LATERALS AT THE MAIN IN ACCORDANCE WITH CITY OF MADISON REQUIREMENTS.

PUBLIC STREET - WIDTH VARIES
 NORTH FIRST STREET

EAST DAYTON STREET

PUBLIC STREET - WIDTH VARIES
 NORTH FIRST STREET



STM-6: cinder fill likely = 87.5 CY

STM-3: cinder fill and possible petroleum contamination = 465 CY

STM-1: Cinder fill present below road base = 244 CY

SDS-1: Assume 37% of soil is contaminated with cinders (0.5 feet thick at GB107) or lead (GB108) = 412 CY

STM4: Cinder fill is present near GB107 = 13 CY

Cinder fill near GB108, TCE and PCE at B-10 assume 99 CY

Architecture and Interiors
MSRDesign
 510 Marquette Avenue South, Suite 200
 Minneapolis, MN 55402 | 612.375.0388

MEP Engineer
MEP Associates, LLC
 880 Blue Garden Rd #175
 Elgin, MN 55121 | 951.379.9120

Civil Engineer
Vierbicher
 999 Fourier Dr, Suite 201,
 Madison, WI 53717 | 608.826.0532

Landscape Architect
Ken Saiki Design
 1110 S. Park St.
 Madison, WI 53715 | 608.251.3600

Structural Engineering,
 Fire Protection Engineering, Technology and AV
IMEG Corporation, Inc.
 1800 Denning Way, Suite 200,
 Madison, WI 53662

Lighting Design
Mazzetti, Inc.
 1800 Stout St, Suite 450
 Denver, CO 80202 | 720.644.5044

Commercial Kitchen Design
Boelter Premier
 1120 Northland Terrace
 Minneapolis, MN 55428 | 763.544.8800

MADISON PUBLIC MARKET
 202 N First St, Madison, WI 53704


I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.

Architect Seal

Signature
 Print Name
 Date License No.

100% CONSTRUCTION DOCUMENTS

ISSUE / REVISION
 Mark Date Description
 06.04.2019 SITE + BUILDING DESIGN + PRICING ISSUE
 06.12.2019 UDC INFORMATIONAL SUBMISSION
 06.12.2019 SITE + BUILDING DESIGN + PRICING ISSUE
 11.13.2019 100% CDP DOCUMENTS
 02.18.2020 CD PRICING ISSUE
 04.30.2020 100% CONSTRUCTION DOCUMENTS
 06.04.2021 100% CONSTRUCTION DOCUMENTS



Assume cinder fill is present at SFF-1, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 and may be present at other locations.

1 OVERALL FOUNDATION PLAN
 1" = 10'-0"
 PLAN NORTH

- Architecture and Interiors
- MSRDesign**
 510 Marquette Avenue South, Suite 200
 Minneapolis, MN 55402 | 612.375.0336
- MEP Engineer
- 860 Blue Gerton Rd #175
 Eagan, MN 55121 | 651.379.9120
- Civil Engineer
- 999 Foster Dr. Suite 201
 Madison, WI 53717 | 608.826.0532
- Landscape Architect
- 1110 S. Park St.
 Madison, WI 53715 | 608.251.3600
- Structural Engineering, Fire Protection Engineering,
 Technology and AV
- 1800 Denning Way, Suite 200,
 Madison, WI 53702
- Lighting Design
- 1800 Stout St. Suite 400
 Denver, CO 80202 | 720.644.5644
- Commercial Kitchen Design
- 7120 Northland Terrace,
 Minneapolis, MN 55428 | 763.544.8800

MADISON PUBLIC MARKET
 200 N First St, Madison, WI 53704

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the Laws of the State of Wisconsin.

Seal

Print Name: Abby Partlow
 Date: 06.04.2021 License No.: 38745-G

100% CONSTRUCTION DOCUMENTS

ISSUE / REVISION

Mark	Date	Description
06.04.2019	06.04.2019	SITE - BUILDING DESIGN 1 PRICING ISSUE
08.12.2019	08.12.2019	LOC INFORMATIONAL SUBMISSION
08.16.2019	08.16.2019	SITE - BUILDING DESIGN 2 PRICING ISSUE
11.13.2019	11.13.2019	100% CDP DOCUMENTS
02.18.2020	02.18.2020	CD PRICING ISSUE
04.30.2020	04.30.2020	90% CONSTRUCTION DOCUMENTS
06.04.2021	06.04.2021	100% CONSTRUCTION DOCUMENTS


IMEG
 1800 DENNING WAY, SUITE 200
 MADISON, WI 53702
 608.203.9860 FAX: 608.246.0415
 www.imegwi.com
 PROJECT # 1800060000

MEG CORP RESERVES PROPRIETARY RIGHTS, INCLUDING COPYRIGHTS, TO THIS DRAWING AND THE DATA SHOWN THEREON. THIS DRAWING AND/OR DATA ARE THE EXCLUSIVE PROPERTY OF IMEG CORP AND SHALL NOT BE USED OR REPRODUCED FOR ANY OTHER PROJECT WITHOUT THE EXPRESS WRITTEN APPROVAL AND PARTICIPATION OF IMEG CORP. © 2021 IMEG CORP.

REFERENCE SCALE IN INCHES

OVERALL FOUNDATION PLAN

S101



- DEMOLITION PLAN LEGEND**
- EXISTING FLOOR FINISHES SHALL BE REMOVED AND CONCRETE SLAB SHALL BE GRIND DOWN AS REQ'D FOR NEW WORK - SEE GENERAL NOTES - COORDINATE EXTENTS WITH NEW WORK
 - ASSUMED EXTENTS OF EXISTING SLAB TRENCHING AND REMOVAL FOR INSTALLATION OF NEW WORK - SEE KEYNOTE 14. SUBMIT SLAB REMOVAL PLAN PRIOR TO TRENCHING PER SPECIFICATION SECTION 02 41 19
 - MEZZANINE SLAB REMOVAL - SEE KEYNOTE 24

- DEMOLITION GENERAL NOTES**
1. ALL CONTRACTORS WISHING TO SUBMIT BIDS FOR WORK IN THESE DOCUMENTS SHALL VISIT PROJECT SITE PRIOR TO SUBMITTING A BID AND SHALL VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
 2. ALL LOOSE DEBRIS IS TO BE REMOVED BY DEMOLITION CONTRACTOR
 3. NOTIFY ARCHITECT IMMEDIATELY IF FIELD CONDITIONS ARE OTHER THAN WHAT IS SHOWN ON PLANS
 4. WHERE DEMOLITION WORK ABUTS OR INTERSECTS EXISTING CONSTRUCTION WHICH IS TO REMAIN, REFER TO NEW CONSTRUCTION DOCUMENTS FOR EXTENTS OF REMOVAL. PROTECT ALL EXISTING CONSTRUCTION TO REMAIN.
 5. INTERIOR SURFACE CLEANING SHALL BE PERFORMED DURING DEMOLITION PHASE OF WORK. CONTRACTOR SHALL CLEAN ALL INTERIOR SURFACES TO REFINISH FLOOR, WALLS, ROOF, STRUCTURAL FRAMING, ETC.) AS PER REQUIREMENTS OF SECTION 02 41 19 "SELECTIVE DEMOLITION OF THE PROJECT SPECIFICATIONS. CONTRACTOR SHALL PERFORM THIS WORK AFTER REMOVAL OF ALL ITEMS TO BE DEMOLISHED AND PRIOR TO COMMENCING NEW WORK.
 6. CONTRACTOR SHALL CONDUCT CLEANING WORK DESCRIBED IN DEMOLITION GENERAL NOTE 5 IN A MANNER WHICH PRESERVES, TO ALL REASONABLE EXTENT, EXISTING INTERIOR FINISHES TO REMAIN. CONTRACTOR SHALL INSPECT RESULTS OF CLEANING WORK AND SHALL NOTIFY ARCHITECT AND OWNER OF ANY EXISTING FINISHES TO REMAIN WHICH HAVE BEEN DAMAGED.
 7. COORDINATE REMOVAL OF ELEMENTS WHICH MAY CONTAIN HAZARDOUS MATERIALS - I.E. PIPE WRAP, CONTAMINATED SOILS, ETC WITH ABATEMENT CONTRACTOR. NOTIFY OWNER IMMEDIATELY IF HAZARDOUS MATERIALS ARE ENCOUNTERED. HAZARDOUS MATERIALS ABATEMENT IS NOT PART OF THE WORK SHOWN IN THESE DOCUMENTS.
 8. GENERAL LOCATIONS WHERE EXISTING EIFS FINISHES ARE SHOWN IN EXTERIOR DEMOLITION ELEVATIONS WITH KEYNOTES. NOTIFY ARCHITECT IF REMOVAL EXTENTS WILL BE OTHER THAN WHAT IS SHOWN IN ELEVATIONS. AT THESE LOCATIONS, EIFS SYSTEMS SHALL BE REMOVED IN REGULAR ORTHOGONAL SECTIONS. CONTRACTOR SHALL VERIFY PLUMB AND LEVEL. EXISTING EIFS AT THESE LOCATIONS SHALL BE REMOVED IN ITS ENTIRETY - I.E. FINISH MESH, INSULATION AND ADHESIVE. AND SUBSTRATE SHALL BE PREPARED FOR NEW PATCHED EIFS SYSTEM.
 9. EXTENTS OF SLAB TRENCHING SHOWN ON ARCHITECTURAL DEMOLITION DRAWINGS FOR PLACEMENT OF BELOW GRADE UTILITIES AND STRUCTURAL WORK IS APPROXIMATE AND MAY NOT REPRESENT FULL EXTENT OF THIS WORK. CONTRACTOR SHALL VERIFY SCOPE OF SLAB REMOVAL WORK WITH REQUIREMENTS OF MEP AND STRUCTURAL AND NEW WORK SCOPE. VERIFY THE EXTENTS OF ALL SLAB REMOVAL WORK WITH ARCHITECT BEFORE PERFORMING.
 10. EXTENTS OF SLAB GRINDING SHOWN ON ARCHITECTURAL DEMOLITION DRAWINGS FOR PLACEMENT OF BELOW GRADE UTILITIES AND STRUCTURAL WORK IS APPROXIMATE AND MAY NOT REPRESENT FULL EXTENT OF THIS WORK. CONTRACTOR SHALL VERIFY FULL EXTENTS OF THIS WORK WITH FINISH PLANS AND SURFACE PREPARATION REQUIREMENTS OF SPECIFIED NEW FLOOR FINISHES AS PER PROJECT SPECIFICATIONS.
 11. WHERE FINISH FLOORING IS TO BE REMOVED, REMOVE ALL MATERIALS AND BACKINGS TO SLAB BELOW. PREPARE SLAB SURFACE FOR NEW FINISH AS PER REQUIREMENTS OF NEW WORK.
 12. ALL OBSOLETE OR ABANDONED MECHANICAL, ELECTRICAL, AND PLUMBING EQUIPMENT - I.E. CONDENSATE DRAINAGE, DUCTWORK, HANGERS, CONTROLS, FIXTURES, ETC - SHALL BE REMOVED. COORDINATE WITH MECHANICAL DRAWINGS.
 13. WHERE PARTITIONS ARE REMOVED, REMOVE ALL ITEMS CONTAINED WITHIN - INCLUDING BUT NOT LIMITED TO DOORS, HARDWARE, FRAMES, SCHEDULES, MECHANICAL AND ELECTRICAL EQUIPMENT, ETC. TO STRUCTURE ABOVE AND BELOW, UNLESS NOTED OTHERWISE.
 14. ALL EXISTING CEILINGS SHALL BE REMOVED WHERE CEILINGS ARE REMOVED. REMOVE CEILING FINISH AND SUSPENSION SYSTEM ALONG WITH ALL ASSOCIATED FASTENERS, FITTINGS, AND MEP EQUIPMENT. COORDINATE WITH MEP DRAWINGS.
 15. SEE DEMOLITION KEYNOTES FOR SPECIFIC INFORMATION ON ITEMS TO BE REMOVED BY LOCATION.

- KEYED NOTES (DEMOLITION)**
- D11 REMOVE EXISTING OVERHEAD DOOR AND ALL FRAME/HARDWARE/MOTOR COMPONENTS BACK TO ROUGH OPENING
 - D12 REMOVE EXISTING DOORS (AND FRAME(S)) TO ROUGH OPENING
 - D13 REMOVE EIFS PANEL FROM CONCRETE WALL(CM)
 - D14 CLEAN CONCRETE TO PREPARE FOR NEW WATERPROOFING OR CLADDING - COORDINATE W/ NEW WORK
 - D15 CUT AND REMOVE SECTION OF DAMAGED EXISTING EIFS SYSTEM BACK TO SUBSTRATE. PREPARE SUBSTRATE FOR NEW PATCH AND REPAIR WORK AS PER EIFS 2-MANUF'S RECOMMENDATION.
 - D16 REMOVE EXISTING STOREFRONT GLAZING SYSTEM AND ALL FLASHING/TRIM/STILLS BACK TO ROUGH OPENING. REFERENCE NEW WORK FOR EXISTING MISC. STEEL TO REMAIN IN OPENINGS; PATCH AND REPAIR MASONRY FOR NEW CURTAIN WALL SYSTEM
 - D17 REMOVE PORTION OF EXTERIOR MASONRY WALL COMPLETELY. REMOVE EXISTING FINISH REQ'D TO TOOTH IN NEW CMU - REF. EXTERIOR ELEVATIONS
 - D18 REMOVE PORTION OF EXISTING FLOOR/ROOF IN PREPARATION FOR ELEVATION SHIRT
 - D19 REMOVE EXISTING STAIR COMPLETELY
 - D20 REMOVE EXISTING INTERIOR WALL COMPLETELY
 - D21 REMOVE EXISTING INTERIOR WIRE PARTITION, SALVAGE, CLEAN, AND STORE FOR REUSE
 - D22 REMOVE EXISTING PLUMBING FIXTURES AND PLUMBING WALL CAVITY
 - D23 REMOVE EXISTING CMU COLUMN WRAP AND ANY THE BACKS OR ANCHORS TO E.C.
 - D24 SLAB OR DECK ABOVE. PREPARE NEWLY EXPOSED STEEL FOR NEW FINISH - REF. FINISH PLANS
 - D25 REMOVE EXISTING EXTERIOR CONCRETE WALL TO 6". SEE NEW WORK FOR EXTENTS. SAW CUT CONCRETE CLEAN, ALIGNED WITH CMU JAMB ARCH TO CREATE CLEAN ROUGH OPENINGS FOR NEW CURTAIN WALL. PREP FOR NEW CMU WORK TO PATCH AND TOOTH IN NEW JAMB BLOCKS
 - D26 SAW CUT AND DEMOLISH EXISTING SLAB AS REQ'D FOR COMPLETION OF NEW MEP OR STRUCTURAL WORK. BELOW SLAB, REGION DIMENSIONED SHALL BE REMOVED AS NOTED. ALL OTHER AREAS, GC SHALL COORDINATE ACTUAL REMOVAL REQUIREMENTS WITH NEW WORK.
 - D27 DEMOLISH EXISTING PLASTER CEILING AND GYPTUM WRAP AND ALL SUSPENSION - FRAMING, HANGERS, RODS, DECK CLIPS, ETC BACK TO DECK. CLEAN NEWLY EXPOSED STEEL DECK, JOIST AND FRAMING - REF. ARCHITECTURAL CEILING PLANS FOR ANY FINISHES
 - D28 REMOVE EXISTING CONCRETE SILL AND SAND INFILL BELOW
 - D29 REMOVE SLAB AND TRENCH CONSTRUCTION BELOW GRADE AS REQ'D FOR NEW FLOOR. SLAB CUT TO BE STRAIGHT AND UNIFORM
 - D30 EXISTING TRENCH BASIN TO BE ABANDONED AND INFILLED - REF. PLUMBING DEMOLITION DRAWINGS FOR RELATED WORK
 - D31 EXISTING OWNER'S EQUIPMENT TO BE DECOMMISSIONED AND REMOVED BY OWNER - COORDINATE WITH OWNER FOR SALVAGE REQUIREMENTS
 - D32 EXISTING PAINT BOOTH AND ALL RELATED EQUIPMENT - FANS, POWER, DUCTWORK, ETC SHALL BE REMOVED. ALL EXISTING OPENINGS IN SLAB, WALL & JOIST SHALL BE REPAIR TO REPAIR AND STRAIGHTEN IN NEW WORK
 - D33 EXISTING STEEL AND GLASS WINDOW WALL TO BE PARTIALLY DEMOLISHED. REMOVE TOGGLE BOLTS RETAINING GLAZED PANELS. GLAZED PANELS SHALL BE CLEANED AND SALVAGED FOR RE-USE IN BUILDING PARTITIONS - REF. NEW WORK. REMOVE OTHER FRAMING COMPONENTS OF GLAZED WALL AS REQ'D - REF. NEW ARCHITECTURAL ELEVATIONS FOR EXTENTS
 - D34 CLEAN EXISTING STEEL AND GLASS WINDOW WALL TO REMAIN. PROVIDE TEMPORARY SUPPORT AND PROTECT IN PLACE - REFERENCE STRUCTURAL
 - D35 SAW CUT STRAIGHT AND DEMOLISH CONCRETE WALL BELOW STEEL AND GLASS TO BELOW F.F.E. AS REQ'D FOR NEW WORK - REF. ARCHITECTURAL DETAILS AT THIS LOCATION. CONCRETE PILES AT COLUMN BASES SHALL REMAIN - REF. STRUCTURAL FOR EXTENTS OF WALL TO REMAIN.
 - D36 REMOVE MEZZANINE FLOOR SLAB AND FRAMING - REFER TO STRUCTURAL
 - D37 CUT HOIST AND MOUNTING BRACKETS FROM EXISTING OPENING JAMB. CLEAN AND SALVAGE FOR RE-USE.
 - D38 DEMOLISH EXISTING SLAB AS REQUIRED FOR NEW KITCHEN EQUIPMENT - REFERENCE STRUCTURAL
 - D39 REFERENCE PLUMBING DRAWINGS FOR WORK ASSOCIATED WITH NEW COMMERCIAL KITCHEN EQUIPMENT IN THIS AREA. REMOVE OR MODIFY SLABS AS REQ'D
 - D40 DEMOLISH EXISTING LIGHT FIXTURE. PREPARE EXISTING EIFS FOR PATCH AND REPAIR
 - D41 DEMOLISH EXTERIOR SIGNAGE AND ALL RELATED FASTENERS AND HARDWARE - PREPARE EXISTING EIFS FOR PATCH AND REPAIR
 - D42 SALVAGE EXISTING WHEEL STOP - REPAIR CONCRETE SUBSTRATE AND PREPARE FOR NEW FINISH WORK
 - D43 DEMOLISH EXISTING CANOPY FASCIA, FLASHING, EPDM MEMBRANE AND SCOFFIT MATERIAL AS REQ'D TO ACCOMMODATE NEW WORK IN THIS AREA - REF. ARCHITECTURAL DETAILS
 - D44 REMOVE EXISTING ROOF SYSTEM AND STRUCTURAL DECK FOR NEW ROOF PENETRATION - COORDINATE WITH ARCHITECTURAL AND M.E.P. NEW WORK. PROVIDE TEMPORARY ENCLOSURE AT ALL NEW ROOF PENETRATIONS
 - D45 REMOVE EXISTING ROOF SYSTEM AND STRUCTURAL DECK FOR NEW DUCTWORK - COORDINATE WITH ARCHITECTURAL AND STRUCT NEW WORK. PROVIDE TEMPORARY ENCLOSURE AT ALL NEW ROOF PENETRATIONS
 - D46 SALVAGE EXISTING GLAZED TILE AND BULLNOSE TRIM. REUSE FOR PATCHING AT MEZZANINE LEVEL. SEE PLANS & INTERIOR ELEVATIONS FOR EXTENT OF NEW WORK.

Architecture and Interiors

MSRDesign
510 Marquette Avenue South, Suite 200
Minneapolis, MN 55402 | 612.375.0336

MEP Engineer

MEP Associates, LLC
893 Blue Goshawk Rd #175
Eagan, MN 55121 | 651.379.9120

Civil Engineer

Vierbicher
999 Foster Dr. Suite 201
Madison, WI 53717 | 608.826.0532

Landscaping Architect

Ken Saiki Design
110 S. Park St.
Madison, WI 53715 | 608.251.3600

Structural Engineering,
Fire Protection Engineering, Technology and AV

IMEG Corporation, Inc.
1800 Geneva Way, Suite 200,
Madison, WI 53762

Lighting Design

Mazzetti, Inc.
1600 Stout St. Suite 400
Denver, CO 80202 | 720.654.5444

Commercial Kitchen Design

Boelter Premier
7120 Northland Terrace,
Minneapolis, MN 55423 | 763.544.8800

MADISON PUBLIC MARKET
202 N First St, Madison, WI 53704

Project No: 20190200.00

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.

Architect Seal

Print Name: *Dakarna Larsen*
Date: 05-26-2021 License No.: 57356

100% Construction Documents


ISSUE / REVISION

Mark	Date	Description
06.04.2019	SITE - BUILDING DESIGN 1 PRICING ISSUE	
08.12.2019	LOC INFORMATIONAL SUBMISSION	
08.16.2019	SITE - BUILDING DESIGN 2 PRICING ISSUE	
11.13.2019	100% CDP DOCUMENTS	
02.19.2020	CD PRICING ISSUE	
04.30.2020	90% CONSTRUCTION DOCUMENTS	
05.04.2021	100% CONSTRUCTION DOCUMENTS	

1 LEVEL 1 DEMO -- NORTH
D101N 1/8" = 1'-0"

LEVEL 1 DEMOLITION
- NORTH

D101N



- DEMOLITION PLAN LEGEND**
- EXISTING FLOOR FINISHES SHALL BE REMOVED AND CONCRETE SLAB SHALL BE BROKEN DOWN AS REQ'D FOR NEW WORK - SEE GENERAL NOTES - COORDINATE EXTENTS WITH NEW WORK
 - ASSUMED EXTENTS OF EXISTING SLAB TRENCHING AND REMOVAL FOR INSTALLATION OF NEW WORK - SEE KEYNOTE 14. SUBMIT SLAB REMOVAL PLAN PRIOR TO TRENCHING PER SPECIFICATION SECTION 02 41 19
 - MEZZANINE SLAB REMOVAL - SEE KEYNOTE 24

- DEMOLITION GENERAL NOTES**
- ALL CONTRACTORS WISHING TO SUBMIT BIDS FOR WORK IN THESE DOCUMENTS SHALL VISIT THE SITE PRIOR TO SUBMITTING A BID AND SHALL VERIFY EXISTING CONDITIONS AND SCOPE OF WORK.
 - ALL LOOSE DEBRIS IS TO BE REMOVED BY DEMOLITION CONTRACTOR
 - NOTIFY ARCHITECT IMMEDIATELY IF FIELD CONDITIONS ARE OTHER THAN WHAT IS SHOWN ON PLANS
 - WHERE DEMOLITION WORK ABUTS OR INTERSECTS EXISTING CONSTRUCTION WHICH IS TO REMAIN, REFER TO NEW CONSTRUCTION DOCUMENTS FOR EXTENTS OF REMOVAL. PROTECT ALL EXISTING CONSTRUCTION TO REMAIN.
 - INTERIOR SURFACE CLEANING SHALL BE PERFORMED DURING DEMOLITION PHASE OF WORK. CONTRACTOR SHALL CLEAN ALL INTERIOR SURFACES TO REFINISH SPECIFICATIONS. CONTRACTOR SHALL PERFORM THIS WORK AFTER REMOVAL OF ALL ITEMS TO BE DEMOLISHED AND PRIOR TO COMMENCING NEW WORK.
 - CONTRACTOR SHALL CONDUCT CLEANING WORK DESCRIBED IN DEMOLITION GENERAL NOTE 2 IN A MANNER WHICH PRESERVES, TO ALL REASONABLE EXTENT, EXISTING INTERIOR FINISHES TO REMAIN. CONTRACTOR SHALL INSPECT RESULTS OF CLEANING WORK AND SHALL NOTIFY ARCHITECT AND OWNER OF ANY EXISTING FINISHES TO REMAIN WHICH HAVE BEEN DAMAGED.
 - COORDINATE REMOVAL OF ELEMENTS WHICH MAY CONTAIN HAZARDOUS MATERIALS - I.E. PIPE WRAP, CONTAMINATED SOILS, ETC WITH ABATEMENT CONTRACTOR. NOTIFY OWNER IMMEDIATELY IF HAZARDOUS MATERIALS ARE ENCOUNTERED. HAZARDOUS MATERIALS ABATEMENT IS NOT PART OF THE WORK SHOWN IN THESE DOCUMENTS.
 - GENERAL LOCATIONS WHERE EXISTING EIFS FINISHES ARE REMOVED IN EXTERIOR DEMOLITION DRAWINGS SHALL BE IDENTIFIED BY ARCHITECT. IF REMOVAL EXTENTS ARE OTHER THAN WHAT IS SHOWN IN ELEVATIONS, AT THESE LOCATIONS, EIFS SYSTEMS SHALL BE REMOVED IN REGULAR ORTHOGONAL SECTIONS. CONTRACTOR SHALL VERIFY PLUMB AND LEVEL. EXISTING EIFS AT THESE LOCATIONS SHALL BE REMOVED IN ITS ENTIRETY - I.E. FINISH MEMBRANE, INSULATION AND ADHESIVE. AND SUBSTRATE SHALL BE PREPARED FOR NEW PATCHED EIFS SYSTEM.
 - EXTENTS OF SLAB TRENCHING SHOWN ON ARCHITECTURAL DEMOLITION DRAWINGS FOR PLACEMENT OF BELOW GRADE UTILITIES AND STRUCTURAL WORK IS APPROXIMATE AND MAY NOT REPRESENT FULL EXTENT OF THIS WORK. CONTRACTOR SHALL VERIFY SCOPE OF SLAB REMOVAL WORK WITH REQUIREMENTS OF MEP AND STRUCTURAL AND NEW WORK SCOPE. VERIFY THE EXTENTS OF ALL SLAB REMOVAL WORK WITH ARCHITECT BEFORE PERFORMING.
 - EXTENTS OF SLAB GRINDING SHOWN ON ARCHITECTURAL DEMOLITION DRAWINGS FOR REPAIR OF EXISTING FLOORS IS APPROXIMATE AND MAY NOT REPRESENT FULL EXTENT OF THIS WORK. CONTRACTOR SHALL VERIFY FULL EXTENTS OF THIS WORK WITH FINISH PLANS AND SURFACE PREPARATION REQUIREMENTS OF SPECIFIED NEW FLOOR FINISHES AS PER PROJECT SPECIFICATIONS.
 - WHERE FINISH FLOORING IS TO BE REMOVED, REMOVE ALL MATERIAL - I.E. FINISHES, ADHESIVES, AND BACKING; TO SLAB BELOW. PREPARE SLAB SURFACE FOR NEW FINISH AS PER REQUIREMENTS OF NEW WORK.
 - ALL OBSOLETE OR ABANDONED MECHANICAL, ELECTRICAL, AND PLUMBING EQUIPMENT - I.E. COILS, FITTINGS, DUCTWORK, HANGERS, CONTROLS, FIXTURES, ETC - SHALL BE REMOVED. COORDINATE WITH MEP REMOVAL DRAWINGS.
 - WHERE PARTITIONS ARE REMOVED, REMOVE ALL ITEMS CONTAINED WITHIN - INCLUDING BUT NOT LIMITED TO DOORS, HARDWARE, FRAMES, SCHEDULES, MECHANICAL AND ELECTRICAL EQUIPMENT, ETC. TO STRUCTURE ABOVE AND BELOW, UNLESS NOTED OTHERWISE.
 - ALL EXISTING CEILINGS SHALL BE REMOVED. WHERE CEILINGS ARE REMOVED, REMOVE CEILING FINISH AND SUSPENSION SYSTEM ALONG WITH ALL ASSOCIATED PARTNERS, FITTINGS, AND MEP EQUIPMENT. COORDINATE WITH MEP REMOVAL DRAWINGS.
 - SEE DEMOLITION KEYNOTES FOR SPECIFIC INFORMATION ON ITEMS TO BE REMOVED BY LOCATION.

- KEYED NOTES (DEMOLITION)**
- D1 REMOVE EXISTING OVERHEAD DOOR AND ALL FRAME/HARDWARE/MOTOR COMPONENTS BACK TO ROUGH OPENING
 - D2 REMOVE EXISTING DOORS(S) AND FRAME(S) TO ROUGH OPENING
 - D3 REMOVE EIFS PANEL FROM CONCRETE WALL(CM)
 - D4 CLEAN CONCRETE TO PREPARE FOR NEW WATERPROOFING OR CLADDING - COORDINATE W/ NEW WORK
 - D5 CUT AND REMOVE SECTION OF DAMAGED EXISTING EIFS SYSTEM BACK TO SUBSTRATE. PREPARE SUBSTRATE FOR NEW PATCH AND REPAIR WORK AS PER EIFS MANUF'S RECOMMENDATION
 - D6 REMOVE EXISTING STOREFRONT GLAZING SYSTEM AND ALL FLASHING/TRIM/SLAB BACK TO ROUGH OPENING. REFERENCE NEW WORK FOR EXISTING MISC. STEEL TO REMAIN IN OPENINGS, PATCH AND REPAIR MASONRY FOR NEW CURTAIN WALL SYSTEM
 - D7 REMOVE PORTION OF EXTERIOR MASONRY WALL COMPLETELY. REMOVE EXISTING EIFS FINISH AS REQ'D TO TOOTH IN NEW CMU - REF. EXTERIOR ELEVATIONS
 - D8 REMOVE PORTION OF EXISTING FC CORNER IN PREPARATION FOR FC PLANTER SHAFT
 - D9 REMOVE EXISTING STAIR COMPLETELY
 - D10 REMOVE EXISTING INTERIOR WALL COMPLETELY
 - D11 REMOVE EXISTING INTERIOR WIRE PARTITION, SALVAGE, CLEAN, AND STORE FOR REUSE
 - D12 REMOVE EXISTING PLUMBING FIXTURES AND PLUMBING WALL CAVITY
 - D13 REMOVE EXISTING CMU COLUMN WRAP AND ANY THE BACKS OR ANCHORS TO B.O. SLAB OR DECK ABOVE. PREPARE NEWLY EXPOSED STEEL FOR NEW FINISH - REF. FINISH PLANS
 - D14 REMOVE EXISTING EXTERIOR CONCRETE WALL TO "F" - SEE NEW WORK FOR EXTENTS. SAW CUT CONCRETE CLEANLY, ALIGNED WITH CMU JAMS ABOVE TO CREATE CLEAN ROUGH SURFACE FOR NEW CURTAIN WALL. PREP FOR NEW CMU WORK TO PATCH AND TOOTH IN NEW JAMB BLOCKS
 - D15 SAW CUT AND DEMOLISH EXISTING SLAB AS REQ'D FOR COMPLETION OF NEW MEP OR STRUCTURAL WORK. BELOW SLAB: REGION DIMENSIONED SHALL BE REMOVED AS NOTED. ALL OTHER AREAS, GC SHALL COORDINATE ACTUAL REMOVAL REQUIREMENTS WITH NEW WORK.
 - D16 REMOVE IRM FIXTURES IN ATTIC (E.G. INS. AND SCOFF WRAP) AND ALL SUSPENSION - FRAMING, HANGERS, RODS, DECK CLIPS, ETC BACK TO DECK. CLEAN NEWLY EXPOSED STEEL, DECK, JOIST AND FRAMING - REF. ARCHITECTURAL CEILING PLANS FOR ANY NEW FINISHES
 - D17 REMOVE EXISTING CONCRETE INFILL AND SAND INFILL BELOW
 - D18 REMOVE SLAB AND TRENCH CONSTRUCTION BELOW GRADE AS REQ'D FOR NEW FLOOR - SLAB CUT TO BE STRAIGHT AND UNIFORM
 - D19 EXISTING TRENCH BASIN TO BE ABANDONED AND INFILLED - REF. PLUMBING DEMOLITION DRAWINGS FOR RELATED WORK
 - D20 EXISTING OWNER'S EQUIPMENT TO BE DECOMMISSIONED AND REMOVED BY OWNER - COORDINATE WITH OWNER FOR SALVAGE REQUIREMENTS
 - D21 EXISTING PAINT BOOTH AND ALL RELATED EQUIPMENT - FANS, POWER, DUCTWORK, ETC SHALL BE REMOVED. ALL EXISTING OPENINGS IN SLAB, WALLS AND ROOF SHALL BE PREPARED FOR REPAIR AND PATCHING IN NEW WORK
 - D22 EXISTING STEEL AND GLASS WINDOW WALL TO BE PARTIALLY DEMOLISHED. REMOVE TOGGLE BOLTS RETAINING GLAZED PANELS. GLAZED PANELS SHALL BE CLEANED AND SALVAGED FOR RE-USE IN SLIDING PARTITIONS - REF. NEW WORK. REMOVE OTHER FRAMING COMPONENTS OF GLAZED WALL AS REQ'D - REF. NEW ARCHITECTURAL ELEVATIONS FOR EXTENTS.
 - D23 CLEAN EXISTING STEEL AND GLASS WINDOW WALL TO REMAIN. PROVIDE TEMPORARY SUPPORT AND PROTECT IN PLACE - REFERENCE STRUCTURAL
 - D24 SAW CUT STRAIGHT AND DEMOLISH CONCRETE WALL BELOW STEEL AND GLASS TO BELOW "F" AS REQ'D FOR NEW WORK - REF. ARCHITECTURAL DETAILS AT THIS LOCATION. CONCRETE PIERS AT COLUMN BASES SHALL REMAIN - REF. STRUCTURAL FOR EXTENTS OF WALL TO REMAIN.
 - D25 REMOVE MEZZANINE FLOOR SLAB AND FRAMING - REFER TO STRUCTURAL
 - D26 CUT HOIST AND MOUNTING BRACKETS FROM EXISTING OPENING JAMB. CLEAN AND SALVAGE FOR RE-USE.
 - D27 DEMOLISH EXISTING SLAB AS REQUIRED FOR NEW KITCHEN EQUIPMENT - REFERENCE STRUCTURAL
 - D28 REFERENCE PLUMBING DRAWINGS FOR WORK ASSOCIATED WITH NEW COMMERCIAL KITCHEN EQUIPMENT IN THIS AREA. REMOVE OR MODIFY SLABS AS REQ'D
 - D29 DEMOLISH EXTERIOR LIGHT FIXTURE. PREPARE EXISTING EIFS FOR PATCH AND REPAIR
 - D30 DEMOLISH EXTERIOR SIGNAGE AND ALL RELATED FASTENERS AND HARDWARE - PREPARE EXISTING EIFS FOR PATCH AND REPAIR
 - D31 SALVAGE EXISTING WHEEL STOP - REPAIR CONCRETE SUBSTRATE AND PREPARE FOR NEW FINISH WORK
 - D32 DEMOLISH EXISTING CANOPY FASCIA, FLASHING, EPDM MEMBRANE AND SCOFF MATERIALS AS REQ'D TO ACCOMMODATE NEW WORK IN THIS AREA - REF. ARCHITECTURAL DETAILS
 - D33 REMOVE EXISTING ROOF SYSTEM AND STRUCTURAL DECK FOR NEW ROOF PENETRATION - COORDINATE WITH ARCHITECTURAL AND M.E.P. NEW WORK. PROVIDE TEMPORARY ENCLOSURE AT ALL NEW ROOF PENETRATIONS
 - D34 REMOVE EXISTING ROOF SYSTEM AND STRUCTURAL DECK FOR NEW SLOUGHT - COORDINATE WITH ARCHITECTURAL AND STRUCTURAL NEW WORK. PROVIDE TEMPORARY ENCLOSURE AT ALL NEW ROOF PENETRATIONS
 - D35 SALVAGE EXISTING GLAZED TILE AND BULLNOSE TRIM. REUSE FOR PATCHING AT MEZZANINE LEVEL. SEE PLANS & INTERIOR ELEVATIONS FOR EXTENT OF NEW WORK.

Architecture and Interiors

MSRDesign
510 Marquette Avenue South, Suite 200
Minneapolis, MN 55442 | 612.375.0336

MEP Engineer

MEP Associates, LLC
850 Blue Gables Rd #175
Eagan, MN 55121 | 651.379.9120

Civil Engineer

Vierbicher
999 Foster Dr. Suite 201
Madison, WI 53717 | 708.826.0532

Landscape Architect

Ken Saiki Design
110 S. Park St.
Madison, WI 53715 | 608.251.3600

Structural Engineering,
Fire Protection Engineering, Technology and AV

IMEG Corporation, Inc.
1800 Goring Way, Suite 200,
Madison, WI 53762

Lighting Design

Mazzetti, Inc.
1600 Stout St. Suite 400
Denver, CO 80202 | 720.644.5044

Commercial Kitchen Design

Boelter Premier
7120 Northland Terrace,
Minneapolis, MN 55420 | 763.544.8800

MADISON PUBLIC MARKET
202 N First St, Madison, WI 53704

Project No: 20190200-00

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the Laws of the State of Wisconsin.

Architect Seal

Print Name: Dagmara Larsen
Date: 05.26.2021 License No.: 57356

100% Construction Documents

ISSUE / REVISION

Mark	Date	Description
06.04.2019	SITE - BUILDING DESIGN 1 PRICING ISSUE	
08.12.2019	LEIC INFORMATIONAL SUBMISSION	
08.16.2019	SITE - BUILDING DESIGN 2 PRICING ISSUE	
11.13.2019	100% CDP DOCUMENTS	
02.19.2020	CD PRICING ISSUE	
04.30.2020	90% CONSTRUCTION DOCUMENTS	
05.04.2021	100% CONSTRUCTION DOCUMENTS	

LEVEL 1 DEMOLITION - SOUTH

D101S