



Department of Public Works
Engineering Division
 Robert F. Phillips, P.E., City Engineer
 City-County Building, Room 115
 210 Martin Luther King, Jr. Boulevard
 Madison, Wisconsin 53703
 Phone: (608) 266-4751
 Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

Deputy City Engineer
 Gregory T. Fries, P.E.
Deputy Division Manager
 Kathleen M. Cryan
Principal Engineer 2
 Christopher J. Petykowski, P.E.
 John S. Fahrney, P.E.
 Janet Schmidt, P.E.
Principal Engineer 1
 Christina M. Bachmann, P.E.
 Mark D. Moder, P.E.
 James M. Wolfe, P.E.
Principal Architect 2
 Bryan Cooper, AIA
Financial Manager
 Steven B. Danner-Rivers

March 22, 2022

**NOTICE OF ADDENDUM
 ADDENDUM NO. 1
 CONTRACT NO. 8622, PROJECT NO. 13706
 S. OWEN DRIVE, KEATING TERRACE AND CAROMAR DRIVE
 RESURFACING ASSESSMENT DISTRICT - 2022**

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

PLANS:

REMOVE

Remove sheets D-3 and GI-2

INSERT

Insert sheets D-3 and GI-2

Sheet D-3 is being revised to show the correct dimensions of the concrete flume.

Sheet GI-2 is being revised to show the correct address and rain garden revisions.

PROPOSAL:

ACTION	BID ITEM	DESCRIPTION
MODIFY	21110	TERRACE RAIN GARDEN

Please see Bid Express for Revised bid item quantities.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:
<http://www.bidexpress.com>


If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.

Sincerely,


For:

Robert F. Phillips, P.E., City Engineer


- 1.) ENGINEERED SOIL: SEE STANDARD SPECIFICATIONS
70-85% PRE WASHED COURSE SAND
15-30% COMPOST PER SPECIAL PROVISIONS
- 2.) SEE PLANS FOR SITE SPECIFIC LOCATIONS AND ELEVATIONS
- 3.) 3" CLEAR STONE IS NOT TO HAVE ANY PORTION ABOVE CONCRETE FLUME ON DOWNSTREAM TO BASIN.



1 SECTION A-A' NOT TO SCALE



2 SECTION B-B'



3 PLAN VIEW

DETAIL POINT ELEVATIONS/DESCRIPTIONS

Point	Point Description	Required Target Distance from Existing FlowLine (ft)	FIELD VERIFY CURB HEIGHT. ADJUST IF CURB TO FLINE LINE IS NOT 6 INCHES.	
			(ft)	(inches)
A	Ex. Flow Line at CL of Flume	0	-0.5	-6
B	Pro. Gutter Flow Line at CL of Flume	-0.17	-0.67	-8
C	Edge of Flume @ Gutter (Uphill)	varies	varies	
D	Edge of Flume @ Gutter (Downhill)	varies	varies	
E	Bottom of Flume at CL	-0.25	-0.75	-9.00
F	Bottom of Stone/Pond	-0.25	-0.75	-9.00
G	Edge of Flume @ Outfall (Uphill)	varies	0.00	varies
H	Edge of Flume @ Outfall (Downhill)	varies	0.00	varies