



Department of Public Works
Engineering Division
James M. Wolfe, P.E., City Engineer

City-County Building, Room 115
210 Martin Luther King, Jr. Boulevard
Madison, Wisconsin 53703
Phone: (608) 266-4751
Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

Assistant City Engineer
Bryan Cooper, AIA
Gregory T. Fries, P.E.
Chris Petykowski, P.E.

Deputy Division Manager
Kathleen M. Cryan

Principal Architect
Amy Loewenstein Scanlon, AIA

Principal Engineer 2
Janet Schmidt, P.E.

Principal Engineer 1
Kyle Frank, P.E.
Mark D. Moder, P.E.
Fadi El Musa Gonzalez, P.E.
Andrew J. Zwieg, P.E.

Financial Manager
Steven B. Danner-Rivers

June 24, 2025

**NOTICE OF ADDENDUM
ADDENDUM 2
CONTRACT NO. 8784**

E MAIN STREET AND SOUTH HANCOCK STREET ASSESSMENT DISTRICT - 2025

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

SPECIFICATIONS:

SECTION D: SPECIAL PROVISIONS

- Under “BID ITEM 50801 – UTILITY LINE OPENING (ULO) (UNDISTRIBUTED)”, add a new superseding section to the contract documents for standard item ‘50361 – WASTEWATER CONTROL’. The new section shall include the following text:

“BID ITEM – WASTEWATER CONTROL

“Work under this bid item shall include wastewater control (bypass pumping of the sewer being replaced) in the amount of 1000 g.p.m. maximum. Work shall be completed in accordance with Article 503.3 of the City of Madison Standard Specifications for Public Works Construction Latest Edition.

We anticipate 100 GPM for the vast majority of project but the work on the sewer main on John Nolen Drive will require significantly higher pumping. For this 18” sewer main, we are anticipating 1000 g.p.m. based upon the operating levels of the sewer main according to the CCTV. We have observed 9” of flow on the John Nolen Drive sewer: SAS 5249-043 to SAS 5249-001. It is recommended that contractors look at flow conditions prior to planning for wastewater control plan.”

The remainder of the text within this subsection shall remain the same as the original contract.


Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

The electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office.

Sincerely,



James M. Wolfe, P.E., City Engineer

JMW: EA