



Legend

⊕ Denotes boring location

Notes


1. Soil borings performed by ADC in January 2026
2. Boring locations are approximate



Scale: Reduced

Job No.
C25051-25

Date:
1/2026



SOIL BORING LOCATION MAP
Elmside Boulevard Area
Madison, Wisconsin



LOG OF TEST BORING

Project Elmside Boulevard
Elmside: 90'N of Sommers, 25'W of Centerline
 Location Madison, WI

Boring No. 1
 Surface Elevation (ft) 877±
 Job No. C25051-25
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES					
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL	LOI
					5	5 in. Asphalt Pavement					
1		12	M	67*		FILL: Brown Sand Mixed with Silt, Gravel and Clay to 3'					
2		10	M	7		Stiff Dark Brown Clay with Traces Sand and Gravel to 5'	(1.25)				
3		12	M	9		Stiff, Brown Lean CLAY (CL)	(1.5)				
4		10	M	5		Becoming Sandy and Soft Near 9'	(0.4)				
5		10	M	6		Loose to Very Loose, Brown Fine SAND, Some Silt and Clay, Trace Gravel (SM/SC)					
6		6	M	4							
7		12	M	4		Very Loose to Very Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
8		4	M	50/5"		End of Boring at 18.9 ft Due to Spoon Refusal on Presumed Boulder/Possible Bedrock					
						Backfilled with Bentonite Chips and Asphalt Patch					
						*Sample 1 Frozen					

WATER LEVEL OBSERVATIONS	GENERAL NOTES
While Drilling <input checked="" type="checkbox"/> NW Upon Completion of Drilling _____ Time After Drilling _____ 10 Min. Depth to Water _____ Depth to Cave in _____ 16.6'	Start <u>1/27/26</u> End <u>1/27/26</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>LD/DB</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u>
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	



LOG OF TEST BORING

Project Elmside Boulevard
Elmside: 80'S of Sommers, 25'E of Centerline
 Location Madison, WI

Boring No. 2
 Surface Elevation (ft) 878±
 Job No. C25051-25
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL
					5	5 in. Asphalt Pavement/6 in. Base Course				
1		10	M	6*	5	FILL: Loose Dark Brown Silt with Sand and Clay				
2		6	M	13	5	Very Stiff, Brown Lean CLAY (CL)				
3		6	M	14	5	Medium Dense, Light Brown Fine to Medium SAND, Some Gravel, Little Silt (SP-SM)				
4		10	M	55/ 11"	10	Very Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Numerous Cobbles and Boulders (SM)				
5		4	M	50/5"	10					
6		10	M	44	15	Dense Near 14'				
End of Boring at 15 ft										
Backfilled with Bentonite Chips and Asphalt Patch										
*Sample 1 Partially Frozen										

WATER LEVEL OBSERVATIONS	GENERAL NOTES
While Drilling <input checked="" type="checkbox"/> NW Upon Completion of Drilling _____ Time After Drilling _____ 10 Min. Depth to Water _____ Depth to Cave in _____ 11.2'	Start <u>1/21/26</u> End <u>1/21/26</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>LD</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u>
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	



LOG OF TEST BORING

Project Elmside Boulevard
Elmside: 75'N of Willard, 25'W of Centerline
 Location Madison, WI

Boring No. 3
 Surface Elevation (ft) 876±
 Job No. C25051-25
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES					
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL	LOI
					5	4 in. Asphalt Pavement/6 in. Base Course					
1		12	M	39*	5	Stiff, Brown Lean CLAY (CL; Possible Fill to 3')					
2		12	M	15	5		(1.75)				
3		10	M	12	5	Medium Dense, Light Brown Fine to Medium SAND, Some Gravel, Little Silt (SP-SM)					
4		10	M	37	10	Dense to Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
5		4	M	26	10						
6		6	M	35	15						
					15	End of Boring at 15 ft					
					20	Backfilled with Bentonite Chips and Asphalt Patch					
					25	*Sample 1 Frozen					

WATER LEVEL OBSERVATIONS	GENERAL NOTES
While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ <u>10 Min.</u> Depth to Water _____ Depth to Cave in _____ <u>11.3'</u>	Start <u>1/27/26</u> End <u>1/27/26</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>LD/DB</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u>
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	



LOG OF TEST BORING

Project Elmside Boulevard
Elmside: 115'S of Willard, 25'E of Centerline
 Location Madison, WI

Boring No. **4**
 Surface Elevation (ft) 879±
 Job No. C25051-25
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL
					5	5 in. Asphalt Pavement/5 in. Base Course				
1		12	M	8*	5	FILL: Loose Dark Brown Silt with Sand and Clay				
2		10	M	14	5	Very Stiff, Brown Lean CLAY (CL)				
3		6	M	8	5	Loose, Brown Fine SAND, Some Silt and Clay, Trace Gravel (SM/SC)				
4		10	M	15	5					
5		12	M	13	10	Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)				
6		12	M	17	15					
End of Boring at 15 ft										
Backfilled with Bentonite Chips and Asphalt Patch										
*Sample 1 Partially Frozen										

WATER LEVEL OBSERVATIONS	GENERAL NOTES
While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ <u>10 Min.</u> Depth to Water _____ Depth to Cave in _____ <u>12'</u>	Start <u>1/21/26</u> End <u>1/21/26</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>LD</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u>
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	



LOG OF TEST BORING

Project Elmside Boulevard
Sommers: 125'E of Miller, 10'S of Centerline
 Location Madison, WI

Boring No. 5
 Surface Elevation (ft) 879±
 Job No. C25051-25
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL
					0	4 in. Asphalt Pavement/6 in. Base Course				
1		12	M	11*	11	FILL: Dark Brown Silt with Sand and Clay				
2		8	M	13	13	Very Stiff, Brown Lean CLAY (CL)				
3		10	M	8	13	(3.5)				
4		12	M	17	17					
5		6	M	82/ 10"	17	Loose to Very Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)				
6		12	M	20	20	End of Boring at 15 ft Backfilled with Bentonite Chips and Asphalt Patch *Sample 1 Partially Frozen				
					20					
					25					

WATER LEVEL OBSERVATIONS	GENERAL NOTES
While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ <u>10 Min.</u> Depth to Water _____ Depth to Cave in _____ <u>10.7'</u>	Start <u>1/21/26</u> End <u>1/21/26</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>LD</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u>
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	



LOG OF TEST BORING

Project Elmside Boulevard
 Center: 110'W of Elmside, 8'N of Centerline
 Location Madison, WI

Boring No. 6
 Surface Elevation (ft) 877±
 Job No. C25051-25
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES					
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL	LOI
					5	X					
1		10	M	30*	5	X					
2		10	M	7	5	/	(1.75)				
3		10	M	18	5	.					
4		8	M	31	10	.					
5		2	M	43	10	.					
6		8	M	30	15	.					
					15	.					
					20						
					25						

WATER LEVEL OBSERVATIONS	GENERAL NOTES
While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ <u>10 Min.</u> Depth to Water _____ Depth to Cave in _____ <u>11.4'</u>	Start <u>1/27/26</u> End <u>1/27/26</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>LD/DB</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u>
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	



LOG OF TEST BORING

Project Elmside Boulevard
 Center: 95'E of Maple, 8'N of Centerline
 Location Madison, WI

Boring No. 7
 Surface Elevation (ft) 887±
 Job No. C25051-25
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL
					0	4 in. Asphalt Pavement/6 in. Base Course				
1		12	M	10*	1	Stiff, Brown Lean CLAY (CL; Possible Fill to 2')				
					5	Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Numerous Cobbles and Boulders (SM)				
2		12	M	11	6					
					10	Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Numerous Cobbles and Boulders (SM)				
3		6	M	19	11					
					15	Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Numerous Cobbles and Boulders (SM)				
4		12	M	18	12					
					20	Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Numerous Cobbles and Boulders (SM)				
5		12	M	23	13					
					25	Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Numerous Cobbles and Boulders (SM)				
6		12	M	30	14					
End of Boring at 15 ft										
Backfilled with Bentonite Chips and Asphalt Patch										
*Sample 1 Partially Frozen										

WATER LEVEL OBSERVATIONS	GENERAL NOTES
While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling _____ Time After Drilling _____ <u>10 Min.</u> Depth to Water _____ Depth to Cave in _____ <u>11.3'</u>	Start <u>1/21/26</u> End <u>1/21/26</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>LD</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u>
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	