



Madison Parks Division

210 Martin Luther King, Jr. Blvd., Room 104
Madison, WI 53703
608-266-4711 • cityofmadison.com/parks

play
**MADISON
PARKS**

February 26, 2020

NOTICE OF ADDENDUM ADDENDUM 1

CONTRACT NO. 9428

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

SECTION D: SPECIAL PROVISIONS

BID ITEM 90003 – PIER INSTALLATION

Replace the 3rd paragraph with the following:

The proposed pier will be purchased by the City of Madison and ordered for delivery from VW Docks to the Contractor's pre-determined receiving location. The Contractor shall provide equipment and labor for off-loading, loading, and trucking as needed. The pier manufacturer shall provide information on weight and dimensions of equipment being shipped, the recommended equipment for off-loading the pier, and shall give the Contractor at least one week's notice prior to delivery. For Contractor's reference, contact information for VW Docks is provided below:

Scott Chambers
Walk on Water, Inc. dba VW Docks
2704 16th Street
PO Box 343
Spirit Lake, IA 51360
(712) 336-1016
scott@vwdocks.com

APPENDIX B PERMITS:

Add the included Wisconsin Department of Natural Resources Permits to Appendix B.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.

Sincerely,


for Eric Knepp, Parks Superintendent

All concrete, reinforcing steel (uncoated), expansion filler, and other incidentals shall conform to Article 301 of the Standard Specifications for Public Works Construction. Provide expansion filler between the sidewalk and the abutment paving notch. Finish the concrete abutment in accordance with Article 301 and as noted on the drawings.

The final dimensions of the concrete abutment may need to be adjusted to accommodate the fishing pier gangway dimensions. Coordinate final dimensions with Engineer prior to constructing abutment.

Remove existing organic and peat soils to the underlying sand layer. Backfill excavation to bottom of foundation elevation using 1 ¼ inch clear stone wrapped in geotextile fabric Type SAS Nonwoven.

Maintain a dry excavation during construction of the concrete abutment. Payment for dewatering shall be in accordance with the Lake and Groundwater Control bid item.

METHOD OF MEASUREMENT

Pier Abutment shall be measured by lump sum for the completed work as described above.

BASIS OF PAYMENT

Pier Abutment shall be measured as described above and shall be paid at the contract unit price, which shall be considered full compensation for all labor, materials, equipment, and incidentals **including excavation, backfill, installation of clear stone base, geotextile fabric, concrete, steel reinforcement, and all associated work required to construct the concrete abutment in accordance with the drawings and special provisions.**

BID ITEM 90003 – PIER INSTALLATION

DESCRIPTION

Work under this bid item shall include all labor, equipment, materials and incidentals necessary to install a galvanized, structural-steel framed boardwalk with high-density polyethylene (HDPE) decking, including all fittings, accessories, and fasteners. The design, manufacture, procurement of the pier SHALL NOT BE INCLUDED IN THIS CONTRACT, and shall be part of a separate bidding process.

For the Contractors reference, the pier design drawings and specifications are included in Appendix C.

The proposed pier will be purchased by the City of Madison and ordered for delivery from VW Docks to the Contractor's pre-determined receiving location. The Contractor shall provide equipment and labor for off-loading, loading, and trucking as needed. The pier manufacturer shall provide information on weight and dimensions of equipment being shipped, the recommended equipment for off-loading the pier, and shall give the Contractor at least one week's notice prior to delivery. For Contractor's reference, contact information for VW Docks is provided below:

Scott Chambers
Walk on Water, Inc. dba VW Docks
2704 16th Street
PO Box 343
Spirit Lake, IA 51360
(712) 336-1016
scott@vwdocks.com

The Contractor is responsible for securing all deliveries and insuring the completeness of the order prior to installation. The Contractor is required to inspect all deliveries received for damage and shall notify the Engineer when materials have been received and inspected. Inspection by the Contractor shall occur upon delivery. If materials are found to have been damaged upon delivery to Contractor, the Contractor shall inform vendor and provide photographs of damage, and, if necessary, store the materials at the

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
3911 Fish Hatchery Road
Fitchburg, WI 53711-5397

Tony Evers, Governor
Preston D. Cole, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



February 21, 2020

GP-SC-2020-13-00160

City of Madison Parks Division
Kay Rutledge
210 Martin Luther King Jr. Blvd., Rm 104
Madison, WI 53703

RE: Coverage under the waterway statewide general permit to construct a public boat ramp on the bed and banks of Lake Mendota, located in the City of Madison, Dane County, also described as being in the SW1/4 of the NE1/4 of Section 36, Township 08 North, Range 09 East.

Dear Ms. Rutledge:

Thank you for submitting an application for coverage under the waterway statewide general permit to construct a public boat ramp on the bed and banks of Lake Mendota, NR 329 and 30.206.

You have certified that your project meets the eligibility criteria and conditions for this activity. Based upon your signed certification you may proceed with your project. Please take this time to re-read the permit eligibility standards and conditions. The eligibility standards can be found on your application checklist or in the statewide general permit (found at <http://dnr.wi.gov/topic/waterways/> - keyword: general permits). The permit conditions are attached to this letter. You are responsible for meeting all general permit eligibility standards and permit conditions. This includes notifying the Department before starting the project, and submitting photographs within one week of project completion. Please note your coverage is valid for 5 years from the date of the department's determination or until the activity is completed, whichever occurs first.

The Department conducts routine and annual compliance monitoring inspections. Our staff may follow up and inspect your project to verify compliance with state statutes and codes. If you need to modify your project please contact your local Water Management Specialist, Jeff Schure at (608) 228-8107 or email Jeff.Schure@wisconsin.gov to discuss your proposed modifications. The Department of Natural Resources appreciates your willingness to comply with waterway regulations, which help to protect the water quality, fish and wildlife habitat, natural scenic beauty and recreational value of Wisconsin's public resources for future generations. Please be sure to obtain any other local, state or federal permits that are required before starting your project. If you have any questions, please call me at (608) 228-8107 or email Jeff.Schure@wisconsin.gov.

Sincerely,

Jeff J. Schure

Jeff Schure

Water Management Specialist

cc: U.S. Army Corps of Engineers
Dane County Zoning

WDNR-GP14-2016 General Permit Conditions – General Permit to place fish/wildlife habitat structures, boat landings, and stream crossings (culverts/bridges/fords/temporary crossings) in navigable waters, dredge or place material on the bed of a stream channel, and discharge related fill into wetlands of Wisconsin

You agree to comply with the following conditions:

1. **Application.** You must submit a complete application package to the Department as outlined in Section 2 of this general permit. If requested, you must furnish to the Department within a reasonable timeframe any information the Department needs to verify compliance with the terms and conditions of this permit.
2. **Certification.** Acceptance of general permit WDNR-GP14-2016 and efforts to begin work on the activities authorized by this general permit signifies that you have certified the project meets all eligibility standards outlined in Section 1 of this permit and that you have read, understood and agreed to follow all terms and conditions of this general permit.
3. **Project Plans.** This permit does not authorize any work other than the work that is specifically described in the notification package and plans submitted to the Department and that you certified is in compliance with the terms and conditions of WDNR-GP14-2016.
4. **Reliance on Applicant's Data.** The determination by this office that a confirmation of authorization is not contrary to wetland water quality standards will be based upon the information provided by the applicant and any other information required by the DNR.
5. **Expiration.** This WDNR-GP14-2016 is valid for a period of 5 years from the date of issuance. Any activity that the Department determines is authorized by WDNR-GP14-2016 remains authorized under WDNR-GP14-2016 for a period of 5 years from the date of the Department's determination or until the activity is completed, whichever occurs first, regardless of whether WDNR-GP14-2016 expired before the activity is completed.
6. **Other Permit Requirements.** You are responsible for obtaining any other state permits and any other permits or approvals that may be required for your project by local zoning ordinances, the U.S. Army Corps of Engineers (USACE), and any other federal agencies before starting your project. To locate the USACE staff responsible for review projects in Wisconsin please visit <http://www.mvp.usace.army.mil/Missions/Regulatory.aspx> .
7. **Project Start.** You must notify the Department using the information provided on the confirmation of coverage letter you receive before starting any activity and again not more than 5 days after each activity is completed.
8. **Permit Posting.** You must post a copy of this permit at a conspicuous location on the project site for at least 5 days prior to the project starting, and the copy must remain posted on the project site at least 5 days after the project is complete. You must also have a copy of the permit and approved plan available at the project site at all times until the project is complete.
9. **Permit Compliance.** The Department may modify or revoke coverage of this permit if

completion of the project is not carried out in compliance with the terms and conditions of this permit, or if the Department determines the project will be detrimental to the public interest. Any act of noncompliance with this permit constitutes a permit violation and is grounds for enforcement action. Additionally, if any condition of this permit is found to be invalid or unenforceable, authorization for all activities to which that condition applies is denied.

10. **Construction Timing.** Once waterway work below the OHWM commences, all construction activities in those waterways must be continuous until the work is completed, and the site is stabilized. Once wetland work commences, all construction activities in those wetlands must be continuous to the extent practicable. During periods of inactivity in wetlands, the site must be made stable until the work is resumed and completed.
11. **Project Completion.** Within one week of project completion you must submit to the Department a statement certifying that the project is in compliance with all the terms and conditions of this permit and photographs of the work authorized by this permit.
12. **Site Access.** Upon reasonable notice, you must allow access to the site to any Department employee who is investigating the project's construction, operation, maintenance or compliance with the terms and conditions of WDNR-GP14-2016 and applicable laws.
13. **Erosion and Sediment Control Practices.** The project site must implement erosion and sediment control measures that adequately control or prevent erosion and prevent damage to waterways and wetlands as outlined in Wis. Admin. Code s. NR 151.11(6m). These standards can be found at the following website:
http://dnr.wi.gov/topic/Stormwater/standards/const_standards.html . Any area where topsoil is exposed during the project should be immediately seeded and mulched to stabilize disturbed areas and prevent soils from being eroded and washed into the waterway.
14. **Equipment Use.** All equipment used for the project will be designed and properly sized to minimize the amount of disturbance to the wetland or waterway.
15. **Wetland protection.** You shall not store any vegetation, material, or equipment in wetlands unless authorized through an approved work plan. The project will be constructed in a manner that will maintain wetland hydrology in the remaining wetland complex.
16. **Temporary fills.** Any temporary fills must be entirely removed, and the affected areas returned to their preexisting elevation and vegetated.
17. **Invasive Species.** To stop the spread of invasive species and viruses from one navigable waterway to another navigable waterway, all equipment or portions of equipment used for constructing, operating, or maintaining the project, including tracked vehicles, barges, boats, silt or turbidity curtains, hoses, sheet piles, and pumps, must be decontaminated for invasive species and viruses before and after use or prior to use within another navigable waterway. Follow the most recent Department approved washing and disinfection protocols and Department approved best management practices to avoid the spread of invasive species as outlined in Wis. Admin. Code Ch. NR 40. These protocols and practices can be found on the Department website at <http://dnr.wi.gov/topic/Invasives/bmp.html> , Keyword: "equipment operator" or "invasive bmp" and at <http://dnr.wi.gov/topic/Invasives/documents/EquipOper.pdf> .

18. **Federal and State Threatened and Endangered Species.** WDNR-GP14-2016 does not affect the DNR's responsibility to ensure that all authorizations comply with Section 7 of the Federal Endangered Species Act, Wis. Stats. s. 29.604, and applicable state laws. The project must either avoid impacts to endangered or threatened species in accordance with Wis. Stats. s. 29.604 or receive an incidental take authorization under Wis. Stats. s. 29.604. No Department authorization under this permit will be granted for projects found not to comply with these laws. No activity is authorized that is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation as identified under the Federal Endangered Species Act or state law or both, or that is likely to destroy or adversely modify the critical habitat of a species as identified under the Federal Endangered Species Act.
19. **Historic Properties and Cultural Resources.** WDNR-GP14-2016 does not affect the DNR's responsibility to ensure that all authorizations comply with Section 106 of the National Historic Preservation Act and Wis. Stats. s. 44.40. No Department authorization under this permit will be granted for projects found not to comply with these laws. The project must avoid impacts to archaeological sites or historic structures and is subject to Departmental and Wisconsin Historical Society review and approval before authorization under this general permit is valid. Information on the location and existence of historic resources can be obtained from the State Historic Preservation Office and the National Register of Historic Places. If cultural, archaeological, or historical resources are unearthed during activities authorized under this permit, work must be stopped immediately, and the State Historic Preservation Officer must be contacted for further instruction.
20. **Preventive Measures.** Measures must be adopted to prevent potential pollutants from entering a wetland or waterbody. Construction materials and debris, including fuels, oil, and other liquid substances, may not be stored in the construction work area in a manner that would allow them to enter a wetland or waterbody as a result of spillage, natural runoff, or flooding. In addition, biodegradable hydraulic fluid should be used in equipment that is operated below the Ordinary Highwater Mark. If a spill of any potential pollutant should occur, it is the responsibility of the permittee to remove such material, minimize any contamination resulting from this spill, and immediately notify the State Duty Officer at 1-800-943-0003.
21. **Suitable Fill Material.** All fill authorized under this permit shall be free from hazardous substances as defined by Wis. Stats. s. 289.01(11), free from solid waste as defined by Wis. Stats. s. 289.01(11) and (33), and must consist of clean, suitable soil material as defined by Wis. Admin. Code s. NR 500.03(214).
22. **Property Rights.** This permit does not convey any property rights of any sort or any exclusive privilege. The permit does not authorize any injury or damage to private property, any invasion of personal rights, or any infringement of federal, state or local laws or regulations.
23. **Standards for Coverage.** Wetland impacts from the project will cause only minimal adverse environmental impacts as determined by the Department.
24. **Transfers.** Coverage under this permit is not transferable to any person or entity unless the project has already been completed at the time of transfer.
25. **Limits of State Liability.** In authorizing work, the State Government does not assume any

liability, including for any of the following:

- a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.
- b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the State in the public interest.
- c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.
- d. Design or construction deficiencies associated with the permitted work.
- e. Damage claims associated with any future modification, suspension, or revocation of this WDNR-GP14-2016.

26. Reevaluation of Decision. This office may reevaluate its decision on any authorization under WDNR-GP14-2016 at any time the circumstances warrant and may suspend, modify or revoke any previously authorized activity. Suspension, modification or revocation may result in enforcement action. Circumstances that could require a reevaluation include, but are not limited to, the following:

- a. The applicant fails to comply with the terms and conditions of WDNR-GP14-2016.
- b. The information provided by the applicant in support of the permit application proves to have been false, incomplete, inaccurate, or false
- c. Significant new information surfaces which the Department did not consider in reaching the original public interest decision.

State of Wisconsin
DEPARTMENT OF NATURAL RESOURCES
3911 Fish Hatchery Road
Fitchburg, WI 53711-5397

Tony Evers, Governor
Preston D. Cole, Secretary
Telephone 608-266-2621
Toll Free 1-888-936-7463
TTY Access via relay - 711



February 21, 2020

GP-SC-2020-13-00161

City of Madison Parks Division
Kay Rutledge
210 Martin Luther King Jr. Blvd., Rm 104
Madison, WI 53703

RE: Coverage under the wetland statewide general permit for wetland fill or disturbance for recreational development, located in the City of Madison, Dane County, also described as being in the SW1/4 of the NE1/4 of Section 36, Township 08 North, Range 09 East.

Dear Ms. Rutledge:

Thank you for submitting an application for coverage under the wetland statewide general permit for wetland fill or disturbance for recreational development, s. 281.36, Wis. Stats.

You have certified that your project meets the eligibility criteria and conditions for this activity. Based upon your signed certification you may proceed with your project to fill 0.0910 acres of wetlands. Please take this time to re-read the permit eligibility standards and conditions. The eligibility standards can be found on your application checklist or in the statewide general permit WDNR-GP4-2013 (found at <http://dnr.wi.gov/topic/waterways/construction/wetlands.html>). The permit conditions are attached to this letter. You are responsible for meeting all general permit eligibility standards and permit conditions. This includes notifying the Department before starting the project, and submitting photographs within one week of project completion. Please note your coverage is valid for 5 years from the date of the department's determination or until the activity is completed, whichever occurs first. This permit coverage constitutes the state of Wisconsin's wetland water quality certification under USCS s. 1341 (Clean Water Act s. 401).

The Department conducts routine and annual compliance monitoring inspections. Our staff may follow up and inspect your project to verify compliance with state statutes and codes. If you need to modify your project please contact your local Water Management Specialist, Jeff Schure at (608) 228-8107 or email Jeff.Schure@wisconsin.gov to discuss your proposed modifications.

The Department of Natural Resources appreciates your willingness to comply with wetland regulations, which help to protect the water quality, fish and wildlife habitat, natural scenic beauty and recreational value of Wisconsin's wetland resources for future generations. Please be sure to obtain any other local, state or federal permits that are required before starting your project. If you have any questions, please call me at (608) 228-8107 or email Jeff.Schure@wisconsin.gov.

Sincerely,

Jeff J. Schure

Jeff Schure

Water Management Specialist

cc: U.S. Army Corps of Engineers
Dane County Zoning Administrator

WDNR-GP4-2018 Permit Conditions – Recreational Development

You agree to comply with the following conditions:

1. **Application.** You shall submit a complete application package to the Department as outlined in the application materials and section 2 of this permit. If requested, you shall furnish the Department, within a reasonable timeframe, any information the department needs to verify compliance with the terms and conditions of this permit.
2. **Certification.** Acceptance of general permit WDNR-GP4-2018 and efforts to begin work on the activities authorized by this general permit signifies that you have certified the project meets all eligibility standards outlined in Section 1 of this permit and that you have read, understood and have agreed to follow all terms and conditions of this general permit.
3. **Reliance on Applicant's Data.** The determination by this office that a confirmation of authorization is not contrary to wetland water quality standards will be based upon the information provided by the applicant and any other information required by the DNR.
4. **Project Plans.** This permit does not authorize any work other than what is specifically described in the notification package and plans submitted to the Department and you certified is in compliance with the terms and conditions of WDNR-GP4-2018
5. **Expiration.** This WDNR-GP4-2018 expires on July 19, 2023. The time limit for completing work authorized by the provisions of WDNR-GP4-2018 ends 5 years after the date on which the discharge is considered to be authorized under WDNR-GP4-2018 or until the discharge is completed, whichever occurs first.
6. **Other Permit Requirements.** You are responsible for obtaining any other permit or approval that may be required for your project by local zoning ordinances, floodplain ordinance, other local authority, other state permits and by the U.S. Army Corps of Engineers before starting your project.
7. **Authorization Distribution.** You must supply a copy of the permit coverage authorization to every contractor working on the project.
8. **Project Start.** You shall notify the Department before starting construction.
9. **Permit Posting.** You must post a copy of this permit coverage letter at a conspicuous location on the project site prior to the execution of the permitted activity and remaining at least five days after stabilization of the area of permitted activity. You must also have a copy of the permit coverage letter and approved plan available at the project site at all times until the project is complete.
10. **Permit Compliance.** The department may modify or revoke coverage of this permit if it is not constructed in compliance with the terms and conditions of this permit, or if the Department determines the project will be detrimental to wetland water quality

standards. Any act of noncompliance with this permit constitutes a permit violation and is grounds for enforcement action. Additionally, if any applicable conditions of this permit are found to be invalid or unenforceable, authorization for all activities to which that condition applies is denied.

11. **Construction Timing.** Construction should take place during frozen or dry conditions where practicable.
12. **Construction.** No other portion of the wetland may be disturbed beyond the area designated in the submitted plans.
13. **Project Completion.** Within one week of completion of the regulated activity, you shall submit to the Department a statement certifying the project is in compliance with all the terms and conditions of this permit, and photographs of the activities authorized by this permit. This statement must reference the Department-issued docket number and be submitted to the Department staff member that authorized coverage.
14. **Proper Maintenance.** You must maintain the activity authorized by WDNR-GP4-2018 in good condition and in conformance with the terms and conditions of this permit utilizing best management practices. Any structure or fill authorized shall be properly maintained to ensure no additional impacts to the remaining wetlands.
15. **Site Access.** Upon reasonable notice, you shall allow access to the site to any Department employee who is investigating the project's construction, operation, maintenance or permit compliance with the terms and conditions of WDNR-GP4-2018 and applicable laws.
16. **Erosion and siltation controls.** The project site shall implement erosion and sediment control measures that adequately control or prevent erosion and prevent damage to wetlands as outlined in NR 151.11 and 151.12, Wis. Adm. Code.
17. **Equipment uses.** All equipment used for the project will be designed and properly sized to minimize the amount of disturbance to the wetland.
18. **Invasive Species.** All project equipment shall be decontaminated for removal of invasive species prior to and after each use on the project site by utilizing best management practices to avoid the spread of invasive species as outlined in NR 40, Wis. Adm. Code. For more information, refer to <http://dnr.wi.gov/topic/Invasives/bmp.html>.
19. **Federal and State Threatened and Endangered Species.** WDNR-GP4-2018 does not affect the DNR's responsibility to ensure that all authorizations comply with Section 7 of the Federal Endangered Species Act, s. 29.604, Wis. Stats and applicable State Laws. No DNR authorization under this permit will be granted for projects found not to comply with these Acts/laws. No activity is authorized which is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act and/or State law or which is likely to destroy or adversely modify the critical habitat of a species as identified under the Federal Endangered Species Act.

20. **Special Concern Species.** If the Wisconsin National Heritage Inventory lists a known special concern species to be present in the project area you will take reasonable action to prevent significant adverse impacts to the species of concern.
21. **Historic Properties and Cultural Resources.** WDNR-GP4-2018 does not affect the DNR's responsibility to ensure that all authorizations comply with Section 106 of the National Historic Preservation Act and s. 44.40, Wis. Stats. No DNR authorization under this permit will be granted for projects found not to comply with these Acts/laws. Information on the location and existence of historic resources can be obtained from the State Historic Preservation Office and the National Register of Historic Places. If cultural, archaeological, or historical resources are unearthed during activities authorized by this permit, work must be stopped immediately, and the State Historic Preservation Officer must be contacted for further instruction.
22. **Preventive Measures.** Measures must be adopted to prevent potential pollutants from entering a wetland or waterbody. Construction materials and debris, including fuels, oil, and other liquid substances, will not be stored in the construction area in a manner that would allow them to enter a wetland or waterbody as a result of spillage, natural runoff, or flooding. If a spill of any potential pollutant should occur, it is the responsibility of the permittee to remove such material, to minimize any contamination resulting from this spill, and to immediately notify the State Duty Officer at **1-800-943-0003**.
23. **Suitable fill material.** All fill authorized under this permit shall be free from hazardous substances as defined by s. 289.01(11), Wis. Stats., free from solid waste as defined by s. 289.01(11) and (33), Wis. Stats., and any fill must consist of clean, suitable soil material as defined by s. NR 500.03(214), Wis. Admin. Code.
24. **Standard for Coverage.** Wetland impacts from the project will cause only minimal adverse environmental impacts as determined by the Department.
25. Projects that impact wetland must comply with the wetland water quality standards outlined in Wis. Stat. s. 281.36(3g)(d) and Wis. Admin. Code NR 103, including the submission of a narrative describing avoidance and minimization of wetlands.
26. **Transfers.** Coverage under this permit is transferable to any person upon prior written approval of the transfer by the Department.
27. **Limits of State Liability.** In authorizing work, the State Government does not assume any liability, including for the following:
 - a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.
 - b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the State in the public interest.
 - c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.
 - d. Design or construction deficiencies associated with the permitted work.
 - e. Damage claims associated with any future modification, suspension, or revocation of this WDNR-GP4-2018.
28. **Reevaluation of Decision.** The Department may suspend, modify or revoke authorization of any previously authorized activity and may take enforcement action if

the following occur:

- a. The applicant fails to comply with the terms and conditions of WDNR-GP4-2018.
- b. The information provided by the applicant in support of the permit application proves to have been false, incomplete, or inaccurate.
- c. Significant new information surfaces which was not available at the time of the application that this office did not consider in reaching the original decision.