



Department of Public Works
City Engineering Division

Robert F. Phillips, P.E.
City Engineer

City-County Building, Room 115
210 Martin Luther King, Jr. Boulevard
Madison, Wisconsin 53703
FAX 608 264 9275
www.cityofmadison.com

608 266 4751

Assistant City Engineer
Michael R. Dailey, P.E.

Principal Engineers
Christina M. Bachmann, P.E.
John S. Fahrney, P.E.
Gregory T. Fries, P.E.
Christopher J. Petykowski, P.E.

Facilities & Sustainability
Jeanne E. Hoffman, Manager
James C. Whitney, A.I.A.

Operations Supervisor
Kathleen M. Cryan

GIS Manager
David A. Davis, R.L.S.

Financial Officer
Steven B. Danner-Rivers

Hydrogeologist
Brynn Bemis

NOTICE OF ADDENDUM

ADDENDUM NO. 1

CONTRACT NO. 6926

PARK STREET, FISH HATCHERY INTERSECTION IMPROVEMENTS

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

PLANS:

REMOVE TITLE SHEET

& REPLACE TITLE SHEET (DATED 8/3/12)

Printed title sheet in plan set available at Emil Street was incorrect (Earthwork Quantities were incorrect and no stamps/signatures were provided). Title sheet available on city website was correct.

SPECIFICATIONS:

SECTION A: ADVERTISEMENT FOR BIDS

REMOVE & REPLACE TEXT:

Deadline for the Submittal of Bid is AUGUST 22, 2012 by 1:00 PM, at 1600 Emil Street, Madison WI 53713


Bid Opening will be on August 22, 2012 at 1:30 PM at 1600 Emil Street, Madison, WI 53713.


Please acknowledge this addendum on page E1 of the contract documents.

Electronic version of these documents can be found on the City of Madison web site at:

<http://www.cityofmadison.com/business/PW/contracts/openforBid.cfm>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.


Robert F. Phillips, P.E., City Engineer



Madison, Wisconsin

CITY OF MADISON

CITY ENGINEERING DIVISION

DEPARTMENT OF PUBLIC WORKS

PLAN OF PROPOSED IMPROVEMENT

PUBLIC IMPROVEMENT PROJECT APPROVED

AUGUST 7, 2012

BY THE COMMON COUNCIL OF MADISON, WISCONSIN

PUBLIC IMPROVEMENT DESIGN APPROVED BY:

[Signature] 8/3/12
City Engineer Date


INDEX OF SHEETS

SHEET NO.	TITLE
1	DETAILS
D1	ELECTRICAL PLAN
E1	PAVEMENT MARKING
M1-M2	STREET LAYOUT
P1	STREET GRADES
P2	TRAFFIC CONTROL
TC1 TC2	UTILITY PLAN
U1	


PARK STREET, FISH HATCHERY INTERSECTION IMPROVEMENTS

CITY PROJECT NO. 53W1471


CITY CONTRACT NO. 6926



ELECTRICAL DESIGNED BY:



STORM SEWER DESIGNED BY:



PLOT SCALE: _____
PLOT NAME: _____
REV. DATE: _____



CONVENTIONAL SIGNS	
FIELD VERIFY ALL UTILITY LOCATIONS	
GAS	— G —
STORM SEWER	— ST —
SANITARY SEWER	— SAN —
WATER	— W —
OVERHEAD ELECTRIC	— OH —
POWER POLE	⊕
ADA COMPLIANT RAMP W/ DETECTABLE WARNING FIELD	
COMBUSTIBLE FLUIDS	

CONSTRUCTION PROJECT LOCATION

NOTES:

ALL GUTTERS SHALL DRAIN WITH A MINIMUM GRADE OF 0.50% TOWARD STORM SEWER INLETS.

SIDEWALK RAMPS AND CURB THRU SIDEWALK RAMPS SHALL HAVE A MAXIMUM SLOPE OF 1" PER 12". SIDEWALK AND CURB RAMPS SHALL BE CONSTRUCTED WITH A SIDE SLOPE OF 2.00%. SIDEWALK SHALL HAVE A MINIMUM LONGITUDINAL SLOPE OF 0.50% AND A MAXIMUM LONGITUDINAL SLOPE OF 5.00% EXCEPT WHERE STREET GRADES EXCEED 5.00%.



EARTH WORK SUMMARY:
EXCAVATION CUT (MEASURED PLAN QUANTITY)..... 40 C.Y.