

Madison, Wisconsin

CITY OF MADISON  
CITY ENGINEERING DIVISION  
DEPARTMENT OF PUBLIC WORKS  
PLAN OF PROPOSED IMPROVEMENT

INDEX OF SHEETS

|                               |                          |
|-------------------------------|--------------------------|
| SHEET NO. D1-D7               | PAVEMENT MARKING DETAILS |
| SHEET NO. <del>PM1-PM32</del> | PAVEMENT MARKING PLANS   |
| PM1-PM10, PM12-PM22           |                          |


SDM 8/11/26

| CONVENTIONAL SIGNS                                |        |
|---------------------------------------------------|--------|
| FIELD VERIFY ALL UTILITY LOCATIONS                |        |
| GAS                                               | — G —  |
| STORM SEWER                                       | — ST — |
| SANITARY SEWER                                    | — SN — |
| WATER                                             | — W —  |
| BURIED ELECTRIC                                   | — E —  |
| OVERHEAD ELECTRIC                                 | — OH — |
| POWER POLE                                        |        |
| ADA COMPLIANT RAMP W/<br>DETECTABLE WARNING FIELD |        |
| COMBUSTIBLE FLUIDS                                |        |

NOTES:

- ALL GUTTERS SHALL DRAIN WITH A MINIMUM GRADE OF 0.50% TOWARD STORM SEWER INLETS.
- SIDEWALK RAMPS SHALL HAVE A MAXIMUM SLOPE OF 1" PER 12". SIDEWALK AND CURB RAMPS SHALL BE CONSTRUCTED WITH A SIDE SLOPE OF 2.00%. SIDEWALK SHALL HAVE A MINIMUM LONGITUDINAL SLOPE OF 0.50% AND A MAXIMUM LONGITUDINAL SLOPE OF 5.00% EXCEPT WHERE STREET GRADES EXCEED 5.00%.

REVISION 2 - 8/17/2026  
-Removed sheets PM11 - PM12, and PM23-PM32  
-Added sheets PM21 and PM22



PROJECT  
LOCATION

PUBLIC IMPROVEMENT PROJECT  
APPROVED

MARCH 10, 2026

BY THE COMMON COUNCIL  
OF MADISON, WISCONSIN

PUBLIC IMPROVEMENT DESIGN  
APPROVED BY:

6/29/2026

City Engineer



Date

PAVEMENT MARKING  
DESIGNED BY:



06/29/2026

## 6.37



2009 |

STANDARD DETAIL DRAWING # 6.37



TE

D-1

6.37

MADISON, WI

CONTRACT NO:

PAVEMENT MARKING DETAILS PAGE 1

CITY OF MADISON ENGINEERING DIVISION

M:\DESIGN\Traffic\Maps\_Plans\PM\PM Details.dwg

| MARK         | REVISION | DATE                    | BY     |
|--------------|----------|-------------------------|--------|
| Designed By: |          | Date: 5/29/2026 3:09 PM | Scale: |
| 6.37         |          |                         | TE     |

RESIDENTIAL CONTINENTAL

CROSSWALKS  
CROSSBARS PLACED IN LINE

THE SPACING OR GAP BETWEEN THE CROSSBARS SHOULD BE MINIMIZES CONTACT WITH VEHICLES

6'

18"

2'

4' TYP.

ALIGN WITH CURB RAMP, TYPICAL.

Diagram illustrating the Continental Crosswalk design. The crosswalk is defined by a 12' width and 18" spacing between crossbars. The crossbars are placed in line with the curb. The spacing or gap between the crossbars should be minimized to contact with the curb. The crosswalk is aligned with the face of the curb extended from the cross street, typical.

CONTINENTAL CROSSWALK

CONTINENTAL CROSSWALK  
CROSSBARS PLACED IN LINE

THE SPACING OR GAP BETWEEN

THE CROSSBARS SHOULD  
MINIMIZE CONTACT WITH

ALIGN WITH FACE OF CURB  
EXTENDED FROM CROSS STREET,  
TYPICAL.

8' TYP.

A schematic diagram of a sawtooth grating. The grating consists of a series of black triangles pointing downwards, representing the grooves. Above the grating, three incident beams are shown as arrows pointing downwards: beam 1' is incident on the first groove, beam 2' is incident on the second groove, and beam 3' is incident on the third groove. For each incident beam, a corresponding reflected beam is shown as an arrow pointing upwards: beam 1' reflects to the right, beam 2' reflects to the left, and beam 3' reflects to the left. The labels 1', 2', and 3' are placed near the incident beams.

Diagram illustrating the layout of a street intersection, showing the relationship between the crosswalk lines, the stop line, and the concrete gutter.

- CROSSWALK LINES (EPOXY):** Indicated by two parallel lines crossing the street.
- STOP LINE:** A thick black line marking the stopping point for vehicles.
- DOUBLE YELLOW NO PASSING:** Two parallel yellow lines on the main road.
- 2'-0" OR EDGE OF CONCRETE GUTTER:** The distance from the crosswalk line to the edge of the gutter.
- Dimensions:**
  - 12":** Distance from the crosswalk line to the stop line.
  - 6":** Distance from the stop line to the edge of the gutter.
  - 24":** Width of the stop line.
  - 4":** Thickness of the stop line.


2' LINE-6' GAP  
SKIPS WHITE

2' LINE-6' GAP  
SKIPS  
YELLOW  
(OPTIONAL)









|                                         |
|-----------------------------------------|
| CITY OF MADISON<br>ENGINEERING DIVISION |
| PAVEMENT MARKING<br>DETAILS<br>PAGE 2   |
| STANDARD DETAIL DRAWING # 6.38          |

[illegible]





6.39




TYPE 5 LANE DROP ARROW




## RESTRICTED TRAFFIC LANE MARKING DETAILS



RIGHT ARROW DIMENSIONS  
SAME AS SHOWN ON LEFT ARROW



MARKINGS FOR SPEED HUMPS



CITY OF MADISON  
ENGINEERING DIVISION

PAVEMENT MARKING  
DETAILS  
PAGE 3

STANDARD DETAIL DRAWING # 6.39

PAVEMENT MARKING DETAILS PAGE 3

CITY OF MADISON ENGINEERING DIVISION

6.39

MADISON, WI

M:\DESIGN\Traffic\Maps\_Plans\PM\PM Details.dwg

CONTRACT NO:


|      |                   |      |    |
|------|-------------------|------|----|
| MARK | REVISION          | DATE | BY |
| 6.39 | 5/29/2026 3:09 PM |      | TE |



TE


D-3

## 6.40




2024

TE STANDARD SHARROW CENTERLINE DETAIL



Sharrow Centerline  
WITH On Street Parking



Sharrow Centerline  
NO On Street Parking

| St Width<br>(face-face) | Sharrow Placement<br>(from face) |
|-------------------------|----------------------------------|
| 22'                     | 11'                              |
| 24'                     | 12'                              |
| >= 26'                  | 13'                              |

CITY OF MADISON  
ENGINEERING DIVISION

PAVEMENT MARKINGS  
SHARROW BIKE DETAILS  
PAGE 4b

STANDARD DETAIL DRAWING # 6.40

PAVEMENT MARKING DETAILS PAGE 4b

CITY OF MADISON ENGINEERING DIVISION

M:\DESIGN\Traffic\Maps\_Plans\PM\PM Details.dwg

6.40

MADISON, WI


CONTRACT NO:

TE


D-5

|      |                         |        |    |
|------|-------------------------|--------|----|
| MARK | REVISION                | DATE   | BY |
| 6.40 | Date: 5/29/2026 3:10 PM | Scale: | TE |

6-D




ALTERNATE PAVEMENT MARKING



PREFERRED PAVEMENT MARKING

| Posted Speed<br>(M.P.H.) | Variable Dimension<br>(Feet) |
|--------------------------|------------------------------|
| 25                       | 150                          |
| 30                       | 200                          |
| 35                       | 250                          |
| 40                       | 300                          |
| 45                       | 400                          |
| 50                       | 550                          |
| 55                       | 750                          |



GENERAL NOTES

- DETAILS OF CONSTRUCTION, MATERIALS, AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND THE APPLICABLE SPECIAL PROVISIONS.
- THE DISTANCE FROM THE RAILROAD CROSSING MARKING TO THE NEAREST TRACK WILL VARY ACCORDING TO THE APPROACH SPEED AND THE SIGHT DISTANCE OF THE VEHICULAR TRAFFIC. DIMENSIONS SHOWN IN THE TABLE SHALL BE USED UNLESS OTHERWISE SHOWN ON THE PLANS.
- A THREE-LANE ROADWAY SHOULD BE MARKED WITH A CENTERLINE FOR TWO-LANE APPROACH OPERATION ON THE APPROACH TO A CROSSING.
- ON MULTI-LANE ROADS THE TRANSVERSE BANDS SHOULD EXTEND ACROSS ALL APPROACH LANES, AND INDIVIDUAL R X R SYMBOLS SHOULD BE USED IN EACH APPROACH LANE. ALL LETTERS AND SYMBOLS SHALL BE IN CONFORMANCE WITH THE "STANDARD ALPHABETS FOR HIGHWAY SIGNS AND PAVEMENT MARKINGS" (ADOPTED BY THE FEDERAL HIGHWAY ADMINISTRATION).
- TRANSVERSE BANDS AND R X R SYMBOL ARE REFLECTIVE WHITE. SOLID LONGITUDINAL LINE IS REFLECTIVE YELLOW ON BIDIRECTIONAL TRAVELED WAYS AND IS OMITTED ON UNIDIRECTIONAL TRAVELED WAYS. DASHED LONGITUDINAL LINE IS REFLECTIVE YELLOW WHEN IT IS BETWEEN LANES OF TRAFFIC MOVING IN OPPOSITE DIRECTIONS AND REFLECTIVE WHITE WHEN IT IS BETWEEN LANES OF TRAFFIC MOVING IN THE SAME DIRECTION.
- CENTER OR LANE LINES AND NO PASSING ZONE MARKINGS SHOWN ON THIS DRAWING ARE REQUIRED AND PAID FOR UNDER OTHER ITEMS IN THE CONTRACT.
- ① MARKING LIMITS MAY BE EXTENDED AS DIRECTED BY THE ENGINEER TO MEET ADJACENT NO PASSING ZONE MARKINGS.
- ② MINIMUM 8' TO GATE IF PRESENT.

|                                                                     |
|---------------------------------------------------------------------|
| PAVEMENT MARKING DETAILS<br>FOR RAILROAD-HIGHWAY<br>GRADE CROSSINGS |
| STATE OF WISCONSIN<br>DEPARTMENT OF TRANSPORTATION                  |
| APPROVED<br>11/29/00<br>DATE<br>F-HWA                               |
| DETAIL DRAWING # 6.40A                                              |

**INTERSECTION RADIUS GROOVED MARKINGS**

**General**

(1) Provide a uniform groove depth as follows:

| PRODUCT                      | GROOVED DEPTH   |
|------------------------------|-----------------|
| Grooved Wet Reflective Epoxy | 90 +/- 10 mils  |
| Grooved Tape                 | 175 +/- 10 mils |

(2) Groove a maximum of 4 inches from both ends and 1 inch wider than the width of the marking segment. Achieve straight alignment with the grooving equipment, not to exceed a 3/8 inch variation in any 40-foot section of travelled way. Use a high-pressure air blower to clean the groove.

(3) For grooving concrete, if water is used in the grooving process, allow the groove to dry a minimum of 24 hours before cleaning. Before applying the marking, ensure that the groove surface is clean and dry.

(4) For grooving asphalt, wait 48 hours or longer after paving. Notify the engineer immediately if the structural integrity of the asphalt pavement is inadequate to support grooving operations.

(5) For grooving black epoxy match the groove depth of the adjacent white marking. Groove as one grooved slot for both the white and black markings.

**Wet Reflective Epoxy**

- (1) Apply wet reflective epoxy binder in a grooved slot. and provide a double drop bead system as follows:
1. Wet reflective/recoverable elements at the application rate specified in the APL.
  2. Glass beads conforming to WISDOT SDD 646.2.2 at the application rate specified in the APL.

**Tape**

(1) Apply tape in a grooved slot.

## CALLOUT DESCRIPTION

1. PAVEMENT MARKING EPOXY, 4-INCH SOLID YELLOW
2. PAVEMENT MARKING EPOXY, 4-INCH SOLID WHITE
3. PAVEMENT MARKING EPOXY, 4-INCH YELLOW SKIPS, (10' LINE, 30' GAP)
4. PAVEMENT MARKING EPOXY, 4-INCH DOUBLE LINE YELLOW
5. PAVEMENT MARKING EPOXY, 6-INCH SOLID WHITE
6. PAVEMENT MARKING EPOXY, 6-INCH WHITE SKIPS, (2' LINE, 6' GAP)
7. PAVEMENT MARKING EPOXY, 6-INCH WHITE SKIPS, (5' LINE, 5' GAP)
8. PAVEMENT MARKING EPOXY, 6-INCH WHITE SKIPS, (10' LINE, 30' GAP)
9. PAVEMENT MARKING EPOXY, 6-INCH YELLOW SKIPS, (10' LINE, 30' GAP)
10. PAVEMENT MARKING EPOXY, 8-INCH SOLID WHITE
11. PAVEMENT MARKING EPOXY, 8-INCH WHITE SKIPS, (2' LINE, 6' GAP)
12. PAVEMENT MARKING EPOXY, 8-INCH WHITE SKIPS, (5' LINE, 5' GAP)
13. PAVEMENT MARKING EPOXY, RADIUS LINE, 6-INCH (5' LINE, 5' GAP)
14. PAVEMENT MARKING EPOXY, DIAGONAL LINE, 4-INCH
15. PAVEMENT MARKING EPOXY, DIAGONAL LINE, 8-INCH
16. PAVEMENT MARKING EPOXY, DIAGONAL LINE, 12-INCH
17. PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH
18. PAVEMENT MARKING EPOXY, CROSSWALK, 12-INCH
19. PAVEMENT MARKING EPOXY, CROSSWALK, 18-INCH, CONTINENTAL CROSSWALK
20. PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
21. PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
22. PAVEMENT MARKING EPOXY, SYMBOL, BIKE DETECTOR
23. PAVEMENT MARKING EPOXY, SYMBOL, BIKE WITH ARROW
24. PAVEMENT MARKING EPOXY, SYMBOL, BIKE WITH RIGHT-ARROW
25. PAVEMENT MARKING EPOXY, SYMBOL, BIKE GUIDE (PERSON)
26. PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
27. PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
28. PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
29. PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT/LEFT ARROW
30. PAVEMENT MARKING EPOXY, WORD, ONLY
31. PAVEMENT MARKING EPOXY, SYMBOL, RAILROAD CROSSING
32. PAVEMENT MARKING EPOXY, SYMBOL, YIELD LINE

## PAVEMENT MARKING LEGEND - CHIP SEAL

CITY OF MADISON ENGINEERING DIVISION

M:\DESIGN\Traffic\Maps\_Plans\PM\PM Details.dwg



TE

PM

111

MADISON, WI

CONTRACT NO:

|      |  |  |  |  |
|------|--|--|--|--|
| MARK |  |  |  |  |
|------|--|--|--|--|

Designers

REVISION


5/29/2026

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|--|--|--|--|--|--|

3:10 PM

[illegible]

DM





15929

PM-1

COTTAGE GROVE RD - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\PM2026\_East.dwg

15929


MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

| MARK | REVISION | DATE | BY |
|------|----------|------|----|
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |

Designed By: TS  
Date: 5/29/2026 3:11 PM  
Scale: 1" = 40'  
PM-1







15929

PM-3

COTTAGE GROVE RD - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Bases\Chip Seal Epoxy 2026\_East.dwg

15929

MADISON, WI

CONTRACT 8836, 8837, 8838, 8839


| MARK | REVISION | DATE | BY |
|------|----------|------|----|
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |

Desiged By: TS  
Date: 5/29/2026 3:12 PM  
Scale: 1" = 40'

15929

PM-3







15929

PM-5

DEMPSEY RD - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026


M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg

15929

MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

| MARK  | REVISION | DATE              | BY   |
|-------|----------|-------------------|------|
| 15929 | TS       | 5/29/2026 3:13 PM | PM-5 |





15929

PM-6

DEMPSEY RD - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg


15929

MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

| MARK | REVISION | DATE | BY |
|------|----------|------|----|
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |

Designed By: TS  
Date: 5/29/2026 3:13 PM  
Scale: 1" = 40'  
15929  
PM-6





15929

PM-7

DEMPSEY RD - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg

15929

MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

| MARK | REVISION | DATE              | BY |
|------|----------|-------------------|----|
|      |          | 5/29/2026 3:14 PM | TS |

Scale: 1" = 40'


Designed By: TS

15929

PM-7









15929

PM-10

DEMPSEY RD - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\2026\Chip Seal Epoxy 2026\_East.dwg

15929


MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

|       |          |                   |       |
|-------|----------|-------------------|-------|
| MARK  | REVISION | DATE              | BY    |
| 15929 | 15       | 5/29/2026 3:15 PM | PM-10 |

Designed By: 15  
Date: 5/29/2026 3:15 PM  
Scale: 1" = 40'



15929  
PM-12

E COLDSPRING AVE - PAVMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal\Epoxy\Databases\Chip Seal\Epoxy 2026\_East.dwg


CONTRACT NO. 8837. 8836 8835

15929

MADISON, WI

CONTRACT NO. 8837. 8836 8835

| MARK     | REVISION | DATE     | BY       |
|----------|----------|----------|----------|
| 00000000 | 00000000 | 00000000 | 00000000 |
| 00000000 | 00000000 | 00000000 | 00000000 |
| 00000000 | 00000000 | 00000000 | 00000000 |
| 00000000 | 00000000 | 00000000 | 00000000 |
| 00000000 | 00000000 | 00000000 | 00000000 |





15929

PM-13

WALTER ST - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg

15929

MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

| MARK | REVISION | DATE              | BY |
|------|----------|-------------------|----|
|      |          | 5/29/2026 3:16 PM | TS |


Scale: 1" = 40'

Designed By: TS

15929

PM-13






## MATCH LINE 5

MATCHLINE 6

|                                                                                               |  |                            |       |
|-----------------------------------------------------------------------------------------------|--|----------------------------|-------|
|                                                                                               |  | 15929                      | PM-15 |
| WALTER ST - PAVEMENT MARKINGS                                                                 |  | 15929                      |       |
| CHIP SEAL EPOXY 2026                                                                          |  | MADISON, WI                |       |
| M:\DESIGN\Traffic\Maps_Plans\PM\PM2026\Chip Seal Epoxy\Datasets\Chip Seal Epoxy 2026_East.dwg |  | CONTRACT #8837, 8836, 8835 |       |
|                                                                                               |  | Scale: 1"=40'              | PM-15 |
|                                                                                               |  | Date: 5/29/2026 3:17 PM    |       |
|                                                                                               |  | Designed By: TS            |       |
|                                                                                               |  | 15929                      |       |
|                                                                                               |  | MARK:                      |       |
|                                                                                               |  | REVISION                   |       |
|                                                                                               |  | DATE                       |       |
|                                                                                               |  | BY                         |       |





15929

PM-16

WALTER ST - PAVMENT MARKINGS

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\2026\_East.dwg

15929


MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

| MARK | REVISION | DATE              | BY |
|------|----------|-------------------|----|
|      |          | 5/29/2026 3:18 PM | TS |

Designed By: TS  
15929  
Scale: 1" = 40'  
PM-16







15929

PM-18

W CORPORATE DR-REGAS RD - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026


M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg

15929

MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

| MARK  | REVISION | DATE              | BY    |
|-------|----------|-------------------|-------|
| 15929 | TS       | 5/29/2026 3:19 PM | PM-18 |





15929

PM-19

W CORPORATE DR-REGAS RD - PAVMENT MARKINGS

15929


MADISON, WI

CONTRACT NO. 8836, 8837, 8838, 8839

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\2026\Chip Seal Epoxy 2026\_East.dwg

|                 |          |                   |       |
|-----------------|----------|-------------------|-------|
| MARK            | REVISION | DATE              | BY    |
| 15929           | TS       | 5/29/2026 3:19 PM | TS    |
| Scale: 1" = 40' |          |                   | PM-19 |



15929  
PM-20

2020年12月25日 星期三

CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg


15929

# MADISON, WI

CONTRACT NO. 8835, 8836, 8837, 8838, 8839, 8840, 8841, 8842, 8843, 8844, 8845, 8846, 8847, 8848, 8849, 8850, 8851, 8852, 8853, 8854, 8855, 8856, 8857, 8858, 8859, 8860, 8861, 8862, 8863, 8864, 8865, 8866, 8867, 8868, 8869, 8870, 8871, 8872, 8873, 8874, 8875, 8876, 8877, 8878, 8879, 8880, 8881, 8882, 8883, 8884, 8885, 8886, 8887, 8888, 8889, 8890, 8891, 8892, 8893, 8894, 8895, 8896, 8897, 8898, 8899, 8900, 8901, 8902, 8903, 8904, 8905, 8906, 8907, 8908, 8909, 8910, 8911, 8912, 8913, 8914, 8915, 8916, 8917, 8918, 8919, 8920, 8921, 8922, 8923, 8924, 8925, 8926, 8927, 8928, 8929, 8930, 8931, 8932, 8933, 8934, 8935, 8936, 8937, 8938, 8939, 8940, 8941, 8942, 8943, 8944, 8945, 8946, 8947, 8948, 8949, 8950, 8951, 8952, 8953, 8954, 8955, 8956, 8957, 8958, 8959, 8960, 8961, 8962, 8963, 8964, 8965, 8966, 8967, 8968, 8969, 8970, 8971, 8972, 8973, 8974, 8975, 8976, 8977, 8978, 8979, 8980, 8981, 8982, 8983, 8984, 8985, 8986, 8987, 8988, 8989, 8990, 8991, 8992, 8993, 8994, 8995, 8996, 8997, 8998, 8999, 9000, 9001, 9002, 9003, 9004, 9005, 9006, 9007, 9008, 9009, 9010, 9011, 9012, 9013, 9014, 9015, 9016, 9017, 9018, 9019, 9020, 9021, 9022, 9023, 9024, 9025, 9026, 9027, 9028, 9029, 9030, 9031, 9032, 9033, 9034, 9035, 9036, 9037, 9038, 9039, 9040, 9041, 9042, 9043, 9044, 9045, 9046, 9047, 9048, 9049, 9050, 9051, 9052, 9053, 9054, 9055, 9056, 9057, 9058, 9059, 9060, 9061, 9062, 9063, 9064, 9065, 9066, 9067, 9068, 9069, 9070, 9071, 9072, 9073, 9074, 9075, 9076, 9077, 9078, 9079, 9080, 9081, 9082, 9083, 9084, 9085, 9086, 9087, 9088, 9089, 9090, 9091, 9092, 9093, 9094, 9095, 9096, 9097, 9098, 9099, 9100, 9101, 9102, 9103, 9104, 9105, 9106, 9107, 9108, 9109, 9110, 9111, 9112, 9113, 9114, 9115, 9116, 9117, 9118, 9119, 9120, 9121, 9122, 9123, 9124, 9125, 9126, 9127, 9128, 9129, 9130, 9131, 9132, 9133, 9134, 9135, 9136, 9137, 9138, 9139, 9140, 9141, 9142, 9143, 9144, 9145, 9146, 9147, 9148, 9149, 9150, 9151, 9152, 9153, 9154, 9155, 9156, 9157, 9158, 9159, 9160, 9161, 9162, 9163, 9164, 9165, 9166, 9167, 9168, 9169, 9170, 9171, 9172, 9173, 9174, 9175, 9176, 9177, 9178, 9179, 9180, 9181, 9182, 9183, 9184, 9185, 9186, 9187, 9188, 9189, 9190, 9191, 9192, 9193, 9194, 9195, 9196, 9197, 9198, 9199, 9200, 9201, 9202, 9203, 9204, 9205, 9206, 9207, 9208, 9209, 9210, 9211, 9212, 9213, 9214, 9215, 9216, 9217, 9218, 9219, 9220, 9221, 9222, 9223, 9224, 9225, 9226, 9227, 9228, 9229, 9230, 9231, 9232, 9233, 9234, 9235, 9236, 9237, 9238, 9239, 9240, 9241, 9242, 9243, 9244, 9245, 9246, 9247, 9248, 9249, 9250, 9251, 9252, 9253, 9254, 9255, 9256, 9257, 9258, 9259, 9260, 9261, 9262, 9263, 9264, 9265, 9266, 9267, 9268, 9269, 9270, 9271, 9272, 9273, 9274, 9275, 9276, 9277, 9278, 9279, 9280, 9281, 9282, 9283, 9284, 9285, 9286, 9287, 9288, 9289, 9290, 9291, 9292, 9293, 9294, 9295, 9296, 9297, 9298, 9299, 9300, 9301, 9302, 9303, 9304, 9305, 9306, 9307, 9308, 9309, 9310, 9311, 9312, 9313, 9314, 9315, 9316, 9317, 9318, 9319, 9320, 9321, 9322, 9323, 9324, 9325, 9326, 9327, 9328, 9329, 9330, 9331, 9332, 9333, 9334, 9335, 9336, 9337, 9338, 9339, 9340, 9341, 9342, 9343, 9344, 9345, 9346, 9347, 9348, 9349, 9350, 9351, 9352, 9353, 9354, 9355, 9356, 9357, 9358, 9359, 9360, 9361, 9362, 9363, 9364, 9365, 9366, 9367, 9368, 9369, 9370, 9371, 9372, 9373, 9374, 9375, 9376, 9377, 9378, 9379, 9380, 9381, 9382, 9383, 9384, 9385, 9386, 9387, 9388, 9389, 9390, 9391, 9392, 9393, 9394, 9395, 9396, 9397, 9398, 9399, 9400, 9401, 9402, 9403, 9404, 9405, 9406, 9407, 9408, 9409, 9410, 9411, 9412, 9413, 9414, 9415, 9416, 9417, 9418, 9419, 9420, 9421, 9422, 9423, 9424, 9425, 9426, 9427, 9428, 9429, 9430, 9431, 9432, 9433, 9434, 9435, 9436, 9437, 9438, 9439, 9440, 9441, 9442, 9443, 9444, 9445, 9446, 9447, 9448, 9449, 9450, 9451, 9452, 9453, 9454, 9455, 9456, 9457, 9458, 9459, 9460, 9461, 9462, 9463, 9464, 9465, 9466, 9467, 9468, 9469, 9470, 9471, 9472, 9473, 9474, 9475, 9476, 9477, 9478, 9479, 9480, 9481, 9482, 9483, 9484, 9485, 9486, 9487, 9488, 9489, 9490, 9491, 9492, 9493, 9494, 9495, 9496, 9497, 9498, 9499, 9500, 9501, 9502, 9503, 9504, 9505, 9506, 9507, 9508, 9509, 9510, 9511, 9512, 9513, 9514, 9515, 951

| MARK  | REVISION                | DATE            | BY    |
|-------|-------------------------|-----------------|-------|
| 15929 | Date: 5/29/2026 3:20 PM | Scale: 1" = 40' | PM-20 |






|                                                                                                |  |                                     |  |       |  |
|------------------------------------------------------------------------------------------------|--|-------------------------------------|--|-------|--|
|           |  | 15929                               |  | PM-22 |  |
| 15929                                                                                          |  | N FAIR OAKS AVE - PAVEMENT MARKINGS |  |       |  |
| PM-22                                                                                          |  | CHIP SEAL EPOXY 2026                |  |       |  |
| M:\DESIGN\Traffic\Maps_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026_East.dwg |  | MADISON, WI                         |  |       |  |
| CONTRACT 8836, 8837, 8838, 8839                                                                |  | CONTRACT 8836, 8837, 8838, 8839     |  |       |  |
| MARK                                                                                           |  | REVISION                            |  |       |  |
| 2                                                                                              |  | ADDED SHEETS                        |  |       |  |
| DATE                                                                                           |  | DATE                                |  |       |  |
| 8/11/26                                                                                        |  | 8/11/26                             |  |       |  |
| SDM                                                                                            |  | SDM                                 |  |       |  |
| BY                                                                                             |  | BY                                  |  |       |  |
| 15929                                                                                          |  | 15929                               |  |       |  |
| Designed By: TS                                                                                |  | Scale: 1" = 40'                     |  | PM-22 |  |











15929  
PM-26

WAUBESA ST - PAVMENT MARKINGS

CHIP SEAL EPOXY 2026

15929

MADISON, WI

CONTRACT 15929

DESIGNED BY: TS

DATE: 5/29/2026 3:22 PM

SCALE: 1" = 40'

BY

DATE


REVISION

MARK

Sheet Removed  
SDM 8/11/26

MATCH LINE 1

MATCH LINE 1





15929  
PM-27


N MARQUETTE ST - PAVMENT MARKINGS  
CHIP SEAL EPOXY 2026

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg

15929  
MADISON, WI  
CONTRACT NO. 8836, 8837, 8836, 8835

15929  
Desiged By: TS  
Date: 5/29/2026 3:23 PM  
Scale: 1"=40'  
REVISION  
DATE  
BY







15929

PM-29

OAKRIDGE AVE - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

15929

MADISON, WI

CONTRACT NO. 8836, 8837, 8838, 8839

15929

TS


5/29/2026 3:23 PM

1" = 40'

PM-29

| MARK | REVISION | DATE | BY |
|------|----------|------|----|
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |
|      |          |      |    |

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg



5929  
PM-30

DIVISION ST - PAVEMENT MARKINGS

# CHIP SEAL EPOXY 2026


M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Chip Seal Epoxy 2026\_East.dwg

CONTRACT NO.: 8837, 8836, 8835

MADISON, WI

15929

| MARK  | REVISION | DATE              | BY              |
|-------|----------|-------------------|-----------------|
| 15929 | TS       | 5/29/2026 3:24 PM | Scale: 1" = 40' |
| 15929 |          |                   | PN-30           |





15929

PM-31

PINNEY ST - PAVEMENT MARKINGS

CHIP SEAL EPOXY 2026

15929

MADISON, WI

CONTRACT 8836, 8837, 8838, 8839

DESIGNED BY: TS

DATE: 5/29/2026 3:24 PM

SCALE: 1" = 40'

BY:


DATE:

REVISION:

MARK:

15929

PM-31



Sheet Removed  
SDM 8/11/26



15929  
PM-32

ROYSTER OAKS DR - PAVMENT MARKINGS

CHIP SEAL EPOXY 2026

15929

MADISON, WI

CONTRACT NO. 8836, 8837, 8838, 8839

DATE

REVISION

MARK

DESIGNED BY

DATE

SCALE

BY

DATE

1" = 40'


PM-32

M:\DESIGN\Traffic\Maps\_Plans\PM\PM2026\Chip Seal Epoxy\Databases\Chip Seal Epoxy 2026\_East.dwg


15929

TS

5/29/2026 3:25 PM



City of Madison




0 1,000 2,000

Feet  
1 inch = 2,000 feet

Legend

- INLET PROTECTION (344)
- CHIP SEAL - DISTRICT 15
- STREET CENTERLINES



- All-day bus route service streets
- Peak hour bus route service streets
- Bus parking layover