

ATTACHMENT B

| Botanical Name | Common Name | Erradication Requirements | | |
|------------------------------------|-------------------------|---------------------------|-----------------------|----------------|
| | | Low Tolerance | Medium Tolerance | High Tolerance |
| <i>Abutilon theophrasti</i> | Velvet Leaf | | | x |
| <i>Acer negundo</i> | Boxelder | x | | |
| <i>Acer platanoides</i> | Norway Maple | x | | |
| <i>Acer saccharinum</i> | Silver Maple | x | | |
| <i>Achyranthes japonica</i> | Japanese Chaff Flower | x | | |
| <i>Aegopodium podagraria</i> | Goutweed | | x-spray at least once | |
| <i>Akebia quianata</i> | Chocolate vine | x | | |
| <i>Allianthus altissima</i> | Tree of Heaven | x | | |
| <i>Alliaria petiolata</i> | Garlic Mustard | x | | |
| <i>Ambrosia artemisiifolia</i> | Common Ragweed | | x | |
| <i>Ambrosia trifida</i> | Giant Ragweed | x | | |
| <i>Ampelopsis brevipedunculata</i> | Porcelain berry | x | | |
| <i>Anthriscus sylvestris</i> | Wild Chervil | x | | |
| <i>Arctium minus</i> | Common Burdock | x | | |
| <i>Artemesia absinthium</i> | Wormwood | x | | |
| <i>Arundo donax</i> | Giant Reed | x | | |
| <i>Butomus umbellatus</i> | Flowering Rush | x | | |
| <i>Bunias orientalis</i> | Hill Mustard | x | | |
| <i>Campanula rapunculoides</i> | Bellflower | x | | |
| <i>Caragana arborescens</i> | Siberian Peashrub | x | | |
| <i>Cardamine impatiens</i> | Narrow Leaf Bittercress | x | | |
| <i>Carduus acanthoides</i> | Plumeless Thistle | x | | |
| <i>Carduus nutans</i> | Musk Thistle | x | | |
| <i>Celastrus orbiculatus</i> | Oriental Bittersweet | x | | |
| <i>Celastrus loeseneri</i> | Asian Bittersweet | x | | |
| <i>Centaurea biebersteinii</i> | Spotted Knapweed | x | | |
| <i>Centaurea diffusa</i> | Diffuse Knapweed | x | | |
| <i>Centaurea jacea</i> | Brown Knapweed | x | | |
| <i>Centaurea nigra</i> | Black Knapweed | x | | |
| <i>Centaurea nigrescens</i> | Tyrol Knapweed | x | | |
| <i>Centaurea repens</i> | Russian Knapweed | x | | |
| <i>Centaurea solstitialis</i> | Yellow star-thistle | x | | |
| <i>Chelidonium majus</i> | Celandine Poppy | x | | |
| <i>Chenopodium album</i> | Lamb's Quarters | | | x |
| <i>Cirsium arvense</i> | Canada Thistle | x | | |
| <i>Cirsium palustre</i> | Marsh Thistle | x | | |
| <i>Cirsium vulgare</i> | Bull Thistle | x | | |
| <i>Conium maculatum</i> | Poison Hemlock | x | | |
| <i>Convallaria majalis</i> | Lily-of-the-Valley | | x | |
| <i>Convolvulus arvensis</i> | Field Bindweed | | x | |

ATTACHMENT B

| Botanical Name | Common Name | Erradication Requirements | | |
|--|--------------------------|---------------------------|------------------------|----------------|
| | | Low Tolerance | Medium Tolerance | High Tolerance |
| <i>Convolvulus sepium</i> | Hedge Bindweed | | x | |
| <i>Coronilla varia</i> | Crown Vetch | x | | |
| <i>Cynoglossum officinale</i> | Hound's Tongue | x | | |
| <i>Cytisus scoparius</i> | Scotch Broom | x | | |
| <i>Daucus carota</i> | Queen Anne's Lace | | x | |
| <i>Digitalis lanata</i> | Grecian Foxglove | x | | |
| <i>Dioscorea oppositifolia</i> | Chinese yam | x | | |
| <i>Dipsacus fullonum</i> | Teasel | x | | |
| <i>Dipsacus spp.</i> | Teasel | x | | |
| <i>Dipsacus laciniatus</i> | Cutleaf Teasel | x | | |
| <i>Eleagnus umbellata</i> | Autumn Olive | x | | |
| <i>Elytrigia repens</i> | Quack Grass | | | x |
| <i>Epilobium hirsutum</i> | Hairy Willow Herb | x | | |
| <i>Epipactis helleborine</i> | Broad Leaved Helleborine | x | | |
| <i>Euonymous alatus</i> | Burning bush | x | | |
| <i>Euphorbia cyparissias</i> | Cypress Spurge | x | | |
| <i>Euphorbia esula</i> | Leafy Spurge | x | | |
| <i>Fallopia japonica</i> (<i>Polygonum cuspidatum</i>) | Japanese Knotweed | x | | |
| <i>Fallopia x bohemica</i> | Bohemian Knotweed | x | | |
| <i>Filipendula ulmaria</i> | Queen of the Meadow | x | | |
| <i>Galeopsis tetrahit</i> | Hempnettle | | | x |
| <i>Galium mollugo</i> | White Bedstraw | x | | |
| <i>Glechoma hederacea</i> | Creeping Charlie | | | x |
| <i>Glyceria maxima</i> | Tall or Reed Manna Grass | x | | |
| <i>Hackelia virginiana</i> | Stickseed | | x | |
| <i>Hedera helix</i> | English Ivy | | x- spray at least once | |
| <i>Hemerocallis fulva</i> | Daylily | x | | |
| <i>Heracleum mantegazzianum</i> | Giant Hogweed | x | | |
| <i>Hesperis matronalis</i> | Dame's Rocket | x | | |
| <i>Humulus japonicus</i> | Japanese Hops | x | | |
| <i>Impatiens glandulifera</i> | Policeman's Helmet | x | | |
| <i>Impatiens balfourii</i> | Balfour's Touch-Me-Not | x | | |
| <i>Iris pseudacorus</i> | Yellow Flag Iris | x | | |
| <i>Knautia arvensis</i> | Field Scabious | x | | |
| <i>Lactuca canadensis</i> | Wild Lettuce | | | x |
| <i>Lactuca serriola</i> | Prickly Lettuce | | | x |
| <i>Lamiastrum galeobdolon</i> | Yellow Archangel | x | | |
| <i>Lamium spp.</i> | Deadnettle | x | | |
| <i>Leonurus cardiaca</i> | Motherwort | | x | |
| <i>Lepidium latifolium</i> | Perennial Pepperweed | x | | |

ATTACHMENT B

| Botanical Name | Common Name | Erradication Requirements | | |
|--|---------------------------|---------------------------|------------------|----------------|
| | | Low Tolerance | Medium Tolerance | High Tolerance |
| <i>Lespedeza cuneata</i> | Chinese Lespedeza | x | | |
| <i>Leymus arenarius</i> | Lyme or Sand Ryegrass | x | | |
| <i>Linaria dalmatica</i> | Dalmation Toadflax | x | | |
| <i>Lonicera spp.</i> | Bush honeysuckle | x | | |
| <i>Lotus corniculatus</i> | Birdsfoot Trefoil | x | | |
| <i>Lysimachia nummularia</i> | Moneywort | x | | |
| <i>Lysimachia vulgaris</i> | Garden Yellow Loosestrife | x | | |
| <i>Lythrum salicaria</i> | Purple loosestrife | x | | |
| <i>Lythrum virgatum</i> | Wand Loosestrife | x | | |
| <i>Melilotus sp.</i> | Sweet Clover | x | | |
| <i>Microstegium vimineum</i> | Japanese Stilt Grass | x | | |
| <i>Morus alba</i> | White mulberry | x | | |
| <i>Myosotis sylvatica</i> | Woodland Forget-Me-Not | x | | |
| <i>Nasturtium officinale</i> | Watercress | x | | |
| <i>Oplismenus hirtellus</i> ssp. <i>undulatifolius</i> | Wavy Leaf Basket Grass | x | | |
| <i>Poa pratensis</i> | Kentucky Bluegrass | | | x |
| <i>Pastinaca sativa</i> | Wild Parsnip | x | | |
| <i>Petasites hybridus</i> | Butterfly Dock | x | | |
| <i>Phalaris arundinacea</i> | Reed Canary Grass | x | | |
| <i>Phragmites australis</i> | Common Reed | x | | |
| <i>Phytolacca acinosa</i> | Himalayan Pokeweed | x | | |
| <i>Phytolacca americana</i> | American Pokeweed | x | | |
| <i>Pimpinella saxifraga</i> | Burnet Saxifrage | x | | |
| <i>Polygonum cuspidatum</i> | Japanese Knotweed | x | | |
| <i>Polygonum perfoliatum</i> | Mile-a-minute Vine | x | | |
| <i>Polygonum sachalinense</i> | Giant Knotweed | x | | |
| <i>Populus deltoides</i> | Cottonwood | x | | |
| <i>Populus grandidentata</i> | Big tooth aspen | x | | |
| <i>Populus tremuloides</i> | Quaking aspen | x | | |
| <i>Pueraria lobata</i> | Kudzu | x | | |
| <i>Ranunculus ficaria</i> | Fig Buttercup | x | | |
| <i>Rhamnus cathartica</i> | Common buckthorn | x | | |
| <i>Robinina pseudocacia</i> | Black Locust | x | | |
| <i>Rosa multiflora</i> | Multiflora rose | x | | |
| <i>Rubus armeniacus</i> | Himalayan blackberry | x | | |
| <i>Rubus phoenicolasius</i> | Wineberry | x | | |
| <i>Rubus spp.</i> | Raspberries | | x | |
| <i>Rumex crispus</i> | Curly Dock | x | | |
| <i>Setaria spp.</i> | Foxtail Grasses | | | x |
| <i>Solanum dulcamara</i> | Deadly Nightshade | | x | |

ATTACHMENT B

| Botanical Name | Common Name | Erradication Requirements | | |
|-------------------------------------|---------------------------|---------------------------|-----------------------|----------------|
| | | Low Tolerance | Medium Tolerance | High Tolerance |
| <i>Solidago canadensis</i> | Canada Goldenrod | x | | |
| <i>Solidago sempervirens</i> | Seaside Goldenrod | x | | |
| <i>Sonchus spp.</i> | Sow Thistle | | | x |
| <i>Sorbaria sorbifolia</i> | False Spirea | x | | |
| <i>Sorghum halepense</i> | Johnsongrass | x | | |
| <i>Symphyotrichum subulatum</i> | Annual Saltmarsh Aster | x | | |
| <i>Taeniatherum caput-medusae</i> | Medusahead | x | | |
| <i>Tanacetum vulgare</i> | Tansy | x | | |
| <i>Torilis arvensis</i> | Spreading hedgeparsley | x | | |
| <i>Torilis japonica</i> | Hedge Parsley | x | | |
| <i>Toxicodendron radicans</i> | Poison Ivy | x | | |
| <i>Tussilago farfara</i> | Coltsfoot | x | | |
| <i>Typha spp.</i> | Cattails | x | | |
| <i>Ulmus pumila</i> | Siberian Elm | x | | |
| <i>Urtica dioica</i> | Stinging Nettle | | x | |
| <i>Valeriana officinalis</i> | Garden Heliotripe | x | | |
| <i>Verbascum thapsus</i> | Mullein | | | x |
| <i>Vinca minor</i> | Vinca | | x-spray at least once | |
| <i>Vincetoxicum nigrum</i> | Black Swallow-wort | x | | |
| <i>Vincetoxicum rossicum</i> | European Swallow-wort | x | | |
| <i>Vitis spp.</i> | Wild Grape | | | x |
| <i>Wisteria floribunda/sinensis</i> | Japanese/Chinese wisteria | x | | |