



City of Madison Engineering Division

EROSION CONTROL PERMIT

Permit Number: ENG100-2023-06346

City Engineering: (608) 266-4751

Location of Work: 4609 Gregg RD

Parcel: 070920309014

Permittee: Sarah Lerner


Telephone: (608) 261-4281

Email:

slerner@cityofmadison.com

Owner: CITY OF MADISON ENGINEER

Telephone:

FEE SCHEDULE		APPROVALS		 <p>Call 811 or (800) 242-8511 (262) 432-7910 (877) 500-9592 (emergency only)</p>
Simplified Plan Base Fee	100.00	Plan Review:	MAE	
Total Fee Amount	100.00	Issuance:	MAE	
Total Invoiced Amount	100.00			
Paid	100.00			
Balance Due	0.00			

PROPOSED WORK: Robin Greenway Restoration

Project Description:

Permit Type: Simplified Checklist

Construction Start Date: 1/1/2024

Permit Expiration Date: 9/1/2024

Seed Sod Restore Date: 5/15/2024

USLE Rate: .1

Total Disturbed Area: 1,000

EC Checklist Attached

EC Plan Attached

Pumping Plan Attached

FOR CITY OF MADISON USE ONLY: APPROVED

Megan Eberhardt

09/14/2023

- Erosion Control Permit Reviewer

Date

Simplified Checklist

See page two of this permit for Permit Conditions and Requirements.



City of Madison Engineering Division

EROSION CONTROL PERMIT

Permit Number: ENG100-2023-06346

City Engineering: (608) 266-4751

Location of Work: 4609 Gregg RD

Parcel: 070920309014

Permittee: Sarah Lerner

Telephone: (608) 261-4281

Email:

Owner: CITY OF MADISON ENGINEER

Telephone:

slerner@cityofmadison.com

Permit Conditions and Requirements:

Failure to abide by any of the following permit conditions will be considered a violation of the City's Erosion Control Ordinance (MGO Ch. 37) and can result in the issuance to the permittee and/or the property owner of Official Notices, citations, and/or referral to the City Attorney for resolution of non-compliance.

Erosion & Sediment Control Measures are to be installed prior to any land disturbance activities.

Within ten (10) days of the completion of the project or site stabilization the applicant shall submit an Erosion Control Notice of Termination (ECNOT). The ECNOT should be sent to the administrative authority that initially approved your permit.

The Erosion Control Permit applicant shall conduct a pre-construction meeting attended by a Professional Engineer responsible for initial implementation certification of the erosion control plan. The Professional Engineer shall document and submit minutes of this meeting to City Engineering.

A Professional Engineer currently licensed in the State of Wisconsin shall certify the initial installation and implementation of the measures shown on the approved erosion control plan. Documentation on the City's Installation Certification form shall be submitted to the administrative authority within one (1) week of the installation. The certification form can be found on the City's webpage at <http://www.cityofmadison.com/engineering/Permits.cfm>.

As part of the Erosion Control Permit requirements this construction project requires erosion control inspections and reporting by the permittee (or by their authorized inspector). Inspections shall be conducted a minimum of once per week and also after every 24-hour rain event of 0.5" or more precipitation. The results of these inspections shall be entered on the City's permit and inspection tracking system.

Dust Control, if applicable shall be provided, per WDNR Conservation Practice Standard 1068.

Trench Dewatering, if applicable shall be provided, per WDNR Conservation Practice Standard 1061.

All BMP's installed for erosion control shall be in accordance with the applicable WDNR Conservation Practice Standards found at: http://dnr.wi.gov/topic/stormwater/standards/const_standards.html