

EXHIBIT "C"

MODULAR SPORTS SOLUTION SPECIFICATION
PREPARED FOR

County Grove Park Mini-Pitch

Mini-Pitch Project
County Grove Park Mini-Pitch
February 5, 2024

Project # 233632

SUBMITTED BY:

Musco Sports Lighting, LLC

100 1st Ave W
P.O. Box 808
Oskaloosa, IA 52577, USA
Phone: +1-641-673-0411
Toll Free: +1-800-825-6020
Fax: +1-641-673-4852



We Make It Happen.

Modular Sports Solution

PART 1 – GENERAL

1.1 SUMMARY

- A. Work covered by this section of the specifications shall conform to the contract documents, engineering plans as well as state and local codes.
- B. The purpose of these specifications is to define the modular sports solution design standards for County Grove Park Mini-Pitch. The manufacturer / contractor shall supply equipment to meet or exceed the standards set forth in these specifications.
- C. Modular sports solutions will be provided for the following venues:
 - 1. County Grove Park – City of Madison
- D. The primary goals of this project are:
 - 1. Modular Sports Solution: Fully contained modular sports solution shall include: fence panels and goals, ADA-compliant entryways, seating accommodations.
 - 2. Cost of Ownership: In order to reduce the operating budget maintenance costs of modular sports structure shall be eliminated for the duration of the warranty period as defined in the warranty agreement.

PART 2 – PRODUCT

2.1 MODULAR SPORTS SOLUTION CONSTRUCTION

- A. Manufacturing Requirements: All components shall be designed and manufactured as a system.
- B. Durability: All exposed components shall be constructed of corrosion resistant material and/or coated to help prevent corrosion. All exposed carbon steel shall be hot-dip galvanized per ASTM A123. All exposed aluminum shall be powder coated with high performance polyester or anodized. All exterior reflective inserts shall be anodized, coated, and protected from direct environmental exposure to prevent reflective degradation or corrosion. All exposed hardware and fasteners shall be stainless steel, passivated and coated with aluminum-based thermosetting epoxy resin for protection against corrosion and stress corrosion cracking. Structural fasteners may be carbon steel and galvanized meeting ASTM A153 and ISO/EN 1461 (for hot-dip galvanizing), or ASTM B695 (for mechanical galvanizing). All wiring shall be enclosed.
- C. System Description: Modular sports solution shall consist of the following:
 - 1. Pitch fence panels and goal assembly construction
 - a. Mini-pitch size:
 - 1 - 104 ft (32 m) x 50 ft (15 m)
 - b. Assemblies: Fence panels, and goal assemblies shall be prefabricated for ease of assembly. Component assemblies will bolt together to form the final construction. No single panel or component shall weigh more than 2000 lb (907 kg) for ease of installation with forklift or telehandler.
 - c. Fence panels: Sideline fence panels shall have a finished height of at least 3 ft (0.91 m). End line fence panels shall have a finished height of at least 6 ft (1.82 m). All panels shall be constructed of 2 in (50 mm) round or square tube steel and 0.120 in (3 mm) thick steel plate.
 - d. Goals: Shall have minimum size 90 in (2.3 m) wide x 70 in (1.7 m) tall x 34 in (0.9 m) deep and be constructed of 2 in (50 mm) round or square tubing, 0.120 in (3 mm) thick steel plate, and 0.19 in (4 mm) chain link.
 - e. Gated Entryways:
 - 1) Are required to be ADA compliant

- 2) Must provide at least 2 points of entry/egress (one on each side of the pitch)
- 3) Must provide latchable gates
- f. Anchor plates: Each fence panel and component shall have anchor plates for securing the system to the ground. Each anchor plate shall be equipped with leveling hardware for independent alignment of each component.
- 2. Steel seating accommodations
 - a. Modular sports solution will be equipped with seating accommodations.
 - 1) Bench style seating accommodations for up to 21 people
 - 2) Cupholders equivalent to seating accommodations
- 3. Storage:
 - a. Lockable storage shall be integrated into the modular structure.

2.2 STRUCTURAL PARAMETERS

- A. Wind Loads: Wind loads shall be based on the 2015 International Building Code. Wind loads to be calculated using ASCE 7-10, an ultimate design wind speed of 110 and exposure category C.
- B. Foundation Design: Foundation design shall be sufficient to withstand forces from all attached equipment (including signage) and be evaluated by a structural engineer.

PART 3 – EXECUTION

3.1 DELIVERY TIMING

- A. Delivery Timing Equipment On-Site: The equipment must be on-site 10-12 weeks from receipt of approved submittals and receipt of complete order information.

3.2 FIELD QUALITY CONTROL

- A. The contractor/manufacturer will be held responsible for any and all changes needed to bring these fields into compliance with the specification. Contractor/Manufacturer will be held responsible for any damage to the fields during these repairs.

3.3 WARRANTY AND GUARANTEE

- A. 10-Year Warranty: Each manufacturer shall supply a signed warranty covering the entire system for 10 years from the date of shipment. Manufacturer shall maintain specifically funded financial reserve to assure fulfillment of the warranty for the full term. Warranty does not cover weather conditions events such as lightning or hail damage, improper installation, vandalism or abuse, unauthorized repairs or alterations, or product made by other manufacturers.
- B. Maintenance: Manufacturer is responsible for removal and replacement of failed components, including all parts, labor, shipping, and equipment rental associated with maintenance.

PART 4 – DESIGN APPROVAL

4.1 PRE-BID SUBMITTAL REQUIREMENTS (Non-Musco)

- A. Approved Product: Musco's Mini-Pitch System™ Modular Sports Solution is the approved product. All substitutions must provide a complete submittal package for approval as outlined in Specification Section 00 43 25 Substitution Request Form (During Bidding).
- B. All listed manufacturers not pre-approved shall submit the information at the end of this section and submit per Specification Section 00 43 25 Substitution Request Form (During Bidding) and received by the substitution request deadline as specified in Section A of the Contract Documents.

REQUIRED SUBMITTAL INFORMATION FOR ALL MANUFACTURERS (NOT PRE-APPROVED)

*All items listed below are mandatory, shall comply with the specification and be submitted according to pre-bid submittal requirements. Complete the Yes/No column to indicate compliance (Y) or noncompliance (N) for each item. **Submit checklist below with submittal.***

Yes/ No	Tab	Item	Description
	A	Letter/ Checklist	Listing of all information being submitted must be included on the table of contents. List the name of the manufacturer's local representative and his/her phone number. Signed submittal checklist to be included.
	B	Equipment Layout	Drawing(s) showing field layouts
	C	Warranty	Provide written warranty information including all terms and conditions. Provide ten (10) references of customers currently under specified warranty.
	D	Project References	Manufacturer to provide a list of projects where the technology proposed for this project has been installed. Reference list will include project name, project city, installation date, and if requested, contact name and contact phone number.
	E	Product Information	Complete bill of material and current brochures/cut sheets for all product being provided.
	F	Delivery	Manufacturer shall supply an expected delivery timeframe from receipt of approved submittals and complete order information.
	G	Non- Compliance	Manufacturer shall list all items that do not comply with the specifications. If in full compliance, tab may be omitted.

The information supplied herein shall be used for the purpose of complying with the specifications for County Grove Mini-Pitch. By signing below I agree that all requirements of the specifications have been met and that the manufacturer will be responsible for any future costs incurred to bring their equipment into compliance for all items not meeting specifications and not listed in the Non-Compliance section.

Manufacturer: _____

Signature: _____

Contact Name: _____

Date: ____/____/____

Contractor: _____

Signature: _____