

play
**MADISON
PARKS**

Kevin Briski
Madison Parks Superintendent

Madison Parks Division
www.cityofmadison.com/parks

Administrative Office
Planning and Development
Community & Recreation Services
210 ML King, Jr. Blvd. Rm. 104
P.O. Box 2987
Madison, WI 53701-2987
Phone: 608.266.4711
Fax: 608.267.1162
Textnet: 866.704.2315

Parks Operations Offices
Goodman Maintenance Facility
1402 Wingra Creek Pkwy.
West Parks, 608.266.9214
Summit, 608.288.6164
West Forestry, 608.266.4816
Construction, 608.266.6289
Conservation, 608.267.4918

Sycamore Maintenance Facility
4602 Sycamore Ave.
East Parks, 608.246.4508
East Forestry, 608.266.4816

Olbrich Botanical Gardens
3330 Atwood Ave., 608.246.4550

Warner Park Community
Recreation Center
1625 Northport Dr., 608.245.3690

Irwin A. & Robert D. Goodman Pool
325 Olin Ave., 608.264.9292

Golf Madison Parks
Supervisor, 608.838.3920
Glenway Golf Course
3747 Speedway Rd., 608.266.4737
Monona Golf Course
111 East Dean Ave., 608.266.4736
Odana Hills Golf Course
4635 Odana Rd., 608.266.4724
Yahara Hills Golf Course
6701 E. Broadway, 608.838.3126

State Street Mall/Concourse
Maintenance
211 S. Fairchild St., 608.266.6031

Forest Hill Cemetery
1 Speedway Rd., 608.266.4720



A Proud Division of
the City of Madison

March 13, 2012

NOTICE OF ADDENDUM

ADDENDUM NO. 1

CHEROKEE PARK PLAYGROUND IMPROVEMENTS

CONTRACT NO. 6864

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

1) - On-line Documents and Specifications – Full Replacement

- REPLACE ENTIRE DOCUMENT –

Due to a publishing error, some sections are missing alternating pages. This error only exists in the on-line version of the document and has been fully replaced.

2) – Section D: - Special Provisions –

Delete: the original "80191 Hexagonal Roof" installation instructions.
Add: the attached "80191 Hexagonal Roof" installation instructions. (Page 1-4)

3) – Section E: - Proposal

Delete: the original Proposal page E-1
Add: the revised Proposal page E-1 that references the "City of Madison Standard Specifications for Public Works Construction – 2012 Edition"

Any references made in the Special Provisions to the Standard Specifications for Public Works Construction shall be the 2012 Edition

Please acknowledge this addendum on page E-1 of the contract documents.



Electronic version of these documents can be found on the City of Madison web site at:


<http://www.cityofmadison.com/business/PW/contracts/openforBid.cfm>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 to receive the material by another route.


Kevin Briski
Park Superintendent

80191
HEXAGONAL
ROOF

-  = INSTALLATION
DETAIL
-  = PARTS LIST
REFERENCE



ASSEMBLY DRAWING



TOP VIEW

INSTALLATION INSTRUCTIONS

Before assembling this equipment, read the enclosed *INSTALLER INSTRUCTIONS* in the installation booklet; follow all the instructions during installation.

Assemble parts as shown in the *ASSEMBLY DRAWING*. Refer to the assembly details for the specific hardware required in each connection.

Step 1. Attach 3/8" x 1 1/2" P.B.H.C.S. w/Patch to top four holes in all Corner Frames using 3/8" T-nut. T-nuts must be oriented to place flange against frame. See Detail 574. Leave the bottom two holes in each corner frame open. These will be used later.

Step 2. Place Corner Frames over Uprights. Do not rivet until assembly is complete.

Step 3. Place Slats into roof tray, and attach using #10 x 3/4" Phillips screw. Attach the bottom slat to the bottom Roof Tray using 3/8" Tee Nut and 3/8" x 1" P.B.H.C.S. w/Patch. See Detail 541.

Step 4. Attach Roof Tray with Slats assembly to bottom side of Corner Frames using 3/8" Hex Nut, 3/8" Lockwasher and 3/8" Flatwasher to the 3/8" x 1 1/2" P.B.H.C.S. w/Patch screws that were attached during Step 1. Refer to Detail 576.

Step 5. Place 3/8" x 1 1/2" P.B.H.C.S. w/ Patch screws through the remaining bottom holes in the Roof Tray with Slats assembly and corner frames and attach using 3/8" Lockwasher, 3/8" Flatwasher, and 3/8" Hex nut. Refer to Detail 577.

Step 6. Place Cap over roof peak and attach using 1/4" x 3/4" wood screws and 1/4" flat washers. See Detail 521.

Step 7. Rivet Corner Frame to Uprights. See Detail 475.

PARTS LIST

| REF NO. | DESCRIPTION | No. REQ'D | PART NUMBER |
|---------|------------------------------------|-----------|-------------|
| 1 | Hexagonal Roof Corner Frame | 6 | 179483 |
| 2 | Hexagonal Roof Cap | 1 | 179487 |
| 3 | Roof Tray | 6 | 179450 |
| 4 | 56" Roof Slat | 6 | 179457 |
| 5 | 51" Roof Slat | 6 | 179456 |
| 6 | 47" Roof Slat | 6 | 179462 |
| 7 | 42" Roof Slat | 6 | 179461 |
| 8 | 38" Roof Slat | 6 | 179460 |
| 9 | 34" Roof Slat | 6 | 179459 |
| 10 | 29" Roof Slat | 6 | 179463 |
| 11 | 25" Roof Slat | 6 | 179458 |
| 12 | 21" Roof Slat | 6 | 179464 |
| 13 | 16" Roof Slat | 6 | 179447 |
| 14 | 12" Roof Slat | 6 | 179446 |
| 15 | 7" Roof Slat | 6 | 179448 |
| | Hardware Complete | 1 | 179553 |
| | 3/8" x 1 1/2" P.B.H.C.S. w/ Patch | 36 | 812053* |
| | 3/8" x 1" P.B.H.C.S. w/ Patch | 12 | 812050* |
| | 3/8" Lockwasher | 36 | 817334* |
| | 3/8" Tee Nut | 36 | 804556* |
| | 3/8" Hex Nut | 36 | 804053* |
| | 3/8" Flatwasher (1 1/4" O.D.) | 36 | 817424* |
| | Pop Rivet | 12 | 140068* |
| | # 10 x 3/4" Pan Head Phillips Srew | 75 | 809605* |
| | 1/4" Flatwasher | 75 | 817408* |

*Unless Otherwise Specified, All Units of Measure are Each
* Included in Hardware*



Warning: During Installation, Hardware And Small Parts Are Choking Hazards For Young Children. Store Unused Parts Appropriately Until Assembly Is Completed. Once Assembly Is Completed, Remove Any Unused Parts From The Play Environment And Dispose/Save Them In A Secure Location.

DETAILS -for- 80191


IMPORTANT

To REDUCE THE RISK OF CLOTHING ENTANGLEMENT IN COMPLIANCE WITH ASTM F1487, ANY BOLT END PROTRUDING MORE THAN TWO FULL THREADS BEYOND THE FACE OF THE NUT SHALL BE CUT-OFF FLUSH, FILED SMOOTH AND TREATED TO PREVENT CORROSION.


NOTE: AFTER ASSEMBLY IS COMPLETE, PEEN TEE-NUTS AND FLATWASHERS TO MATCH RADIUS OF PIPE.




475



521



541







574

DETAILS -for- 80191

IMPORTANT

TO REDUCE THE RISK OF CLOTHING ENTANGLEMENT IN COMPLIANCE WITH ASTM F1487, ANY BOLT END PROTRUDING MORE THAN TWO FULL THREADS BEYOND THE FACE OF THE NUT SHALL BE CUT-OFF FLUSH, FILED SMOOTH AND TREATED TO PREVENT CORROSION.

NOTE: AFTER ASSEMBLY IS COMPLETE, PEEN TEE-NUTS AND FLATWASHERS TO MATCH RADIUS OF PIPE.



SECTION E: PROPOSAL

**CHEROKEE PARK PLAYGROUND IMPROVEMENTS
CONTRACT NO. 6864**

Bidder must state a Unit Price and Total Bid for each item. The Total Bid for each item must be the product of quantity, by Unit Price. The Grand Total must be the sum of the Total Bids for the various items. In case of multiplication errors or addition errors, the Grand Total with corrected multiplication and/or addition shall determine the Grand Total bid for each contract. The Unit Price and Total Bid must be entered numerically in the spaces provided. All words and numbers shall be written in ink.

1. The undersigned having familiarized himself/herself with the Contract documents, including Advertisement for Bids, Instructions to Bidders, Form of Proposal, City of Madison Standard Specifications for Public Works Construction - 2012 Edition thereto, Form of Agreement, Form of Bond, and Addenda issued and attached to the plans and specifications on file in the office of the City Engineer, hereby proposes to provide and furnish all the labor, materials, tools, and expendable equipment necessary to perform and complete in a workmanlike manner the specified construction on this project for the City of Madison; all in accordance with the plans and specifications as prepared by the City Engineer, including Addenda to the Contract Nos. _____ through _____ issued thereto, at the prices for said work as contained in this proposal.
2. If awarded the Contract, we will initiate action within seven (7) days after notification or in accordance with the date specified in the contract to begin work and will proceed with diligence to bring the project to full completion within the number of work days allowed in the Contract or by the calendar date stated in the Contract.
3. The undersigned Bidder or Contractor certifies that he/she is not a party to any contract, combination in form of trust or otherwise, or conspiracy in restraint of trade or commerce or any other violation of the anti-trust laws of the State of Wisconsin or of the United States, with respect to this bid or contract or otherwise.
4. Accompanying this Proposal is Bid Bond or Certified Check in the amount of _____ Dollars (\$ _____) or a Certificate of Biennial Bid Bond as required by the Advertisement for Bids.
(IF BID BOND IS USED, IT SHALL BE SUBMITTED ON THE FORMS PROVIDED BY THE CITY. FAILURE TO DO SO MAY RESULT IN REJECTION OF THE BID).
5. I hereby certify that all statements herein are made on behalf of _____
(name of corporation, partnership, or person submitting bid)
a corporation organized and existing under the laws of the State of _____ a
partnership consisting of _____; an individual trading as _____; of
the City of _____; State of _____; that I have examined and carefully prepared this
Proposal, from the plans and specifications and have checked the same in detail before submitting
this Proposal; that I have fully authority to make such statements and submit this Proposal in (its,
their) behalf; and that the said statements are true and correct.

SIGNATURE

TITLE, IF ANY

Sworn and subscribed to before me this
_____ day of _____, 20_____

(Notary Public or other officer authorized to administer oaths)

My Commission Expires _____

Bidders shall not add any conditions or qualifying statements to this Proposal.