

Contract Routing Form

ROUTING: Routine

printed on: 07/23/2015

Contract between: Joe Daniels Construction Co., Inc.  
and Dept. or Division: Engineering Division  
Name/Phone Number:

Project: Fire Station #4 Roof Replacement

Contract No.: 7524  
Enactment No.: RES-15-00625  
Dollar Amount: 129,360.00

File No.: 39072  
Enactment Date: 07/22/2015

(Please DATE before routing)

Signatures Required	Date Received	Date Signed
City Clerk	7-23-2015	7-23-2015
Director of Civil Rights	7-24-2015	7-27-15
Risk Manager	7/27/15	7/29/15
Finance Director	7/28/15	7-29-15
City Attorney	950 8-03-15	8-04-15
Mayor	8-4-15	8-5-15

Please return signed Contracts to the City Clerk's Office  
Room 103, City-County Building for filing.

Original + 2 Copies

07/23/2015 13:32:58 enknb - Paul Stauffer Phone: 608-266-4366

Dis Rights: OK / N/A / Problem - Hold  
Prev Wage: AA / Agency / No  
Contract Value: See above  
AA Plan: Approved  
Amendment / Addendum #  
Type: POS / Dvlp / Shdv / Gov't /  
Grant / PW / Goal / Loan / Agrmt

[Sign In](#)[Legislative Information Center Home](#)[Legislation](#)[Meetings](#)[Common Council](#)[Boards, Commissions and Committees](#)[Members](#)



[Share](#)

[RSS](#)

[Alerts](#)
[Details](#)[Reports](#)

File #: 39072 Version: 1

Name: Awarding Public Works Contract No. 7524, Fire Station #4 Roof Replacement.

Type: Resolution

Status: Passed

File created: 6/25/2015

In control: [BOARD OF PUBLIC WORKS](#)

On agenda: 7/21/2015

Final action: 7/21/2015

Enactment date: 7/22/2015

Enactment #: RES-15-00625

Title: Awarding Public Works Contract No. 7524, Fire Station #4 Roof Replacement.

Sponsors: [BOARD OF PUBLIC WORKS](#)Attachments: 1. [Contract 7524.pdf](#)[History \(3\)](#) [Text](#)3 records [Group](#) [Export](#)

Date	Ver.	Action By	Action	Result	Action Details	Watch
7/21/2015	1	COMMON COUNCIL	Adopt Under Suspension of Rules 2.04, 2.05, 2.24, and 2.25	Pass	<a href="#">Action details</a>	Not available
7/8/2015	1	BOARD OF PUBLIC WORKS			Not available	Not available
6/25/2015	1	Engineering Division	Refer		<a href="#">Action details</a>	Not available



PROJECT	CONTRACTOR	AMOUNT OF BID
---------	------------	---------------

CONTRACT NO. 7524  
FIRE STATION #4 ROOF REPLACEMENT

JOE DANIELS CONSTRUCTION CO., INC.

\$129,360.00

Acct. No. 10277-401-140:54210(90924)  
Contingency 8%±

\$129,360.00  
10,350.00

GRAND TOTAL

\$139,710.00

**Wisconsin Office of the Commissioner of Insurance  
Licensed Producer Search**

Thursday, July 16, 2015

P43

MCKENNA, PATRICK A  
MADISON WI

License Status: Active  
License No: 2349196  
NPN No: 650765  
Effective Date: 06-27-1996  
Expiration Date: 04-30-2016  
License Type: Resident Intermediary Indv

**Lines of Authority**

Line of Authority	Residency	Effective Date	Status
Property	Resident	06-27-1996	Active
Casualty	Resident	06-27-1996	Active

**Appointments and Terminations**

Company Name	Qualification Type/Status	Effective Date	Termination Date	Termination Reason
ACE American Insurance Company	CAS/Active	06-23-1999		
	PROP/Active	06-23-1999		
ACE Fire Underwriters Insurance Company	CAS/Inactive	06-23-1999	10-01-2002	Inadequate Production
	PROP/Inactive	06-23-1999	10-01-2002	Inadequate Production
ACE Property and Casualty Insurance Company	CAS/Active	06-23-1999		
	PROP/Active	06-23-1999		
ACUITY, A Mutual Insurance Company	CAS/Active	08-14-2007		
	CAS/Inactive	07-30-1996	08-07-2007	Canceled
	PROP/Active	08-14-2007		
	PROP/Inactive	07-30-1996	08-07-2007	Canceled
Addison Insurance Company	CAS/Inactive	09-19-2007	09-15-2014	Canceled
	PROP/Inactive	09-19-2007	09-15-2014	Canceled
ALLIED Property and Casualty Insurance Company	CAS/Inactive	07-14-2003	04-07-2010	Canceled
	PROP/Inactive	07-14-2003	04-07-2010	Canceled
AMCO Insurance Company	CAS/Inactive	07-14-2003	04-07-2010	Canceled
	PROP/Inactive	07-14-2003	04-07-2010	Canceled
American and Foreign Insurance Company	CAS/Inactive	10-04-2000	02-10-2005	Canceled
	PROP/Inactive	10-04-2000	02-07-2005	Canceled
American Casualty	CAS/Inactive	08-21-1996	01-05-2006	Canceled

Company of Reading, Pennsylvania	PROP/Inactive	08-21-1996	01-05-2006	Canceled
American Economy Insurance Company	CAS/Active	02-10-1998		
	PROP/Active	02-10-1998		
American Guarantee and Liability Insurance Company	CAS/Active	06-08-1999		
	PROP/Active	06-08-1999		
American Insurance Company, The	CAS/Inactive	07-25-1996	09-29-2005	Inadequate Production
	PROP/Inactive	07-25-1996	09-29-2005	Inadequate Production
American Manufacturers Mutual Insurance Company	CAS/Inactive	08-20-1996	02-17-2005	Canceled
	PROP/Inactive	08-20-1996	02-17-2005	Canceled
American Motorists Insurance Company	CAS/Inactive	08-20-1996	02-17-2005	Canceled
	PROP/Inactive	08-20-1996	02-17-2005	Canceled
American Protection Insurance Company	CAS/Inactive	08-20-1996	02-02-2005	Canceled
	PROP/Inactive	08-20-1996	02-02-2005	Canceled
American States Insurance Company	CAS/Inactive	02-10-1998	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	02-10-1998	11-20-2009	Vol. Surrender per Agent Rqst
American Zurich Insurance Company	CAS/Active	06-08-1999		
	PROP/Active	06-08-1999		
Arrowood Indemnity Company	CAS/Inactive	10-04-2000	08-28-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	10-04-2000	08-28-2006	Vol. Surrender per Agent Rqst
Artisan and Truckers Casualty Company	CAS/Inactive	01-15-2008	06-30-2008	Vol. Surrender per Agent Rqst
	PROP/Inactive	01-15-2008	06-30-2008	Vol. Surrender per Agent Rqst
Associated Indemnity Corporation	CAS/Inactive	07-25-1996	09-29-2005	Inadequate Production
	PROP/Inactive	07-25-1996	09-29-2005	Inadequate Production
Assurance Company of America	CAS/Inactive	09-09-1998	07-23-2012	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-09-1998	07-23-2012	Vol. Surrender per Agent Rqst
Automobile Insurance Company of Hartford, Connecticut, The	CAS/Inactive	06-14-2001	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Inactive	06-14-2001	11-28-2005	Vol. Surrender per Agent Rqst



AXIS Insurance Company	CAS/Inactive	07-25-1996	01-06-2005	Inadequate Production
	PROP/Inactive	07-25-1996	01-06-2005	Inadequate Production
Bankers Standard Insurance Company	CAS/Active	06-23-1999		
	PROP/Active	06-23-1999		
Berkley Regional Insurance Company	CAS/Inactive	04-22-2005	03-03-2014	Canceled
	PROP/Inactive	04-22-2005	03-03-2014	Canceled
BITCO General Insurance Corporation	CAS/Active	06-30-2005		
	PROP/Active	06-30-2005		
BITCO National Insurance Company	CAS/Active	06-30-2005		
	PROP/Active	06-30-2005		
Capitol Indemnity Corporation	CAS/Inactive	07-24-1996	05-15-2015	Canceled
	PROP/Inactive	07-24-1996	05-15-2015	Canceled
Charter Oak Fire Insurance Company, The	CAS/Active	09-26-2007		
	CAS/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	CAS/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
Chubb Indemnity Insurance Company	CAS/Active	05-12-2008		
	CAS/Inactive	09-10-1996	12-26-2006	Canceled
	PROP/Active	05-12-2008		
	PROP/Inactive	09-10-1996	12-26-2006	Canceled
Chubb National Insurance Company	CAS/Active	05-12-2008		
	PROP/Active	05-12-2008		
Cincinnati Casualty Company, The	CAS/Active	08-17-2007		
	PROP/Active	08-17-2007		
Cincinnati Indemnity Company, The	CAS/Active	08-17-2007		
	PROP/Active	08-17-2007		
Cincinnati Insurance Company, The	CAS/Active	08-17-2007		
	PROP/Active	08-17-2007		
Citizens Insurance Company of America	CAS/Inactive	12-18-1997	08-03-2005	Inadequate Production
	PROP/Inactive	12-18-1997	08-03-2005	Inadequate Production
Consolidated Insurance Company	CAS/Inactive	03-24-2000	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	03-24-2000	11-20-2009	Vol. Surrender per



				Agent Rqst
Continental Casualty Company	CAS/Inactive	08-21-1996	01-05-2006	Canceled
	PROP/Inactive	08-21-1996	01-05-2006	Canceled
Continental Insurance Company, The	CAS/Inactive	02-24-2006	09-15-2008	Canceled
	PROP/Inactive	02-24-2006	09-15-2008	Canceled
Continental Western Insurance Company	CAS/Inactive	08-12-2005	04-24-2009	Canceled
	PROP/Inactive	08-12-2005	04-24-2009	Canceled
Depositors Insurance Company	CAS/Inactive	07-14-2003	04-07-2010	Canceled
	PROP/Inactive	07-14-2003	04-07-2010	Canceled
Donegal Mutual Insurance Company	CAS/Inactive	11-09-2012	10-28-2014	Canceled
	PROP/Inactive	11-09-2012	10-28-2014	Canceled
Emcasco Insurance Company	CAS/Inactive	09-21-2007	12-16-2013	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-21-2007	12-16-2013	Vol. Surrender per Agent Rqst
Employers Insurance Company of Wausau	CAS/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
	CAS/Inactive	08-23-1996	05-14-2003	Inadequate Production
	PROP/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
Employers Mutual Casualty Company	PROP/Inactive	08-23-1996	05-14-2003	Inadequate Production
	CAS/Inactive	09-21-2007	12-16-2013	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-21-2007	12-16-2013	Vol. Surrender per Agent Rqst
Executive Risk Indemnity Inc.	CAS/Active	05-12-2008		
	CAS/Inactive	06-16-2000	12-26-2006	Canceled
	PROP/Active	05-12-2008		
	PROP/Inactive	06-16-2000	12-26-2006	Canceled
Fairmont Insurance Company	CAS/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
Fairmont Premier Insurance Company	CAS/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
Farmington Casualty Company	CAS/Inactive	07-19-1996	11-20-2000	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-19-1996	11-20-2000	Vol. Surrender per Agent Rqst

Federal Insurance Company	CAS/Active	05-12-2008		
	CAS/Inactive	09-10-1996	12-26-2006	Canceled
	PROP/Active	05-12-2008		
	PROP/Inactive	09-10-1996	12-26-2006	Canceled
Fidelity and Deposit Company of Maryland	CAS/Active	07-23-1996		
	PROP/Active	07-23-1996		
Fidelity and Guaranty Insurance Company	CAS/Inactive	08-02-1996	02-09-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-02-1996	02-09-2007	Vol. Surrender per Agent Rqst
Fidelity and Guaranty Insurance Underwriters, Inc.	CAS/Inactive	08-02-1996	02-09-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-02-1996	02-09-2007	Vol. Surrender per Agent Rqst
Fireman's Fund Insurance Company	CAS/Inactive	07-25-1996	09-29-2005	Inadequate Production
	PROP/Inactive	07-25-1996	09-29-2005	Inadequate Production
Firemen's Insurance Company of Newark, New Jersey	CAS/Inactive	12-11-1996	01-22-1999	Inadequate Production
	PROP/Inactive	12-11-1996	01-22-1999	Inadequate Production
First Liberty Insurance Corporation, The	CAS/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
	PROP/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
First National Insurance Company of America	CAS/Inactive	07-24-1996	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-24-1996	11-20-2009	Vol. Surrender per Agent Rqst
General Casualty Company of Wisconsin	CAS/Active	08-16-2007		
	PROP/Active	08-16-2007		
General Insurance Company of America	CAS/Inactive	07-24-1996	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-24-1996	11-20-2009	Vol. Surrender per Agent Rqst
Globe Indemnity Company	CAS/Inactive	10-04-2000	02-07-2005	Canceled
	PROP/Inactive	10-04-2000	02-07-2005	Canceled
Great American Alliance Insurance Company	CAS/Inactive	07-26-1996	01-07-2002	Inadequate Production
	PROP/Inactive	07-26-1996	01-07-2002	Inadequate Production
Great American Assurance Company	CAS/Inactive	07-26-1996	01-07-2002	Inadequate Production
	PROP/Inactive	07-26-1996	01-07-2002	Inadequate Production

Great American Insurance Company	CAS/Inactive	07-26-1996	01-07-2002	Inadequate Production
	PROP/Inactive	07-26-1996	01-07-2002	Inadequate Production
Great American Insurance Company of New York	CAS/Inactive	07-26-1996	01-07-2002	Inadequate Production
	PROP/Inactive	07-26-1996	01-07-2002	Inadequate Production
Great Northern Insurance Company	CAS/Active	05-12-2008		
	CAS/Inactive	09-10-1996	12-26-2006	Canceled
	PROP/Active	05-12-2008		
	PROP/Inactive	09-10-1996	12-26-2006	Canceled
Guarantee Company of North America USA, The	CAS/Inactive	07-28-1998	05-22-2015	Vol. Surrender per Agent Rqst
Gulf Insurance Company	CAS/Inactive	09-10-1996	06-30-2005	Inadequate Production
	PROP/Inactive	09-10-1996	06-30-2005	Inadequate Production
Hamilton Insurance Company	CAS/Inactive	09-09-1998	12-05-2007	Canceled
	PROP/Inactive	09-09-1998	12-05-2007	Canceled
Hanover Insurance Company, The	CAS/Inactive	12-18-1997	08-03-2005	Inadequate Production
	PROP/Inactive	12-18-1997	08-03-2005	Inadequate Production
Hartford Casualty Insurance Company	CAS/Inactive	04-26-2000	10-26-2009	Canceled
	PROP/Inactive	04-26-2000	10-26-2009	Canceled
Hartford Fire Insurance Company	CAS/Inactive	04-26-2000	10-26-2009	Canceled
	PROP/Inactive	04-26-2000	10-26-2009	Canceled
Hartford Insurance Company of the Midwest	CAS/Inactive	04-26-2000	10-31-2008	Canceled
	PROP/Inactive	04-26-2000	10-31-2008	Canceled
Hartford Steam Boiler Inspection and Insurance Company, The	CAS/Inactive	05-12-1999	10-30-2008	Canceled
	PROP/Inactive	05-12-1999	10-21-2008	Canceled
Hartford Underwriters Insurance Company	CAS/Inactive	04-26-2000	10-31-2008	Canceled
	PROP/Inactive	04-26-2000	10-31-2008	Canceled
Hawkeye-Security Insurance Company	CAS/Inactive	01-14-2003	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	01-14-2003	11-20-2009	Vol. Surrender per Agent Rqst
HDI-Gerling America Insurance Company	CAS/Active	09-08-2005		
	PROP/Active	09-08-2005		
HIH America Compensation & Liability Insurance	CAS/Inactive	04-08-1999	05-11-2001	Company Defunct or Liquidation
	PROP/Inactive	04-08-1999	05-11-2001	Company Defunct or



Company				Liquidation
Indemnity Insurance Company of North America	CAS/Inactive	06-23-1999	10-01-2002	Inadequate Production
	PROP/Inactive	06-23-1999	10-01-2002	Inadequate Production
Indiana Insurance Company	CAS/Inactive	03-24-2000	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	03-24-2000	11-20-2009	Vol. Surrender per Agent Rqst
Insurance Company of North America	CAS/Active	06-23-1999		
	PROP/Active	06-23-1999		
Liberty Mutual Fire Insurance Company	CAS/Inactive	03-13-2006	12-06-2007	Vol. Surrender per Agent Rqst
	CAS/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
	PROP/Inactive	03-13-2006	12-06-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
Liberty Mutual Insurance Company	CAS/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
	PROP/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
LM Insurance Corporation	CAS/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
	PROP/Inactive	01-14-2002	12-27-2005	Vol. Surrender per Agent Rqst
Lumbermens Mutual Casualty Company	CAS/Inactive	08-20-1996	02-17-2005	Canceled
	PROP/Inactive	08-20-1996	02-17-2005	Canceled
Maryland Casualty Company	CAS/Inactive	09-09-1998	07-23-2012	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-09-1998	07-23-2012	Vol. Surrender per Agent Rqst
Massachusetts Bay Insurance Company	CAS/Inactive	12-18-1997	08-03-2005	Inadequate Production
	PROP/Inactive	12-18-1997	08-03-2005	Inadequate Production
Merchants Bonding Company (Mutual)	CAS/Active	08-20-2007		
	CAS/Inactive	07-19-1996	09-27-2005	Canceled
Merchants National Bonding, Inc.	CAS/Active	02-06-2013		
MetLife Insurance Company of Connecticut	CAS/Inactive	09-04-1996	04-21-2003	Inadequate Production
Middlesex Mutual	CAS/Inactive	03-08-2006	01-17-2011	Vol. Surrender per



Assurance Company				Agent Rqst
	PROP/Inactive	03-08-2006	01-17-2011	Vol. Surrender per Agent Rqst
Midwest Family Mutual Insurance Company	CAS/Active	03-11-2014		
	PROP/Active	03-11-2014		
National Fire Insurance Company of Hartford	CAS/Inactive	08-21-1996	01-05-2006	Canceled
	PROP/Inactive	08-21-1996	01-05-2006	Canceled
National Surety Corporation	CAS/Inactive	07-25-1996	09-29-2005	Inadequate Production
	PROP/Inactive	07-25-1996	09-29-2005	Inadequate Production
Nationwide Affinity Insurance Company of America	CAS/Inactive	04-11-2005	04-07-2010	Canceled
	PROP/Inactive	04-11-2005	04-07-2010	Canceled
Nationwide Mutual Insurance Company	CAS/Inactive	07-14-2003	04-07-2010	Canceled
	PROP/Inactive	07-14-2003	04-07-2010	Canceled
Navigators Insurance Company	CAS/Inactive	02-19-2004	04-30-2008	Canceled
	PROP/Inactive	02-19-2004	04-30-2008	Canceled
Netherlands Insurance Company, The	CAS/Inactive	08-12-1996	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-12-1996	11-20-2009	Vol. Surrender per Agent Rqst
North American Specialty Insurance Company	CAS/Active	09-18-2000		
	PROP/Active	09-18-2000		
North River Insurance Company, The	CAS/Inactive	12-23-1996	12-17-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	12-23-1996	12-17-2009	Vol. Surrender per Agent Rqst
Northern Insurance Company of New York	CAS/Inactive	09-09-1998	07-23-2012	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-09-1998	07-23-2012	Vol. Surrender per Agent Rqst
Northwestern National Casualty Company	CAS/Inactive	04-14-1999	02-28-2001	Vol. Surrender per Agent Rqst
	PROP/Inactive	04-14-1999	02-28-2001	Vol. Surrender per Agent Rqst
Old Republic Insurance Company	CAS/Active	08-07-2007		
	CAS/Inactive	08-02-1996	04-20-2005	Canceled
	PROP/Inactive	08-02-1996	04-20-2005	Canceled
Old Republic Surety Company	CAS/Active	08-07-2007		
	CAS/Inactive	08-02-1996	04-20-2005	Canceled

	PROP/Inactive	08-02-1996	04-20-2005	Canceled
Pacific Employers Insurance Company	CAS/Active	06-23-1999		
	PROP/Active	06-23-1999		
Pacific Indemnity Company	CAS/Active	05-12-2008		
	CAS/Inactive	09-10-1996	12-26-2006	Canceled
	PROP/Active	05-12-2008		
	PROP/Inactive	09-10-1996	12-26-2006	Canceled
Peerless Indemnity Insurance Company	CAS/Inactive	06-21-2004	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	06-21-2004	11-20-2009	Vol. Surrender per Agent Rqst
Peerless Insurance Company	CAS/Inactive	08-12-1996	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-12-1996	11-20-2009	Vol. Surrender per Agent Rqst
Phoenix Insurance Company, The	CAS/Active	09-26-2007		
	CAS/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	CAS/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
Pioneer Specialty Insurance Company	CAS/Active	08-01-2013		
	PROP/Active	08-01-2013		
Platte River Insurance Company	CAS/Inactive	07-12-2005	05-15-2015	Canceled
	PROP/Inactive	07-12-2005	05-15-2015	Canceled
Progressive Classic Insurance Company	CAS/Inactive	07-18-2005	06-30-2008	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-18-2005	06-30-2008	Vol. Surrender per Agent Rqst
Progressive Northern Insurance Company	CAS/Inactive	07-18-2005	06-30-2008	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-18-2005	06-30-2008	Vol. Surrender per Agent Rqst
Property and Casualty Insurance Company of Hartford	CAS/Inactive	07-05-2005	10-31-2008	Canceled
	PROP/Inactive	07-05-2005	10-31-2008	Canceled
Regent Insurance Company	CAS/Active	08-16-2007		
	PROP/Active	08-16-2007		

Royal Insurance Company of America	CAS/Inactive	10-04-2000	02-08-2005	Canceled
	PROP/Inactive	10-04-2000	02-07-2005	Canceled
SAFECO Insurance Company of America	CAS/Inactive	07-24-1996	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-24-1996	11-20-2009	Vol. Surrender per Agent Rqst
SAFECO Insurance Company of Illinois	CAS/Inactive	09-27-2008	11-20-2009	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-27-2008	11-20-2009	Vol. Surrender per Agent Rqst
Safeguard Insurance Company	CAS/Inactive	10-04-2000	02-10-2005	Canceled
	PROP/Inactive	10-04-2000	02-10-2005	Canceled
Seaboard Surety Company	CAS/Inactive	08-09-1996	12-05-2005	Inadequate Production
	PROP/Inactive	08-09-1996	12-05-2005	Inadequate Production
Security Insurance Company of Hartford	CAS/Inactive	03-11-2005	08-28-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	03-11-2005	08-28-2006	Vol. Surrender per Agent Rqst
Sentry Insurance a Mutual Company	CAS/Active	05-13-2015		
	PROP/Active	05-13-2015		
Sheboygan Falls Insurance Company	CAS/Inactive	11-09-2012	10-28-2014	Canceled
	PROP/Inactive	11-09-2012	10-28-2014	Canceled
SOCIETY INSURANCE, a mutual company	CAS/Active	01-15-2010		
	CAS/Inactive	07-08-2005	11-14-2007	Canceled
	PROP/Active	01-15-2010		
	PROP/Inactive	07-08-2005	11-14-2007	Canceled
St. Paul Fire and Casualty Insurance Company	CAS/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst
St. Paul Fire and Marine Insurance Company	CAS/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst
St. Paul Guardian Insurance Company	CAS/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst
St. Paul Mercury Insurance Company	CAS/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-10-1996	02-09-2007	Vol. Surrender per Agent Rqst

St. Paul Protective Insurance Company	CAS/Inactive	11-04-1998	04-21-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	11-04-1998	04-21-2003	Vol. Surrender per Agent Rqst
Statewide Insurance Company	CAS/Inactive	07-18-1996	04-08-2002	Canceled
	PROP/Inactive	07-18-1996	04-08-2002	Canceled
Stillwater Property and Casualty Insurance Company	CAS/Inactive	01-12-1999	02-21-2000	Inadequate Production
	PROP/Inactive	01-12-1999	02-21-2000	Inadequate Production
TIG Insurance Company	CAS/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
TIG Insurance Company of Texas	CAS/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
TIG Insurance Corporation of America	CAS/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
Torus National Insurance Company	CAS/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-11-2000	09-26-2003	Vol. Surrender per Agent Rqst
Transcontinental Insurance Company	CAS/Inactive	08-21-1996	01-05-2006	Canceled
	PROP/Inactive	08-21-1996	01-05-2006	Canceled
Transportation Insurance Company	CAS/Inactive	08-21-1996	01-05-2006	Canceled
	PROP/Inactive	08-21-1996	01-05-2006	Canceled
Travelers Casualty and Surety Company	CAS/Active	09-26-2007		
	CAS/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	CAS/Inactive	07-19-1996	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-19-1996	11-28-2005	Vol. Surrender per Agent Rqst
Travelers Casualty and Surety Company of America	CAS/Active	02-04-2008		
	CAS/Inactive	07-19-1996	11-09-2007	Canceled
	PROP/Active	02-04-2008		
	PROP/Inactive	07-19-1996	11-09-2007	Canceled



Travelers Casualty Company of Connecticut	CAS/Inactive	07-19-1996	11-20-2000	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-19-1996	11-20-2000	Vol. Surrender per Agent Rqst
Travelers Casualty Insurance Company of America	CAS/Active	09-26-2007		
	CAS/Inactive	07-19-1996	11-22-2000	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	07-19-1996	11-22-2000	Vol. Surrender per Agent Rqst
Travelers Commercial Insurance Company	CAS/Inactive	06-14-2001	11-28-2005	Vol. Surrender per Agent Rqst
	CAS/Inactive	07-19-1996	11-22-2000	Vol. Surrender per Agent Rqst
	PROP/Inactive	06-14-2001	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-19-1996	11-22-2000	Vol. Surrender per Agent Rqst
Travelers Constitution State Insurance Company	CAS/Inactive	11-24-1998	12-11-2003	Vol. Surrender per Agent Rqst
	PROP/Inactive	11-24-1998	12-11-2003	Vol. Surrender per Agent Rqst
Travelers Home and Marine Insurance Company, The	CAS/Inactive	11-29-2005	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	11-29-2005	12-29-2006	Vol. Surrender per Agent Rqst
Travelers Indemnity Company of America, The	CAS/Active	09-26-2007		
	CAS/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	CAS/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
Travelers Indemnity Company of Connecticut, The	CAS/Active	09-26-2007		
	CAS/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	CAS/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-04-1996	11-28-2005	Vol. Surrender per

				Agent Rqst
Travelers Indemnity Company, The	CAS/Active	09-26-2007		
	CAS/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	CAS/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
Travelers Property Casualty Company of America	CAS/Active	09-26-2007		
	CAS/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	CAS/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Active	09-26-2007		
	PROP/Inactive	01-13-2006	12-29-2006	Vol. Surrender per Agent Rqst
	PROP/Inactive	09-04-1996	11-28-2005	Vol. Surrender per Agent Rqst
Travelers Property Casualty Insurance Company	CAS/Inactive	07-22-2005	11-28-2005	Vol. Surrender per Agent Rqst
	PROP/Inactive	07-22-2005	11-28-2005	Vol. Surrender per Agent Rqst
Trumbull Insurance Company	CAS/Inactive	07-05-2005	10-31-2008	Canceled
	PROP/Inactive	07-05-2005	10-31-2008	Canceled
Twin City Fire Insurance Company	CAS/Inactive	04-26-2000	10-26-2009	Canceled
	PROP/Inactive	04-26-2000	10-26-2009	Canceled
United Fire & Casualty Company	CAS/Active	07-26-1996		
	PROP/Active	07-26-1996		
United Pacific Insurance Company	CAS/Inactive	08-27-1996	02-13-2001	Company Merger
	PROP/Inactive	08-27-1996	02-13-2001	Company Merger
United States Fidelity and Guaranty Company	CAS/Inactive	08-02-1996	02-09-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-02-1996	02-09-2007	Vol. Surrender per Agent Rqst
United States Fire Insurance Company	CAS/Inactive	12-23-1996	03-08-2004	Canceled
	PROP/Inactive	12-23-1996	03-08-2004	Canceled
United Wisconsin Insurance Company	CAS/Active	03-14-2003		
USF&G Insurance	CAS/Inactive	08-02-1996	01-01-2001	Company Merger

Company of Wisconsin	PROP/Inactive	08-02-1996	01-01-2001	Company Merger
Valley Forge Insurance Company	CAS/Inactive	08-21-1996	01-05-2006	Canceled
	PROP/Inactive	08-21-1996	01-05-2006	Canceled
Venture Insurance Company	CAS/Inactive	07-08-2005	01-04-2006	Canceled
	PROP/Inactive	07-08-2005	01-04-2006	Canceled
Vigilant Insurance Company	CAS/Active	05-12-2008		
	CAS/Inactive	09-10-1996	12-26-2006	Canceled
	PROP/Active	05-12-2008		
	PROP/Inactive	09-10-1996	12-26-2006	Canceled
Virginia Surety Company, Inc.	CAS/Inactive	01-28-1997	11-30-1998	Vol. Surrender per Agent Rqst
	PROP/Inactive	01-28-1997	11-30-1998	Vol. Surrender per Agent Rqst
Washington International Insurance Company	CAS/Active	09-07-2001		
	PROP/Active	09-07-2001		
Wausau Business Insurance Company	CAS/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
	CAS/Inactive	08-23-1996	05-14-2003	Inadequate Production
	PROP/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-23-1996	05-14-2003	Inadequate Production
Wausau General Insurance Company	CAS/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
	CAS/Inactive	08-23-1996	05-14-2003	Inadequate Production
	PROP/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-23-1996	05-14-2003	Inadequate Production
Wausau Underwriters Insurance Company	CAS/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
	CAS/Inactive	08-23-1996	05-14-2003	Inadequate Production
	PROP/Inactive	07-18-2005	12-10-2007	Vol. Surrender per Agent Rqst
	PROP/Inactive	08-23-1996	05-14-2003	Inadequate Production
West Bend Mutual Insurance Company	CAS/Active	03-13-2008		
	CAS/Inactive	07-08-2005	10-17-2007	Canceled
	PROP/Active	03-13-2008		
	PROP/Inactive	07-08-2005	10-17-2007	Canceled
Western National Mutual Insurance Company	CAS/Active	08-01-2013		
	PROP/Active	08-01-2013		

Western Surety Company	CAS/Active	07-21-2003
Zurich American Insurance Company	CAS/Active	06-08-1999
	PROP/Active	06-08-1999
Zurich American Insurance Company of Illinois	CAS/Active	06-08-1999
	PROP/Active	06-08-1999

**DISCLAIMER:** The Office of the Commissioner of Insurance does not endorse any specific agent or insurance agency. You are encouraged to contact the Agent Licensing Section at if you have any concerns with any of the agents or agencies listed.



\$129,360.00  
ORIGINAL

BID OF JOE DANIELS CONSTRUCTION CO., INC.

2015

PROPOSAL, CONTRACT, BOND AND SPECIFICATIONS

FOR

FIRE STATION #4 ROOF REPLACEMENT

CONTRACT NO. 7524

PROJECT NO. 53W1805

MUNIS NO. 10277

IN

MADISON, DANE COUNTY, WISCONSIN

AWARDED BY THE COMMON COUNCIL  
MADISON, WISCONSIN ON JULY 21, 2015

CITY ENGINEERING DIVISION  
1600 EMIL STREET  
MADISON, WISCONSIN 53713

<https://bidexpress.com/login>

**FIRE STATION #4 ROOF REPLACEMENT  
CONTRACT NO. 7524**

**INDEX**

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS .....	A-1
SECTION B: PROPOSAL SECTION .....	B-1
SECTION C: SMALL BUSINESS ENTERPRISE (NOT APPLICABLE) .....	C-1
SECTION D: SPECIAL PROVISIONS .....	D-1
SECTION E: BIDDER'S ACKNOWLEDGEMENT .....	E-1
SECTION F: DISCLOSURE OF OWNERSHIP & BEST VALUE CONTRACTING .....	F-1
SECTION G: BID BOND .....	G-1
SECTION H: AGREEMENT .....	H-1
SECTION I: PAYMENT AND PERFORMANCE BOND .....	I-1
SECTION J: PREVAILING WAGE RATES .....	J-1

This Proposal, and Agreement have  
been prepared by:

**CITY ENGINEERING DIVISION  
CITY OF MADISON  
MADISON, DANE COUNTY, WISCONSIN**



Robert F. Phillips, P.E., City Engineer

RFP: ps

## SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS

### REQUEST FOR BID FOR PUBLIC WORKS CONSTRUCTION CITY OF MADISON, WISCONSIN

#### A BEST VALUE CONTRACTING MUNICIPALITY

PROJECT NAME:	FIRE STATION #4 ROOF REPLACEMENT
CONTRACT NO.:	7524
BID BOND	5%
PRE-BID WALK THRU MEETING (1:00 P.M.)	JUNE 17, 2015
PREQUALIFICATION APPLICATION DUE (1:00 P.M.)	JUNE 19, 2015
BID SUBMISSION (1:00 P.M.)	JUNE 26, 2015
BID OPEN (1:30 P.M.)	JUNE 26, 2015
PUBLISHED IN WSJ	5/29/15, 6/5/15, 6/12/15 & 6/19/15

#### PRE-BID WALK THROUGH MEETING:

A single pre-bid conference will be conducted for the purposes of a pre-bid walk through to allow contractors to assess site conditions. All bidding contractors are encouraged to attend.

1. The meeting will be held at **1:00 pm on Wednesday, June 17<sup>th</sup>, 2015**.
2. This meeting will take place on site at the Fire Station located at 1437 Monroe Street, Madison, Wisconsin.
3. A representative from City Engineering staff will be on hand to conduct the building walk through, discuss the plans, specifications and expectations of the contract.
4. Questions, clarifications will be answered per addendum.

**PREQUALIFICATION APPLICATION:** Forms are available at the same location or on our website, [www.cityofmadison.com/business/pw/forms.cfm](http://www.cityofmadison.com/business/pw/forms.cfm). If not currently prequalified in the categories listed in Section A, an amendment to your Prequalification will need to be submitted prior to the same due date. Postmark is not applicable.

**BIDS TO BE SUBMITTED** by hand to 1600 EMIL ST., MADISON, WI 53713 or online at [www.bidexpress.com](http://www.bidexpress.com).

THE BID OPENING is at 1600 EMIL ST., MADISON, WI 53713.

#### STANDARD SPECIFICATIONS

The City of Madison's Standard Specifications for Public Works Construction - 2015 Edition, as supplemented and amended from time to time, forms a part of these contract documents as if attached hereto.

These standard specifications are available on the City of Madison Public Works website, [www.cityofmadison.com/Business/PW/specs.cfm](http://www.cityofmadison.com/Business/PW/specs.cfm).

The Contractor shall review these Specifications prior to preparation of proposals for the work to be done under this contract, with specific attention to Article 102, "BIDDING REQUIREMENTS AND CONDITIONS" and Article 103, "AWARD AND EXECUTION OF THE CONTRACT." For the convenience of the bidder, below are highlights of three subsections of the specifications.

#### SECTION 102.1: PRE-QUALIFICATION OF BIDDERS

In accordance with Wisconsin State Statutes 66.0901 (2) and (3), all bidders must submit to the Board of Public Works proof of responsibility on forms furnished by the City. The City requires that all bidders be qualified on a biennial basis.

Bidders must present satisfactory evidence that they have been regularly engaged in the type of work specified herein and they are fully prepared with necessary capital, materials, machinery and supervisory personnel to conduct the work to be contracted for to the satisfaction of the City. All bidders must be pre-qualified by the Board of Public Works for the type of construction on which they are bidding prior to the opening of the bid.

In accordance with Section 39.02(9)(a)l. of the General Ordinances, all bidders shall submit in writing to the Affirmative Action Division Manager of the City of Madison, a Certificate of Compliance or an Affirmative Action Plan at the same time or prior to the submission of the proof of responsibility forms.

The bidder shall be disqualified if the bidder fails to or refuses to, prior to opening of the bid, submit a Certificate of compliance, Affirmative Action Plan or Affirmative Action Data Update, as applicable, as defined by Section 39.02 of the General Ordinances (entitled Affirmative Action) and as required by Section 102.11 of the Standard Specifications.

#### SECTION 102.4 PROPOSAL

No bid will be accepted that does not contain an adequate or reasonable price for each and every item named in the Schedule of Unit Prices.

A lump sum bid for the work in accordance with the plans and specifications is required. The lump sum bid must be the same as the total amounts bid for the various items and it shall be inserted in the space provided.

All papers bound with or attached to the proposal form are considered a part thereof and must not be detached or altered when the proposal is submitted. The plans, specifications and other documents designated in the proposal form will be considered a part of the proposal whether attached or not.

A proposal submitted by an individual shall be signed by the bidder or by a duly authorized agent. A proposal submitted by a partnership shall be signed by a member/partner or by a duly authorized agent thereof. A proposal submitted by a corporation shall be signed by an authorized officer or duly authorized registered agent of such corporation, and the proposal shall show the name of the State under the laws of which such corporation was chartered. The required signatures shall in all cases appear in the space provided thereof on the proposal.

Each proposal shall be placed, together with the proposal guaranty, in a sealed envelope, so marked as to indicate name of project, the contract number or option to which it applies, and the name and address of the Contractor or submitted electronically through Bid Express ([www.bidexpress.com](http://www.bidexpress.com)). Proposals will be accepted at the location, the time and the date designated in the advertisement. Proposals received after the time and date designated will be returned to the bidder unopened.

The Bidder shall execute the Disclosure of Ownership form. REFER TO SECTION F.

#### SECTION 102.5: BID DEPOSIT (PROPOSAL GUARANTY)

All bids, sealed or electronic, must be accompanied with a Bid Bond equal to at least 5% of the bid or a Certificate of Annual/Biennial Bid Bond or certified check, payable to the City Treasurer. Bid deposit of the successful bidders shall be returned within forty-eight (48) hours following execution of the contract and bond as required.

#### PREVAILING WAGE RATES

Prevailing Wage Rates may be required and are attached in Section J of the contract. See Special Provisions to determine applicability.



**Bidders for this Contract(s) must be Pre-Qualified for at least one of the following type(s) of construction denoted by an ☒**

Building Demolition

- 101 ☐ Asbestos Removal  
120 ☐ House Mover

- 110 ☐ Building Demolition

Street, Utility and Site Construction

- 201 ☐ Asphalt Paving  
205 ☐ Blasting  
210 ☐ Boring/Pipe Jacking  
215 ☐ Concrete Paving  
220 ☐ Con. Sidewalk/Curb & Gutter/Misc. Flat Work  
221 ☐ Concrete Bases and Other Concrete Work  
222 ☐ Concrete Removal  
225 ☐ Dredging  
230 ☐ Fencing  
235 ☐ Fiber Optic Cable/Conduit Installation  
240 ☐ Grading and Earthwork  
241 ☐ Horizontal Saw Cutting of Sidewalk  
242 ☐ Infrared Seamless Patching  
245 ☐ Landscaping, Maintenance  
250 ☐ Landscaping, Site and Street  
251 ☐ Parking Ramp Maintenance  
252 ☐ Pavement Marking  
255 ☐ Pavement Sealcoating and Crack Sealing  
260 ☐ Petroleum Above/Below Ground Storage Tank Removal/Installation  
262 ☐ Playground Installer  
265 ☐ Retaining Walls, Precast Modular Units

- 270 ☐ Retaining Walls, Reinforced Concrete  
275 ☐ Sanitary, Storm Sewer and Water Main Construction  
276 ☐ Sawcutting  
280 ☐ Sewer Lateral Drain Cleaning/Internal TV Insp.  
285 ☐ Sewer Lining  
290 ☐ Sewer Pipe Bursting  
295 ☐ Soil Borings  
300 ☐ Soil Nailing  
305 ☐ Storm & Sanitary Sewer Laterals & Water Svc.  
310 ☐ Street Construction  
315 ☐ Street Lighting  
318 ☐ Tennis Court Resurfacing  
320 ☐ Traffic Signals  
325 ☐ Traffic Signing & Marking  
332 ☐ Tree pruning/removal  
333 ☐ Tree, pesticide treatment of  
335 ☐ Trucking  
340 ☐ Utility Transmission Lines including Natural Gas, Electrical & Communications  
399 ☐ Other \_\_\_\_\_

Bridge Construction

- 501 ☐ Bridge Construction and/or Repair

Building Construction

- 401 ☐ Floor Covering (including carpet, ceramic tile installation, rubber, VCT)  
402 ☐ Building Automation Systems  
403 ☐ Concrete  
404 ☐ Doors and Windows  
405 ☐ Electrical - Power, Lighting & Communications  
410 ☐ Elevator - Lifts  
412 ☐ Fire Suppression  
413 ☐ Furnishings - Furniture and Window Treatments  
415 ☐ General Building Construction, Equal or Less than \$250,000  
420 ☐ General Building Construction, \$250,000 to \$1,500,000  
425 ☐ General Building Construction, Over \$1,500,000  
428 ☐ Glass and/or Glazing  
429 ☐ Hazardous Material Removal  
430 ☐ Heating, Ventilating and Air Conditioning (HVAC)  
433 ☐ Insulation - Thermal  
435 ☐ Masonry/Tuck pointing

- 437 ☐ Metals  
440 ☐ Painting and Wallcovering  
445 ☐ Plumbing  
450 ☐ Pump Repair  
455 ☐ Pump Systems  
460 ☒ Roofing and Moisture Protection  
464 ☐ Tower Crane Operator  
461 ☐ Solar Photovoltaic/Hot Water Systems  
465 ☐ Soil/Groundwater Remediation  
466 ☐ Warning Sirens  
470 ☐ Water Supply Elevated Tanks  
475 ☐ Water Supply Wells  
480 ☐ Wood, Plastics & Composites - Structural & Architectural  
499 ☐ Other \_\_\_\_\_

State of Wisconsin Certifications

- 1 ☐ Class 5 Blaster - Blasting Operations and Activities 2500 feet and closer to inhabited buildings for quarries, open pits and road cuts.  
2 ☐ Class 6 Blaster - Blasting Operations and Activities 2500 feet and closer to inhabited buildings for trenches, site excavations, basements, underwater demolition, underground excavations, or structures 15 feet or less in height.  
3 ☐ Class 7 Blaster - Blasting Operations and Activities for structures greater than 15' in height, bridges, towers, and any of the objects or purposes listed as "Class 5 Blaster or Class 6 Blaster".  
4 ☐ Petroleum Above/Below Ground Storage Tank Removal and Installation (Attach copies of State Certifications.)  
5 ☐ Hazardous Material Removal (Contractor to be certified for asbestos and lead abatement per the Wisconsin Department of Health Services, Asbestos and Lead Section (A&LS).) See the following link for application: [www.dhs.wisconsin.gov/Asbestos/Cert](http://www.dhs.wisconsin.gov/Asbestos/Cert). State of Wisconsin Performance of Asbestos Abatement Certificate must be attached.  
6 ☐ Certification number as a Certified Arborist or Certified Tree Worker as administered by the International Society of Arboriculture  
7 ☐ Pesticide application (Certification for Commercial Applicator For Hire with the certification in the category of turf and landscape (3.0) and possess a current license issued by the DATCP)  
8 ☐ State of Wisconsin Master Plumbers License.

## SECTION B: PROPOSAL

Please refer to the  
Bid Express Website  
at <https://bidexpress.com>  
look up contract number  
and go to  
Section B: Proposal Page

You can access all City of Madison bid solicitations for FREE at [www.bidexpress.com](http://www.bidexpress.com)

Click on the "Register for Free" button and follow the instructions to register your company and yourself. You will be asked for a payment subscription preference, since you may wish to bid online someday. Simply choose the method to pay on a 'per bid' basis. This requires no payment until / unless you actually bid online. You can also choose the monthly subscription plan at this time. You will, however, be asked to provide payment information. Remember, you can change your preference at anytime. You will then be able to complete your free registration and have full access to the site. Your free access does not require completion of the 'Digital ID' process, so you will have instant access for viewing and downloading. To be prepared in case you ever do wish to bid online, you may wish to establish your digital ID also, since you cannot bid without a Digital ID.

If you have any problems with the free registration process, you can call the bidexpress help team, toll free at 1-888-352-2439 (option 1, option1).

**SECTION C: SMALL BUSINESS ENTERPRISE**

**Instructions to Bidders  
City of Madison  
SBE Program Information**

SBE NOT APPLICABLE



## SECTION D: SPECIAL PROVISIONS

### FIRE STATION #4 ROOF REPLACEMENT CONTRACT NO. 7524

It is the intent of these Special Provisions to set forth the final contractual intent as to the matter involved and shall prevail over the Standard Specifications and plans whenever in conflict therewith. In order that comparisons between the Special Provisions can be readily made, the numbering system for the Special Provisions is equivalent to that of the Specifications.

Whenever in these Specifications the term "Standard Specifications" appears, it shall be taken to refer to the City of Madison Standard Specifications for Public Works Construction and Supplements thereto.

#### SECTION 102.10: PREVAILING WAGE

For this project, payment of prevailing wages (white sheet) shall be required unless the box indicating prevailing wages are not required is checked below.

☐ Prevailing wages shall not be required when this box is checked.

If prevailing wages (white sheets) are required, the wages and benefits paid on the contract shall not be less than those specified in the Prevailing Wage Determination included with these contract documents for the following types of work:

- ☒ Building or Heavy Construction
- ☐ Sewer, Water, or Tunnel Construction
- ☐ Local Street or Miscellaneous Paving Construction
- ☐ Residential or Agricultural Construction

When multiple boxes are checked, worker's wages may vary according to the type and area of work performed. It is the responsibility of the Contractor to determine and apply the appropriate wage rate for the specific work assigned.

#### SECTION 102.12: BEST VALUE CONTRACTING

This Contract shall be considered a Best Value Contract if the Contractor's bid is equal to or greater than \$55,500 for a single trade contract; or equal to or greater than \$271,500 for a multi-trade contract pursuant to MGO 33.07(7).

#### SECTION 103 AWARD AND EXECUTION OF THE CONTRACT

The contractor shall execute signing of the contract completely on or prior to July 21<sup>st</sup>, 2015. No exceptions or extension to the above date will be permitted unless approved by the Project Manager. The Contractor shall properly execute, on the forms provided, the Agreement and the Payment and Performance Bond, and submit an approved Affirmative Action Plan or Certificate of Compliance on or before this date. The fully executed contract and the associated forms shall be delivered/received to the City Engineering Building at 1602 Emil Street on or before to this date.

It is anticipated that the contract and associated forms will be sent to the contractor on July 9<sup>th</sup>. The contractor has the option to pick up the contract/forms at 1602 Emil Street and shall give notice to the City Project Manager a minimum of 24 hours in advance.

#### SECTION 109.2 PROSECUTION OF THE WORK

Work may begin only after the contract is completely executed. The Contractor may begin work within seven (7) days after receiving the start work letter. It is anticipated that the start work letter will be issued as early as **August 15<sup>th</sup>, 2015**, after the issuance of the start work letter, the contractor shall order all necessary materials with substantial lead times to ensure that all necessary materials and supplies are on site prior to the start of construction. Addition work to install a patio paver system on Roof #1 under a

separate contract is scheduled to start when this roof installation is complete. The contractor shall provide a schedule 7 calendar days after the start work letter is issued indicating when the patio paver system can be installed over the new roofing system for this roof. Completing work on Roof#1 shall be a priority.

#### **SECTION 109.7      TIME OF COMPLETION**

**Construction Closeout.** The point in the contract where all contractual requirements associated the execution of the work as described in the plans, specifications, and other documents have been successfully met.

**Contract Closeout.** The point in the contract where all contractual requirements associated with the City of Madison, Board of Public Works contract has been successfully met.

The contractor shall have the option to start construction work at their discretion as long as construction closeout occurs on or before **November 20<sup>th</sup>, 2015** Once the start work date has been established, the contractor shall have **Sixty (60) Calendar Days** to complete the work.

Contract Closeout shall occur no more than **Sixty (60) Calendar Days** after the Construction Close out date.

SECTION 01 00 00  
GENERAL REQUIREMENT

**Contents**

**PART 1 – GENERAL D-4**

1.1. SCOPE .....	D-4
1.2. PRE-BID INFORMATION .....	D-4
1.3. CONTACTS .....	D-4
1.4. QUALIFICATIONS OF BIDDER .....	D-4
1.5. WORK BY THE OWNER AND OWNER FURNISHED EQUIPMENT .....	D-4
1.6. SALVAGE MATERIALS .....	D-5
1.7. PROVISIONS FOR FUTURE WORK .....	D-5
1.8. SPECIAL SITE CONDITIONS .....	D-5
1.9. ALTERNATES .....	D-5
1.10. STANDARD SPECIFICATIONS .....	D-5
1.11. GENERAL REQUIREMENTS .....	D-6
1.12. CONTRACTOR'S RESPONSIBILITY PRIOR BIDDING .....	D-7
1.13. PAYMENT AND CHANGE ORDERS .....	D-7
1.14. COOPERATION AND RESPONSIBILITIES BETWEEN TRADES .....	D-7
1.15. SUBMITTALS .....	D-8
1.16. GUARANTEES .....	D-9
1.17. SCHEDULE OF OPERATIONS .....	D-9
1.18. DRAWINGS, SPECIFICATIONS AND OTHER DOCUMENTS .....	D-9
1.19. QUALITY ASSURANCE .....	D-10
1.20. CODES AND PERMITS .....	D-12
1.21. ENVIRONMENT, SAFETY AND HEALTH (EHS) .....	D-13
1.22. STAIRS, SCAFFOLDS, HOISTS, ELEVATORS OR CRANES .....	D-18
1.23. SAFEGUARDS - EXISTING EQUIPMENT, UNDERGROUND UTILITIES AND ARTIFACTS .....	D-18
1.24. OPERATION AND MAINTENANCE DATA .....	D-18
1.25. ACCESS PANELS AND DOORS .....	D-19
1.26. LOOSE AND DETACHABLE PARTS .....	D-19

**PART 2 – PRODUCTS D-19**

2.1. SPECIFIED ITEMS - SUBSTITUTES .....	D-19
2.2. APPROVED TESTING LABORATORIES .....	D-20
2.3. HAZARDOUS SUBSTANCES .....	D-20
2.4. BARRICADES, SIGNS, WARNING DEVICES, AND TEMPORARY PLASTIC BARRIERS .....	D-22
2.5. SEALING AND FIRESTOPPING .....	D-22

**PART 3 – EXECUTION D-23**

3.1. PROJECT MEETINGS .....	D-23
3.2. CONTINUITY OF SERVICE, TRAFFIC, SHUTDOWN AND ACCESS .....	D-23
3.3. DEMOLITION .....	D-24
3.4. TEMPORARY CONSTRUCTION .....	D-25
3.5. INSTALLATION .....	D-25
3.6. DELIVERY, STORAGE AND HANDLING OF MATERIALS .....	D-26
3.7. CONCRETE WORK .....	D-26
3.8. OPENINGS, SLEEVES, CUTTING, STRUCTURAL ATTACHMENT, PATCHING AND PAINTING .....	D-26
3.9. IDENTIFICATION .....	D-27
3.10. TRAINING AND DEMONSTRATION .....	D-27
3.11. TESTS, PUNCH LIST AND FINAL ACCEPTANCE .....	D-27
3.12. CLEANING .....	D-28
APPENDIX A - WASTE MATERIALS ESTIMATING SHEET .....	D-29
APPENDIX B - LANDFILL LOG .....	D-30
APPENDIX C - WASTE DIVERSION LOG .....	D-31



## **PART 1 – GENERAL**

### **1.1. SCOPE**

#### **A. Summary of Scope of Work for Fire Station #4 Roof Replacement, located at 1437 Monroe St. as follows:**

- 1. Removing the existing roofing system and existing expanded polystyrene insulation down to the deck.**
- 2. Install additional 20 gauge type F roof decking over existing roof decking as indicated on plans and screw to existing joists.**
- 3. Install 6" of polyisocyanurate foam board insulation over roof deck with tapered crickets to facilitate proper drainage.**
- 4. Raise elevations of curbs (except the skylight curb) to maintain a minimum of 8" from roof elevation to the top of the curb.**
- 5. Replace existing roof drains.**
- 6. Enlarge thru wall scuppers and set elevation to provide proper drainage from the roofs as indicated.**
- 7. Install a 30 year warranted 90 mil white EPDM roofing system complete with flashing.**

### **1.2. PRE-BID INFORMATION**

A single pre-bid conference will be conducted for the purposes of a pre-bid walk through to allow contractors to assess site conditions. All bidding contractors are encouraged to attend.

- A. The meeting will be held at 1:00 pm on Wednesday, June 17<sup>th</sup>, 2015.**
- B. This meeting will take place on site at the Fire Station located at 1437 Monroe Street, Madison, Wisconsin.**
- C. A representative from City Engineering staff will be on hand to conduct the building walk through, discuss the plans, specifications and expectations of the contract.**
- D. Questions, clarifications will be answered per addendum.**

If unable to attend the above meeting arrange a site visit with the Project Manager.

### **1.3. CONTACTS**

- A. Send all pre-bid inquiries to the owner's project management**
- B. The owner's designee for Project Manager:**
  - 1. Paul Stauffer**
  - 2. Company: City of Madison**
  - 3. Address: Room 115, 210 Martin Luther King Jr. Blvd.**
  - 4. Phone: 608-266-4366**
  - 5. Email: pstauffer@cityofmadison.com**

### **1.4. QUALIFICATIONS OF BIDDER**

- A. By submitting the bid, the bidder and each subcontractor certifies as to meeting the following requirements:**
  - 1. Has completed one projects of at least 50% of the size or value of the division of work being bid and the type of work completed is similar to that being bid. Additional requirements will be described in the appropriate technical section of these specifications.**
  - 2. Has access to all necessary equipment and has organizational capacity and technical competence necessary to do the work properly and expeditiously.**
  - 3. Maintains a permanent place of business.**
  - 4. Additional manufacturer's qualifications as required for installation of roofing and paver systems as required by specifications.**

### **1.5. WORK BY THE OWNER AND OWNER FURNISHED EQUIPMENT**

- A. All asbestos removal will be performed by separate owner -hired asbestos contractor and contractor needs to accommodate asbestos contractor's work. There is no asbestos removal anticipated in this contract.**

- B. If the roofing contractor deems it's necessary to disconnect the electrical and/or plumbing to raise/temporarily move the solar collector on Roof #3, the City's Facility Maintenance shall disconnect/reconnect plumbing/electrical.
- C. The contractor shall provide an conduit boot at the kitchen stove exhaust fan on roof #2. Electrical rerouting shall be provided by the City's Facility Maintenance Staff. The City's Facility Maintenance staff shall also be responsible for electrical disconnecting/reconnecting any other powered roof ventilators as required.
- D. Wisconsin Solar Design (WSD) shall be replacing the skylight on roof #2 during the roof replacement. WSD will be adding 1 ½" of additional blocking to the existing curb. They will need the roofing contractor to run the membrane up and over the curbing with a 30 year warranted detail. WSD will be responsible for removal and disposal of the existing skylight and skylight flashing.
- E. The exhaust vents on Roof #1 shall be relocated by other at the City's expense on another contract as indicated on the plans.
- F. All of the above work shall be coordinated thru the City's Project Manager and work shall proceed as to not delay the roofing contractor's schedule.

#### **1.6. SALVAGE MATERIALS**

- A. No materials removed from this project shall be reused except as specifically noted below. All materials removed shall become the property of and shall be disposed of by the Contractor.

#### **1.7. PROVISIONS FOR FUTURE WORK**

- A. The new decking added to roof #1 shall provide the structural support for a future concrete patio paver system. This patio shall be installed on another contract as soon as the roofing system is installed for this roof. The roofing contractor is requested to complete the work on Roof #1 as soon as it is possible to allow for the patio's installation.

#### **1.8. SPECIAL SITE CONDITIONS**

- A. Unless otherwise noted, construction operations shall be limited to the hours between **7:30 a.m. and 6:00 p.m.**, Mondays through Fridays, except for holidays. A request must be made to the owner forty-eight hours in advance for approval of work days or hours other than those stated above. Compliance is required with applicable Noise Ordinances.
- B. **PARKING:**  
Onsite parking is limited. The roofing contractor shall be allowed to use one parking space. Work vehicles may be parked adjacent to the work site as weather permits. The contractor shall make all efforts to not park vehicles on soft wet ground.
- C. **TOILETS:**
  - 1. The Contractor's labor force may not use owner facilities.
  - 2. The Contractor may provide and maintain sanitary temporary toilets, located where directed by the owner, in sufficient number required for the force employed. Toilets shall be self-contained chemical type
  - 3. The Contractor shall maintain the temporary toilets in a sanitary condition at all times and shall supply toilet paper until completion of the job.

#### **1.9. ALTERNATES**

- A. Not applicable

#### **1.10. STANDARD SPECIFICATIONS**

- A. The City of Madison Standard Publications for Public Works Construction (Edition at publication date of this bid) forms a part of these contract documents as if attached hereto. These Standard Specifications are available from the City Engineer, City Engineering Division, Room 115, City County Building, 210 Martin Luther King Jr. Blvd., Madison, WI 53710 or electronically from the City Website <http://www.cityofmadison.com/business/pw/specs.cfm>. The Contractor shall review these standard specifications prior to preparation of proposal for the work to be done under this contract. Failure to do so does not relive the Contractor from meeting all requirements.

### 1.11. GENERAL REQUIREMENTS

- A. All articles in these General Requirements are applicable to all Divisions fully as if repeated within that Division. The Conditions of the Contract, General and Supplementary General Conditions, and these General Requirements shall apply to the Contractor engaged in this work. Items listed under Scope of Work are not necessarily all inclusive. These specifications and drawings are intended to include everything necessary to perform the entire work properly. Every item necessarily required might not be specifically mentioned or shown. Unless expressly stated, all systems and equipment shall be complete and operable. All devices and installation methods necessary for a functioning system are considered included in this contract even if a detail is missing or unclear. The words "furnish", "install", "as required", and "provide" shall mean the same in a sense that the Contractor shall furnish and install all the necessary materials, apparatus, and devices to complete the equipment and systems installation herein specified, except such parts as are specifically exempted herein. This also includes that the contractor demolishes and disposes of an existing item if demolition is required to install the new item, even if demolition drawings or specification don't mention demolition of the specific item. If an item is either called for in the specifications or shown on the plans, it shall be considered sufficient for the inclusion of said item in this contract.
- B. The terms "city", "owner", "city engineer" and "project manager" are used interchangeably. The terms "contractor", "subcontractor" and "general contractor" are used interchangeably.
- C. Portions of these specifications are of the abbreviated, simplified type and may include incomplete sentences. Omissions of words or phrases such as "the Contractor shall", "in conformity with", "shall be", "as noted on the drawings", "in accordance with details", are intentional. Omitted words or phrases shall be supplied by inference in the same manner, as they are when a note occurs on the drawings. Such terms as approved, reviewed, equal, as directed, , as permitted, acceptable, satisfactory mean by or to the owner.
- D. If a conflict exists within the Specifications or exists within the Drawings, the Contractor shall furnish the item, system, or workmanship, which is the highest quality, largest, largest quantity or most closely fits the owner's intent. Materials and labor shall be new (unless noted or stated otherwise), first class, and workmanlike, and shall be subject at all times to the owner's inspections, tests and approval from the commencement until the acceptance of the completed work. Whenever a particular manufacturer's product is named, it is intended to establish a level of quality and performance requirements unless more explicit restrictions are stated to apply. It must be understood that the details and drawings are diagrammatic. The Contractor shall verify all dimensions at the site and be responsible for their accuracy. If items are too large to fit into existing space Contractor shall provide smaller model of same type upon approval by owner at no cost to owner. All sizes as given are minimum except as noted. Prior to bidding, bidder must visit site to become familiar and verify existing conditions. Failure to do so does not relieve the bidder from the responsibility to verify existing conditions, to point out errors in drawings or specifications or code violations.
- E. The area to be set aside for the work under this contract is shown on the drawings, and the Contractor shall confine the construction to the immediate area within the construction limits. The Contractor shall immediately upon entering the site for purpose of beginning work, locate general reference points and take such action as is necessary to prevent their destruction. The Contractor shall lay out its work and be responsible for all lines, elevations and measurements of the building and other work executed under its Contract. The Contractor must exercise proper precaution to verify dimensions on the drawings before laying out work and will be held responsible for any error resulting from failure to exercise such precaution. The Contractor shall verify grades, lines, levels, locations, and dimensions as shown on drawings and report any errors or inconsistencies to owner before commencing work. Starting of work by the Contractor shall imply acceptance of existing conditions. Confine all operations, equipment, apparatus and storage of materials, to the immediate area of work to the greatest possible extent. Contractor shall ascertain, observe and comply with all rules and regulations in effect on the project site, including but not limited to parking and traffic regulations, use of walks, security restrictions and hours of allowable ingress and egress. Any special traffic control during construction involving lane closures shall be in accordance with the federal standard, Manual of Uniform Traffic Control Devices.
- F. The work site shall be kept clean and neat at all times. Accumulation of debris shall be avoided and all new equipment and material shall be stored neatly and protected. Failure to comply will result in the contractor responsible for the disorderly conditions to be removed from job site.



- G. Owner will not furnish Watchpersons. The Contractor shall provide such precautionary measures, to include the furnishing of watchpersons if deemed necessary, to protect persons and property from damage or loss where the Contractor's work is involved. The contractor is responsible for securing any material stored on site. In case of theft or damage

#### **1.12. CONTRACTOR'S RESPONSIBILITY PRIOR BIDDING**

- A. Bidders shall bring inadequacies, omissions or conflicts to owner's attention at least ten (10) days before the date set for bid submission. Prompt clarification will be supplied to all bidders of record by addendum. Failure to request clarification or interpretation of the drawings and specifications will not relieve the successful Bidder of responsibility. Signing of the contract will be considered as implicitly denoting that the Contractor has thorough understanding of the scope of work, existing conditions, and comprehension of the contract documents. Owner is not responsible for verbal instructions.
- B. During bidding time owner will allow contractors to visit the site to familiarize themselves with the existing conditions and to ask questions for clarification. Failure to attend the scheduled walkthrough implies that the contractor accepts all existing conditions and includes all work to handle existing conditions in his bid price.
- C. Prior bidding, bidder must obtain information on payment conditions, discounts, shipping charges, and other cost from vendor and/or manufacturer of the products specified.

#### **1.13. PAYMENT AND CHANGE ORDERS**

- A. PAYMENTS: will be made based on progress of work. No payments will be made for occurred overhead cost that did not materialize in actual installation. Examples of cost to the contractor that is not part of partial payment are project management cost, bond cost etc. These cost will be covered proportionally for actual work done on site. No payments shall be made for material that is not installed.
- B. PAY APPLICATION: The Contractor is responsible for providing the Owner partial payment applications on form AIA Document G702 Application for Payment and AIA Document G703 Continuation Sheet (with schedule of values). Before the first Application for Payment, the Contractor shall submit to the A/E a schedule of values of the various portions of the Work, including quantities if required by the A/E aggregating the total Contract Sum, divided so as to facilitate payments to Subcontractors. Prepare a schedule of values in such form and supported by such substantiating data as the A/E and Owner may require. Each item in the schedule of values shall include its proper share of overhead and profit. This schedule, when approved by the A/E, shall be used only as a basis for reviewing the Contractor's Applications for Payment.
- C. CHANGE ORDERS: Changes only will be accepted if approved prior work done. No payment shall be made if contractor commences work without a cost is agreed on. In case of field change orders a price range has to be agreed on at minimum. If contractor does not provide cost before the additional work is done, it is assumed the contractor agreed that this work was part of the original contract.
- D. CHANGE ORDER MARKUP: Contractor shall supply all documentation for evaluation of reasonableness of change order price. These include but are not limited to subcontractor quotes, supplier quotes, time estimates and others. Markup on subcontractor price shall not exceed the value allowed by the Standard Specifications referenced in this contract. This markup will cover all the contractor expenses including added bond, insurance and other cost.

#### **1.14. COOPERATION AND RESPONSIBILITIES BETWEEN TRADES**

- A. The Contractor assumes responsibility for all work specified in this contract except for work explicitly noted as be done by owner or a Contractor separately hired by owner. The Contractor coordinate the work of all trades on the project. If plans or specifications designate parts of the work to be done by a specific trade it is meant as a suggestion only. It is up to the trades to agree on division of work and cost. Any work not done by a subcontractor will be the responsibility of the contractor (general contractor, party the owner is in contract with).
- B. All Contractors shall work in cooperation with the Contractor and with each other, and fit their work into the structure as job conditions may demand. Owner shall make all final decisions as to the right-of-way and run of pipe, ducts, etc., at prearranged meetings with responsible representatives of the Contractors involved. Contractor(s) shall coordinate the work with adjacent work with other Contractors prior to installation and shall cooperate with all other trades to facilitate the general

progress of the work. The Contractor shall coordinate and schedule the work of all its subcontractors, and shall furnish all information required by them for proper scheduling and execution of the work. In the same manner, the Contractor shall coordinate the work with that of owner, and any other Contractor operating in the area, including reasonable adjustments of schedule in order to allow other Contractors or the owner to do their work. Any installed work that is not coordinated and that interferes with other Contractor's work shall be removed or relocated at the Contractor's expense.

- C. In case it is indicated which trade is responsible for which work, this is meant as a suggestion and it is the Contractor's responsibility in its contracts with subcontractors to clarify who ultimately will do the work. If conflicts arise between the Contractor and subcontractor about who is responsible for which work to be done it is the Contractor's responsibility to make sure the work gets done in time even if the dispute between Contractor and subcontractor gets settled later.

#### **1.15. SUBMITTALS**

- A. Documents have to be submitted in electronic form (PDF) as described elsewhere in addition to hardcopies no later than 3 business days after start work letter is issued. Owner will review, and process shop drawings and other required submittals with reasonable promptness. No delay will be allowed in the progress of the job attributable to Contractor's failure to supply submittals in time. PDF shall be in good quality in electronic original from manufacturer. Scanned PDF are not acceptable.
- B. The Contractor shall submit three (3) prints of all shop drawings, submittal data consisting of brochures, catalogs, material lists, wiring diagrams, Material Safety Data Sheets (MSDS), samples, erection drawings, and equipment layouts for review by owner. General catalog sheets showing a series of the same device is not acceptable unless the specific model is clearly marked. Each submittal shall be provided together with a transmittal letter or form. Each original transmittal shall be assigned a transmittal number. The number shall begin with the first initial of the name of the Contractor's firm followed by a serial number. The re-submittals shall indicate the same number with numerical suffix in sequence. Each transmittal shall itemize the enclosures and indicate the distribution of the transmittal and the enclosures. The following information shall be included on all submitted documents: Agency/Location/Address obtained, project number, building name, project name. Submittals shall be grouped to include complete submittals of related systems, products, and accessories in a single submittal. Mark dimensions and values in units to match those specified. Include wiring diagrams of electrically powered equipment.
- C. Submit all original documents providing information regarding sustainability requirements including but not limited to recycled content, VOC, certified wood, disposal certificates and transportation distance. Contractor is required to prove that material and methods used meet all requirements specified elsewhere.
- D. Owner will return the marked and stamped drawings together with transmittal letter or form to Contractor. If re-submittal is required, owner will so note and Contractor shall make another submission for review after correction resolving the review comments on the prior submittals. The above procedure shall be repeated until owner favorably reviews the submittal. The submittals must be approved before material is ordered and fabrication is authorized.
- E. Owner's favorable review of shop drawings and other submittals shall not relieve the Contractor of responsibility for deviations from drawings or specifications, unless the Contractor has in writing called the owner's attention to such deviations at the time of submission, and the owner has acknowledged in writing such deviations; nor shall it relieve the Contractor from responsibility for errors of any sort in such drawings. If deviations, discrepancies, or conflicts between shop drawing submittals and the drawings and specifications are discovered either prior to or after the shop drawing submittals are reviewed by owner, the drawings and specifications shall control and shall be followed. The Contractor shall be responsible for and shall check the correctness of all documents including those subcontractors prior to submitting them to owner for review.
- F. The Contractor shall furnish prints of the favorably reviewed final shop drawings, erection drawings, equipment layouts and vendor data to subcontractors and suppliers for the proper coordination of their work. The Contractor shall keep one (1) complete set of the above documents at the job site for the use by owner.
- G. After the completion of the project, and prior to final payment, submit:
  - 1. One (1) copy of the Waste Manifest Records to the owner, if required in accordance with "Safety and Environment" Requirements Article "HAZARDOUS SUBSTANCES".
  - 2. The original and one (1) copy of all guarantee/warranty documents.



#### **1.16. GUARANTEES**

- A. All work, material and equipment is guaranteed by the Contractor to be free of faults for at least one year or longer if specified elsewhere. This year begins from the date of final acceptance from owner. The Contractor agrees to return to the project and commence work as directed upon notification by owner and will furnish at his own expense all necessary labor and material to make proper repairs or corrections made necessary by defective material or inferior workmanship furnished or performed under this contract. If a subcontractor is not complying, the Contractor is held responsible.
- B. All corrections and repairs are to be made no more than 30 days after notification of the Contractor for equipment and material that is not critical to the operation of the building. Critical equipment and material, including but not limited to HVAC, roofing, electrical, elevator, shall be repaired or brought into temporary and safe working condition in less than 7 days and temporary alternatives have to be provided by the Contractor if function is critical for use of the facility. If Contractor fails to do so the owner reserves the right to perform the work himself or subcontract a different Contractor and charge the Contractor the full cost of the repair and correction and cost of any material, rental fee, labor and equipment to provide temporary relief and protection to enable safe operation of the building.
- C. All equipment and material warranty by the manufacturer that lasts longer than the 1-year warranty by the contractor requires sufficient documentation acceptable by the manufacturer to honor the warranty beyond the first year. documents required include manufacturer's warranty certification for this specific material and equipment at the job site, purchase orders or any other documents that will be required beyond the first year for the manufacturer to honor warranty.

#### **1.17. SCHEDULE OF OPERATIONS**

- A. Within 7 calendar days after the effective date of Start Work Letter, the Contractor shall provide a installation schedule.
- B. Install work in phases to accommodate owner 's occupancy requirements. During the construction period coordinate on a daily basis, all operations with the owner and City Project Manager.
- C. After the initial submittal, the Contractor shall update the schedule weekly by entering actual progress for the period.

#### **1.18. DRAWINGS, SPECIFICATIONS AND OTHER DOCUMENTS**

- A. Drawings indicate approximate locations of the various items. These items are shown approximately to scale and attempt to show how these items should be integrated with building construction. Locate all the various items on-the-job measurements in conformance with code and cooperation with other trades. Before locating items, confer with the owner as to desired location in the various areas. In no case items shall be located by scaling drawings. Contractor must relocate items and bear cost of redoing work or other trades' work necessitated by failure to comply with this requirement.
- B. Demolition drawings, location, circuit numbers, number and type of fixtures, type of mounting and control devices may not be correct. All sizes are approximations and have to be field-verified by contractor. In case of a discrepancy within and between the drawings that would cause and awkward or improper installation the engineer has to be notified for clarification prior to installation. Any work in conflict with the drawings shall be corrected at contractor's expense and at no cost to the owner. Contractor shall determine if scheduled devices fit into space and shall advice if not BEFORE ordering fixtures or devices.
- C. Information pertaining to existing conditions that are described in the specifications or appear on the drawings is based on available records. While such data has been collected with reasonable care, there is no expressed or implied guarantee that conditions so indicated are entirely representative of those actually existing. This information is provided to inform the Contractor of known, existing conditions so that due diligence is taken by the Contractor to avoid damage. Where site observation or documents indicate existing underground utilities/services in close proximity (within four feet horizontally and/or four feet vertically) to necessary new construction work, the Contractor shall be responsible to test, probe or otherwise determine exact locations so as to prevent damage to such utilities/services.
- D. Standard References such as ANSI, AASHO, AWWA, AISC, Commercial Standards, Federal Specifications, NEMA, UL, and the like incorporated in the requirements by reference shall be those of the latest edition at time of receiving bids, unless otherwise specified. The manufacturers, producers



and their agents of required materials shall have such specifications available for reference and are fully familiar with their requirements as pertains to their product or material.

- E. The Contractor shall not take advantage of any apparent error or omission in the plans or specifications, and the owner shall be permitted to make such corrections and interpretations as may be deemed necessary for the fulfillment of the intent of the plans and specifications.
- F. In addition to verifying at the site all measurements shown on the Drawings, Contractor shall consult the Drawings and Specifications of related work or existing construction that may in any manner affect the work of this contract. Contractor shall promptly report to the owner, in writing, any errors, omissions, violations, or inconsistencies that may be discovered as a result of such verifications; otherwise, it shall be understood that Contractor accepts all such related data and conditions without reservations.
- G. Each trade shall keep one set of plans and specifications on site. In addition construction bulletins, change orders etc. as applicable to the trades shall be on site.
- H. It shall be the responsibility of the Contractor to submit to the owner within ten (10) days after final inspection, one complete marked-up set of contract drawings fully illustrating all revisions made by all the crafts in the course of the work. This shall include all field changes, adjustments, variances, substitutions and deletions, whether covered by Change Order or not. Underground utility installations must be located precisely as constructed on the marked-up drawings. Contractor shall markup changes for as-built drawings on a daily basis.
- I. Layout of existing piping, conduits, and locations of equipment are shown as exactly as could be determined during design of the facilities; but their accuracy, particularly when such layouts and drawings are schematic, cannot be guaranteed. Contractor shall check all Specifications including the Drawings for possible interference with electrical, mechanical, and structural details, as well as interference with existing building or equipment, and shall notify the owner of the interference for resolution of the interference before commencing work. Any completed work that interferes shall be corrected by Contractor at Contractor expense so that the original design can be followed.
- J. Electronic design files may be provided by the owner at its discretion as they are needed for the contractor to perform the work. Contractor shall use electronic design files on their own risk and assume all liability. Electronic documents are not contract documents and significant discrepancies may exist between these electronic files and contract documents and actual site conditions.
- K. Contractor shall provide list with all equipment installed. This list shall contain, but not limited to, type, make and special product key and number. For grant purposes the contractor may have to provide detailed information about equipment installed and labor provided to third party institutions, such as Focus on Energy.
- L. Using datum, the lot lines and present levels have been established as shown on the drawings. Other grades, lines, levels and benchmarks, shall be established and maintained by the Contractor, who shall be responsible for them. As work progresses, the Contractor shall lay out on forms and floor, the locations of all partitions, walls and fix column centerlines as a guide to all trades. The Contractor shall make provision to preserve property line stakes, benchmarks, or datum point. If any are lost, displaced or disturbed through neglect of any Contractor, Contractor's agents or employees, the Contractor responsible shall pay the cost of restoration.

#### **1.19. QUALITY ASSURANCE**

- A. Any installed material not meeting the specification requirements must be replaced with material that meets these specifications without additional cost to owner.
- B. All products and materials used are to be new, undamaged, clean and in good condition. Existing products and materials are not to be reused unless specifically indicated.
- C. Where equipment or accessories are used which differ in arrangement, configuration, dimensions, ratings, or engineering parameters from those indicated on the contract documents, the Contractor is responsible for all costs involved in integrating the equipment or accessories into the system and for obtaining the performance from the system into which these items are placed. This may include changes found necessary during the testing, adjusting, and balancing phase of the project.
- D. Welding procedures: Not Applicable- no on site welding required.
- E. Contractor shall assume the responsibility for the protection of all finished construction under the Contract and shall repair and restore any and all damage of finished work to its original state. Wheeling of any loads over any type of floor, either with or without plank protection, will be permitted only in rubber-tired wheelbarrows, buggies, trucks or dollies. Where structural concrete is also the



finished surface, care must be taken to avoid marking or damaging those surfaces. All structures and equipment shall be constructed, installed and operated with guards, controls and other devices in place.

- F. Contractor shall obtain complete data at the site and inspect surfaces that are to receive the Work before proceeding with fabricating, assembling, fitting or erecting any work under this contract. Contractor shall notify owner in writing in case of discrepancies between existing work and drawings, and of any defects in such surfaces that are to receive the Contractor's work. Owner will evaluate the notice and direct what remedial action will be taken.
- G. Starting of work implies acceptance of existing work or the work of others. Removal and replacement of work applied to defective surfaces, in order to correct defects, shall be done at the expense of the Contractor who applied work to defective surfaces.
- H. For outdoor work the Contractor shall:
  - 1. Provide, erect and maintain all required planking, barricades, guard rails, temporary walkways, etc., of sufficient size and strength necessary for protection of stored material and equipment; paved surfaces, walks, curbs, gutters and drives; streets adjacent to or within project area; adjoining property and all project work to prevent accidents to the public and the workmen at the job site.
  - 2. Notify adjacent property owners if their property interferes with the work so that arrangements for proper protection can be made.
  - 3. Provide protection against rain, snow, wind, ice, storms, or heat to maintain all work, materials, apparatus, and fixtures, incorporated in the work or stored on the site, free from injury or damage. At the end of the day's work, cover all new work likely to be damaged. Remove snow and ice as necessary for safety and proper execution of the work.
  - 4. Protect the building and foundations from damage at all times from rain, ground water and back up from drains or sewers. Provide all equipment and enclosures as necessary to provide this protection.
  - 5. Damaged property shall be repaired or replaced in order to return it to its original condition. **Damaged lawns shall be replaced with sod.**
  - 6. Protect materials, work and equipment, not normally covered by above protection, until construction proceeds to a point where the general building protection of the area where located, dispenses with the necessity therefore.
  - 7. Take all necessary precautions to protect owner's property as well as adjacent property, including trees, shrubs, buildings, sanitary and storm sewers, water piping, gas piping, electric conduit or cable, etc., from any and all damage which may result due to work on this project.
  - 8. Repair work outside of property line in accordance with the requirements of the authority having jurisdiction.
  - 9. Repair any work, damaged by failure to provide proper and adequate protection, to its original state to the satisfaction of owner or remove and replace with new work at the Contractor's expense.
  - 10. Protect trees indicated on the drawings to remain and trees in locations that would not interfere with new construction, from all damage. Do not injure trunks, branches, or roots of trees that are to remain. Do cutting and trimming only as approved and as directed by owner. The value of trees destroyed or damaged will be charged against the account of the Contractor responsible for the damage in an amount equal to the expense of replacing the trees with those of similar kind and size.
- I. The contractor shall be fully responsible for inspecting the work of its suppliers, and subcontractors to assure that the work complies with the standards for materials and workmanship required by the contract documents. The Contractor shall:
  - 1. Monitor quality control over subcontractors, suppliers, manufacturers, products, services, site conditions, and workmanship, to produce work of the quality specified in the contract documents.
  - 2. Comply fully with manufacturer's instructions, including each step in sequence.
  - 3. Request clarification from owner before proceeding with work when manufacturers' instructions or reference standards conflict with Subcontract Documents.
  - 4. Comply with specified standards as a minimum quality for the work except when more stringent tolerances, codes, or manufactures instructions require more precise workmanship.
  - 5. Ensure that work is performed by persons specializing in the specific trade and class of work required, and qualified to produce workmanship of specified quality.
  - 6. Secure products in place with positive anchorage devices designed and sized to withstand seismic, static and dynamic loading, vibration, physical distortion or disfigurement.



- J. If reference standards or manufacturers' instructions contain provisions that would alter or are at variance with relationships between the parties to the contract set forth in the contract Documents, the provisions in the contract Documents shall take precedence.
- K. When required by individual Specification sections, Contractor shall provide the following services from a manufacturer's representative:
  - 1. Review of Specifications and design and concurrence or suggestions for modification.
  - 2. Site observation of conditions of use and substrate.
  - 3. Observation of the installation work in progress and on completion.
  - 4. Start up, testing, and adjustment of equipment.
  - 5. Instruction to the owner in operation and maintenance.
  - 6. Provide written signed report by manufacturer's representative documenting services provided and any comments or recommendations.
- L. Inspection or testing performed by the owner shall not relieve the Contractor from responsibility for performing his own quality control and for complying with the requirements of the contract Documents. Owner will not be responsible for the Contractor's failure to carry out work in accordance with the contract Documents.

#### **1.20. CODES AND PERMITS**

- A. Applicable provisions of Public Law, the Constitution and Laws and Statutes of the State of Wisconsin and the codes and regulations of governmental departments are hereby referred to and made a part of this contract and all work performed shall be in accordance with such laws, regulations and the latest edition or supplement or amendment thereto in effect at the time of submittal of bid shall be considered to be the issue in effect (unless shown otherwise) of all applicable codes including, but not limited to:
  - 1. Wisconsin Building Code
  - 2. Wisconsin Electrical Code
  - 3. Wisconsin Mechanical Code
  - 4. Wisconsin Plumbing Code
  - 5. Wisconsin Energy Code
  - 6. Wisconsin Fire Code
  - 7. NFPA 70 National Electrical Code
  - 8. General Services Administration 41 CFR Part 101-19
  - 9. Americans with Disabilities Act (ADA)
  - 10. Energy Conservation Performance Standards,
  - 11. Local Codes
  - 12. Occupational Safety and Health Act (OSHA)
  - 13. Occupational Safety and Health Standards, Department of Labor
  - 14. Safety and Health Regulations for Construction, Department of Labor
  - 15. Wisconsin Fire Code
  - 16. National Electrical Safety Code, ANSI C2
  - 17. Environmental Protection Agency regulations
  - 18. Clean Air Act
  - 19. Clean Water Act
  - 20. Resource Conservation and Recovery Act
  - 21. Toxic substances Control Act
  - 22. Wisconsin Department of Health and Family Services
  - 23. State and Regional Water Quality Control Boards
  - 24. County and Municipal ordinances
- B. In case of conflict or overlap of the above references, the most stringent provision shall apply.
- C. The newest version of the a code or standard shall apply even if an older version is adopted by the Jurisdiction Having Authority.
- D. Contractor is expected to know or to ascertain, in general and in detail, the requirements of all codes and ordinances, and all rulings and interpretations of code requirements being made by all authorities having jurisdiction over the work performed by them, applicable to the construction and operation of systems covered by this contract. Where codes or standard specifications other than those listed in this paragraph are referred to in the different Divisions of these specifications, it is understood that



they apply as fully as if cited here. Where differences exist between codes affecting this work, the code affording the greatest protection to the owner shall govern.

- E. All cost for items and procedures necessary to satisfy requirements of all applicable codes, ordinances and authorities, whether or not these are specifically covered by drawings or specifications. All cases of serious conflict or omission between the drawings, specifications, and codes shall be brought to the owner's attention as herein before specified. The Contractor shall carry out work and complete construction as required by applicable codes and ordinances and in such a manner as to obtain approval of all authorities whose approval is required.
- F. Contractor is responsible for obtaining permits at its own cost including expenses for supporting documents. Deliver original permits to the owner before work starts. Apply for, arrange and pay for all required installation inspections required. Deliver originals of these certificates to the owner. Include copies of the certificates in the Operating and Maintenance Instructions. Contractor shall arrange all required inspections and correct all deficiencies at no cost to owner.
- G. The Contractor must maintain all licenses required for the work performed and required by authorities. The Contractor must submit proof of holding the license or certificate upon request. If a Contractor loses a license for whatever reason he must inform the owner immediately after learning about that himself.
- H. PERMIT TO PENETRATE GROUND OR EXISTING SURFACES OF OWNER PROPERTY:
  - 1. Not Applicable.
- I. FIRE SAFETY PERMIT:
  - 1. Not Applicable.
- J. AIR EMISSIONS PERMITS AND NOTIFICATIONS:
  - 1. Not Applicable.

#### **1.21. ENVIRONMENT, SAFETY AND HEALTH (EHS)**

- A. The owner can request additional safety or environmental protection measures at any time. If contractor does not follow safety or environmental protection requirements, the owner can hire a different contractor or self-perform to ensure compliance and charge the original contractor for the cost.
- B. Contractor shall provide all labor, materials, equipment, services and supervision required to maintain work sites that meet the environment, safety and health (ES&H) requirements of all applicable federal, state, and local regulations and protect the environment and the safety and health of its employees, the employees of its lower tier subcontractors, owner employees and the general public.
- C. The contractor shall provide a qualified onsite EHS Representative with the authority to enforce all of the safety requirements and implement the contractor's Injury and Illness Prevention Program and Hazard Abatement Plan. The contractor shall remove and replace its Health and Safety Representative at the request of the owner, if the Safety Representative is unsuccessful in enforcing the EHS requirements. The contractor's EHS representative shall conduct safety inspections of the project operations, materials, and equipment frequently throughout the day to ensure that all safety deficiencies are identified and corrected. The owner reserves the right to enforce measures if the contractor's onsite EHS representative does not enforce all requirements. Inspection findings and corrective actions taken shall be documented, and the record shall be kept on the construction work site and be made available to owner upon request. If safety deficiencies are found, owner will issue a Safety Deficiency Notice to the contractor. Upon receipt of a written Safety Deficiency Notice from the Owner, the contractor shall take appropriate action to correct the deficiency and discontinue the hazardous activity until the hazard is abated. Failure to correct or eliminate violation(s) within the period specified might result in the order to stop all or any part of the work. The contractor shall submit to the owner a written response to the Safety Deficiency Notice describing what corrective action it has taken, the date such corrective action was completed and actions that it will take to prevent future recurrence of the same incident.
- D. Provide protection for workmen, public, adjacent construction and occupants of existing building(s). Personal Protective Equipment (PPE) such as hard hats, ear plugs and dust masks, shall be provided to all employees and use shall be enforced by the onsite EHS Representative. PPE also shall be provided to site visitors near the main entrances to the jobsite. PPE shall be provided in sufficient numbers to outfit typical number of visitors (i.e. designers, inspectors, shipment workers)
- E. WORK SITE SAFETY ORIENTATION: Each employee shall receive initial EH&S orientation prior to performing any work on the project. The contractor shall maintain on the work site a detailed outline of



the orientation and a signed and dated roster of all employees who have completed the project EHS indoctrination. Make documentation available to owner on request. The orientation shall, at a minimum, cover the following points:

1. Employee rights and responsibilities.
2. Construction contractor responsibilities.
3. Alcohol and drug abuse policy
4. Contractor's disciplinary procedures.
5. First aid and medical facilities.
6. Site and project specific hazards.
7. Hazard recognition and procedures for reporting or correcting unsafe conditions or practices.
8. Procedures for reporting accidents and incidents.
9. Fire fighting and other emergency procedures to include local warning and evacuation systems.
10. Hazard Communication Program.
11. Access to employee exposure monitoring data and medical records.
12. Protection of the environment, including air, water, and storm drains from construction pollutants.
13. Location of and access to reviewed project Illness and Injury Prevention Program, Hazard Analysis and Hazard Abatement Plan
14. Location and contents of required postings

F. A comprehensive EH&S program shall be established including but not be limited to:

1. Confined Space Entry
2. Site specific Emergency Response, First Aid, & Medical Services. Identify employees with CPR/First Aid certification available at the work site.
3. Fire Protection and Prevention
4. Hazard Communications
5. Hazardous Waste Operations
6. Hazardous Work Permits
7. Toxic and Hazardous substances
8. Inspection, Maintenance, and Certification of Heavy Equipment, Cranes, and Motor Vehicles
9. Lock Out/Tag Out (LOTO) Subcontractors are required to include LOTO
10. Personal Protective and Life Saving Equipment
11. Radiation Protection
12. Construction Safety Training
13. Control of silica dust released during demolition or drilling of concrete or released from work with other materials that contain silica.

G. A comprehensive activity hazard analysis and hazard abatement plan shall be established including but not be limited to:

1. Description of work phase or activity
2. Identification of potential hazards associated with the activity
3. A list of the contractor's planned controls to mitigate the identified hazards
4. Name of the contractor's employee responsible for inspecting the activity and ensuring that all proposed safety measures are followed
5. Construction activities for which an Activity Hazard Analysis and Hazard Abatement Plan may be required include, but are not limited to:
6. Roofing
7. Hoisting and handling of materials
8. Excavations
9. Trenching and drilling
10. Concrete placement and false work
11. Welding
12. Steel erection
13. Work performed six feet or higher above ground
14. Electrical work
15. Demolition
16. Work in confined spaces
17. Work that causes the release of silica such as demolition or drilling of concrete or work with materials that contain silica.
18. Work with epoxy coatings

19. Work with or around hazardous materials
  20. Work on hilly terrain
  21. Use and handling of flammable materials
  22. The owner must favorably review the Activity Hazard analysis and Hazard Abatement Plan before work can start on that activity.
- H. ELECTRICAL WORK:
1. Not Applicable.
- I. Rubbish, debris and scrap shall not be thrown through any window or other opening, or dropped from any great height; it shall be conducted to the ground, to waiting truck(s) or removable container(s) by means of approved chutes or other means of controlled conveyance.
- J. Form and scrap lumber shall have all nails withdrawn or bent over; shall be neatly stacked, placed in trash bins, or removed from the premises.
- K. Take all necessary precautions while dismantling piping containing gas, gasoline, oil or other explosive or toxic fluids or gases. Purge lines and contain materials in accordance with all applicable regulations. Store such piping outdoors until fumes are removed. Verify that all gas and electrical utilities have been abandoned or disconnected and associated hazards mitigated, prior to beginning any demolition.
- L. All material classified by authorities to be a material that needs special treatment must be recycled, reused or disposed of by a special contractor that holds a valid license to work with such material. If hazardous materials are not anticipated, but encountered, terminate operations and contact owner immediately.
- M. CONTROL OF CRYSTALLINE SILICA DUST: The subcontractor shall provide all necessary control measures at the work site to keep worker exposure to crystalline silica dust within the OSHA Established Permissible Exposure Limits (PEL's). Dust control measures may require spraying of water or engineering controls at the dust generating points. It also may include the use of respirators, industrial grade HEPA vacuums, and HEPA filtered locally exhausted tools. Construction operations known to cause the release of silica dusts include, but are not limited to:
1. Chipping, sawing, grinding, hammering, and drilling of concrete, rock, or brick.
  2. Work with cementitious materials such as grout, mortar, stucco, gunnite, etc.
  3. Dry sweeping of dust originating from concrete or rock
- N. CONSTRUCTION ACTIVITY POLLUTION PREVENTION:
1. Not Applicable.
- O. INDOOR AIR QUALITY:
1. **During installation of the roofing membrane take all precautions to prevent fumes from entering fresh air intakes. Shut off air intake equipment if necessary. Coordinate with the City's Project Manager.**
- P. FIRE PROTECTION AND PREVENTION:
1. The contractor shall develop and maintain an effective fire protection and prevention program at the job site through all phases of demolition, alteration, repair, and construction work. Contractor shall ensure the accessibility and availability of fire protection and suppression equipment.
  2. Smoking is prohibited everywhere on the job site – no exceptions. Signs shall be posted. In visible locations.
  3. No burning of rubbish or debris will be allowed at the site. Combustible waste shall be removed immediately or stored in fire resistive containers until disposed of in an approved manner.
  4. The Contractor shall provide and maintain in working order during the entire construction period, a minimum of three (3) fire extinguishers on each floor level, including basement of the building, and one (1) in temporary office. Extinguishers shall be nonfreezing type such as A-B-C rated dry chemical, of not less than 10-pound capacity each. In addition, any subcontractor who maintains an enclosed shed on the site shall provide and maintain, in an accessible location, one or more similar nonfreezing type fire extinguisher in each enclosed shed.
- Q. ACCIDENTS AND SPILLS:
1. The contractor shall immediately notify the owner of any accidents, injuries or occupational illnesses that occur on the project, regardless of the employer of the involved personnel or the owner of the involved materials or equipment. For OSHA recordable injuries, the subcontractor shall also furnish a copy of the OSHA Form 301(or equivalent) to the Project Representative within five days of the injury.



2. In the event a job site accident occurs, the contractor shall immediately implement controls and restrictions on the accident site to ensure the site remains undisturbed until released in writing by the owner to resume work. The contractor shall provide accident investigation follow-up and shall support Owner's accident investigation and reporting protocol.
3. The contractor shall promptly report to owner any spill, deposit, leak, drainage, debris, residue, spoil, residual, and/or by-product, whether its presence at the jobsite is occasioned by accident, inadvertence, intent, discarding, or abandonment by the Subcontractor or its lower tier subcontractors. This reporting requirement applies to petroleum products, oil, lubricants, chemical substances, waste materials, and waste substances, which are in such quantities as to constitute a hazardous substance or hazardous waste. All such occurrences of any quantity involving paints, solvents, thinners, degreasers, PCBs, halogenated hydrocarbons, volatile organic compounds, and/or asbestos shall be deemed a reportable event. These identification and reporting requirements shall be the responsibility of the contractor for both its own work forces as well as for any sub tier contractor, material man or supplier performing work on site for the contractor. All removal, cleanup, and associated costs, which result from contractor or lower tier subcontractor, material man, or supplier presence at the jobsite, shall be at the contractor's sole expense.

R. WASTE MANAGEMENT:

1. Recycle all recyclable material. This includes any material for which there is a recycling facility in Wisconsin.
2. Separate all waste material in plastic, metal, paper, acoustical tile, brick, concrete, clean wood, glass, gypsum drywall, carpet and insulation and provide designated on-site collection areas.
3. Keep track of volume and weight of each material and track if it was recycled, reused, donated or disposed otherwise.
4. It is permissible to separate waste off-site by specialized recycling contractor. This contractor needs to be provide proof of recycling and needs to be WASTECAP certified as "Accredited Professional in Construction and Demolition Debris Recycling".
5. Prior to demolition or construction activities, the General Contractor, with input of all contractors and their subcontractors, shall develop and submit a Waste Management Plan to owner. Priority is given to reuse, followed by recycling followed by disposal including proper land filling or incineration. Disposal only will be acceptable if other methods are not commercially available.

The Waste Management Plan includes but is not limited to the following:

- a. A list of each material proposed to be salvaged, reused, or recycled, Materials to be included, at a minimum, are the following:
  - i. Concrete: Clean concrete, concrete with rebar, asphalt concrete.
  - ii. Metals: Steel, iron, galvanized sheet steel, stainless steel, aluminum, copper, zinc, lead, brass or bronze, including banding, ductwork, framing, roofing and siding, flashing, piping and rebar.
  - iii. Clean Fill: Earth, rocks, and gravel.
  - iv. Wood: Clean dimensional wood, wood pallets, engineered wood products including plywood, particleboard, I joist.
  - v. Biodegradable landscaping materials.
  - vi. Cardboard, paper, packaging.
  - vii. Masonry: Brick, ceramic tile, CMU.
  - viii. Roofing: Clay or concrete tiles, asphalt shingles.
  - ix. Gypsum board.
  - x. Acoustic ceiling panels.
  - xi. Carpet and pad.
  - xii. Paint.
  - xiii. Insulation.
  - xiv. Plastics: ABS, PVC
  - xv. Beverage containers
  - xvi. Cardboard.
  - xvii. Concrete
  - xviii. Brick and concrete masonry units (CMU).
  - xix. Metals from banding, stud trim, ductwork, piping, rebar, roofing, other trim, steel, iron, galvanized sheet steel, stainless steel, aluminum, copper, zinc, lead, brass, and bronze.



- xx. Gypsum wallboard.
  - xxi. Clean dimensional wood
  - xxii. Wood doors
  - xxiii. Acoustical ceiling tiles/panels
  - xxiv. Glass
- b. Separation and Materials Handling Procedures: How waste materials (as identified above), will be separated, cleaned (if necessary) and protected from contamination.
  - c. Waste Material Estimating Sheet (Appendix A at the end of this Section)
  - d. Proposed Alternatives to Land filling: List each material planned to be salvaged or recycled, quantities, and proposed destination.
6. The contractor shall provide separation, bins for temporary onsite storage, handling, transportation, recycling, salvage, and land filling for all demolition and waste materials and keep recycling and waste bins areas neat, clean and clearly marked in order to avoid contamination or mixing materials and maintain logs onsite for each load of materials removed from site.
  7. During the progress of the work, the General Contractor shall report to owner the quantity of each material recycled, reused, or salvaged, and the receiving party. All contractors shall maintain a record of weight tickets, manifests, receipts, and invoices for review by owner on request.
  8. At the completion of the project the General Contractor shall submit a final summary of the progress reports, including the percentage of recycled waste (weight or volume) to the quantity of waste that would have been otherwise land filled.
  9. Contractor is to provide the following documents upon request for payment:
    - a. Waste Materials Estimating Sheet (Appendix A at the end of this Section)
    - b. Landfill Log (Appendix B at the end of this Section)
    - c. Waste Diversion Log (Appendix C at the end of this Section)
    - d. Legible copies of manifests, weight tickets, and receipts. Manifests shall be from recycling and/or disposal site operators that can legally accept the materials for the purpose of reuse, recycling or disposal. These documents shall include the contract number and the job site name.
  10. Examples of documents include, but are not limited to:
    - a. Cover sheet for hazardous materials recycling contract
    - b. Vendor "Pickup Request"
    - c. Vendor "Certificate of Recycling and/or Disposal"
    - d. Vendor invoice
    - e. Maintain at the Project site Landfill Logs and Waste Diversion Logs for each load of materials removed from site.
    - f. Discuss Waste management plans and implementation during all construction-related meetings.
    - g. Immediately Inform the owner if hazardous materials are encountered or suspected, and stop work in the suspect area. Do not proceed with work in the suspect area until approved by the owner.
  11. The following resources are provided for information only, to aid the Contractor in managing the construction waste:
    - a. The Wisconsin DNR, Bureau of Waste Management  
<http://www.dnr.state.wi.us/org/aw/wm/>
    - b. The UW-Extension's Solid and Hazardous Waste Education Center  
<http://www1.uwex.edu/ces/shwec/>
    - c. WasteCap Wisconsin, Inc. <http://www.wastecapwi.org> or telephone: 414-961-1100 or 608-245-1100
  12. The contractor shall provide summaries of type and amount of material recycled, reused or disposed of. Those summaries shall include enough information and detail to satisfy requirements by external auditors. At a minimum the documentation needs to meet the current LEED requirements and requirements set by the EPA and federal government for federally funded projects. These requirements may or may not be mentioned specifically in this contract and the contractor is required to learn about specifics and to add documentation as required by such third party auditors.

### **1.22. STAIRS, SCAFFOLDS, HOISTS, ELEVATORS OR CRANES**

- A. The Contractor shall furnish and maintain equipment such as temporary stairs, fixed ladders, ramps, chutes, runways and the like as required for proper execution of work by all trades, and shall remove them on completion of the work. The Contractor shall erect permanent stair framing as soon as possible. Provide stairs with temporary treads, handrails, and shaft protection. Contractors requiring scaffolds shall make arrangements with the Contractor, or shall provide their own and remove them on completion of the work. The Contractor shall underlay its interior scaffolds with planking to prevent uprights from resting directly on the floor construction.
- B. Contractor shall provide and pay for its own hoist/crane or other apparatus necessary for unloading/setting or moving their equipment and materials. Installation and removal of equipment for this activity must be accounted for in the Project Schedule. Equipment and operations for this activity shall comply with applicable Department of Commerce and OSHA requirements. No material hoist may be used to transport personnel unless it meets Department of Commerce and OSHA requirements for that purpose.
- C. Existing elevators may be used on a limited basis with the owner's permission and agreement. The Contractor will pay costs of warranty extensions and additional service work required. Appropriate protection must be provided by the using Contractor and that Contractor shall be responsible for any structural, mechanical or finish damage to the elevator and its parts and to adjoining building finishes and components.

### **1.23. SAFEGUARDS - EXISTING EQUIPMENT, UNDERGROUND UTILITIES AND ARTIFACTS**

- A. Existing utilities, including those listed as abandoned, shall not be moved or otherwise disturbed without written verification by the owner that the utility is abandoned.
- B. When altering existing facilities, the Contractor shall take every precaution to preserve and protect existing facilities, both those to be altered and those to remain unaltered that are within the limits of the work.
- C. The Contractor shall notify the owner of structural members, piping, conduit, or equipment not indicated for removal that may cause interference with the work. Work shall not proceed in the affected area until instructions have been issued. Do not drill or penetrate existing structures without prior permission. The removal of existing work shall be by methods that will not jeopardize the integrity of structures or systems that are to remain.
- D. Existing utilities, including but not limited to roof drainage systems, underground cables, ducts, roadways, manholes, building fire alarm, public address or telecommunications wiring shall not be moved or otherwise disturbed, nor electrical circuits or switches operated or taken in or out of service, without prior consent of the owner. Contractor shall compensate loss to the owner resulting from damage to utilities, facilities and other owner or public items damaged.
- E. Take measures necessary to safeguard all existing work and facilities that are inside and outside the limits of the work or items that are within the construction limits but are intended to remain. Report any damage to the owner immediately. Correct and pay for all damages.

### **1.24. OPERATION AND MAINTENANCE DATA**

- A. All OM documents are to be submitted as electronic copy for review at the time the respective equipment is delivered. No hardcopy shall be provided until the OM manuals are approved.
- B. Submit data bound in 8-1/2 x 11 inch (A4) text pages, Use three D side rings if necessary and binders with durable plastic covers. Submit all documents in electronic form as well as in hardcopy. Prepare binder cover with printed title "OPERATION AND MAINTENANCE INSTRUCTIONS", title of project and subject matter of binder when multiple binders are required.
- C. Internally subdivide the binder contents with permanent page dividers, logically organized as described below; with tab titling clearly printed under reinforced laminated plastic tabs.
- D. Contents: Prepare a Table of Contents for each volume, with each Product or system description identified, typed on 20-pound white paper, in three parts as follows:
- E. Part 1: Directory, listing names, addresses, and telephone numbers of Architect/Engineer, Contractor, subcontractors, and major equipment suppliers.
- F. Part 2: Operation and maintenance instructions, arranged by system and subdivided by specification section. For each category, identify names, addresses, and telephone numbers of subcontractors and suppliers. Identify the following:
  - 1. List of materials use on the project.



2. A summary of material vendors, or location where replacement parts can be purchased.
  3. Copies of all approved submittals.
  4. Maintenance instructions for roofing system, Preventive maintenance recommendations.
  5. Maintenance instructions for finishes, including recommended cleaning methods and materials, and special precautions identifying detrimental agents.
- G. Part 3: Project documents and certificates, including the following:
1. Product data.
  2. Certificates.
  3. Photocopies of warranties.
  4. Name, address, and telephone number of the person or office to contact for service during the warranty period.
  5. Name, address, and telephone number of the person or service organization to be contacted for service after the warranty period.
- H. Submit all O&M manuals in original electronic form (PDF). Scanned copies are not acceptable. PDF need to be of high quality and searchable.
- I. Submit 1 draft copy of completed volumes 15 [fifteen] days after approval of applicable submittal or receipt of the product. Revise content of all document sets as required prior to final submission. Submit 2 [two] sets of revised final volumes, within 10 [ten] days after final inspection.

## **1.25. ACCESS PANELS AND DOORS**

- A. Not Applicable.

## **1.26. LOOSE AND DETACHABLE PARTS**

- A. Contractor shall retain all loose and small detachable parts of apparatus and equipment furnished under this Contract, until completion of the work and shall turn them over to the owner to receive them.
- B. Furnish one can of touch-up paint for each different color factory finish furnished by the Contractor. Deliver touch-up paint with other "loose and detachable parts".

# **PART 2 – PRODUCTS**

## **2.1. SPECIFIED ITEMS - SUBSTITUTES**

- A. Wherever catalog numbers and specific or trade names are used in conjunction with a designated material, product, item, or service mentioned in these Specifications, they are used to establish the standards of quality, utility, and appearance required. Substitutions will be approved, subject to the following provisions:
- a. Contractors or manufacturers may request listing of their product in the bid documents up to 10 calendar days prior bid due date. All requests must be accompanied by sufficient information to judge its suitability for this project.
  - b. Owner may reject any substitute request without providing specific reasons.
  - c. Owner may accept substitution requests after contract award, but reserves the right to refuse review or acceptance of any requests without providing specific reasons.
  - d. All Substitutions must be accepted by the owner in writing. The owner will accept, in writing, such proposed substitutions as are in his or her opinion, equal in quality, utility, and appearance to the items or materials specified. Such acceptance shall not relieve the Contractor from complying with the requirements of the drawings and specifications, and the Contractor shall be responsible at Contractor's own expense for any changes resulting from Contractor proposed substitutions which affect the other parts of Contractor's own work or the work of others.
  - e. The manufacturer shall be a company specializing in the manufacture of the specified equipment and accessories with minimum five years documented experience.
  - f. Failure of the Contractor to submit proposed substitutions for approval in the manner described above and within the time prescribed shall be sufficient cause for disapproval by owner of any substitutions otherwise proposed.
- B. Specifications may mention other manufacturers than the specific device specified. Those are manufacturers that in general are acceptable, but may not have a product for this specific project. Those manufacturers still may be rejected without providing specific reasons. The bidder only can rely on using items specifically mentioned in the contract documents.



## **2.2. APPROVED TESTING LABORATORIES**

- A. The following laboratories are approved for providing electrical product safety testing and listing services as required in these specifications:
1. Underwriters Laboratories Inc.
  2. Electrical Testing Laboratories, Inc.

## **2.3. HAZARDOUS SUBSTANCES**

- A. The Subcontractor shall submit to the Project Representative, for review by the EH&S Division, any proposed procurement, stocking, installing, or other use of materials containing asbestos, cadmium, chromates, or lead.
- B. All materials and applications shall comply with requirements of any and all Districts Regulations, including, but not limited to architectural coatings, general solvent and surface coatings, solvent cleaning operations, adhesive and sealants, visible emissions, and asbestos.
- C. Contractor shall keep and maintain proof of compliance with the above-referenced regulations, including any recordkeeping obligations, for a period of two years after completion of the project. Contractor shall make such documents or evidence available if so requested by owner.
- D. No materials outlawed in any of the 50 US states are to be used. Only equipment and material legal in all 50 states is to be used. All Federal, state, county and local codes and ordinances regarding are to be considered deciding if a piece of equipment or material is to be used.
- E. The contractor assumes responsibility for proper removal, collection and storage of hazardous substances on site and disposal of those if hazardous substances were known to be present and pointed out in these specifications or on the plans. If hazardous substances are not known to be present and are found, the owner assumes responsibility for additional cost due to removal, collection and storage on site. All hazardous substances are to be disposed in accordance with all federal, state and local laws, codes and regulations. It is the contractor's responsibility to recognize typical hazardous substances not known to be present. This includes all substances that were used in buildings of that type in the period since original construction.
- F. Contractor will assume that all electronic components, machinery, refrigeration devices and other common devices contain hazardous substances and include disposal of such in bid price, even if those substances are not mentioned separately. If special tests are necessary the owner assumes responsibility for such.
- G. ASBESTOS:
1. Contractor's attention is directed to WAC NR 447, WAC HSS 159 and the Occupational Safety and Health Act (OSHA) in general, part 1926.1101--ASBESTOS in particular. Contractor is responsible for compliance with all applicable regulations when the work includes fastening to or coring through Asbestos Containing Materials (ACM) and disturbance of asbestos containing caulking and mastics. Unless otherwise indicated, all caulking, sealants, glazing compounds, gaskets, asphalt roofing materials and miscellaneous adhesives are assumed to contain asbestos and are considered to be Category I non-friable ACM as defined in NR 447. Waste material containing Category I non-friable ACM, is regulated as Construction and Demolition (C&D) waste and may be disposed of at a Department of Natural Resources (DNR) approved C&D waste landfill. If Contractor's work methods cause non-friable ACM to become friable, the Contractor is responsible for the disposal of the friable asbestos waste at a landfill specifically approved by DNR to accept friable asbestos. A copy of the signed waste manifest for the disposal of all friable asbestos waste shall be provided to owner prior to request for final payment.
  2. The regulations referenced above require removal of friable ACM and Category II non-friable ACM prior to demolition of a building. Category I non-friable ACM does not need to be removed from a building prior to demolition if the waste generated from the demolition is taken to a DNR approved C & D waste landfill. If the contractor chooses to recycle building materials from a building to be demolished, the contractor is responsible for removal and disposal of all Category I non-friable ACM in accordance with applicable regulations prior to demolition. If the contractor's demolition methods will cause non-friable ACM to become friable, the contractor is responsible for removal and disposal of all Category I non-friable ACM in accordance with applicable regulations prior to demolition.

3. The asbestos abatement contractor will require sole occupancy of the workspace during asbestos abatement work. Contractor shall communicate with the asbestos abatement contractor and make adequate allowance for the asbestos abatement work in the work schedule
- H. **LEAD BASED PAINT:** Conform with OSHA and EPA recommended worker safety requirements when removing lead based paint or material bearing lead based paint or material contaminated with lead by the demolition process. Contractor's attention is directed to the Occupational Safety and Health Act (OSHA) in general and particularly to 29 CFR 1910 (LEAD STANDARD) and to CFR 1926 (LEAD EXPOSURE IN THE CONSTRUCTION INDUSTRY). For OSHA compliance and regulation interpretations, contractors may contact the area OSHA office for this project. [Milwaukee, telephone (414) 297-3315; Appleton, telephone (414) 734-4521; Eau Claire, telephone (715) 832-9019]. Dispose of refuse containing lead based paint or contaminated with lead by the demolition process in conformance with State of Wisconsin Hazardous Waste Regulations set forth by the Department of Natural Resources and in conformance with OSHA and EPA recommended worker safety requirements.
- I. **PCB'S:** Contractor shall assume all ballasts and transformers not specifically labeled as "no PCB" type to contain PCB and to dispose properly meeting all regulatory requirements
- J. **MERCURY-CONTAINING DEVICES:** Mercury containing devices are accumulated in our facilities for eventual recycling through a contracted vendor. These devices include certain building controls and switches, thermometers, and lamps. Lamps are stored in accordance with Environmental Protection Agency universal waste regulation 40 CFR part 273 including storing them in containers with labels describing the contents and the start date of accumulation.
- K. **PAINT AND RELATED PRODUCTS:** The oil-based paints are disposed of as hazardous waste
- L. **USED APPLIANCES AND BUILDING EQUIPMENT:** Used appliances include microwaves, refrigerators, and ice machines. Smaller pieces of building equipment include items such as water heaters and variable-drive motors. All of these items are recycled by a contracted vendor at the contractor's expense.
- M. **VOC: Volatile Organic Compounds in materials shall be limited to these maximum values:**
1. Adhesives and Sealants:
  2. Wood Glues: 30 g/L.
  3. Metal-to-Metal Adhesives: 30 g/L.
  4. Adhesives for Porous Materials (Except Wood): 50 g/L.
  5. Subfloor Adhesives: 50 g/L.
  6. Plastic Foam Adhesives: 50 g/L.
  7. Carpet Adhesives: 50 g/L.
  8. Carpet Pad Adhesives: 50 g/L.
  9. VCT and Asphalt Tile Adhesives: 50 g/L.
  10. Cove Base Adhesives: 50 g/L.
  11. Gypsum Board and Panel Adhesives: 50 g/L.
  12. Rubber Floor Adhesives: 60 g/L.
  13. Ceramic Tile Adhesives: 65 g/L.
  14. Multipurpose Construction Adhesives: 70 g/L.
  15. Fiberglass Adhesives: 80 g/L.
  16. Contact Adhesive: 80 g/L.
  17. Structural Glazing Adhesives: 100 g/L.
  18. Wood Flooring Adhesive: 100 g/L.
  19. Structural Wood Member Adhesive: 140 g/L.
  20. Single-Ply Roof Membrane Adhesive: 250 g/L.
  21. Special Purpose Contact Adhesive (contact adhesive that is used to bond melamine covered board, metal, unsupported vinyl, rubber, or wood veneer 1/16 inch or less in thickness to any surface): 250 g/L.
  22. Top and Trim Adhesive: 250 g/L.
  23. Plastic Cement Welding Compounds: 250 g/L.
  24. ABS Welding Compounds: 325 g/L.
  25. CPVC Welding Compounds: 490 g/L.
  26. PVC Welding Compounds: 510 g/L.
  27. Adhesive Primer for Plastic: 550 g/L.
  28. Sheet Applied Rubber Lining Adhesive: 850 g/L.

- 29. Aerosol Adhesive, General Purpose Mist Spray: 65 percent by weight.
- 30. Aerosol Adhesive, General Purpose Web Spray: 55 percent by weight.
- 31. Special Purpose Aerosol Adhesive (All Types): 70 percent by weight.
- 32. Other Adhesives: 250 g/L.
- 33. Architectural Sealants: 250 g/L.
- 34. Non-membrane Roof Sealants: 300 g/L.
- 35. Single-Ply Roof Membrane Sealants: 450 g/L.
- 36. Other Sealants: 420 g/L.
- 37. Sealant Primers for Nonporous Substrates: 250 g/L.
- 38. Sealant Primers for Porous Substrates: 775 g/L.
- 39. Modified Bituminous Sealant Primers: 500 g/L.
- 40. Other Sealant Primers: 750 g/L.
- 41. Inside Paints and Coatings:
- 42. Flat Paints, Coatings, and Primers: VOC not more than 50 g/L.
- 43. Nonflat Paints and Coatings: VOC not more than 150 g/L.
- 44. Dry-Fog Coatings: VOC not more than 400 g/L.
- 45. Primers, Sealers, and Undercoaters: VOC not more than 200 g/L.
- 46. Anticorrosive and Antirust Paints applied to Ferrous Metals: VOC not more than 250 g/L.
- 47. Zinc-Rich Industrial Maintenance Primers: VOC not more than 340 g/L.
- 48. Pretreatment Wash Primers: VOC not more than 420 g/L.
- 49. Clear Wood Finishes, Varnishes: VOC not more than 350 g/L.
- 50. Clear Wood Finishes, Lacquers: VOC not more than 550 g/L.
- 51. Floor Coatings: VOC not more than 100 g/L.
- 52. Shellacs, Clear: VOC not more than 730 g/L.
- 53. Shellacs, Pigmented: VOC not more than 550 g/L.
- 54. Stains: VOC not more than 250 g/L.

#### **2.4. BARRICADES, SIGNS, WARNING DEVICES, AND TEMPORARY PLASTIC BARRIERS**

- A. Traffic barricades, traffic signs, and warning devices shall meet the requirements of applicable OSHA standards and the FHA Manual of Uniform Traffic Control Devices (MUTCD).
- B. UV stabilized high-density polyethylene barrier fence free of holes tears and other defects. Provide 4' tall fence in diamond or rectangular pattern. Fencing shall be "safety orange" color, unless otherwise noted.
- C. Posts for temporary plastic barrier fencing shall be 5' tall, minimum 12 gauge, painted metal posts.

#### **2.5. SEALING AND FIRESTOPPING**

- A. Manufacturers: 3M, Hilti, Rectorseal, STI/SpecSeal, Tremco, or approved equal.
- B. All firestopping systems shall be provided by the same manufacturer and shall be UL listed.
- C. Submittals: Contractor shall submit product data for each firestop system. Submittals shall include product characteristics, performance and limitation criteria, test data, MSDS sheets, installation details and procedures for each method of installation applicable to this project. For non-standard conditions where no UL tested system exists, submit manufacturer's drawings for UL system with known performance for which an engineering judgment can be based upon.
- D. Use a product that has a rating not less than the rating of the wall or floor being penetrated.
- E. Contractor shall use firestop putty, caulk sealant, intumescent wrapstrips, intumescent firestop collars, firestop blocks, firestop mortar or a combination of these products to provide a UL listed system for each application required for this project. Provide mineral wool backing where specified in manufacturer's application detail.
- F. Where shown or specified, pack annular space with fiberglass batt insulation or mineral wool insulation. Provide 4" sheet metal escutcheon around duct on both sides of partition or floor to cover annular space.
- G. Install approved product in accordance with the manufacturer's instructions where an installation penetrates a fire/smoke rated surface. When pipe is insulated, use a product, which maintains the integrity of the insulation and vapor barrier.
- H. Whenever possible, avoid penetrations of fire and smoke rated partitions. When they cannot be avoided, verify that sufficient space is available for the penetration to be effectively fire and smoke stopped.



## **PART 3 – EXECUTION**

### **3.1. PROJECT MEETINGS**

- A. Project meetings will be held at the time designated by the owner. If the principal of the firm does not attend meetings, a responsible representative of the Contractor who can bind the Contractor to a decision at the meetings shall attend. The contractor will write a report covering all items discussed and decisions reached and copy of such report distributed to all parties involved within 3 business days. All contractors, sub-contractors and other related parties shall attend. Attendance especially is required if such contractor is scheduled to perform work within the next 6 weeks.
- B. PRE-CONSTRUCTION MEETING: Owner, design representatives and all contractor and sub-contractor representatives attend.
- C. PRE-INSTALLATION MEETING: prior installation, layout or other activities related to major systems, separate meetings will be held to ensure proper coordination. These meetings will be initiated by the contractor. Not initiating these meetings doesn't relieve the contractor from coordination responsibilities. The owner may set up such meetings as needed

### **3.2. CONTINUITY OF SERVICE, TRAFFIC, SHUTDOWN AND ACCESS**

- A. BUILDING ACCESS: Unless otherwise shown or directed, maintain existing access and egress to the facility throughout construction. Maintain ANSI A117 compliant access for disabled persons, delivery access, emergency vehicle access, and emergency egress. Do not interrupt access and egress without prior written approval by owner.
- B. Contractor shall verify the locations of any water, drainage, gas, sewer, electric, drainage, gas, sewer, electric, telephone/communication, fuel, steam lines or other utilities and site features which may be encountered in any excavations or other site work. All lines shall be properly underpinned and supported to avoid disruption of service.
- C. TRAFFIC:
  - a. Do not interrupt or change existing traffic, delivery, or parking without prior written approval from owner. When interruption is required, coordinate schedule with the Owner agency to minimize disruptions. When working in public right-of-way, obtain all necessary approvals and permits from applicable municipalities and WISDOT.
  - b. When Contractor's activities impede or obstruct traffic flow, Contractor shall provide traffic control devices, signs and flaggers in accordance with other Contract Documents and the current version of the MUTCD, or as shown on the Drawings.
- D. UTILITIES:
  - a. Verify the locations of any water, drainage, gas, sewer, electric, drainage, gas, sewer, electric, telephone/communication, fuel, steam lines or other utilities and site features which may be encountered in any excavations or other site work. All lines shall be properly underpinned and supported to avoid disruption of service.
  - b. Do not interrupt or change existing utilities without prior written approval from owner, affected utilities and users. Notify all users impacted by outages a minimum of 48 hours in advance of outage. Notification shall be provided in writing and describe the nature and duration of outages and provide the name and number of Contractor's foreman or other contact.
- E. Contractor shall provide and maintain continuous service (power, controls, alarms, communication, elevators, HVAC, roads etc.) during the entire construction period. No outages shall be permitted on existing systems except at the time and during the interval specified by the owner. Any outage must be scheduled when the interruption causes the least interference with normal institutional schedules and business routines and might be scheduled during after-hours if regular business hours are not acceptable to the owner. No extra costs will be paid to the Contractor for such outages, which must occur outside of regular weekly working hours. Cost to the utility is paid by Contractor. The Contractor shall provide temporary utility services and bypasses for any disruptions not completed within this period. The Contractor shall restore any circuit interrupted as a result of this work to proper operation as soon as possible.
- F. HVAC: Not Applicable.
- G. SHUTDOWN: Not Applicable

### 3.3. DEMOLITION

- A. Perform all demolition as indicated on the drawings to accomplish new work. Demolition Drawings are based on casual field observation and/or existing record documents. Verify field measurements and circuiting arrangements as shown on Drawings, verify that abandoned wiring, piping, ducting and equipment serve only abandoned facilities. Report discrepancies to the owner before disturbing existing installation. Beginning of demolition means installer accepts existing conditions.
- B. Demolition all abandoned services and devices in areas affected by this contract, even if not shown on plans. This includes but is not limited to wiring, conduits, piping, and equipment.
- C. Before demolition of any load bearing concrete a ground-penetrating radar or concrete X-ray scan needs to be performed to detect any rebar, conduit or other damageable items. This work shall be performed at least a week before demolition starts to give A/E the opportunity to resolve any issues by rebar or other obstacles in unexpected locations. Drawings with existing subsurface obstacles may not be correct and shall not be relied on.
- D. Where pipe or duct is removed and not reconnected with new work, cap ends of existing services as if they were new work. Coordinate work with owner to minimize disruption to the existing building occupants.
- E. All pipe, wiring and associated conduit, insulation, ductwork, and similar items demolished, abandoned, or deactivated are to be removed from the site by the Contractor. Maintain the condition of material and/or equipment that is indicated to be reused equal to that existing before work began.
- F. Patch holes and openings caused by removal of material and equipment, or formerly covered by such, with like material and texture of surrounding surface. Paint to match surroundings.
- G. Disconnect all services in a manner which allows for future connection to that service. Disconnect services to equipment at unions, flanges, valves, or fittings wherever possible.
- H. Approval of all Jurisdictions Having Authority shall be obtained prior to disposal of any equipment and materials. All disposal has to be in compliance with all local, county, state and nationwide regulations.
- I. All disconnected wiring shall be removed from all raceway systems, panels, enclosures pull boxes, junction boxes etc. irrespective of whether the removal is specified in the construction documents or not. The empty raceway systems shall be tagged spare on both ends of each termination.
- J. Don't demolition or damage equipment and material that is to stay in place. Replace and repair any equipment and installations that get damaged during demolition. The Contractor shall restore all disturbed areas in accordance with the drawings and specifications. If plans and specifications do not address restoration of specific areas, these areas will be restored to pre-construction conditions as approved by owner.
- K. Verify the locations of, and protect, any buildings, structures, utilities, paved surfaces, signs, streetlights, utilities, landscaping and all other such facilities that are intended to remain or be salvaged. Make such explorations and probes as necessary to ascertain any required protection measures that shall be used before proceeding with demolition.
- L. Provide and maintain adequate catch platforms, warning lights, barricades, guards, weather protection, dust protection, fences, planking, bracing, shoring, piling, signs, and other items required for proper protection.
- M. Report damage of any facilities or items scheduled for salvaging to owner.
- N. Explosives shall not be used for demolition.
- O. Remove all equipment, fixtures and other materials scheduled for salvage prior to beginning demolition operations.
- P. Abandon gas, electric and communication utilities in accordance with local utility company requirements, or applicable substantive requirements if considered private.
- Q. Carry out vehicle loading as necessary within the project boundaries or as defined or indicated on the drawings, but not in locations that block vehicular traffic on the streets or pedestrian traffic on adjacent public walks.
- R. Dismantle each structure in an orderly manner to provide complete stability of the structure at all times. Provide bracing and shoring where necessary to avoid premature collapse of structure.
- S. Conduct demolition operations and the removal of rubbish and debris in such a way that a minimum of nuisance dust is caused. Constantly sprinkle rubbish and debris with water if necessary to keep nuisance dust to a minimum.
- T. Where necessary to prevent collapse of any construction, install temporary shores, underpinning, struts or bracing. Do not commence demolition work until all temporary construction is complete.



- U. During the execution of the work, provide, operate, and maintain all pumping equipment, suction and discharge lines in a number of capacity as required to keep all cellars and pits free of water from any source whatsoever at all times.
- V. Masonry and concrete shall be demolished in small sections. Use braces and shores as necessary to support the structure of the building or structure and protect it from damage. Where limits of demolition are exposed in the finished work, cutting shall be made with saws, providing an absolutely straight line, plumb, true and square.
- W. Operate equipment so as to cause a minimum of damage to plaster which is to remain, and so as to keep dust and dirt to a minimum.
- X. BUILDING DEMOLITION:
  - 1. Proceed with demolition in a systematic manner, from top of structure to ground. Complete demolition work above each floor or tier before disturbing supporting members on lower levels.
  - 2. Neatly saw or cut joints at the limits of removal; whenever possible, locate cuts at existing joints.
  - 3. Cut existing plaster with power saws equipped with plaster cutting blades and dust collection system.
  - 4. Patch or repair any damaged surfaces or structural members at the limits of removal.
  - 5. Remove structural framing members and lower to ground by hoists, derricks or other suitable means.
  - 6. Remove all existing flooring in accordance with plans. Leave exposed existing sub flooring or surface in suitable condition for receiving new finished flooring.
  - 7. Locate demolition equipment and remove structure so as to not impose excessive loads to supporting walls, floors or framing.
  - 8. Break up and remove concrete slabs-on-grade, unless otherwise shown to remain.
- Y. DEMOLITION BELOW GRADE: Not Applicable.
- Z. DRAIN TILE: Not Applicable.

### 3.4. TEMPORARY CONSTRUCTION

- A. Temporary construction shall conform to all requirements and laws of state and local authorities, which pertain to operation, safety, and fire hazards. Contractor shall furnish and install all items necessary for conformance with such requirements, whether called for under separate sections of these Specifications or not. Contractor shall provide, maintain, and remove upon completion of his work:
- B. Employ temporary crossovers and bypass to utilities, electrical connections, traffic and footbridges, and walkways used to maintain services or communications, which cannot be interrupted or curtailed.
- C. Provide temporary rigging, scaffolding, shoring, hoisting equipment, and all other temporary work as required for this project.
- D. TEMPORARY LIGHTING: Not Applicable.
- E. TEMPORARY HEATING AND COOLING: Not applicable.
- F. TEMPORARY ELECTRICAL SERVICE: Not Applicable.
- G. TEMPORARY WATER, SEWER AND PUMPS: Not Applicable.

### 3.5. INSTALLATION

- A. Install in accordance with manufacturer's instructions and all code requirements. Provide the owner with copy of manufacturer's instructions prior to installation. Coordinate equipment location with piping, ductwork, conduit and equipment of other trades to allow sufficient clearances. Locate equipment to provide access space for servicing all components. Install in accordance with recognized industry practices. The manufacturer's latest recommendations shall be used. It is Contractor's responsibility to enforce these requirements with all the Contractors. The Contractor shall be responsible for correcting any infringement on this requirement at no cost to owner.
- B. Inspect and test roofing system to ensure water tight operation.
- C. Provide carpentry, cutting, patching, and core drilling required for installation of material and equipment.
- D. WATERPROOF CONSTRUCTION: Maintain waterproof integrity of penetrations of materials intended to be waterproof. Provide flashings at exterior roof penetrations. Caulk penetrations of foundation walls and floors watertight. Provide membrane clamps at penetrations of waterproof membranes.
- E. PAINTING OF HARDWARE: Provide moisture resistant paint for all exterior painting. Colors shall be as shown on the drawings or approve by the City's Project Manager.



### **3.6. DELIVERY, STORAGE AND HANDLING OF MATERIALS**

- A. Contractor must be present to accept delivery of all equipment and material shipments. Owner will not knowingly accept, unload or store anything delivered to the site for the Contractor's use. Inadvertent acceptance of delivered items by owner shall not constitute acceptance or responsibility for any of the materials or equipment. It is the Contractor's responsibility to assume liability for equipment or material delivered to the job site.
- B. Comply with manufacturer's ordering instructions and lead-time requirements to avoid construction delays. Materials and equipment shall be delivered to the site in adequate time to ensure uninterrupted progress of the work and inspection of material by owner. Deliver materials in manufacturer's original, unopened, undamaged containers with identification labels intact. Packaged units shall be delivered in their original crates.
- C. Store in a clean and dry space. Maintain factory wrapping or provide an additional heavy canvas or heavy plastic cover to protect units from dirt, water, construction debris, and traffic. Promptly inspect shipments to insure that the material is undamaged and complies with specifications. Materials or equipment, which do not conform to the Specifications or are damaged shall not be incorporated in the work and shall be immediately removed from the site.
- D. Arrange for the necessary openings in the building to allow for admittance of all apparatus. When the building access was not previously arranged and must be provided by this Contractor, restore any opening to its original condition after the apparatus has been brought into the building.
- E. Contractor shall confine equipment, apparatus, storage of materials and operations to limits indicated on the drawings or by specific direction of owner. Storage of materials within the building shall at no time exceed the design carrying capacity of the structural system. The Contractor assumes full responsibility for damage due to the storage of materials.
- F. Material shall be stored according to manufacturer's recommendations as a minimum. Provide and maintain watertight storage sheds on the premises where directed, for storage of materials that might be damaged by weather. Sheds shall have wood floors raised at least 6" above the ground. Materials, construction sheds, and earth stockpiles shall be located so as not to interfere with the installation of the utilities nor cause damage to existing lines. Should it be necessary at any time to move material sheds or storage platforms, the Contractor shall move it at the Contractor's expense, when directed by owner.
- G. If necessary, material will be stored off site at the Contractor's expense. Offsite storage agreements will not relieve the Contractor from using proper storage techniques. Storage and protection methods must allow inspection to verify products.
- H. All materials shall be stored in a manner that prevents release of hazardous material to the environment. All hazardous materials, including motor fuels, shall be properly handled and contained to prevent spills or other releases. The Contractor shall develop and maintain a contingency plan to provide emergency response, containment, and cleanup of spills of hazardous materials resulting from contract activities. All spills and releases shall be reported to owner immediately

### **3.7. CONCRETE WORK**

- A. Not Applicable.

### **3.8. OPENINGS, SLEEVES, CUTTING, STRUCTURAL ATTACHMENT, PATCHING AND PAINTING**

- A. Before any drilling, cutting or other type of opening the contractor shall verify that no conduits, wires, pipes or other items are in or near opening area.
- B. PIPE SLEEVES:  
Not Applicable.
- C. DUCT SLEEVES:  
Not Applicable.
- D. NON-RATED PENETRATIONS:  
Not Applicable.
- E. Do not pierce beams or columns without owner's permission and then only as directed in writing.
- F. No devices or materials shall be attached to non-structural or structural members or parts of the building without approval by owner. All items shall be attached to structurally stable building parts only. Provide all supporting devices as required for the installation of mechanical equipment and materials. All supports and installation procedures are to conform to the latest requirements of the ANSI Code for building piping. Do not hang any mechanical item directly from a metal deck or run piping so its rests on the bottom chord of any truss or joist. Fasteners depending on soft lead for holding power or

requiring powder actuation will not be accepted. Support apparatus and material under all conditions of operation, variations in installed and operating weight of equipment and piping, to prevent excess stress, and allow for proper expansion and contraction.

### **3.9. IDENTIFICATION**

Not Applicable.

### **3.10. TRAINING AND DEMONSTRATION**

Not Applicable.

### **3.11. TESTS, PUNCH LIST AND FINAL ACCEPTANCE**

- A. The complete installation consisting of the several parts and systems and all equipment installed according to the requirements of the Contract Documents, shall be ready in all respects for use by owner and shall be subjected to a test at full operating conditions and pressures for normal conditions of use.
- B. Contractor shall make all necessary adjustments and replacements affecting the work, which is necessary to fulfill owner's requirements and to comply with the directions and recommendations of the manufacturer of the several pieces of equipment, and to comply with all codes and regulations, which may apply to the entire installation. Contractor shall also make all required adjustments to comply with all provisions of the drawings and specifications.
- C. Prior to acceptance, all elements of operating equipment, including those of mechanical nature and those that slide, swing, turn, or are intended to move in any way and those of an electrical nature, shall be given an operating test to assure to the satisfaction of owner that such equipment operates as required. Contractor shall make all adjustments, replacements, and such other modifications as needed. If it is necessary to run equipment in order to complete the work, for periods that exceed the manufacturer's recommended maintenance interval, the Contractor will provide such required maintenance at no additional cost to owner.
- D. Notice that the work is ready for final inspection and acceptance shall be given after the Contractor has carefully inspected all portions of the work, has reviewed in detail the drawings and specifications, and that to the best of the Contractor's knowledge all conditions of the contract documents have been fulfilled. The owner and the Contractor shall make a joint inspection of the work and owner will issue a punchlist.
  1. Multiple punch lists can be submitted and neither punchlist may be considered final. Punchlist can be submitted throughout the entire warranty period.
  2. If Contractor fails to perform required corrective work in less than 30 days upon receipt of punch list by Contractor, owner can perform corrections or hire a separate contractor and charge the Contractor the full cost.
  3. Contractor shall advise owner that the necessary work has been performed. If punch list items were not resolved and the work was not performed in less than 30 days upon receipt of punch list by Contractor, the Contractor shall be required to compensate the owner for additional site visits of project manager, design professional and other related staff at a rate of \$ 100/hour plus mileage. The amount shall be paid to the owner prior to processing the final payment. Payment may be processed as deductive change order.
- E. After deficiencies, if any, have been corrected or accounted for, and after all work is satisfactorily complete, the City will accept the work; and Notice of Completion will be filed by owner. The contractor shall test equipment before claiming completion. Prior to final acceptance, filing of the Notice of Completion or processing of final payment, the following shall be done and submitted reviewed and accepted by owner:
  1. Certificates of compliance and guarantees required under various Sections
  2. Operating and maintenance manuals
  3. Instruction to City personnel, as required
  4. Test reports (TAB, fire alarm, elevator etc.)
  5. Certifications and registrations (boiler etc.)
  6. All keys
  7. Replacement material as required in specifications
  8. All required operations tests



9. All documents required by commissioning, LEED certification and other project related documents
10. Satisfy all commissioning requirements
11. As-built documents
12. All punch list items resolved
13. All training provided (except deferred seasonal training)
14. All warranty issues brought to Contractor's attention so far resolved
15. Warranty documents signed by representative of manufacturer, guarantee documents, roofing agreement and other warranty related documents

### **3.12. CLEANING**

- A. The construction site shall be kept in clean and safe manner. The Contractor shall clean up and remove from the premises, on a daily basis accumulation of surplus materials, rubbish, debris and scrap and shall repair all damage to new and existing equipment resulting from its work. When job is complete, this Contractor shall remove all tools, excess material and equipment, etc., from the site. Contractors or subcontractors found to be in violation may be required to leave the jobsite until their staff is trained in orderly, clean and safe construction site work. Clean and safe construction site includes but is not limited to:
  1. All trades keep a separate and neat area for material, equipment etc.
  2. Equipment and material not needed anymore is removed from the jobsite
  3. Demolition material and equipment is removed from jobsite daily
  4. All material and equipment is sorted and stored properly
- B. Spreading of dirt, dust and other construction related material must be kept to a minimum. Occupied and work areas must be separated by seals. Such seals shall be inspected and repaired frequently as needed to ensure proper sealing at all times.
- C. Keep streets, walks and all other adjacent paved areas clean and swept clear of dirt, mud and debris deposited as a result of this operation. Protect surrounding area from dust. Control rodents, and other vermin associated with demolition operations.
- D. All installed items shall be cleaned at time of installation, and all lens exteriors shall be cleaned just prior to final inspection. Equipment shall be thoroughly cleaned of all stains, paint, spots, dirt and dust. All temporary labels not used for instruction or operation shall be removed. Dust, dirt and other foreign matter shall be removed completely from all internal surfaces of all mechanical and electrical units, cabinets, ducts, pipes, etc. Dirt, soil, fingerprints, stains and the like, shall be completely removed from all exposed finished surfaces.
- E. Contractor shall wash all glass immediately prior to the occupancy of this project. Work shall include the removal of labels, paint splattering, glazing compound and sealant. Surfaces shall include mirrors and both sides of all glass in windows, borrowed lights, partitions, doors and sidelights. In addition to the above, the Contractor shall be responsible for the general "broom" cleaning of the premises and for expediting all of the cleaning, washing, waxing and polishing required within the technical sections of the specifications governing work under this Contract. The Contractor shall also perform "final" cleaning of all exposed surfaces to remove all foreign matter, spots, soil, construction dust, etc., so as to put the project in a complete and finished condition ready for acceptance and use intended.
- F. If rubbish and debris is not removed, or if surfaces are not cleaned as specified above, the owner reserves the right to have said work done by others and the related cost(s) will be deducted from monies due the Contractor.

**END OF SECTION**



**APPENDIX A - WASTE MATERIALS ESTIMATING SHEET**

Instructions: Use as many sheets as needed.

**PROJECT TITLE:** \_\_\_\_\_  
**COMPANY:** \_\_\_\_\_  
**DATE:** \_\_\_\_\_

		Total Amount Generated		Amount Recycled		Amount Salvaged		Amount Sent to Landfill	
Material	Destination	Tons	Cu Yds	Tons	Cu Yds	Tons	Cu Yds	Tons	Cu Yds
Total									

## APPENDIX B - LANDFILL LOG

Instructions: Use as many sheets as needed.

Project Title: \_\_\_\_\_

Company: \_\_\_\_\_

Log Dates: \_\_\_\_\_ through \_\_\_\_\_

Date	Destination	Cubic Yards Land filled	Tons Land filled
Total			

### APPENDIX C - WASTE DIVERSION LOG

Instructions: Use as many sheets as needed.

Project Title: \_\_\_\_\_

Company: \_\_\_\_\_

Log Dates: \_\_\_\_\_ through \_\_\_\_\_

Material	Date	Destination	Salvaged	Recycled	Tons	Cubic Yards	Cost
Total							



**FIRE STATION #4 ROOF REPLACEMENT  
ETHYLENE-PROPYLENE-DIENE-MONOMER ROOFING (EPDM)**

**PART 1 GENERAL**

**1.01 SECTION INCLUDES**

- A. Project Name: City of Madison – Fire station #4 Roof Replacement
- B. EPDM membrane roofing system, including all components specified.
- C. Comply with the published recommendations and instructions of the roofing membrane manufacturer, at: Firestone, <http://manual.fsbp.com> or for Carlisle at: <http://www.carlisle syntec.com/>
- D. Commencement of work by Contractor shall constitute acknowledgement by Contractor that this specification can be satisfactorily executed, under the project conditions and with all necessary prerequisites for warranty acceptance by roofing membrane manufacturer. No modification of the Contract Sum will be made for failure to adequately examine the Contract Documents or the project conditions.
- E. Project requirements includes complete removal and disposal of existing roof system including membranes, flashings, insulations, fasteners, base tie-ins, metal flashings, etc. Exposed deck shall be inspected for damage, and reported to owner's representative prior to installing new system.

**1.02 RELATED REQUIREMENTS**

- A. Not applicable

**1.03 DEFINITIONS**

- A. LTTR: Long Term Thermal Resistance, as defined by ASTM C1289-13e-1.

**1.04 REFERENCE STANDARDS**

- A. ASTM C1289 - Standard Specification for Faced Rigid Cellular Polyisocyanurate Thermal Insulation Board; 2012.
- B. ASTM 1289-13e-1 - Standard Test Method Determination of L-Term Thermal Resistance Of Closed-Cell Thermal Insulating Foams; 2009.
- C. PS 1 - Structural Plywood; 2009.
- D. PS 20 - American Softwood Lumber Standard; 2005.
- E. SPRI ES-1 - Wind Design Standard for Edge Systems Used with Low Slope Roofing Systems; 2003. (ANSI/SPRI ES-1)

**1.05 ADMINISTRATIVE REQUIREMENTS**

- A. Pre-Construction Meeting: Before start of roofing work, The City shall hold a meeting where the Contractor shall discuss the proper installation of materials, review the shop drawing, submittals, manufacturer's standard details and requirements to achieve the stated warranty.
  - 1. Require attendance with all parties directly influencing the quality of roofing work or affected by the performance of roofing work.
  - 2. The City Project Manager shall schedule the Pre-Construction Meeting.

**1.06 SUBMITTALS**

- A. See Section 01 0000 Part 1 D3 1.15 for SUBMITTALS, for submittal procedures.
- B. Product Data:
  - 1. Provide membrane manufacturer's printed data sufficient to show that all components of roofing system, including insulation and fasteners, comply with the specified requirements and with the membrane manufacturer's requirements and recommendations for the system type specified; include data for each product used in conjunction with roofing membrane.
- C. Samples: Submit samples of each product to be used.
- D. Shop Drawings: Provide:
  - 1. The roof membrane manufacturer's standard details customized for this project for all relevant conditions, including flashings, base tie-ins, roof edges, curbs, terminations, expansion joints, penetrations, curbing and drains.
  - 2. For roofs with tapered insulation, provide project-specific layout and dimensions for each board. **Provide the overall R-value achieved for each roof.**
- E. Installer Qualifications: Letter from manufacturer attesting that the roofing installer meets the specified qualifications.

F. Pre-Installation Notice: Copy to show that manufacturer's required Pre Installation Notice (PIN) has been accepted and approved by the manufacturer.

G. Executed Warranty.

#### **1.07 QUALITY ASSURANCE**

A. Installer Qualifications: Roofing installer shall have the following:

1. At least five years experience in installing specified system.

#### **1.08 DELIVERY, STORAGE AND HANDLING**

A. Deliver products in manufacturer's original containers, dry and undamaged, with seals and labels intact and legible.

B. Store materials clear of ground and moisture with weather protective covering.

C. Keep combustible materials away from ignition sources.

#### **1.09 WARRANTY**

A. Comply with Manufacturers Project Closeout Submittal procedure to satisfy any warranty requirements.

B. Comply with all warranty procedures required by manufacturer, including notifications, scheduling, and inspections.

C. Warranty: Firestone Limited Warranty covering membrane, roof insulation, and other indicated components of the system, for the term indicated.

1. Limit of Liability: No dollar limitation.

2. Scope of Coverage: Repair leaks in the roofing system caused by:

- a. Ordinary wear and tear of the elements.
- b. Manufacturing defect in Firestone brand materials.
- c. Defective workmanship used to install these materials.
- d. Damage due to winds up to 55 mph (88 km/h).

3. Not Covered:

- a. Damage due to winds in excess of 55 mph (88 km/h).
- b. Damage due hurricanes or tornadoes.
- c. Hail.
- d. Intentional damage.
- e. Unintentional damage due to normal rooftop inspections, maintenance, or service.

D. Metal Roof Edging with Exposed Decorative Fascia: Provide minimum 20 year warranty for painted finish covering color fade, chalk, and film integrity.

### **PART 2 PRODUCTS**

#### **2.01 MANUFACTURERS**

A. Acceptable Manufacturer - Roofing System: Firestone Building Products LLC, Carmel, IN: [www.firestonebpc.com](http://www.firestonebpc.com).

1. Roofing systems manufactured by others are acceptable provided the roofing system is completely equivalent in materials and warranty conditions and the manufacturer meets the following qualifications:

- a. Specializing in manufacturing the roofing system to be provided.
- b. Minimum ten years of experience manufacturing the roofing system to be provided.
- c. Able to provide a no dollar limit, single source roof system warranty that is backed by corporate assets in excess of one billion dollars.
- d. ISO 9002 certified.
- e. Able to provide isocyanurate insulation that is produced in own facilities.
- f. Roofing systems manufactured by the companies listed below are acceptable provided they are completely equivalent in materials and warranty conditions:

1. **Carlisle Syntec Systems, Carlisle, PA:** <http://www.carlisesyntec.com/>

B. Manufacturer of Insulation: Same manufacturer as roof membrane.

C. Manufacturer of Metal Roof Edging: Same manufacturer as roof membrane.

1. Metal roof edging products by other manufacturers are not acceptable.
2. Field- or shop-fabricated metal roof edgings are not acceptable.
3. Factory fabricated products by other manufacturers are acceptable provided they are completely equivalent in materials and performance.
4. Factory fabricated products manufactured by the companies listed below are acceptable provided they are completely equivalent in materials and performance:



## 2.02 ROOFING SYSTEM DESCRIPTION

- A. Roofing System: Ethylene-propylene-diene-monomer (EPDM) single-ply membrane.
  - 1. Membrane Attachment: Fully adhered.
  - 2. Warranty: Full system warranty; Firestone 30 year Platinum Limited Warranty covering membrane, roof insulation, and membrane accessories.
  - 3. Comply with applicable local building code requirements.
- B. Roofing System Components: Listed in order from the top of the roof down:
  - 1. Membrane: 90 mil Ecowhite EPDM Membrane
  - 2. Base Sheet Over Insulation: Mechanically attached.
  - 3. Insulation:
    - a. Maximum Board Thickness: 3 inches (75 mm); use as many layers as necessary; stagger joints in adjacent layers.
    - b. Tapered: Slope as indicated; provide minimum R-value at thinnest point; place tapered layer on bottom.
    - c. Top Layer: Polyisocyanurate foam board, non-composite; mechanically fastened.
    - d. Intermediate Layer(s), If Any: Polyisocyanurate foam board, non-composite; loose-laid, no attachment.
    - e. Bottom Layer: Polyisocyanurate foam board, non-composite; mechanically fastened.
    - f. Crickets: Tapered insulation of same type as specified for top layer; slope as indicated.

## 2.03 EPDM MEMBRANE MATERIALS

- A. Roofing and Flashing Membrane: White cured synthetic single-ply membrane composed of ethylene propylene diene terpolymer (EPDM) with the following properties:
  - 1. Thickness: 0.090 inch (1.5 mm).
  - 2. Nominal Thickness Tolerance: Plus/minus 10 percent.
  - 3. Sheet Width: Provide the widest available sheets to minimize field seaming.
  - 4. Acceptable Product: Rubber Gard EcoWhite EPDM Membrane by Firestone
- B. Membrane Fasteners: Type and size as required by roof membrane manufacturer for roofing system and warranty to be provided; use only fasteners furnished by roof membrane manufacturer.
- C. Flashing Membrane: Self-curing, non-reinforced membrane composed of nonvulcanized EPDM rubber, complying with ASTM D 4811 Type II, and with the following properties:
  - 1. Thickness: 0.055 inch (1.4 mm).
  - 2. Acceptable Product: Rubber Gard EPDM Form Flash by Firestone.
- D. Self-Adhesive Flashing Membrane: Semi-cured 45 mil EPDM membrane laminated to 35 mil (0.9 mm) EPDM tape adhesive; QuickSeam Flashing by Firestone.
- E. Pre-Molded Pipe Flashings: EPDM, molded for quick adaptation to different sized pipes; Firestone EPDM Pipe Flashing.
- F. Self-Adhesive Lap Splice Tape: 35 mil (0.9 mm) EPDM-based, formulated for compatibility with EPDM membrane and high-solids primer; QuickSeam Splice Tape by Firestone.
- G. Splice Adhesive: Synthetic polymer-based, formulated for compatibility with EPDM membrane and metal surfaces; SA-1065 Splice Adhesive by Firestone.
- H. Bonding Adhesive: Neoprene-based, formulated for compatibility with EPDM membrane and wide variety of substrate materials, including masonry, wood, and insulation facings; Bonding Adhesive BA-2004 by Firestone.
- I. Adhesive Primer: Synthetic rubber based primer formulated for compatibility with EPDM membrane and tape adhesive, with VOC content less than 2.1 lb/gal (250 g/L); QuickPrime Plus LVOC by Firestone.
- J. Seam Edge Treatment: EPDM rubber-based sealant, formulated for sealing exposed edges of membrane at seams; Lap Sealant HS by Firestone.
- K. Pourable Sealer: Two-part polyurethane, two-color for reliable mixing; Pourable Sealer by Firestone.
- L. Water Block Seal: Butyl rubber sealant for use between two surfaces, not exposed; Water Block Seal by Firestone.
- M. Metal Plates and Strips Used for Fastening Membrane and Insulation: Steel with Galvalume coating; corrosion-resistance meeting FM 4470 criteria.



- N. Termination Bars: Aluminum bars with integral caulk ledge; 1.3 inches (33 mm) wide by 0.10 inch (2.5 mm) thick; Firestone Termination Bar by Firestone.

## 2.04 ROOF INSULATION

- A. Polyisocyanurate Board Insulation: Closed cell polyisocyanurate foam with black glass reinforced mat laminated to faces, complying with ASTM C1289 Type II Class 1, with the following additional characteristics:
1. Thickness: As indicated elsewhere.
  2. Size: 48 inches (1220 mm) by 96 inches (2440 mm), nominal.
    - a. Exception: Insulation to be attached using adhesive or asphalt may be no larger than 48 inches (1220 mm) by 48 inches (1220 mm), nominal.
  3. Compressive Strength: 20 psi (138 kPa) when tested in accordance with ASTM C1289.
  4. Ozone Depletion Potential: Zero; made without CFC or HCFC blowing agents.
  5. Recycled Content: 19 percent post-consumer and 15 percent post-industrial, average.
  6. Acceptable Product: ISO 95+ GL Polyisocyanurate Insulation by Firestone.
- B. Insulation Fasteners: Type and size as required by roof membrane manufacturer for roofing system and warranty to be provided; use only fasteners furnished by roof membrane manufacturer.

## 2.05 METAL ACCESSORIES

- A. Metal Roof Edging and Fascia: Continuous metal edge member serving as termination of roof membrane and retainer for metal fascia; watertight with no exposed fasteners; mounted to roof edge nailer.
1. Wind Performance:
    - a. Membrane Pull-Off Resistance: 100 lbs/ft (1460 N/m), minimum, when tested in accordance with ANSI/SPRI ES-1 Test Method RE-1, current edition.
    - b. Fascia Pull-Off Resistance: At least the minimum required when tested in accordance with ANSI/SPRI ES-1 Test Method RE-2, current edition.
    - c. Provide product listed in current Factory Mutual Research Corporation Approval Guide with at least FM 1-270 rating.
  2. Description: Two-piece; extruded aluminum T-shaped edge member securing top and bottom edges of flat-faced formed metal fascia;
    - a. Firestone AnchorGard.
    - b. Firestone EdgeGard Plus snap on version.
  3. Fascia Face Height: The outside face height of the parapet capstone is 8". Size the fascia height of the sheet metal to adequately cover the face of this capstone, **10" is acceptable**. Refer to plans for details.
  4. Edge Member Height Above Nailer: 1-1/4 inches (31 mm).
  5. Fascia Material and Finish: 0.040 inch (1.0 mm) thick formed aluminum, natural mill finish; matching concealed joint splice plates; factory-installed protective plastic film.
  6. Length: 144 inches (3650 mm).
  7. Functional Characteristics: Fascia retainer supports while allowing for free thermal cycling of fascia.
  8. Aluminum Bar: Continuous 6063-T6 alloy aluminum extrusion with pre-punched slotted holes; miters welded; injection molded EPDM splices to allow thermal expansion.
  9. Anchor Bar Cleat: 20 gage, 0.036 inch (0.9 mm) G90 coated commercial type galvanized steel with pre-punched holes.
  10. Curved Applications: Factory modified.
  11. Fasteners: Factory-provided corrosion resistant fasteners, with drivers; no exposed fasteners permitted.
  12. Special Shaped Components: Provide factory-fabricated pieces necessary for complete installation, including miters, scuppers, and end caps; minimum 14 inch (355 mm) long legs on corner pieces.
  13. Scuppers: Welded watertight, include outer flange or flashing as necessary to provide watertight seal to existing exterior wall. Scupper discharge shall project a minimum of four (4) inches from the surface of the exterior wall.
  14. Accessories: Provide matching brick wall cap, downspout, extenders, and other special fabrications as shown on the drawings.

## **2.06 ACCESSORY MATERIALS**

- A. Wood Nailers: PS 20 dimension lumber, Structural Grade No. 2 or better Southern Pine, Douglas Fir; or PS 1, APA Exterior Grade plywood.
  - 1. Width: 3-1/2 inches (90 mm), nominal minimum, or as wide as the nailing flange of the roof accessory to be attached to it.
  - 2. Thickness: Same as thickness of roof insulation.

## **PART 3 INSTALLATION**

### **3.01 GENERAL**

- A. Install roofing, insulation, flashings, and accessories in accordance with roofing manufacturer's published instructions and recommendations for the specified roofing system. Where manufacturer provides no instructions or recommendations, follow good roofing practices and industry standards. Comply with federal, state, and local regulations.
- B. Obtain all relevant instructions and maintain copies at project site for duration of installation period.
- C. Do not start work until Pre-Installation Notice has been submitted to manufacturer as notification that this project requires a manufacturer's warranty.
- D. Perform work using competent and properly equipped personnel.
- E. Temporary closures, which ensure that moisture does not damage any completed section of the new roofing system, are the responsibility of the applicator. Completion of flashings, terminations, and temporary closures shall be completed as required to provide a watertight condition.
- F. Install roofing membrane only when surfaces are clean, dry, smooth and free of snow or ice; do not apply roofing membrane during inclement weather or when ambient conditions will not allow proper application; consult manufacturer for recommended procedures during cold weather. Do not work with sealants and adhesives when material temperature is outside the range of 60 to 80 degrees F (15 to 25 degrees C).
- G. Protect adjacent construction, property, vehicles, and persons from damage related to roofing work; repair or restore damage caused by roofing work.
  - 1. Protect from spills and overspray from bitumen, adhesives, sealants and coatings.
  - 2. Particularly protect metal, glass, plastic, and painted surfaces from bitumen, adhesives, and sealants within the range of wind-borne overspray.
  - 3. Protect finished areas of the roofing system from roofing related work traffic and traffic by other trades.
- H. Until ready for use, keep materials in their original containers as labeled by the manufacturer.
- I. Consult membrane manufacturer's instructions, container labels, and Material Safety Data Sheets (MSDS) for specific safety instructions. Keep all adhesives, sealants, primers and cleaning materials away from all sources of ignition.

### **3.02 EXAMINATION**

- A. Examine roof deck to determine that it is sufficiently rigid to support installers and their mechanical equipment and that deflection will not strain or rupture roof components or deform deck.
- B. Verify that surfaces and site conditions are ready to receive work. Correct defects in the substrate before commencing with roofing work.
- C. Examine roof substrate to verify that it is properly sloped to drains.
- D. Verify that the specifications and drawing details are workable and not in conflict with the roofing manufacturer's recommendations and instructions; start of work constitutes acceptable of project conditions and requirements.

### **3.03 PREPARATION**

- A. Remove all of the existing roof system down to the roof deck including all existing composition base flashings. Dispose of all materials properly. If asbestos is suspected in the preparation phase, contact the City Project Manager immediately. The City is responsible for asbestos abatement.
  - 1. At penetrations, remove all existing flashings, including lead, asphalt, mastic, etc.
  - 2. At walls, curbs, and other vertical and sloped surfaces, remove loose and unsecured flashings; remove mineral surfaced and coated flashings; remove excessive asphalt to provide a smooth, sound surface for new flashings.



- B. Take appropriate measures to ensure that fumes from adhesive solvents are not drawn into the building through air intakes.
- C. Prior to proceeding, prepare roof surface so that it is clean, dry, and smooth, and free of sharp edges, fins, roughened surfaces, loose or foreign materials, oil, grease and other materials that may damage the membrane.
- D. Fill all surface voids in the immediate substrate that are greater than 1/4 inch (6 mm) wide with fill material acceptable insulation to membrane manufacturer.
- E. Seal, grout, or tape deck joints, where needed, to prevent bitumen seepage into building.
- F. Wood Nailers: Provide wood nailers at all perimeters and other locations where indicated on the drawings, of total height matching the total thickness of insulation being used. **The intent of this project is to minimize the use of wood nailers because they create a thermal break in the roof's insulation.**

### 3.04 INSULATION AND COVER BOARD INSTALLATION

- A. Install insulation in configuration and with attachment method(s) specified in PART 2, under Roofing System.
- B. Install only as much insulation as can be covered with the completed roofing system before the end of the day's work or before the onset of inclement weather.
- C. Lay roof insulation in courses parallel to roof edges.
- D. Neatly and tightly fit insulation to all penetrations, projections, and nailers, with gaps not greater than 1/4 inch (6 mm). Fill gaps greater than 1/4 inch (6 mm) with acceptable insulation. Do not leave the roofing membrane unsupported over a space greater than 1/4 inch (6 mm).
- E. Mechanical Fastening: Using specified fasteners and insulation plates engage fasteners through insulation into deck to depth and in pattern required by membrane manufacturer.

### 3.05 SINGLE-PLY MEMBRANE INSTALLATION

- A. Beginning at low point of roof, place membrane without stretching over substrate and allow to relax at least 30 minutes before attachment or splicing; in colder weather allow for longer relax time.
- B. Lay out the membrane pieces so that field and flashing splices are installed to shed water.
- C. Install membrane without wrinkles and without gaps or fishmouths in seams; bond and test seams and laps in accordance with membrane manufacturer's instructions and details.
- D. Install membrane adhered to the substrate, with edge securement as specified.
- E. Adhered Membrane: Bond membrane sheet to substrate using membrane manufacturer's recommended bonding material, application rate, and procedures.
- F. Edge Securement: Secure membrane at all locations where membrane terminates or goes through an angle change greater than 2 in 12 inches (1:6 ) using mechanically fastened reinforced perimeter fastening strips, plates, or metal edging as indicated or as recommended by roofing manufacturer.
  - 1. Exceptions: Round pipe penetrations less than 18 inches (460 mm) in diameter and square penetrations less than 4 inches (200 mm) square.
  - 2. Metal edging is not merely decorative; ensure anchorage of membrane as intended by roofing manufacturer.

### 3.06 FLASHING AND ACCESSORIES INSTALLATION

- A. Install flashings, including laps, splices, joints, bonding, adhesion, and attachment, as required by membrane manufacturer's recommendations and details.
- B. Metal Accessories: Install metal edgings, gravel stops, and copings in locations indicated on the drawings, with horizontal leg of edge member over membrane and flashing over metal onto membrane.
  - 1. Follow roofing manufacturer's instructions.
  - 2. Remove protective plastic surface film immediately before installation.
  - 3. Install water block sealant under the membrane anchorage leg.
  - 4. Flash with manufacturer's recommended flashing sheet unless otherwise indicated.
  - 5. Where single application of flashing will not completely cover the metal flange, install additional piece of flashing to cover the metal edge.
  - 6. If the roof edge includes a gravel stop and sealant is not applied between the laps in the metal edging, install an additional piece of self-adhesive flashing membrane over the metal lap to the top of the gravel stop; apply seam edge treatment at the intersections of the two flashing sections.



7. When the roof slope is greater than 1:12, apply seam edge treatment along the back edge of the flashing.
- C. Existing Scuppers: **Remove existing scupper metal sleeve and install new scupper system as indicated. Set scupper elevation or change size as indicated on the plans. Modify masonry walls as necessary to provide for size and elevation changes. Refer to plans for scuppers that are to be increased in size.**
- D. New Scuppers: **Prepare masonry wall opening for new scuppers. Set height of scupper as indicated on the plans. See note below. Refer to plans for scuppers that are to be added. Note for all scuppers: Scuppers for roofs #s 3, 4 and 5 are indicated as thru wall drain scuppers and are used as a primary drain for the roofs areas. These scuppers should be set such that water does not pond prior to the scupper. The scuppers for roof #s 1 and 2 are designated as thru wall overflow scuppers and are intended to act as a secondary drainage system to the roof drains. These scupper elevations may be set at a higher elevation than the final roof elevation not to exceed 2".**
- E. Scuppers: Set in sealant and secure to structure; flash as recommended by manufacturer.
- F. Roofing Expansion Joints: Install as shown on drawings and as recommended by roofing manufacturer.
- G. Flashing at Walls, Curbs, and Other Vertical and Sloped Surfaces: Install weathertight flashing at all walls, curbs, parapets, curbs, skylights, and other vertical and sloped surfaces that the roofing membrane abuts to; extend flashing at least 8 inches (200 mm) high above membrane surface.
  1. Use the longest practical flashing pieces.
  2. Evaluate the substrate and overlay and adjust installation procedure in accordance with membrane manufacturer's recommendations.
  3. Complete the splice between flashing and the main roof sheet with specified splice adhesive before adhering flashing to the vertical surface.
  4. Provide termination directly to the vertical substrate as shown on roof drawings.
- H. Roof Drains:
  1. Taper insulation around drain to provide smooth transition from roof surface to drain. Use specified pre-manufactured tapered insulation with facer or suitable bonding surface to achieve slope; slope not to exceed manufacturer's recommendations.
  2. Position membrane, then cut a hole for roof drain to allow 1/2 to 3/4 inch (12 to 19 mm) of membrane to extend inside clamping ring past drain bolts.
  3. Make round holes in membrane to align with clamping bolts; do not cut membrane back to bolt holes.
  4. Apply sealant on top of drain bowl where clamping ring seats below the membrane
  5. Install roof drain clamping ring and clamping bolts; tighten clamping bolts to achieve constant compression.
  6. **Replace the two existing drains on Roofs 1 & 2. New roof drains shall be ZURN Z100 15" diameter roof Drain, Dura-Coated cast iron body with combination membrane flashing clamp/graver guard and Cast Iron Dome. Size drains to fit existing drain lines.**

### 3.07 FINISHING AND WALKWAY INSTALLATION

- A. Install walkways at access points to the roof, around rooftop equipment that may require maintenance, and where indicated on the drawings.
  1. Use white walkway pads as manufactured by Carlisle Syntec Systems.
- B. 30" X 30" Walkway Pads: Adhere to the roofing membrane, spacing each pad at minimum of 1.0 inch (25 mm) and maximum of 3.0 inches (75 mm) from each other to allow for drainage.
  1. If installation of walkway pads over field fabricated splices or within 6 inches (150 mm) of a splice edge cannot be avoided, adhere another layer of flashing over the splice and extending beyond the walkway pad a minimum of 6 inches (150 mm) on either side.
  2. Prime the membrane, remove the release paper on the pad, press in place, and walk on pad to ensure proper adhesion.

### **3.08 FIELD QUALITY CONTROL**

- A. Inspection by Manufacturer: Provide final inspection of the roofing system by a Technical Representative employed by roofing system manufacturer specifically to inspect installation for warranty purposes (i.e. not a sales person).
- B. Perform all corrections necessary for issuance of warranty.

### **3.09 CLEANING**

- A. Clean all contaminants generated by roofing work from building and surrounding areas, including bitumen, adhesives, sealants, and coatings.
- B. Repair or replace building components and finished surfaces damaged or defaced due to the work of this section; comply with recommendations of manufacturers of components and surfaces.
- C. Remove leftover materials, trash, debris, equipment from project site and surrounding areas.

### **3.10 PROTECTION**

- A. Where construction traffic must continue over finished roof membrane, provide durable protection and replace or repair damaged roofing to original condition.

**END OF SECTION**



Department of Public Works  
**Engineering Division**  
Robert F. Phillips, P.E., City Engineer

City-County Building, Room 115  
210 Martin Luther King, Jr. Boulevard  
Madison, Wisconsin 53703  
Phone: (608) 266-4751  
Fax: (608) 264-9275  
[engineering@cityofmadison.com](mailto:engineering@cityofmadison.com)  
[www.cityofmadison.com/engineering](http://www.cityofmadison.com/engineering)

**Assistant City Engineer**

Michael R. Dailey, P.E.

**Principal Engineer 2**

Gregory T. Fries, P.E.

**Principal Engineer 1**

Christina M. Bachmann, P.E.

Eric L. Dundee, P.E.

John S. Fahrney, P.E.

Christopher J. Petykowski, P.E.

**Facilities & Sustainability**

Jeanne E. Hoffman, Manager

**Operations Manager**

Kathleen M. Cryan

**Mapping Section Manager**

Eric T. Pederson, P.S.

**Financial Manager**

Steven B. Danner-Rivers

June 23, 2015

**NOTICE OF ADDENDUM  
ADDENDUM 1  
FIRE STATION #4 ROOF REPLACEMENT  
CONTRACT NO. 7524**

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

Item 1. Clarification was given during the pre-bid meeting with respect to the transition at all cricket valleys. This joint between the valley and the roof insulation shall have a smooth transition by adding a tapered infill material such as Mid-State Asphalt, Wood Fiber Edge Strip or equivalent. All tapered ISO crickets, at the leading edge, shall have a tapered wood fiber edge strip, 0"-1/2" x 6" width by random lengths. Install using ISO Twin Pack adhesive, two ribbons minimum, applied such as to adhere the edge strip to the top layer of the base ISO.

Item 2. On page D-34, Section 2.02 ROOFING SYSTEM DESCRIPTION, Section B. Roofing System Components; omit Item 2; "Base Sheet Over Insulation: Mechanical attached."

Item 3. On page D-35, Section 2.05 METAL ACCESSORIES, Section A. Metal Roof Edging and Fascia.  
Section 2: Description:

Item a.: Add; "Platinum Extended Fascia" to describe the Firestone AnchorGard System as noted.

Omit Item b.: "Firestone EdgeGard Plus snap on version."

Section 5. Fascia Material and Finish:

Change fascia thickness from 0.040 in (1.0 mm) to 0.050 in (1.27 mm).

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.

  
For Robert F. Phillips, P.E., City Engineer




## SECTION E: BIDDERS ACKNOWLEDGEMENT

### FIRE STATION #4 ROOF REPLACEMENT CONTRACT NO. 7524

Bidder must state a Unit Price and Total Bid for each item. The Total Bid for each item must be the product of quantity, by Unit Price. The Grand Total must be the sum of the Total Bids for the various items. In case of multiplication errors or addition errors, the Grand Total with corrected multiplication and/or addition shall determine the Grand Total bid for each contract. The Unit Price and Total Bid must be entered numerically in the spaces provided. All words and numbers shall be written in ink.

1. The undersigned having familiarized himself/herself with the Contract documents, including Advertisement for Bids, Instructions to Bidders, Form of Proposal, City of Madison Standard Specifications for Public Works Construction - 2015 Edition thereto, Form of Agreement, Form of Bond, and Addenda issued and attached to the plans and specifications on file in the office of the City Engineer, hereby proposes to provide and furnish all the labor, materials, tools, and expendable equipment necessary to perform and complete in a workmanlike manner the specified construction on this project for the City of Madison; all in accordance with the plans and specifications as prepared by the City Engineer, including Addenda to the Contract Nos. \_\_\_\_\_ through \_\_\_\_\_ issued thereto, at the prices for said work as contained in this proposal. (Electronic bids submittals shall acknowledge addendum under Section E and shall not acknowledge here)
2. If awarded the Contract, we will initiate action within seven (7) days after notification or in accordance with the date specified in the contract to begin work and will proceed with diligence to bring the project to full completion within the number of work days allowed in the Contract or by the calendar date stated in the Contract.
3. The undersigned Bidder or Contractor certifies that he/she is not a party to any contract, combination in form of trust or otherwise, or conspiracy in restraint of trade or commerce or any other violation of the anti-trust laws of the State of Wisconsin or of the United States, with respect to this bid or contract or otherwise.
4. I hereby certify that I have met the Bid Bond Requirements as specified in Section 102.5.  
(IF BID BOND IS USED, IT SHALL BE SUBMITTED ON THE FORMS PROVIDED BY THE CITY. FAILURE TO DO SO MAY RESULT IN REJECTION OF THE BID).
5. I hereby certify that all statements herein are made on behalf of Joe Daniels Construction Co., Inc. (name of corporation, partnership, or person submitting bid) a corporation organized and existing under the laws of the State of Wisconsin a partnership consisting of \_\_\_\_\_; an individual trading as \_\_\_\_\_; of the City of Madison State of Wisconsin; that I have examined and carefully prepared this Proposal, from the plans and specifications and have checked the same in detail before submitting this Proposal; that I have fully authority to make such statements and submit this Proposal in (its, their) behalf; and that the said statements are true and correct.

  
SIGNATURE Joseph A. Daniels

President

TITLE, IF ANY


Sworn and subscribed to before me this

26th day of June, 20 15

Rebecca W. Sainsbury  
(Notary Public or other officer authorized to administer oaths)

My Commission Expires 07/17/2016

Bidders shall not add any conditions or qualifying statements to this Proposal.



Contract 7524 – Joe Daniels Construction Co., Inc.

#### Section E: Bidder's Acknowledgement

This section is a required document for the bid to be considered complete. There are two methods for completing the Bidder Acknowledgement Report. Method one: The report can be downloaded, completed, and uploaded to this site to be included with your electronic bid. Method two: The report can be downloaded from the site and submitted by hand to the City of Madison. Either method of submission requires that the Bidder Acknowledgement Report be received by the bid due date.

Please select the method of submission below. The form is in the section below to download and upload to the site or download and submit by hand.

Please check the box in the Upload section if submitting the report by hand.

Method of Submittal for Bidder Acknowledgement (click in box below to choose) \*

I will download Bidder Acknowledgement Downloadable Document, complete, and upload online.

The bidder acknowledges receipt of the following addenda to the contract for the above designated project. Please check the appropriate box for each addendum reviewed. If no addenda have been issued, then no boxes are required to be checked.

Any addenda issues after 12:00 P.M. on the Wednesday proceeding the bid due date shall include a provision extending the bid due date.

#### Addendum Acknowledgement

Acknowledge each Addenda reviewed by checking the appropriate checkboxes below.

☒ Addendum 1 \*

☐ Addendum 2

☐ Addendum 3

☐ Addendum 4

☐ Addendum 5

☐ Addendum 6



## Section F: Disclosure of Ownership and BVC

This section is a required document for the bid to be considered complete. There are two methods for completing the Disclosure of Ownership and BVC form. Method one: The form can be filled out online and submitted to this site to be included with your electronic bid. Method two: The form can be downloaded from the site and submitted by hand to the City of Madison.

Method of Submittal for Disclosure of Ownership and BVC (click in box below to choose) \*

I will submit Bid Express fillable online form (Disclosure of Ownership and BVC).

Notice required under Section 15.04(1)(m), Wisconsin Statutes. The statutory authority for the use of this form is prescribed in Sections 66.0903(12)(d), Wisconsin Statutes. The use of this form is mandatory. The penalty for failing to complete this form is prescribed in Section 103.005(12). Personal information you provide may be used for secondary purposes.

(1) On the date a contractor submits a bid to or completes negotiations with a state agency or local governmental unit, on a project subject to Section 66.0903 or 103.49, Wisconsin Statutes, the contractor shall disclose to such state agency or local governmental unit the name of any "other construction business", which the contractor, or a shareholder, officer or partner of the contractor, owns or has owned within the preceding three (3) years.

(2) The term "other construction business" means any business engaged in the erection, construction, remodeling, repairing, demolition, altering or painting and decorating of buildings, structures or facilities. It also means any business engaged in supplying mineral aggregate, or hauling excavated material or spoil as provided by Sections 66.0903(3), 103.49(2) and 103.50(2), Wisconsin Statutes.

(3) This form must ONLY be filed, with the state agency or local governmental unit that will be awarding the contract, if both (A) and (B) are met.

(A) The contractor, or a shareholder, officer or partner of the contractor:

1. Owns at least a 25% interest in the "other construction business", indicated below, on the date the contractor submits a bid or completes negotiations.

2. Or has owned at least a 25% interest in the "other construction business" at any time within the preceding three (3) years.

(B) The Wisconsin Department of Workforce Development (DWD) has determined that the "other construction business" has failed to pay the prevailing wage rate or time and one-half the required hourly basic rate of pay, for hours worked in excess of the prevailing hours of labor, to any employee at any time within the preceding three (3) years.

Other Construction Business



Not Applicable



Name of Business  
Street Address or PO Box  
City, State and Zip Code

Best Value Contracting

1. The Contractor shall indicate the non-apprenticeable trades used on this contract.

2. Madison General Ordinance (M.G.O.), 33.07(7), does provide for some exemptions from the active apprentice requirement. Apprenticeable trades are those trades considered apprenticeable by the State of Wisconsin. Please check applicable box if you are seeking an exemption.

- ☐ Contractor has a total skilled workforce of four or less individuals in all apprenticeable trades combined.
- ☐ No available trade training program; The Contractor has been rejected by the only available trade training program, or there is no trade training program within 90 miles.
- ☐ Contractor is not using an apprentice due to having a journey worker on layoff status, provided the journey worker was employed by the contractor in the past six months.
- ☐ First time contractor on City of Madison Public Works contract requests a onetime exemption but intends to comply on all future contracts and is taking steps typical of a "good faith" effort.
- ☐ Contractor has been in business less than one year.
- ☐ Contractor doesn't have enough journeyman trade workers to qualify for a trade training program in that respective trade.

3. The Contractor shall indicate on the following section which apprenticeable trades are to be used on this contract. Compliance with active apprenticeship, to the extent required by M.G.O. 33.07(7), shall be satisfied by documentation from an applicable trade training body; an apprenticeship contract with the Wisconsin Department of Workforce Development or a similar agency in another state; or the U.S Department of Labor. This documentation is required prior to the Contractor beginning work on the project site.

- ☐ The Contractor has reviewed the list and shall not use any apprenticeable trades on this project.

LIST APPRENTICABLE TRADES (check all that apply to your work to be performed on this contract)

- ☐ BRICKLAYER
- ☒ CARPENTER
- ☐ CEMENT MASON / CONCRETE FINISHER
- ☐ CEMENT MASON (HEAVY HIGHWAY)
- ☒ CONSTRUCTION CRAFT LABORER
- ☐ DATA COMMUNICATION INSTALLER
- ☐ ELECTRICIAN
- ☐ ENVIRONMENTAL SYSTEMS TECHNICIAN / HVAC SERVICE TECH/HVAC INSTALL / SERVICE
- ☐ GLAZIER
- ☐ HEAVY EQUIPMENT OPERATOR / OPERATING ENGINEER
- ☐ INSULATION WORKER (HEAT and FROST)
- ☐ IRON WORKER
- ☐ IRON WORKER (ASSEMBLER, METAL BLDGS)
- ☐ PAINTER and DECORATOR
- ☐ PLASTERER
- ☐ PLUMBER
- ☐ RESIDENTIAL ELECTRICIAN
- ☐ ROOFER and WATER PROOFER
- ☐ SHEET METAL WORKER
- ☐ SPRINKLER FITTER
- ☐ STEAMFITTER
- ☐ STEAMFITTER (REFRIGERATION)
- ☐ STEAMFITTER (SERVICE)
- ☐ TAPER and FINISHER
- ☐ TELECOMMUNICATIONS (VOICE, DATA and VIDEO) INSTALLER-TECHNICIAN
- ☐ TILE SETTER

**FIRE STATION #4 ROOF REPLACEMENT**

CONTRACT NO. 7524

DATE: 6/26/2015

**Joe Daniels Construction  
Co., Inc.**

Item	Quantity	Price	Extension
<b>Section B: Proposal Page</b>			
Lump Sum Bid	1.00	\$129,360.00	\$129,360.00
Totals			\$129,360.00





Department of Public Works  
**City Engineering Division**

608 266 4751

Robert F. Phillips, P.E.  
City Engineer

City-County Building, Room 115  
210 Martin Luther King, Jr. Boulevard  
Madison, Wisconsin 53703  
608 264 9275 FAX  
1 866 704 2315 Textnet

**Principal Engineers**  
Michael R. Dailey, P.E.  
Christina M. Bachmann, P.E.  
John S. Fahrney, P.E.  
Gregory T. Fries, P.E.

**Facilities & Sustainability**  
Jeanne E. Hoffman, Manager  
James C. Whitney, A.I.A.

**Operations Manager**  
Kathleen M. Cryan

**GIS Manager**  
David A. Davis, R.L.S.

**Financial Officer**  
Steven B. Danner-Rivers  
**Hydrogeologist**  
Brynn Bemis

**BIENNIAL BID BOND**

Joe Daniels Construction Co. Inc.

(a corporation of the State of Wisconsin)

(individual), (partnership), (hereinafter referred to as the "Principal") and

The Cincinnati Insurance Company

a corporation of the State of Ohio (hereinafter referred to as the "Surety") and licensed to do business in the State of Wisconsin, are held and firmly bound unto the City of Madison, Wisconsin (hereinafter referred to as the "City"), in the sum equal to the individual proposal guaranty amounts of the total bid or bids of the Principal herein accepted by the City, for the payment of which the Principal and the Surety hereby jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns.

The condition of this obligation is that the Principal has submitted to the City certain bids for projects from the time period of February 1st, 2014 through January 31st, 2016.

If the Principal is awarded the contract(s) by the City and, within the time and manner required by law after the prescribed forms are presented for its signature, the Principal enters into (a) written contract(s) in accordance with the bid(s), and files with the City its bond(s) guaranteeing faithful performance and payment for all labor and materials, as required by law, or if the City rejects all bids for the work described, then this obligation shall be null and void; otherwise, it shall remain in full force and effect.

In the event the Principal shall fail to execute and deliver the contract(s) or the performance and payment bond(s), all within the time specified or any extension thereof, the Principal and Surety agree jointly and severally to pay to the City within ten (10) calendar days of written demand a total equal to the sum of the individual proposal guaranty amounts of the total bid(s) as liquidated damages.

The Surety, for value received, hereby agrees that the obligations of it and its bond shall be in no way impaired or affected by any extension of time within which the City may accept a bid, and the Surety does hereby waive notice of any such extension.

This bond may be terminated by the Surety upon giving thirty (30) days written notice to the City of its intent to terminate this bond and to be released and discharged therefrom, but such termination shall not operate to relieve or discharge the Surety from any liability already accrued or which shall accrue before the expiration of such thirty (30) day period.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, on the day and year set forth below.

**PRINCIPAL**

Joe Daniels Construction Co. Inc.

COMPANY NAME

AFFIX SEAL

1/13/14

DATE

By:



SIGNATURE AND TITLE

Joseph A. Daniels - President

**SURETY**

The Cincinnati Insurance Company

COMPANY NAME

AFFIX SEAL

1/13/14

DATE

By:




SIGNATURE AND TITLE

Brooke L. Parker, Attorney-in-Fact

This certifies that I have been duly licensed as an agent for the Surety in Wisconsin under License No. 2512433 for the year 2014, and appointed as attorney in fact with authority to execute this bid bond, which power of attorney has not been revoked.

1/13/14

DATE

  
AGENT Brooke L. Parker, Hausmann-Johnson

700 Regent St.

ADDRESS

Madison, WI 53715

CITY, STATE AND ZIP CODE

608-257-3795

TELEPHONE NUMBER

Note to Surety and Principal: Any bid submitted which this bond guarantees may be rejected if the Power of Attorney form showing that the Agent of Surety is currently authorized to execute bonds on behalf of Surety is not attached to this bond.



THE CINCINNATI INSURANCE COMPANY

Fairfield, Ohio

POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That THE CINCINNATI INSURANCE COMPANY, a corporation organized under the laws of the State of Ohio, and having its principal office in the City of Fairfield, Ohio, does hereby constitute and appoint

Tim Hausmann; Jeff Hausmann; Steven L. Squires; Sheila Dickey; Judith A. Walker;  
Patrick A. McKenna; Brooke L. Parker and/or Kelsey Jacobson

of Madison, Wisconsin its true and lawful Attorney(s)-in-Fact to sign, execute, seal and deliver on its behalf as Surety, and as its act and deed, any and all bonds, policies, undertakings, or other like instruments, as follows:

Any such obligations in the United States, up to

Thirty Million and No/100 Dollars (\$30,000,000.00).

This appointment is made under and by authority of the following resolution passed by the Board of Directors of said Company at a meeting held in the principal office of the Company, a quorum being present and voting, on the 6<sup>th</sup> day of December, 1958, which resolution is still in effect:

"RESOLVED, that the President or any Vice President be hereby authorized, and empowered to appoint Attorneys-in-Fact of the Company to execute any and all bonds, policies, undertakings, or other like instruments on behalf of the Corporation, and may authorize any officer or any such Attorney-in-Fact to affix the corporate seal; and may with or without cause modify or revoke any such appointment or authority. Any such writings so executed by such Attorneys-in-Fact shall be binding upon the Company as if they had been duly executed and acknowledged by the regularly elected officers of the Company."

This Power of Attorney is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Board of Directors of the Company at a meeting duly called and held on the 7<sup>th</sup> day of December, 1973.

"RESOLVED, that the signature of the President or a Vice President and the seal of the Company may be affixed by facsimile on any power of attorney granted, and the signature of the Secretary or Assistant Secretary and the seal of the Company may be affixed by facsimile to any certificate of any such power and any such power of certificate bearing such facsimile signature and seal shall be valid and binding on the Company. Any such power so executed and sealed and certified by certificate so executed and sealed shall, with respect to any bond or undertaking to which it is attached, continue to be valid and binding on the Company."

IN WITNESS WHEREOF, THE CINCINNATI INSURANCE COMPANY has caused these presents to be sealed with its corporate seal, duly attested by its Vice President this 10<sup>th</sup> day of May, 2012.



STATE OF OHIO ) ss:  
COUNTY OF BUTLER )

THE CINCINNATI INSURANCE COMPANY

*Stacy A. Jantz*  
Vice President

On this 10<sup>th</sup> day of May, 2012, before me came the above-named Vice President of THE CINCINNATI INSURANCE COMPANY, to me personally known to be the officer described herein, and acknowledged that the seal affixed to the preceding instrument is the corporate seal of said Company and the corporate seal and the signature of the officer were duly affixed and subscribed to said instrument by the authority and direction of said corporation.



*Mark J. Huller*  
MARK J. HULLER, Attorney at Law  
NOTARY PUBLIC - STATE OF OHIO  
My commission has no expiration date. Section 147.03 O.R.C.

I, the undersigned Secretary or Assistant Secretary of THE CINCINNATI INSURANCE COMPANY, hereby certify that the above is a true and correct copy of the Original Power of Attorney issued by said Company, and do hereby further certify that the said Power of Attorney is still in full force and effect.

GIVEN under my hand and seal of said Company at Fairfield, Ohio.

this 13 day of January, 2014



*Scott R. Boen*  
Assistant Secretary



## SECTION H: AGREEMENT

THIS AGREEMENT made this 22 day of JULY in the year Two Thousand and Fifteen between **JOE DANIELS CONSTRUCTION CO., INC.** hereinafter called the Contractor, and the City of Madison, Wisconsin, hereinafter called the City.

WHEREAS, the Common Council of the said City of Madison under the provisions of a resolution adopted JULY 21, 2015, and by virtue of authority vested in the said Council, has awarded to the Contractor the work of performing certain construction.

NOW, THEREFORE, the Contractor and the City, for the consideration hereinafter named, agree as follows:

1. **Scope of Work.** The Contractor shall, perform the construction, execution and completion of the following listed complete work or improvement in full compliance with the Plans, Specifications, Standard Specifications, Supplemental Specifications, Special Provisions and contract; perform all items of work covered or stipulated in the proposal; perform all altered or extra work; and shall furnish, unless otherwise provided in the contract, all materials, implements, machinery, equipment, tools, supplies, transportation, and labor necessary to the prosecution and completion of the work or improvements:

### FIRE STATION #4 ROOF REPLACEMENT CONTRACT NO. 7524

2. **Completion Date/Contract Time.** Construction work must begin within seven (7) calendar days after the date appearing on mailed written notice to do so shall have been sent to the Contractor and shall be carried on at a rate so as to secure full completion SEE SPECIAL PROVISIONS, the rate of progress and the time of completion being essential conditions of this Agreement.
3. **Contract Price.** The City shall pay to the Contractor at the times, in the ONE HUNDRED TWENTY-NINE THOUSAND THREE HUNDRED SIXTY (\$129,360.00) Dollars being the amount bid by such Contractor and which was awarded to him/her as provided by law.

4. **Wage Rates for Employees of Public Works Contractors**

**General and Authorization.** The Contractor shall compensate its employees at the prevailing wage rate in accordance with section 66.0903, Wis. Stats., DWD 290 of the Wisconsin Administrative Code and as hereinafter provided unless otherwise noted in Section D: Special Provisions, Subsection 102.10 – Minimum Rate of Wage Scale.

"Public Works" shall include building or work involving the erection, construction, remodeling, repairing or demolition of buildings, parking lots, highways, streets, bridges, sidewalks, street lighting, traffic signals, sanitary sewers, water mains and appurtenances, storm sewers, and the grading and landscaping of public lands.

"Building or work" includes construction activity as distinguished from manufacturing, furnishing of materials, or servicing and maintenance work, except for the delivery of mineral aggregate such as sand, gravel, bituminous asphaltic concrete or stone which is incorporated into the work under contract with the City by depositing the material directly in final place from transporting vehicle.

"Erection, construction, remodeling, repairing" means all types of work done on a particular building or work at the site thereof in the construction or development of the project, including without limitation, erecting, construction, remodeling, repairing, altering, painting, and decorating, the transporting of materials and supplies to or from the building or work done by the employees of the Contractor, Subcontractor, or Agent thereof, and the manufacturing or furnishing of materials, articles, supplies or equipment on the site of the building or work, by persons employed by the Contractor, Subcontractor, or Agent thereof.

materials, articles, supplies or equipment on the site of the building or work, by persons employed by the Contractor, Subcontractor, or Agent thereof.

"Employees working on the project" means laborers, workers, and mechanics employed directly upon the site of work.

"Laborers, Workers, and Mechanics" include pre-apprentices, helpers, trainees, learners and properly registered and indentured apprentices but exclude clerical, supervisory, and other personnel not performing manual labor.

**Establishment of Wage Rates.** The Department of Public Works shall periodically obtain a current schedule of prevailing wage rates from DWD. The schedule shall be used to establish the City of Madison Prevailing Wage Rate Schedule for Public Works Construction (prevailing wage rate). The Department of Public Works may include known increases to the prevailing wage rate which can be documented and are to occur on a future specific date. The prevailing wage rate shall be included in public works contracts subsequently negotiated or solicited by the City. Except for known increases contained within the schedule, the prevailing wage rate shall not change during the contract. The approved wage rate is attached hereto.

**Workforce Profile.** The Contractor shall, at the time of signature of the contract, notify the City Engineer in writing of the names and classifications of all the employees of the Contractor, Subcontractors, and Agents proposed for the work. In the alternative, the Contractor shall submit in writing the classifications of all the employees of the Contractor, Subcontractors and Agents and the total number of hours estimated in each classification for the work. This workforce profile(s) shall be reviewed by the City Engineer who may, within ten (10) days, object to the workforce profile(s) as not being reflective of that which would be required for the work. The Contractor may request that the workforce profile, or a portion of the workforce profile, be submitted after the signature of the contract but at least ten (10) days prior to the work commencing. Any costs or time loss resulting from modifications to the workforce profile as a result of the City Engineer's objections shall be the responsibility of the Contractor.

**Payrolls and Records.** The Contractor shall keep weekly payroll records setting forth the name, address, telephone number, classification, wage rate and fringe benefit package of all the employees who work on the contract, including the employees of the Contractor's subcontractors and agents. Such weekly payroll records must include the required information for all City contracts and all other contracts on which the employee worked during the week in which the employee worked on the contract. The Contractor shall also keep records of the individual time each employee worked on the project and for each day of the project. Such records shall also set forth the total number of hours of overtime credited to each such employee for each day and week and the amount of overtime pay received in that week. The records shall set forth the full weekly wages earned by each employee and the actual hourly wage paid to the employee.

The Contractor shall submit the weekly payroll records, including the records of the Contractor's subcontractors and agents, to the City Engineer for every week that work is being done on the contract. The submittal shall be within twenty-one (21) calendar days of the end of the Contractor's weekly pay period.

Employees shall receive the full amounts accrued at the time of the payment, computed at rates not less than those stated in the prevailing wage rate and each employee's rate shall be determined by the work that is done within the trade or occupation classification which should be properly assigned to the employee.

An employee's classification shall not be changed to a classification of a lesser rate during the contract. If, during the term of the contract, an employee works in a higher pay classification than the one which was previously properly assigned to the employee, then that employee shall be considered to be in the higher pay classification for the balance of the contract, receive the appropriate higher rate of pay, and she/he shall not receive a lesser rate during the balance of the



contract. For purposes of clarification, it is noted that there is a distinct difference between working in a different classification with higher pay and doing work within a classification that has varying rates of pay which are determined by the type of work that is done within the classification. For example, the classification "Operating Engineer" provides for different rates of pay for various classes of work and the Employer shall compensate an employee classified as an "Operating Engineer" based on the highest class of work that is done in one day. Therefore, an "Operating Engineer's" rate may vary on a day to day basis depending on the type of work that is done, but it will never be less than the base rate of an "Operating Engineer". Also, as a matter of clarification, it is recognized that an employee may work in a higher paying classification merely by chance and without prior intention, calculation or design. If such is the case and the performance of the work is truly incidental and the occurrence is infrequent, inconsequential and does not serve to undermine the single classification principle herein, then it may not be required that the employee be considered to be in the higher pay classification and receive the higher rate of pay for the duration of the contract. However, the Contractor is not precluded or prevented from paying the higher rate for the limited time that an employee performs work that is outside of the employee's proper classification.

Questions regarding an employee's classification, rate of pay or rate of pay within a classification, shall be resolved by reference to the established practice that predominates in the industry and on which the trade or occupation rate/classification is based. Rate of pay and classification disputes shall be resolved by relying upon practices established by collective bargaining agreements and guidelines used in such determination by appropriate recognized trade unions operating within the City of Madison.

The Contractor, its Subcontractors and Agents shall submit to interrogation regarding compliance with the provisions of this ordinance.

Mulcting of the employees by the Contractor, Subcontractor, and Agents on Public Works contracts, such as by kickbacks or other devices, is prohibited. The normal rate of wage of the employees of the Contractor, Subcontractor, and Agents shall not be reduced or otherwise diminished as a result of payment of the prevailing wage rate on a public works contract.

**Hourly contributions.** Hourly contributions shall be determined in accordance with the prevailing wage rate and with DWD. 290.01(10), Wis. Admin. Code.

**Apprentices and Subjourney persons.** Apprentices and sub journeypersons performing work on the project shall be compensated in accordance with the prevailing wage rate and with DWD 290.02, and 290.025, respectively, Wis. Admin. Code.

**Straight Time Wages.** The Contractor may pay straight time wages as determined by the prevailing wage rate and DWD 290.04, Wis. Admin. Code.

**Overtime Wages.** The Contractor shall pay overtime wages as required by the prevailing wage rate and DWD 290.05, Wis. Admin. Code.

**Posting of Wage Rates and Hours.** A clearly legible copy of the prevailing wage rate, together with the provisions of Sec. 66.0903(10)(a) and (11)(a), Wis. Stats., shall be kept posted in at least one conspicuous and easily accessible place at the project site by the Contractor and such notice shall remain posted during the full time any laborers, workers or mechanics are employed on the contract.

**Evidence of Compliance by Contractor.** Upon completion of the contract, the Contractor shall file with the Department of Public Works an affidavit stating:

- a. That the Contractor has complied fully with the provisions and requirements of Sec. 66.0903(3), Wis. Stats., and Chapter DWD 290, Wis. Admin. Code; the Contractor has received evidence of compliance from each of the agents and subcontractors; and the



names and addresses of all of the subcontractors and agents who worked on the contract.

- b. That full and accurate records have been kept, which clearly indicate the name and trade or occupation of every laborer, worker or mechanic employed by the Contractor in connection with work on the project. The records shall show the number of hours worked by each employee and the actual wages paid therefore; where these records will be kept and the name, address and telephone number of the person who will be responsible for keeping them. The records shall be retained and made available for a period of at least three (3) years following the completion of the project of public works and shall not be removed without prior notification to the municipality.

**Evidence of Compliance by Agent and Subcontractor.** Each agent and subcontractor shall file with the Contractor, upon completion of their portion of the work on the contract an affidavit stating that all the provisions of Sec. 66.0903(3), Wis. Stats., have been fully complied with and that full and accurate records have been kept, which clearly indicate the name and trade or occupation of every laborer, worker or mechanic employed by the Contractor in connection with work on the project. The records shall show the number of hours worked by each employee and the actual wages paid therefore; where these records shall be kept and the name, address and telephone number of the person who shall be responsible for keeping them. The records shall be retained and made available for a period of at least three (3) years following the completion of the project of public works and shall not be removed without prior notification to the municipality.

**Failure to Comply with the Prevailing Wage Rate.** If the Contractor fails to comply with the prevailing wage rate, she/he shall be in default on the contract. In addition, if DWD finds that a contractor or subcontractor violated the prevailing wage law, DWD will assess liquidated damages of 100% of the wages owed to employees.

**Establishment of Wage Rates.** The Department of Public Works shall periodically obtain a current schedule of prevailing wage rates from DWD. The schedule shall be used to establish the City of Madison Prevailing Wage Rate Schedule for Public Works Construction (prevailing wage rate). The Department of Public Works may include known increases to the prevailing wage rate which can be documented and are to occur on a future specific date. The prevailing wage rate shall be included in public works contracts subsequently negotiated or solicited by the City. Except for known increases contained within the schedule, the prevailing wage rate shall not change during the contract. The approved wage rate and DWD prevailing wage requirements are attached hereto as Sec. I of the contract.

5. **Affirmative Action.** In the performance of the services under this Agreement the Contractor agrees not to discriminate against any employee or applicant because of race, religion, marital status, age, color, sex, disability, national origin or ancestry, income level or source of income, arrest record or conviction record, less than honorable discharge, physical appearance, sexual orientation, gender identity, political beliefs, or student status. The Contractor further agrees not to discriminate against any subcontractor or person who offers to subcontract on this contract because of race, religion, color, age, disability, sex, sexual orientation, gender identity or national origin.

The Contractor agrees that within thirty (30) days after the effective date of this agreement, the Contractor will provide to the City Affirmative Action Division certain workforce utilization statistics, using a form to be furnished by the City.

If the contract is still in effect, or if the City enters into a new agreement with the Contractor, within one year after the date on which the form was required to be provided, the Contractor will provide updated workforce information using a second form, also to be furnished by the City. The second form will be submitted to the City Affirmative Action Division no later than one year after the date on which the first form was required to be provided.

The Contractor further agrees that, for at least twelve (12) months after the effective date of this contract, it will notify the City Affirmative Action Division of each of its job openings at facilities in Dane County for which applicants not already employees of the Contractor are to be considered. The notice will include a job description, classification, qualifications and application procedures and deadlines. The Contractor agrees to interview and consider candidates referred by the Affirmative Action Division if the candidate meets the minimum qualification standards established by the Contractor, and if the referral is timely. A referral is timely if it is received by the Contractor on or before the date started in the notice.

## Articles of Agreement

### Article I

The Contractor shall take affirmative action in accordance with the provisions of this contract to insure that applicants are employed, and that employees are treated during employment without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national origin and that the employer shall provide harassment free work environment for the realization of the potential of each employee. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation and selection for training including apprenticeship insofar as it is within the control of the Contractor. The Contractor agrees to post in conspicuous places available to employees and applicants notices to be provided by the City setting out the provisions of the nondiscrimination clauses in this contract.

### Article II

The Contractor shall in all solicitations or advertisements for employees placed by or on behalf of the Contractors state that all qualified or qualifiable applicants will be employed without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national origin.

### Article III

The Contractor shall send to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding a notice to be provided by the City advising the labor union or worker's representative of the Contractor's equal employment opportunity and affirmative action commitments. Such notices shall be posted in conspicuous places available to employees and applicants for employment.

### Article V

The Contractor agrees that it will comply with all provisions of the Affirmative Action Ordinance of the City of Madison, including the contract compliance requirements. The Contractor agrees to submit the model affirmative action plan for public works contractors in a form approved by the Affirmative Action Division Manager.

### Article VI

The Contractor will maintain records as required by Section 39.02(9)(f) of the Madison General Ordinances and will provide the City Affirmative Action Division with access to such records and to persons who have relevant and necessary information, as provided in Section 39.02(9)(f). The City agrees to keep all such records confidential, except to the extent that public inspection is required by law.

### Article VII

In the event of the Contractor's or subcontractor's failure to comply with the Equal Employment Opportunity and Affirmative Action Provisions of this contract or Section 39.03 and 39.02 of the Madison General Ordinances, it is agreed that the City at its option may do any or all of the following:

1. Cancel, terminate or suspend this Contract in whole or in part.



2. Declare the Contractor ineligible for further City contracts until the Affirmative Action requirements are met.
3. Recover on behalf of the City from the prime Contractor 0.5 percent of the contract award price for each week that such party fails or refuses to comply, in the nature of liquidated damages, but not to exceed a total of five percent (5%) of the contract price, or five thousand dollars (\$5,000), whichever is less. Under public works contracts, if a subcontractor is in noncompliance, the City may recover liquidated damages from the prime Contractor in the manner described above. The preceding sentence shall not be construed to prohibit a prime Contractor from recovering the amount of such damage from the non-complying subcontractor.

#### Article VIII

The Contractor shall include the above provisions of this contract in every subcontract so that such provisions will be binding upon each subcontractor. The Contractor shall take such action with respect to any subcontractor as necessary to enforce such provisions, including sanctions provided for noncompliance.

#### Article IX

The Contractor shall allow the maximum feasible opportunity to small business enterprises to compete for any subcontracts entered into pursuant to this contract. (In federally funded contracts the terms "DBE, MBE and WBE" shall be substituted for the term "small business" in this Article.)

6. Substance Abuse Prevention Program Required. Prior to commencing work on the Contract, the Contractor, and any Subcontractor, shall have in place a written program for the prevention of substance abuse among its employees as required under Wis. Stat. Sec. 103.503.



**FIRE STATION #4 ROOF REPLACEMENT  
CONTRACT NO. 7524**

IN WITNESS WHEREOF, the Contractor has hereunto set his/her hand and seal and the City has caused these presents to be sealed with its corporate seal and to be subscribed by its Mayor and City Clerk the day and year first above written.

Countersigned:

Kea I. Sainsbury 7/22/15  
Witness Kea I. Sainsbury Date  
Kea I. Sainsbury 7/22/15  
Witness Kea I. Sainsbury Date

JOE DANIELS CONSTRUCTION CO., INC.

Company Name

Joseph A. Daniels 7/22/15  
President Joseph A. Daniels Date  
Jerrald M. Daniels 7/22/15  
Secretary Jerrald M. Daniels Date

CITY OF MADISON, WISCONSIN

Provisions have been made to pay the liability that will accrue under this contract.

David Helmreich  
Finance Director

Approved as to form:

William T. Myer  
City Attorney

Signed this 5 day of August, 2015

Meredy E. Banta  
Witness

Ron Nylund  
Mayor Date

Jennifer S. Hahn  
Witness

Maibeth Witzel-Behl 7-23-2015  
City Clerk Date

Bond No. 1214792

## SECTION I: PAYMENT AND PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS, that we JOE DANIELS CONSTRUCTION CO., INC. as principal, and Cincinnati Insurance Company Company of Cincinnati, Ohio as surety, are held and firmly bound unto the City of Madison, Wisconsin, in the sum of ONE HUNDRED TWENTY-NINE THOUSAND THREE HUNDRED SIXTY (\$129,360.00) Dollars, lawful money of the United States, for the payment of which sum to the City of Madison, we hereby bind ourselves and our respective executors and administrators firmly by these presents.

The condition of this Bond is such that if the above bounden shall on his/her part fully and faithfully perform all of the terms of the Contract entered into between him/herself and the City of Madison for the construction of:

### FIRE STATION #4 ROOF REPLACEMENT CONTRACT NO. 7524

in Madison, Wisconsin, and shall pay all claims for labor performed and material furnished in the prosecution of said work, and save the City harmless from all claims for damages because of negligence in the prosecution of said work, and shall save harmless the said City from all claims for compensation (under Chapter 102, Wisconsin Statutes) of employees and employees of subcontractor, then this Bond is to be void, otherwise of full force, virtue and effect.

Signed and sealed this 22nd day of July 2015

Countersigned:

Kea I. Sainsbury

Witness Kea I. Sainsbury

Jerrald M. Daniels

Secretary Jerrald M. Daniels

JOE DANIELS CONSTRUCTION CO., INC.

Company Name (Principal)

Joseph A. Daniels

President Joseph A. Daniels

Seal (no seal)

Approved as to form:

William T. My

City Attorney

CINCINNATI INSURANCE COMPANY

Surety

Seal

☐ Salary Employee

☒ Commission

By

Patrick A. McKenna

Attorney-in-Fact Patrick A. McKenna

This certifies that I have been duly licensed as an agent for the above company in Wisconsin under License No. 2349196 for the year 2015, and appointed as attorney-in-fact with authority to execute this payment and performance bond which power of attorney has not been revoked.

July 22, 2015

Date

Patrick A. McKenna  
Agent Signature Patrick A. McKenna - Attorney-in-Fact



THE CINCINNATI INSURANCE COMPANY

Fairfield, Ohio

POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That THE CINCINNATI INSURANCE COMPANY, a corporation organized under the laws of the State of Ohio, and having its principal office in the City of Fairfield, Ohio, does hereby constitute and appoint

Tim Hausmann; Jeff Hausmann; Sheila Dickey; Judith A. Walker; Patrick A. McKenna;  
Brooke L. Parker and/or Gigi E. Mitchell

of Madison, Wisconsin

its true and lawful Attorney(s)-in-Fact to sign, execute, seal and deliver on its behalf as Surety, and as its act and deed, any and all bonds, policies, undertakings, or other like instruments, as follows:

Any such obligations in the United States, up to  
Thirty Million and No/100 Dollars (\$30,000,000.00).

This appointment is made under and by authority of the following resolution passed by the Board of Directors of said Company at a meeting held in the principal office of the Company, a quorum being present and voting, on the 6<sup>th</sup> day of December, 1958, which resolution is still in effect:

"RESOLVED, that the President or any Vice President be hereby authorized, and empowered to appoint Attorneys-in-Fact of the Company to execute any and all bonds, policies, undertakings, or other like instruments on behalf of the Corporation, and may authorize any officer or any such Attorney-in-Fact to affix the corporate seal; and may with or without cause modify or revoke any such appointment or authority. Any such writings so executed by such Attorneys-in-Fact shall be binding upon the Company as if they had been duly executed and acknowledged by the regularly elected officers of the Company."

This Power of Attorney is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Board of Directors of the Company at a meeting duly called and held on the 7<sup>th</sup> day of December, 1973.

"RESOLVED, that the signature of the President or a Vice President and the seal of the Company may be affixed by facsimile on any power of attorney granted, and the signature of the Secretary or Assistant Secretary and the seal of the Company may be affixed by facsimile to any certificate of any such power and any such power of certificate bearing such facsimile signature and seal shall be valid and binding on the Company. Any such power so executed and sealed and certified by certificate so executed and sealed shall, with respect to any bond or undertaking to which it is attached, continue to be valid and binding on the Company."

IN WITNESS WHEREOF, THE CINCINNATI INSURANCE COMPANY has caused these presents to be sealed with its corporate seal, duly attested by its Vice President this 10<sup>th</sup> day of May, 2012.



STATE OF OHIO ) ss:  
COUNTY OF BUTLER )

THE CINCINNATI INSURANCE COMPANY

*Stefan A. Janta*

Vice President

On this 10<sup>th</sup> day of May, 2012, before me came the above-named Vice President of THE CINCINNATI INSURANCE COMPANY, to me personally known to be the officer described herein, and acknowledged that the seal affixed to the preceding instrument is the corporate seal of said Company and the corporate seal and the signature of the officer were duly affixed and subscribed to said instrument by the authority and direction of said corporation.



*Mark J. Huller*

MARK J. HULLER, Attorney at Law  
NOTARY PUBLIC - STATE OF OHIO  
My commission has no expiration  
date. Section 147.03 O.R.C.

I, the undersigned Secretary or Assistant Secretary of THE CINCINNATI INSURANCE COMPANY, hereby certify that the above is a true and correct copy of the Original Power of Attorney issued by said Company, and do hereby further certify that the said Power of Attorney is still in full force and effect.

GIVEN under my hand and seal of said Company at Fairfield, Ohio.

this

22<sup>nd</sup> day of July, 2015



*Scott R. Bolen*

Assistant Secretary



## **SECTION J: PREVAILING WAGE RATES**

**PREVAILING WAGE RATE DETERMINATION**

Issued by the State of Wisconsin  
Department of Workforce Development  
Pursuant to s. 66.0903, Wis. Stats.  
Issued On: 1/7/2015

**DETERMINATION NUMBER:** 201500014

**EXPIRATION DATE:** Prime Contracts MUST Be Awarded or Negotiated On Or Before 12/31/2015. If NOT, You MUST Reapply.

**PROJECT NAME:** ALL PUBLIC WORKS PROJECTS UNDER SEC. 66.0903, STATS-CITY OF MADISON

**PROJECT LOCATION:** MADISON CITY, DANE COUNTY, WI

**CONTRACTING AGENCY:** CITY OF MADISON - ENGINEERING

<b>CLASSIFICATION:</b>	Contractors are responsible for correctly classifying their workers. Either call the Department of Workforce Development (DWD) with trade or classification questions or consult DWD's Dictionary of Occupational Classifications & Work Descriptions on the DWD website at: <a href="http://dwd.wisconsin.gov/er/prevailing_wage_rate/Dictionary/dictionary_main.htm">dwd.wisconsin.gov/er/prevailing_wage_rate/Dictionary/dictionary_main.htm</a> .
<b>OVERTIME:</b>	<p>Time and one-half must be paid for all hours worked:</p> <ul style="list-style-type: none"><li>- over 10 hours per day on prevailing wage projects</li><li>- over 40 hours per calendar week</li><li>- Saturday and Sunday</li><li>- on all of the following holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25;</li><li>- The day before if January 1, July 4 or December 25 falls on a Saturday;</li><li>- The day following if January 1, July 4 or December 25 falls on a Sunday.</li></ul> <p>Apply the time and one-half overtime calculation to whichever is higher between the Hourly Basic Rate listed on this project determination or the employee's regular hourly rate of pay. Add any applicable Premium or DOT Premium to the Hourly Basic Rate before calculating overtime.</p> <p>A DOT Premium (discussed below) may supersede this time and one-half requirement.</p>
<b>FUTURE INCREASE:</b>	When a specific trade or occupation requires a future increase, you MUST add the full hourly increase to the "TOTAL" on the effective date(s) indicated for the specific trade or occupation.
<b>PREMIUM PAY:</b>	If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.
<b>DOT PREMIUM:</b>	This premium only applies to highway and bridge projects owned by the Wisconsin Department of Transportation and to the project type heading "Airport Pavement or State Highway Construction." DO NOT apply the premium calculation under any other project type on this determination.
<b>APPRENTICES:</b>	Pay apprentices a percentage of the applicable journey person's hourly basic rate of pay and hourly fringe benefit contributions specified in this determination. Obtain the appropriate percentage from each apprentice's contract or indenture.
<b>SUBJOURNEY:</b>	Subjourney wage rates may be available for some of the trades or occupations indicated below with the exception of laborers, truck drivers and heavy equipment operators. Any employer interested in using a subjourney classification on this project MUST complete Form ERD-10880 and request the applicable wage rate from the Department of Workforce Development PRIOR to using the subjourney worker on this project.



This document **MUST BE POSTED** by the **CONTRACTING AGENCY** in at least one conspicuous and easily accessible place **on the site of the project**. A local governmental unit may post this document at the place normally used to post public notices if there is no common site on the project. This document **MUST** remain posted during the entire time any worker is employed on the project and **MUST** be physically incorporated into the specifications and all contracts and subcontracts. If you have any questions, please write to the Equal Rights Division, Labor Standards Bureau, P.O. Box 8928, Madison, Wisconsin 53708 or call (608) 266-6861.

**The following statutory provisions apply to local governmental unit projects of public works and are set forth below pursuant to the requirements of s. 66.0903(8), Stats.**

**s. 66.0903 (1) (f) & s. 103.49 (1) (c) "PREVAILING HOURS OF LABOR"** for any trade or occupation in any area means 10 hours per day and 40 hours per week and may not include any hours worked on a Saturday or Sunday or on any of the following holidays:

1. January 1.
2. The last Monday in May.
3. July 4.
4. The first Monday in September.
5. The 4th Thursday in November.
6. December 25.
7. The day before if January 1, July 4 or December 25 falls on a Saturday.
8. The day following if January 1, July 4 or December 25 falls on a Sunday.

**s. 66.0903 (10) RECORDS; INSPECTION; ENFORCEMENT.**

(a) Each contractor, subcontractor, or contractor's or subcontractor's agent performing work on a project of public works that is subject to this section shall keep full and accurate records clearly indicating the name and trade or occupation of every person performing the work described in sub. (4) and an accurate record of the number of hours worked by each of those persons and the actual wages paid for the hours worked.

**s. 66.0903 (11) LIABILITY AND PENALTIES.**

(a) 1. Any contractor, subcontractor, or contractor's or subcontractor's agent who fails to pay the prevailing wage rate determined by the department under sub. (3) or who pays less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor is liable to any affected employee in the amount of his or her unpaid wages or his or her unpaid overtime compensation and in an additional amount as liquidated damages as provided under subd. 2., 3., whichever is applicable.

2. If the department determines upon inspection under sub. (10) (b) or (c) that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the department shall order the contractor to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages within a period specified by the department in the order.

3. In addition to or in lieu of recovering the liability specified in subd. 1. as provided in subd. 2., any employee for and in behalf of that employee and other employees similarly situated may commence an action to recover that liability in any court of competent jurisdiction. If the court finds that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the court shall order the contractor, subcontractor, or agent to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages.

5. No employee may be a party plaintiff to an action under subd. 3. unless the employee consents in writing to become a party and the consent is filed in the court in which the action is brought. Notwithstanding s. 814.04 (1), the court shall, in addition to any judgment awarded to the plaintiff, allow reasonable attorney fees and costs to be paid by the defendant.



**BUILDING OR HEAVY CONSTRUCTION**

Includes sheltered enclosures with walk-in access for the purpose of housing persons, employees, machinery, equipment or supplies and non-sheltered work such as canals, dams, dikes, reservoirs, storage tanks, etc. A sheltered enclosure need not be "habitable" in order to be considered a building. The installation of machinery and/or equipment, both above and below grade level, does not change a project's character as a building. On-site grading, utility work and landscaping are included within this definition. Residential buildings of four (4) stories or less, agricultural buildings, parking lots and driveways are NOT included within this definition.

**SKILLED TRADES**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
101	Acoustic Ceiling Tile Installer Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016.	32.72	16.00	48.72
102	Boilermaker Future Increase(s): Add \$1.50/hr. on 01/01/2016	33.35	28.24	61.59
103	Bricklayer, Blocklayer or Stonemason Future Increase(s): Add \$1.40 on 06/01/2015; Add \$1.45 on 06/06/2016 Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.82	18.66	51.48
104	Cabinet Installer Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016.	32.72	16.00	48.72
105	Carpenter Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.72	16.00	48.72
106	Carpet Layer or Soft Floor Coverer Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016.	32.72	16.00	48.72
107	Cement Finisher	31.98	12.04	44.02
108	Drywall Taper or Finisher	26.05	18.23	44.28
109	Electrician Future Increase(s): Add \$1.20/hr on 6/1/15; Add \$1.25/hr on 6/1/16. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	34.82	19.67	54.49
110	Elevator Constructor	43.84	27.09	70.93

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
111	Fence Erector	18.00	6.09	24.09
112	Fire Sprinkler Fitter	36.79	18.81	55.60
113	Glazier Future Increase(s): Add \$.75/hr eff. 06/01/2015; Add \$.90/hr eff. 06/01/2016	37.07	14.42	51.49
114	Heat or Frost Insulator	33.43	25.81	59.24
115	Insulator (Batt or Blown) Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016.	32.72	16.00	48.72
116	Ironworker	31.50	20.01	51.51
117	Lather	31.40	15.90	47.30
118	Line Constructor (Electrical)	39.50	17.73	57.23
119	Marble Finisher	16.25	2.32	18.57
120	Marble Mason	32.09	18.04	50.13
121	Metal Building Erector	19.05	8.08	27.13
122	Millwright Future Increase(s): Add \$1.47/hr on 6/1/2015; Add \$1.47/hr on 6/1/2016.	34.44	16.07	50.51
123	Overhead Door Installer	27.46	1.98	29.44
124	Painter	25.75	16.60	42.35
125	Pavement Marking Operator	30.10	17.34	47.44
126	Piledriver Future Increase(s): Add \$1.50/hr on 6/1/2015; Add \$1.60/hr on 6/1/2016. Premium Increase(s): Add \$.65/hr for Piledriver Loftsmen; Add \$.75/hr for Sheet Piling Loftsmen. DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	30.11	26.51	56.62
127	Pipeline Fuser or Welder (Gas or Utility)	30.83	20.89	51.72
129	Plasterer Future Increase(s): Add \$1.56 on 06/01/2015; Add \$1.61 on 06/01/2016; Add \$1.66 on 06/01/2017	32.65	19.36	52.01
130	Plumber Future Increase(s): Add \$1.80 on 6/1/15	37.57	17.47	55.04

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
132	Refrigeration Mechanic Future Increase(s): Add \$1.80 on 6/1/15	44.20	18.26	62.46
133	Roofer or Waterproofer	29.40	11.31	40.71
134	Sheet Metal Worker	34.45	22.54	56.99
135	Steamfitter Future Increase(s): Add \$1.80/hr on 6/1/15.	44.20	18.26	62.46
137	Teledata Technician or Installer Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	22.50	12.74	35.24
138	Temperature Control Installer	42.95	15.04	57.99
139	Terrazzo Finisher	16.25	2.32	18.57
140	Terrazzo Mechanic	31.18	17.35	48.53
141	Tile Finisher	23.85	17.18	41.03
142	Tile Setter	29.81	17.18	46.99
143	Tuckpointer, Caulker or Cleaner	23.60	7.10	30.70
144	Underwater Diver (Except on Great Lakes)	35.40	15.90	51.30
146	Well Driller or Pump Installer	25.32	15.65	40.97
147	Siding Installer	36.17	19.44	55.61
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	30.16	15.11	45.27
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	31.60	26.76	58.36
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	27.65	14.49	42.14
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	27.83	15.01	42.84
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.90	9.83	31.73

**TRUCK DRIVERS**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
201	Single Axle or Two Axle	32.89	18.96	51.85
203	Three or More Axle	18.00	21.99	39.99



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
204	Articulated, Euclid, Dumptror, Off Road Material Hauler Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	33.69	19.78	53.47
205	Pavement Marking Vehicle	20.85	11.02	31.87
207	Truck Mechanic	18.00	21.99	39.99

**LABORERS**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
301	General Laborer Future Increase(s): Add \$1.35/hr eff. 06/01/2015; Add \$1.25/hr eff. 06/06/2016 Premium Increase(s): Add \$1.00/hr for certified welder; Add \$.25/hr for mason tender	24.97	15.12	40.09
302	Asbestos Abatement Worker	18.00	9.58	27.58
303	Landscaper	18.75	10.26	29.01
310	Gas or Utility Pipeline Laborer (Other Than Sewer and Water)	21.55	14.14	35.69
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased) Premium Increase(s): DOT PREMIUMS: Pay two times the hourly basic rate on New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	18.82	14.16	32.98
314	Railroad Track Laborer	14.50	5.29	19.79
315	Final Construction Clean-Up Worker Future Increase(s): Add \$1.35/hr eff. 06/01/2015; Add \$1.25/hr eff. 06/06/2016	24.97	15.12	40.09

**HEAVY EQUIPMENT OPERATORS  
SITE PREPARATION, UTILITY OR LANDSCAPING WORK ONLY**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
501	Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Milling Machine; Boring Machine (Directional, Horizontal or Vertical); Backhoe (Track Type) Having a Mfg'r's Rated Capacity of 130,000 Lbs. or Over; Backhoe (Track Type) Having a Mfg'r's Rated Capacity of Under 130,000 Lbs.; Backhoe (Mini, 15,000 Lbs. & Under); Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Crane, Shovel, Dragline, Clamshells; Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Grader or Motor Patrol; Master Mechanic; Mechanic or Welder; Robotic Tool Carrier (With or Without Attachments); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Tractor (Scraper, Dozer, Pusher, Loader); Trencher (Wheel Type or Chain Type Having Over 8 Inch Bucket). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	33.69	19.78	53.47
502	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Environmental Burner; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Jeep Digger; Screed (Milling Machine); Skid Rig; Straddle Carrier or Travel Lift; Stump Chipper; Trencher (Wheel Type or Chain Type Having 8 Inch Bucket & Under). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	33.69	19.78	53.47
503	Air Compressor (&/or 400 CFM or Over); Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Greaser; High Pressure Utility Locating Machine (Daylighting Machine); Mulcher; Oiler; Post Hole Digger or Driver; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	31.62	19.78	51.40
504	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	41.65	21.71	63.36
505	Work Performed on the Great Lakes Including Crane or Backhoe Operator; Assistant Hydraulic Dredge Engineer; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder; 70 Ton & Over Tug Operator. Premium Increase(s): Add \$.50/hr for Friction Crane, Lattice Boom or Crane Certification (CCO).	41.65	21.71	63.36



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
506	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	35.72	17.85	53.57
507	Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	35.46	20.40	55.86

**HEAVY EQUIPMENT OPERATORS  
EXCLUDING SITE PREPARATION, UTILITY, PAVING LANDSCAPING WORK**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
508	Boring Machine (Directional); Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. Premium Increase(s): Add \$.50/hr for >200 Ton; Add \$1/hr at 300 Ton; Add \$1.50/hr at 400 Ton; Add \$2/hr at 500 Ton & Over.	36.67	19.78	56.45
509	Backhoe (Track Type) Having a Mfg'r's Rated Capacity of 130,000 Lbs. or Over; Boring Machine (Horizontal or Vertical); Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Pile Driver; Versi Lifts, Tri-Lifts & Gantrys (20,000 Lbs. & Over). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016. Premium Increase(s): Add \$.25/hr for all >45 Ton lifting capacity cranes.	35.42	19.78	55.20
510	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Dredge (NOT Performing Work on the Great Lakes); Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Hydro-Blaster (10,000 PSI or Over); Milling Machine; Skid Rig; Traveling Crane (Bridge Type). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	34.22	19.78	54.00



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
511	Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Environmental Burner; Gantrys (Under 20,000 Lbs.); Grader or Motor Patrol; High Pressure Utility Locating Machine (Daylighting Machine); Manhoist; Material or Stack Hoist; Mechanic or Welder; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tining or Curing Machine; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	33.69	19.78	53.47
512	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Grout Pump; Hoist (Tugger, Automatic); Industrial Locomotives; Jeep Digger; Lift Slab Machine; Mulcher; Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	31.62	19.78	51.40
513	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Boatmen (NOT Performing Work on the Great Lakes); Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Elevator; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Forklift; Generator (&/or 150 KW or Over); Greaser; Heaters (Mechanical); Loading Machine (Conveyor); Oiler; Post Hole Digger or Driver; Prestress Machine; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Robotic Tool Carrier (With or Without Attachments); Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	30.99	19.78	50.77
514	Gas or Utility Pipeline, Except Sewer & Water (Primary Equipment). Future Increase(s): Add \$1/hr on 6/1/2015; Add \$1/hr on 5/30/2016.	36.34	22.14	58.48
515	Gas or Utility Pipeline, Except Sewer & Water (Secondary Equipment). Future Increase(s): Add \$1.65/hr on 6/1/2015.	33.12	19.35	52.47
516	Fiber Optic Cable Equipment	28.89	17.95	46.84

**SEWER, WATER OR TUNNEL CONSTRUCTION**

Includes those projects that primarily involve public sewer or water distribution, transmission or collection systems and related tunnel work (excluding buildings).

**SKILLED TRADES**

Fringe Benefits Must Be Paid On All Hours Worked

<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u> \$	<u>HOURLY FRINGE BENEFITS</u> \$	<u>TOTAL</u> \$
103	Bricklayer, Blocklayer or Stonemason	32.09	18.04	50.13
105	Carpenter Future Increase(s): Add \$1.50/hr on 6/1/2015; Add \$1.65/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	34.13	20.61	54.74
107	Cement Finisher Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	35.18	16.78	51.96
109	Electrician Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	33.93	22.77	56.70
111	Fence Erector	18.00	6.09	24.09
116	Ironworker	31.50	20.01	51.51
118	Line Constructor (Electrical)	39.50	17.73	57.23
125	Pavement Marking Operator	30.10	17.34	47.44
126	Piledriver	29.56	25.71	55.27
130	Plumber	21.50	0.00	21.50
135	Steamfitter	42.95	17.81	60.76
137	Teledata Technician or Installer	22.25	12.24	34.49
143	Tuckpointer, Caulker or Cleaner	23.60	7.10	30.70
144	Underwater Diver (Except on Great Lakes)	35.40	15.90	51.30

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	\$	\$	\$
146	Well Driller or Pump Installer	25.32	15.65	40.97
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	35.55	15.57	51.12
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	31.60	15.19	46.79
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	27.65	13.44	41.09
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.68	13.28	38.96
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.75	12.97	34.72
<b>TRUCK DRIVERS</b>				

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	\$	\$	\$
201	Single Axle or Two Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	25.18	18.31	43.49
203	Three or More Axle	19.50	4.97	24.47
204	Articulated, Euclid, Dumptr, Off Road Material Hauler	32.89	18.96	51.85
205	Pavement Marking Vehicle	20.85	11.02	31.87
207	Truck Mechanic	19.50	4.97	24.47
<b>LABORERS</b>				

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	\$	\$	\$
301	General Laborer Future Increase(s): Add \$1.35/hr eff. 06/01/2015; Add \$1.25/hr eff. 06/06/2016 Premium Increase(s): Add \$.20 for blaster, bracer, manhole builder, caulker, bottomman and power tool; Add \$.55 for pipelayer; Add \$1.00 for tunnel work 0-15 lbs. compressed air; Add \$2.00 for over 15-30 lbs. compressed air; Add \$3.00 for over 30 lbs. compressed air.	26.34	15.13	41.47
303	Landscaper	39.43	0.00	39.43



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
304	Flagperson or Traffic Control Person	31.95	0.00	31.95
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	18.33	13.65	31.98
314	Railroad Track Laborer	14.50	5.29	19.79

**HEAVY EQUIPMENT OPERATORS  
SEWER, WATER OR TUNNEL WORK**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
521	Backhoe (Track Type) Having a Mfr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Master Mechanic; Pile Driver. Future Increase(s): Add \$1.55/hr on 6/1/2015. Premium Increase(s): Add \$.25/hr for operating tower crane.	37.24	20.10	57.34
522	Backhoe (Track Type) Having a Mfr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Boring Machine (Directional); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Spreader & Distributor; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. & Under; Dredge (NOT Performing Work on the Great Lakes); Milling Machine; Skid Rig; Telehandler; Traveling Crane (Bridge Type). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	34.22	19.78	54.00
523	Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Boring Machine (Horizontal or Vertical); Bulldozer or Endloader (Over 40 hp); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Manhoist; Material or Stack Hoist; Mechanic or Welder; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket). Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	33.69	19.78	53.47

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
524	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Environmental Burner; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forestry Equipment, Timberco, Tree Shear, Tub Grinder, Processor; Hoist (Tugger, Automatic); Grout Pump; Jeep Digger; Lift Slab Machine; Mulcher; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Tining or Curing Machine; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames.	30.82	18.96	49.78
525	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Loading Machine (Conveyor); Post Hole Digger or Driver; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack.	30.69	18.46	49.15
526	Boiler (Temporary Heat); Forklift; Greaser; Oiler.	30.19	18.96	49.15
527	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	41.65	21.71	63.36
528	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	41.65	21.71	63.36
529	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	35.72	17.85	53.57
530	Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under), Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	35.46	20.40	55.86

<b>AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION</b>
---

**Includes all airport projects (excluding buildings) and all projects awarded by the Wisconsin Department of Transportation (excluding buildings).**

<b>SKILLED TRADES</b>
-----------------------

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked				
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
		\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason	32.09	18.04	50.13
105	Carpenter Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.72	16.00	48.72
107	Cement Finisher Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	35.18	16.78	51.96
109	Electrician Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	33.93	22.77	56.70
111	Fence Erector	18.00	6.09	24.09
116	Ironworker	31.50	20.01	51.51
118	Line Constructor (Electrical)	39.50	17.73	57.23
124	Painter	26.65	13.10	39.75
125	Pavement Marking Operator	29.22	25.90	55.12
126	Piledriver Future Increase(s): Add \$1.44/hr on 6/1/2015; Add \$1.44/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	33.24	16.00	49.24
133	Roofer or Waterproofor	29.40	11.31	40.71



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
137	Teledata Technician or Installer	22.25	12.24	34.49
143	Tuckpointer, Caulker or Cleaner	23.60	7.10	30.70
144	Underwater Diver (Except on Great Lakes)	35.40	15.90	51.30
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	35.55	15.57	51.12
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	31.60	15.29	46.89
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	27.65	13.44	41.09
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.68	12.83	38.51
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.73	12.17	33.90

**TRUCK DRIVERS**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
201	Single Axle or Two Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	25.18	18.31	43.49
203	Three or More Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	25.28	18.31	43.59
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/busine/ss/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/busine ss/civilrights/laborwages/pwc.htm</a> .	30.27	21.15	51.42
205	Pavement Marking Vehicle	23.16	21.13	44.29
206	Shadow or Pilot Vehicle	24.37	17.77	42.14

207	Truck Mechanic	24.52	17.77	42.29
-----	----------------	-------	-------	-------

**LABORERS****Fringe Benefits Must Be Paid On All Hours Worked**

<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u> \$	<u>HOURLY FRINGE BENEFITS</u> \$	<u>TOTAL</u> \$
301	General Laborer Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s): Add \$.10/hr for topman, air tool operator, vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.15/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement) and strike off man; Add \$.20/hr for blaster and powderman; Add \$.25/hr for bottomman; Add \$.35/hr for line and grade specialist; Add \$.45/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	30.41	15.14	45.55
302	Asbestos Abatement Worker	18.00	9.58	27.58
303	Landscaper Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	30.41	15.14	45.55
304	Flagperson or Traffic Control Person Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s):	26.76	15.14	41.90



**Fringe Benefits Must Be Paid On All Hours Worked**

<b><u>CODE</u></b>	<b><u>TRADE OR OCCUPATION</u></b>	<b><u>HOURLY BASIC RATE OF PAY</u></b> \$	<b><u>HOURLY FRINGE BENEFITS</u></b> \$	<b><u>TOTAL</u></b> \$
	DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.			
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	18.33	13.65	31.98
314	Railroad Track Laborer	14.50	5.29	19.79

**HEAVY EQUIPMENT OPERATORS  
AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION**

**Fringe Benefits Must Be Paid On All Hours Worked**

<b><u>CODE</u></b>	<b><u>TRADE OR OCCUPATION</u></b>	<b><u>HOURLY BASIC RATE OF PAY</u></b> \$	<b><u>HOURLY FRINGE BENEFITS</u></b> \$	<b><u>TOTAL</u></b> \$
531	Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type). Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .	37.72	21.15	58.87
532	Backhoe (Track Type) Having a Mfr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .	37.22	21.15	58.37



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b><u>CODE</u></b>	<b><u>TRADE OR OCCUPATION</u></b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
533	<p>Air Track, Rotary or Percussion Drilling Machine &amp;/or Hammers, Blaster; Asphalt Heater, Planer &amp; Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfg.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. &amp; Under); Bituminous (Asphalt) Plant &amp; Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb &amp; Gutter Machine; Concrete Spreader &amp; Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches &amp; A-Frames.</p> <p>Future Increase(s):  Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016;  Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s):  DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day &amp; Christmas Day. 2) Add \$1.50/hr night work premium.  See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm</a>.</p>	36.72	21.15	57.87

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
534	<p>Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed &amp; Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver &amp; Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine.</p> <p>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day &amp; Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a>.</p>	36.46	21.15	57.61
535	<p>Air Compressor (&amp;/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical &amp; Horizontal); Automatic Belt Conveyor &amp; Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&amp;/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.</p> <p>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day &amp; Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a>.</p>	36.17	21.15	57.32
536	Fiber Optic Cable Equipment.	28.89	17.95	46.84
537	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	41.65	21.71	63.36
538	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	41.65	21.71	63.36

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked				
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u> \$	<u>HOURLY FRINGE BENEFITS</u> \$	<u>TOTAL</u> \$
539	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	35.72	17.85	53.57
540	Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY.	35.46	20.40	55.86



**LOCAL STREET OR MISCELLANEOUS PAVING CONSTRUCTION**

Includes roads, streets, alleys, trails, bridges, paths, racetracks, parking lots and driveways (except residential or agricultural), public sidewalks or other similar projects (excluding projects awarded by the Wisconsin Department of Transportation).

**SKILLED TRADES**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason	32.09	18.04	50.13
105	Carpenter Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.72	16.00	48.72
107	Cement Finisher Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	35.18	16.78	51.96
109	Electrician	35.72	19.17	54.89
111	Fence Erector	18.00	6.09	24.09
116	Ironworker	31.50	20.01	51.51
118	Line Constructor (Electrical)	39.50	17.73	57.23
124	Painter	25.75	16.60	42.35
125	Pavement Marking Operator	30.10	17.34	47.44
126	Piledriver	29.56	25.71	55.27
133	Roofer or Waterproofer	29.40	11.31	40.71
137	Teledata Technician or Installer	22.25	12.24	34.49
143	Tuckpointer, Caulker or Cleaner	23.60	7.10	30.70
144	Underwater Diver (Except on Great Lakes)	35.40	15.90	51.30
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	35.55	15.57	51.12

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	\$	\$	\$
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	31.60	15.19	46.79
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	27.65	13.44	41.09
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.68	13.28	38.96
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.75	12.97	34.72

**TRUCK DRIVERS**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	\$	\$	\$
201	Single Axle or Two Axle Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	25.18	18.31	43.49
203	Three or More Axle	16.00	0.00	16.00
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	33.69	19.78	53.47
205	Pavement Marking Vehicle	20.85	11.02	31.87
206	Shadow or Pilot Vehicle	24.37	17.77	42.14
207	Truck Mechanic	16.00	0.00	16.00

**LABORERS**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	\$	\$	\$
301	General Laborer	29.32	12.44	41.76
303	Landscaper Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Increase(s):	30.13	15.14	45.27

**Fringe Benefits Must Be Paid On All Hours Worked**

<b><u>CODE</u></b>	<b><u>TRADE OR OCCUPATION</u></b>	<b><u>HOURLY BASIC RATE OF PAY</u></b> \$	<b><u>HOURLY FRINGE BENEFITS</u></b> \$	<b><u>TOTAL</u></b> \$
	DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).			
304	Flagperson or Traffic Control Person	19.06	14.29	33.35
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	18.33	13.65	31.98
314	Railroad Track Laborer	14.50	5.29	19.79

**HEAVY EQUIPMENT OPERATORS  
CONCRETE PAVEMENT OR BRIDGE WORK****Fringe Benefits Must Be Paid On All Hours Worked**

<b><u>CODE</u></b>	<b><u>TRADE OR OCCUPATION</u></b>	<b><u>HOURLY BASIC RATE OF PAY</u></b> \$	<b><u>HOURLY FRINGE BENEFITS</u></b> \$	<b><u>TOTAL</u></b> \$
541	Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .	37.72	21.15	58.87



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
542	<p>Backhoe (Track Type) Having a Mfr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. &amp; Under; Crane, Tower Crane Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &amp;/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver.</p> <p>Future Increase(s):            Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016;            Add \$1.25/hr on 6/1/2017.</p> <p>Premium Increase(s):            DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day &amp; Christmas Day. 2) Add \$1.50/hr night work premium.            See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm</a>.</p>	37.22	21.15	58.37
543	<p>Air Track, Rotary or Percussion Drilling Machine &amp;/or Hammers, Blaster; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. &amp; Under); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb &amp; Gutter Machine; Concrete Spreader &amp; Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches &amp; A-Frames.</p>	35.72	17.85	53.57

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
544	Backfiller; Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm</a> .	36.46	21.15	57.61
545	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.	35.17	20.40	55.57
546	Fiber Optic Cable Equipment.	28.89	17.95	46.84
547	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	41.65	21.71	63.36
548	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	41.65	21.71	63.36
549	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or more); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	35.72	17.85	53.57
550	Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	35.46	20.40	55.86



**HEAVY EQUIPMENT OPERATORS  
ASPHALT PAVEMENT OR OTHER WORK**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
551	Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads and/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic.	36.72	20.40	57.12
552	Backhoe (Track Type) Having a Mfr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/busines/civilrights/laborwages/pwc.htm</a> .	37.22	21.15	58.37
553	Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type) Having a Mfr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Laser/Screed; Concrete Slipform Placer Curb & Gutter Machine; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames. Future Increase(s): Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.	33.69	19.78	53.47



<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
554	Backfiller; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self-Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.	36.17	20.80	56.97
555	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .	36.17	21.15	57.32
556	Fiber Optic Cable Equipment.	27.89	17.20	45.09

### RESIDENTIAL OR AGRICULTURAL CONSTRUCTION

Includes single family houses or apartment buildings of no more than four (4) stories in height and all buildings, structures or facilities that are primarily used for agricultural or farming purposes, excluding commercial buildings. For classification purposes, the exterior height of a residential building, in terms of stories, is the primary consideration. All incidental items such as site work, driveways, parking lots, private sidewalks, private septic systems or sewer and water laterals connected to a public system and swimming pools are included within this definition. Residential buildings of five (5) stories and above are NOT included within this definition.

### SKILLED TRADES

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
101	Acoustic Ceiling Tile Installer	33.07	16.07	49.14
102	Boilermaker	32.05	28.04	60.09
103	Bricklayer, Blocklayer or Stonemason Future Increase(s): Add \$1.40 on 06/01/2015; Add \$1.45 on 06/06/2016 Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.82	18.66	51.48
104	Cabinet Installer	34.42	0.00	34.42
105	Carpenter	31.40	2.01	33.41
106	Carpet Layer or Soft Floor Coverer	30.00	0.00	30.00
107	Cement Finisher	24.08	0.00	24.08
108	Drywall Taper or Finisher	8.50	0.00	8.50
109	Electrician	20.00	6.62	26.62
110	Elevator Constructor	23.26	0.00	23.26
111	Fence Erector	16.00	3.76	19.76
112	Fire Sprinkler Fitter	39.00	18.00	57.00
113	Glazier Future Increase(s): Add \$.75/hr eff. 06/01/2015; Add \$.90/hr eff. 06/01/2016	37.07	14.42	51.49
114	Heat or Frost Insulator	33.43	25.81	59.24
115	Insulator (Batt or Blown)	23.00	10.55	33.55
116	Ironworker	31.50	20.01	51.51
117	Lather	31.40	2.01	33.41
119	Marble Finisher	16.25	2.32	18.57
120	Marble Mason	32.09	18.04	50.13

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
121	Metal Building Erector	18.00	5.88	23.88
123	Overhead Door Installer	16.65	1.03	17.68
124	Painter	25.75	8.94	34.69
125	Pavement Marking Operator	18.75	2.47	21.22
129	Plasterer	25.00	10.45	35.45
130	Plumber	30.00	10.44	40.44
132	Refrigeration Mechanic	17.00	13.56	30.56
133	Roofer or Waterproofer	15.00	1.37	16.37
134	Sheet Metal Worker	22.54	5.20	27.74
135	Steamfitter	23.62	16.12	39.74
137	Teledata Technician or Installer	18.00	28.48	46.48
138	Temperature Control Installer	22.00	1.62	23.62
139	Terrazzo Finisher	16.25	2.32	18.57
140	Terrazzo Mechanic	30.71	16.52	47.23
141	Tile Finisher	23.85	17.18	41.03
142	Tile Setter Future Increase(s): Add \$1.40/hr on 6/01/2015; Add \$1.45/hr on 6/06/2016.	31.55	18.26	49.81
143	Tuckpointer, Caulker or Cleaner	14.00	8.75	22.75
146	Well Driller or Pump Installer	12.75	9.50	22.25
147	Siding Installer	17.25	0.00	17.25

**TRUCK DRIVERS**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	16.50	0.00	16.50
203	Three or More Axle	18.00	2.44	20.44
205	Pavement Marking Vehicle	20.85	11.02	31.87
207	Truck Mechanic	18.00	2.44	20.44



**LABORERS**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
301	General Laborer	24.21	8.02	32.23
302	Asbestos Abatement Worker	16.50	8.21	24.71
303	Landscaper	12.00	0.00	12.00
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	18.33	13.65	31.98
315	Final Construction Clean-Up Worker	10.00	3.47	13.47

**HEAVY EQUIPMENT OPERATORS  
RESIDENTIAL OR AGRICULTURAL CONSTRUCTION**

<b>Fringe Benefits Must Be Paid On <u>All</u> Hours Worked</b>		<b>HOURLY BASIC RATE OF PAY</b>	<b>HOURLY FRINGE BENEFITS</b>	<b>TOTAL</b>
<b>CODE</b>	<b>TRADE OR OCCUPATION</b>	<b>\$</b>	<b>\$</b>	<b>\$</b>
557	Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type); Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Crane, Shovel, Dragline, Clamshells; Forestry Equipment, Timberco, Tree Shear, Tub Grinder, Processor; Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type); Winches & A-Frames.	34.22	19.78	54.00

Future Increase(s):

Add \$1.60/hr on 6/2/2015; Add \$1.60/hr on 6/3/2016.

558	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Backfiller; Belting, Burlap, Texturing Machine; Boiler (Temporary Heat); Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Jeep Digger; Lift Slab Machine; Mulcher; Oiler; Post Hole Digger or Driver; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Rock, Stone Breaker; Roller (Rubber Tire, 5 Tons or Under); Screed (Milling Machine); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Stump Chipper; Telehandler; Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .	36.72	21.15	57.87
-----	--	-------	-------	-------

\*\*\*\*\* END OF RATES \*\*\*\*\*

Department of Workforce Development  
Equal Rights Division  
P.O. Box 8928  
Madison, WI 53708-8928  
Telephone: (608) 266-6860  
Fax: (608) 267-4592  
TTY: (608) 264-8752



Scott Walker, Governor  
Reginald J. Newson, Secretary

---

## PREVAILING WAGE – Contractors

Any public works project that has a total estimated project cost that equals or exceeds prevailing wage project thresholds requires a prevailing wage rate determination issued by the Department of Workforce Development (DWD). Public works include erecting, constructing, remodeling, repairing, demolishing, alterations, painting and decorating projects for a local governmental unit or state agency. State law excludes minor service or maintenance work, warranty work, or work under a supply-and-installation contract. There is a statutory definition for most of these exclusions. The prevailing wage laws that apply to local governmental units and their contractors are §§66.0903 and 103.503, Wis. Stats. The prevailing wage laws that apply to state agencies and their contractors are §§103.49 and 103.503, Wis. Stats. The applicable administrative rules for all prevailing wage projects are DWD 290 and DWD 294, Wis. Adm. Code. These laws include provisions that apply to all contractors and subcontractors working on prevailing wage projects.

Any contractor or subcontractor working on a local governmental unit or state agency's public works project that equals or exceeds current prevailing wage project thresholds must do all of the following:

- Receive and review the project's prevailing wage rate determination (i.e., white sheet).
- Tell subcontractors the project is subject to state prevailing wage law and include the prevailing wage rate determination in the construction contract, or if there is no written contract, provide a copy of the project determination to each subcontractor.
- Hire subcontractors who do *not* appear on the "Consolidated List of Debarred Contractors."
- Have a written substance abuse testing program in place that fulfills the requirements of §103.503, Wis. Stats., before commencing work on the project.



- Notify subcontractors that if DWD finds that a contractor or subcontractor violated the prevailing wage law, DWD will assess liquidated damages of 100% of the wages owed to employees.
- Apply to DWD for subjourney wage rates prior to employing these individuals on the project.
- Receive and retain a completed Affidavit of Compliance from each subcontractor brought on to the project before providing final payment to those subcontractors.
- Submit a completed Affidavit of Compliance to the contractor who brought the subcontractor on to the project before receiving final payment for the project.
- Maintain payroll records for 3 years that comply with §§66.0903(10)(a) or 103.49(5)(a), Stats. and DWD 274.06.
- Respond to requests from DWD or the project owner to provide payroll records and/or respond to prevailing wage complaints filed by employees or third parties.

For more information, visit the prevailing wage website: [http://dwd.wisconsin.gov/er/prevailing\\_wage\\_rate/default.htm](http://dwd.wisconsin.gov/er/prevailing_wage_rate/default.htm). For further assistance, call the Equal Rights Division at 608-266-6861 and ask for prevailing wage.