



Department of Public Works
Engineering Division
 Robert F. Phillips, P.E., City Engineer

City-County Building, Room 115
 210 Martin Luther King, Jr. Boulevard
 Madison, Wisconsin 53703
 Phone: (608) 266-4751
 Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

Assistant City Engineer
 Michael R. Dailey, P.E.

Principal Engineer 2
 Gregory T. Fries, P.E.
 Christopher J. Petykowski, P.E.

Principal Engineer 1
 Christina M. Bachmann, P.E.
 Eric L. Dundee, P.E.
 John S. Fahrney, P.E.

Facilities & Sustainability
 Jeanne E. Hoffman, Manager

Operations Manager
 Kathleen M. Cryan

Mapping Section Manager
 Eric T. Pederson, P.S.

Financial Manager
 Steven B. Danner-Rivers

February 7, 2017

**NOTICE OF ADDENDUM
 ADDENDUM NO. 1
 CONTRACT NO. 7835**

**GREGORY STREET, KNICKERBOCKER STREET, SPRAGUE STREET AND SHELDON
 STREET RECONSTRUCTION ASSESSMENT DISTRICT - 2017**

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

PROPOSAL:

A summary of the change to the proposal is as follows:

Action	Bid Item	Description	Quantity	Units
REVISE	21110	TERRACE RAIN GARDEN	177	SF

PLANS:

REMOVE

Remove Sheet RG-1

INSERT

Insert Sheet RG-1 Deleted rain garden at 648 Sprague, added updated rain garden detail.

SPECIAL PROVISIONS:

REMOVE

BID ITEM 20336 – PIPE PLUG

INSERT

BID ITEM 20336 – PIPE PLUG

With regard to the City of Madison Standard Specifications for Public Works Construction latest Edition Article 203.2(c), any pipe found in a trench that is less than 10” in diameter while installing a sewer facility shall be considered incidental to the pipe being installed.

February 7, 2017

Page 2

Two (2) pipe plugs are expected in order to abandon storm sewer pipe. These are incidental to inlet removal.

Any pipe plugs required to abandon or remove sewer access structure (pipes directly connected to the structure) shall be considered incidental to abandoning or removing the structure regardless of the size of the pipe being abandoned.

REMOVE

BID ITEM 50390 – SEWER ELECTRONIC MARKERS

INSERT

BID ITEM 50390 – SEWER ELECTRONIC MARKERS

With regard to the City of Madison Standard Specifications for Public Works Construction latest Edition Section 503.3(c), each sanitary lateral shall have a minimum of two (2) electronic markers with the City providing the Contractor with the required number of electronic markers. For sanitary laterals, which only include the installation of a wye, a marker ball shall be installed directly above the wye connection to the main.

REMOVE

BID ITEM 20110 – TERRACE RAIN GARDEN

BID ITEM 21110 – TERRACE RAIN GARDEN

Rain Gardens shall be constructed in accordance with the detail shown on Sheet RG-1 which depicts a revised design that includes a concrete flume and a hand poured curb opening.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.



Robert F. Phillips, P.E., City Engineer

RFP:lrc

RAINGARDEN DETAIL

