BID OF
2017
PROPOSAL, CONTRACT, BOND AND SPECIFICATIONS
FOR
HUGHES PLACE STORM RELIEF AND RESURFACING - 2017
CONTRACT NO. 7895
MUNIS NO. 11491
IN
MADISON, DANE COUNTY, WISCONSIN
AWARDED BY THE COMMON COUNCIL MADISON, WISCONSIN ON
CITY ENGINEERING DIVISION 1600 EMIL STREET

MADISON, WISCONSIN 53713

https://bidexpress.com/login

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

INDEX

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS	A-1
SECTION B: PROPOSAL SECTION	B-1
SECTION C: SMALL BUSINESS ENTERPRISE	C-1
SECTION D: SPECIAL PROVISIONS	D-1
SECTION E: BIDDER'S ACKNOWLEDGEMENT	E-1
SECTION F: BEST VALUE CONTRACTING	F-1
SECTION G: BID BOND	G-1
SECTION H: AGREEMENT	H-1
SECTION I: PAYMENT AND PERFORMANCE BOND	I-1

This Proposal, and Agreement have been prepared by:

CITY ENGINEERING DIVISION CITY OF MADISON MADISON, DANE COUNTY, WISCONSIN

Robert F. Phillips, P.E., City Engineer

RFP: gy

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS

REQUEST FOR BID FOR PUBLIC WORKS CONSTRUCTION CITY OF MADISON, WISCONSIN

A BEST VALUE CONTRACTING MUNICIPALITY

PROJECT NAME:	HUGHES PLACE STORM RELIEF AND RESURFACING - 2017
CONTRACT NO.:	7895
SBE GOAL	7%
BID BOND	5%
PRE BID MEETING (1:00 P.M.)	APRIL 28, 2017
PREQUALIFICATION APPLICATION DUE (1:00 P.M)	APRIL 28, 2017
BID SUBMISSION (1:00 P.M.)	MAY 5, 2017
BID OPEN (1:30 P.M.)	MAY 5, 2017
PUBLISHED IN WSJ	APRIL 21 & 28, 2017

PRE BID MEETING: Representatives of the Affirmative Action Department will be present to discuss the Small Business Enterprise requirements at 1600 Emil Street, Madison Wisconsin.

PREQUALIFICATION APPLICATION: Forms are available on our website, www.cityofmadison.com/business/pw/forms.cfm. If not currently prequalified in the categories listed in Section A, an amendment to your Prequalification will need to be submitted prior to the same due date. Postmark is not applicable.

BIDS TO BE SUBMITTED by hand to 1600 EMIL ST., MADISON, WI 53713 or online at www.bidexpress.com.

THE BID OPENING is at 1600 EMIL ST., MADISON, WI 53713.

STANDARD SPECIFICATIONS

The City of Madison's Standard Specifications for Public Works Construction - 2017 Edition, as supplemented and amended from time to time, forms a part of these contract documents as if attached hereto.

These standard specifications are available on the City of Madison Public Works website, www.cityofmadison.com/Business/PW/specs.cfm.

The Contractor shall review these Specifications prior to preparation of proposals for the work to be done under this contract, with specific attention to Article 102, "BIDDING REQUIREMENTS AND CONDITIONS" and Article 103, "AWARD AND EXECUTION OF THE CONTRACT." For the convenience of the bidder, below are highlights of three subsections of the specifications.

SECTION 102.1: PRE-QUALIFICATION OF BIDDERS

In accordance with Wisconsin State Statutes 66.0901 (2) and (3), all bidders must submit to the Board of Public Works proof of responsibility on forms furnished by the City. The City requires that all bidders be qualified on a biennial basis.

Bidders must present satisfactory evidence that they have been regularly engaged in the type of work specified herein and they are fully prepared with necessary capital, materials, machinery and supervisory personnel to conduct the work to be contracted for to the satisfaction of the City. All bidders must be prequalified by the Board of Public Works for the type of construction on which they are bidding prior to the opening of the bid.

In accordance with Section 39.02(9)(a)I. of the General Ordinances, all bidders shall submit in writing to the Affirmative Action Division Manager of the City of Madison, a Certificate of Compliance or an Affirmative Action Plan at the same time or prior to the submission of the proof of responsibility forms.

The bidder shall be disqualified if the bidder fails to or refuses to, prior to opening of the bid, submit a Certificate of compliance, Affirmative Action Plan or Affirmative Action Data Update, as applicable, as defined by Section 39.02 of the General Ordinances (entitled Affirmative Action) and as required by Section 102.11 of the Standard Specifications.

SECTION 102.4 PROPOSAL

No bid will be accepted that does not contain an adequate or reasonable price for each and every item named in the Schedule of Unit Prices.

A lump sum bid for the work in accordance with the plans and specifications is required. The lump sum bid must be the same as the total amounts bid for the various items and it shall be inserted in the space provided.

All papers bound with or attached to the proposal form are considered a part thereof and must not be detached or altered when the proposal is submitted. The plans, specifications and other documents designated in the proposal form will be considered a part of the proposal whether attached or not.

A proposal submitted by an individual shall be signed by the bidder or by a duly authorized agent. A proposal submitted by a partnership shall be signed by a member/partner or by a duly authorized agent thereof. A proposal submitted by a corporation shall be signed by an authorized officer or duly authorized registered agent of such corporation, and the proposal shall show the name of the State under the laws of which such corporation was chartered. The required signatures shall in all cases appear in the space provided thereof on the proposal.

Each proposal shall be placed, together with the proposal guaranty, in a sealed envelope, so marked as to indicate name of project, the contract number or option to which it applies, and the name and address of the Contractor or submitted electronically through Bid Express (www.bidexpress.com). Proposals will be accepted at the location, the time and the date designated in the advertisement. Proposals received after the time and date designated will be returned to the bidder unopened.

SECTION 102.5: BID DEPOSIT (PROPOSAL GUARANTY)

All bids, sealed or electronic, must be accompanied with a Bid Bond equal to at least 5% of the bid or a Certificate of Annual/Biennial Bid Bond or certified check, payable to the City Treasurer. Bid deposit of the successful bidders shall be returned within forty-eight (48) hours following execution of the contract and bond as required.

MINOR DISCREPENCIES

Bidder is responsible for submitting all forms necessary for the City to determine compliance with State and City bidding requirements. Nothwithstanding any language to the contrary contained herein, the City may exercise its discretion to allow bidders to correct or supplement submissions after bid opening, if the minor discrepancy, bid irregularity or omission is insignificant and not one related to price, quality, quantity, time of completion or performance of the contract.

Bidders for this Contract(s) must be Pre-Qualified for at least one of the following type(s) of construction denoted by an \boxtimes

Build	ding	g <u>Demolition</u>			
101		Asbestos Removal	110		Building Demolition
120	=	House Mover			3
Stre	et.	Utility and Site Construction			
201	П		265	П	Retaining Walls, Precast Modular Units
205	=	Blasting			Retaining Walls, Reinforced Concrete
	=			_	
210	님	5 1 5	2/3	\square	Sanitary, Storm Sewer and Water Main
215		•	070	_	Construction
220					Sawcutting
221	Ш	Concrete Bases and Other Concrete Work	280	Ш	Sewer Lateral Drain Cleaning/Internal TV Insp.
222		Concrete Removal			Sewer Lining
225		Dredging	290		Sewer Pipe Bursting
230		Fencing	295		Soil Borings
235		Fiber Optic Cable/Conduit Installation	300		Soil Nailing
240		Grading and Earthwork	305	П	Storm & Sanitary Sewer Laterals & Water Svc.
241	=	Horizontal Saw Cutting of Sidewalk			Street Construction
242		Infrared Seamless Patching			Street Lighting
245	_	Landscaping, Maintenance			Tennis Court Resurfacing
246		Ecological Restoration			Traffic Signals
250		Landscaping, Site and Street			Traffic Signing & Marking
251	_	Parking Ramp Maintenance			Tree pruning/removal
252		Pavement Marking			Tree, pesticide treatment of
255		Pavement Sealcoating and Crack Sealing	335		Trucking
260		Petroleum Above/Below Ground Storage	340		Utility Transmission Lines including Natural Gas,
		Tank Removal/Installation			Electrical & Communications
262	П	Playground Installer	399	П	Other
				_	
Brid	<u>ge</u>	<u>Construction</u>			
501		Bridge Construction and/or Repair			
Build	dino	g Construction			
401		Floor Covering (including carpet, ceramic tile installation,	437		Metals
-101	ш	rubber, VCT	440	=	
402		Building Automation Systems	445	=	
	H	·		=	3
403	\vdash		450	=	
404	_	Doors and Windows	455	_	. ,
405	_	Electrical - Power, Lighting & Communications	460	_	Roofing and Moisture Protection
410		Elevator - Lifts	464	Ш	Tower Crane Operator
412		Fire Suppression	461		Solar Photovoltaic/Hot Water Systems
413		Furnishings - Furniture and Window Treatments	465		Soil/Groundwater Remediation
415		General Building Construction, Equal or Less than \$250,000	466		Warning Sirens
420		General Building Construction, \$250,000 to \$1,500,000	470	_	•
425		General Building Construction, Over \$1,500,000		_	Water Supply Wells
428		Glass and/or Glazing			Wood, Plastics & Composites - Structural &
		Hazardous Material Removal	400	ш	Architectural
429			400	$\overline{}$	
430		Heating, Ventilating and Air Conditioning (HVAC)	499	Ш	Other
433	=	Insulation - Thermal			
435	Ш	Masonry/Tuck pointing			
State	₽ O	f Wisconsin Certifications			
1	$\overline{\Box}$	Class 5 Blaster - Blasting Operations and Activities 2500 feet	and d	000	r to inhabited buildings for quarries, open nits and
	ш		and Ci	056	to illiabiled buildings for quarties, open pils and
•		road cuts.			a ta Sabab Stad ba Stata aa faa taa aabaa ah sa
2	Ш	Class 6 Blaster - Blasting Operations and Activities 2500 feet			
_	_	excavations, basements, underwater demolition, underground			
3	Ш	Class 7 Blaster - Blasting Operations and Activities for structure			er than 15 ' in height, bridges, towers, and any of
		the objects or purposes listed as "Class 5 Blaster or Class 6 B	laster		
4		Petroleum Above/Below Ground Storage Tank Removal and I	nstalla	ation	(Attach copies of State Certifications.)
5		Hazardous Material Removal (Contractor to be certified for as	bestos	an	d lead abatement per the Wisconsin Department
	_	of Health Services, Asbestos and Lead Section (A&LS).) See			
		www.dhs.wisconsin.gov/Asbestos/Cert. State of Wisconsin Pe			
		attached.		ai 100	or Abbestos Abatoment Certificate must be
6		Certification number as a Certified Arborist or Certified Tree W	lorker	26.	administered by the International Society of
J	Ш		OINEI	as	administered by the international Society Of
7		Arboriculture	-0" 1"		ith the contification in the antenness of truef and
7	Ш	Pesticide application (Certification for Commercial Applicator F			in the certification in the category of turn and
_	_	landscape (3.0) and possess a current license issued by the D	AICF)	
8	Ш	State of Wisconsin Master Plumbers License.			

SECTION B: PROPOSAL

Please refer to the Bid Express Website at https://bidexpress.com look up contract number and go to Section B: Proposal Page

You can access all City of Madison bid solicitations for FREE at www.bidexpress.com

Click on the "Register for Free" button and follow the instructions to register your company and yourself. You will be asked for a payment subscription preference, since you may wish to bid online someday. Simply choose the method to pay on a 'per bid' basis. This requires no payment until / unless you actually bid online. You can also choose the monthly subscription plan at this time. You will, however, be asked to provide payment information. Remember, you can change your preference at anytime. You will then be able to complete your free registration and have full access to the site. Your free access does not require completion of the 'Digital ID' process, so you will have instant access for viewing and downloading. To be prepared in case you ever do wish to bid online, you may wish to establish your digital ID also, since you cannot bid without a Digital ID.

If you have any problems with the free registration process, you can call the bidexpress help team, toll free at 1-888-352-2439 (option 1, option1).

SECTION C: SMALL BUSINESS ENTERPRISE

Instructions to Bidders City of Madison SBE Program Information

2 Small Business Enterprise (SBE) Program Information

2.1 Policy and Goal

The City of Madison reaffirms its policy of nondiscrimination in the conduct of City business by maintaining a procurement process which remains open to all who have the potential and ability to sell goods and services to the City. It is the policy of the City of Madison to allow Small Business Enterprises (SBE) maximum feasible opportunity to participate in City of Madison contracting. The bidder acknowledges that its bid has been submitted in accordance with the SBE program and is for the public's protection and welfare.

Please refer to the "ADVERTISEMENT FOR BIDS" for the goal for the utilization of SBEs on this project. SBEs may participate as subcontractors, vendors and/or suppliers, which provide a commercially useful function. The dollar value for SBE suppliers or 'materials only' vendors shall be discounted to 60% for purposes of meeting SBE goals.

A bidder which achieves or exceeds the SBE goal will be in compliance with the SBE requirements of this project. In the event that the bidder is unable to achieve the SBE goal, the bidder must demonstrate that a good faith effort to do so was made. Failure to either achieve the goal or demonstrate a good faith effort to do so will be grounds for the bidder being deemed a non-responsible contractor ineligible for award of this contract.

A bidder may count towards its attainment of the SBE goal only those expenditures to SBEs that perform a commercially useful function. For purposes of evaluating a bidder's responsiveness to the attainment of the SBE goal, the contract participation by an SBE is based on the percentage of the total base bid proposed by the Contractor. The total base bid price is inclusive of all addenda.

Work performed by an SBE firm in a particular transaction can be counted toward the goal only if it involves a commercially useful function. That is, in light of industry practices and other relevant considerations, does the SBE firm have a necessary and useful role in the transaction, of a kind for which there is a market outside the context of the SBE Program, or is the firm's role a superfluous step added in an attempt to obtain credit towards goals? If, in the judgment of the Affirmative Action Division, the SBE firm will not perform a commercially useful function in the transaction, no credit towards goals will be awarded.

The question of whether a firm is performing a commercially useful function is completely separate from the question of whether the firm is an eligible SBE. A firm is eligible if it meets the definitional criteria and ownership and control requirements, as set forth in the City of Madison's SBE Program.

If the City of Madison determines that the SBE firm is performing a commercially useful function, then the City of Madison must then decide what that function is. If the commercially useful function is that of an SBE vendor / supplier that regularly transacts business with the respective product, then the City of Madison will count 60% of the value of the product supplied toward SBE goals.

To be counted, the SBE vendor / supplier must be engaged in selling the product in question to the public. This is important in distinguishing an SBE vendor / supplier, which has a regular trade with a variety of customers, from a firm which performs supplier-like functions on an <u>ad hoc</u> basis or for only one or two contractors with whom it has a special relationship.

A supplier of bulk goods may qualify as an eligible SBE vendor / supplier if it either maintains an inventory or owns or operates distribution equipment. With respect to the distribution equipment; e.g., a fleet of trucks, the term "operates" is intended to cover a situation in which the supplier leases the equipment on a regular basis for its entire business. It is not intended to cover a situation in which the firm simply provides drivers for trucks owned or leased by another party; e.g., a prime contractor, or leases such a party's trucks on an <u>ad hoc</u> basis for a specific job.

If the commercially useful function being performed is not that of a qualified SBE vendor / supplier, but rather that of delivery of products, obtaining bonding or insurance, procurement of personnel, acting as a broker or manufacturer's representative in the procurement of supplies, facilities, or materials, etc., only the fees or commissions will apply towards the goal.

For example, a business that simply transfers title of a product from manufacturer to ultimate purchaser; e. g., a sales representative who re-invoices a steel product from the steel company to the Contractor, or a firm that puts a product into a container for delivery would not be considered a qualified SBE vendor / supplier. The Contractor would not receive credit based on a percentage of the cost of the product for working with such firms.

Concerning the use of services that help the Contractor obtain needed supplies, personnel, materials or equipment to perform a contract: only the fee received by the service provider will be counted toward the goal. For example, use of a SBE sales representative or distributor for a steel company, if performing a commercially useful function at all, would entitle the Contractor receiving the steel to count only the fee paid to the representative or distributor toward the goal. This provision would also govern fees for professional and other services obtained expressly and solely to perform work relating to a specific contract.

Concerning transportation or delivery services: if an SBE trucking company picks up a product from a manufacturer or a qualified vendor / supplier and delivers the product to the Contractor, the commercially useful function it is performing is not that of a supplier, but simply that of a transporter of goods. Unless the trucking company is itself the manufacturer or a qualified vendor / supplier in the product, credit cannot be given based on a percentage of the cost of the product. Rather, credit would be allowed for the cost of the transportation service.

The City is aware that the rule's language does not explicitly mention every kind of business that may contribute work on this project. In administering these programs, the City would, on a case-by-case basis, determine the appropriate counting formula to apply in a particular situation.

2.2 Contract Compliance

Questions concerning the SBE Program shall be directed to the Contract Compliance Officer of the City of Madison Department of Civil Rights, Affirmative Action Division, 210 Martin Luther King, Jr. Blvd., Room 523, Madison, WI 53703; telephone (608) 266-4910.

2.3 Certification of SBE by City of Madison

The Affirmative Action Division maintains a directory of SBEs which are currently certified as such by the City of Madison. Contact the Contract Compliance Officer as indicated in Section 2.2 to receive a copy of the SBE Directory or you may access the SBE Directory online at www.cityofmadison.com/dcr/aaTBDir.cfm.

All contractors, subcontractors, vendors and suppliers seeking SBE status must complete and submit the Targeted Business Certification Application to the City of Madison Affirmative Action Division by the time and date established for receipt of bids. A copy of the Targeted Business Certification Application is available by contacting the Contract Compliance Officer at the address and telephone indicated in Section 2.2 or you may Targeted Certification access the Business Application online www.citvofmadison.com/dcr/aaTBDir.cfm. Submittal of the Targeted Business Certification Application by the time specified does not guarantee that the applicant will be certified as a SBE eligible to be utilized towards meeting the SBE goal for this project.

2.4 Small Business Enterprise Compliance Report

2.4.1 Good Faith Efforts

Bidders shall take all necessary affirmative steps to assure that SBEs are utilized when possible and that the established SBE goal for this project is achieved. A contractor who self performs a portion of the work, and is pre-qualified to perform that category of work, may subcontract that portion of the work, but shall not be required to do so. When a bidder is unable to achieve the established SBE goal, the bidder must demonstrate that a good faith effort to do so was made. Such a good faith effort should include the following:

- 2.4.1.1 Attendance at the pre-bid meeting.
- 2.4.1.2 Using the City of Madison's directory of certified SBEs to identify SBEs from which to solicit bids.
- 2.4.1.3 Assuring that SBEs are solicited whenever they are potential sources.
- 2.4.1.4 Referring prospective SBEs to the City of Madison Affirmative Action Division for certification.
- 2.4.1.5 Dividing total project requirements into smaller tasks and/or quantities, where economically feasible, to permit maximum feasible SBE participation.
- 2.4.1.6 Establishing delivery schedules, where requirements permit, which will encourage participation by SBEs.
- 2.4.1.7 Providing SBEs with specific information regarding the work to be performed.
- 2.4.1.8 Contacting SBEs in advance of the deadline to allow such businesses sufficient time to prepare a bid.
- 2.4.1.9 Utilizing the bid of a qualified and competent SBE when the bid of such a business is deemed reasonable (i.e. 5% above the lowest bidder), although not necessarily low.
- 2.4.1.10 Contacting SBEs which submit a bid, to inquire about the details of the bid and confirm that the scope of the work was interpreted as intended.
- 2.4.1.11 Completion of Cover Page (page C-6), Summary Sheet (page C-7) and SBE Contact Reports (pages C-8 and C9) if applicable.

2.4.2 Reporting SBE Utilization and Good Faith Efforts

The Small Business Enterprise Compliance Report is to be submitted by the <u>bidder</u> with the bid: This report is due by the specified bid closing time and date. Bids submitted without a completed SBE Compliance Report as outlined below may be deemed non-responsible and the bidder ineligible for award of this contract. Nothwithstanding any language to the contrary contained herein, the City may exercise its discretion to allow bidders to correct or supplement submissions after bid opening, if the minor discrepancy, bid irregularity or omission is insignificant and not one related to price, quality, quantity, time of completion, performance of the contract, or percentage of SBE utilization.

- 2.4.2.1 If the Bidder <u>meets or exceeds</u> the goal established for SBE utilization, the Small Business Enterprise Compliance Report shall consist of the following:
 - 2.4.2.1.1 **Cover Page**, Page C-6; and
 - 2.4.2.1.2 **Summary Sheet,** C-7.
- 2.4.2.2 If the bidder <u>does not meet</u> the goal established for SBE utilization, the Small Business Enterprise Compliance Report shall consist of the following:
 - 2.4.2.2.1 **Cover Page**, Page C-6;
 - 2.4.2.2.2 **Summary Sheet,** C-7; and
 - 2.4.2.2.3 **SBE Contact Report**, C-8 and C-9. (A <u>separate</u> Contact Report must be completed for <u>each applicable</u> SBE which is not utilized.)

2.5 Appeal Procedure

A bidder which does not achieve the established goal and is found non-responsible for failure to demonstrate a good faith effort to achieve such goal and subsequently denied eligibility for award of contract may appeal that decision to the Small Business Enterprises Appeals Committee. All appeals shall be made in writing, and shall be delivered to and received by the City Engineer no later than 4:30 PM on the third business day following the bidder's receipt of the written notification of ineligibility by the Affirmative Action Division Manager. Postmark not acceptable. The notice of appeal shall state the basis for the appeal of the decision of the Affirmative Action Division Manager. The Appeal shall take place in accordance with Madison General Ordinance 33.54.

2.6 SBE Requirements After Award of the Contract

The successful bidder shall identify SBE subcontractors, suppliers and vendors on the subcontractor list in accordance with the specifications. The Contractor shall submit a detailed explanation of any variances between the listing of SBE subcontractors, vendors and/or suppliers on the subcontractor list and the Contractor's SBE Compliance Report for SBE participation.

No change in SBE subcontractors, vendors and/or suppliers from those SBEs indicated in the SBE Compliance Report will be allowed without prior approval from the Engineer and the Affirmative Action Division. The contractor shall submit in writing to the City of Madison Affirmative Action Division a request to change any SBE citing specific reasons which necessitate such a change. The Affirmative Action Division will use a general test of reasonableness in approving or rejecting the contractor's request for change. If the request is approved, the Contractor will make every effort to utilize another SBE if available.

The City will monitor the project to ensure that the actual percentage commitment to SBE firms is carried out.

2.7 SBE Definition and Eligibility Guidelines

A Small Business Enterprise is a business concern awarded certification by the City of Madison. For the purposes of this program a Small Business Enterprise is defined as:

- A. An independent business operated under a single management. The business may not be a subsidiary of any other business and the stock or ownership may not be held by any individual or any business operating in the same or a similar field. In determining whether an entity qualifies as a SBE, the City shall consider all factors relevant to being an independent business including, but not limited to, the date the business was established, adequacy of its resources for the work in which it proposes to involve itself, the degree to which financial, equipment leasing and other relationships exist with other ineligible firms in the same or similar lines of work. SBE owner(s) shall enjoy the customary incidents of ownership and shall share in the risks and profits commensurate with their enjoyment interests, as demonstrated by an examination of the substance rather than form or arrangements that may be reflected in its ownership documents.
- B. A business that has averaged no more than \$4.0 million in annual gross receipts over the prior three year period and the principal owner(s) do not have a personal net worth in excess of \$1.32 million.

Firm and/or individuals that submit fraudulent documents/testimony may be barred from doing business with the City and/or forfeit existing contracts.

SBE certification is valid for one (1) year unless revoked.

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

Small Business Enterprise Compliance Report

This information may be submitted electronically through Bid Express or submitted with bid in sealed envelope.

Cover Sheet

Prime Bidder Information	
Company:	
Address:	
Telephone Number:	Fax Number:
Contact Person/Title:	
Prime Bidder Certification	
I,	_, of
Name	Title
	certify that the information
Company	
contained in this SBE Compliance Report is true and co	errect to the best of my knowledge and belief.
Witness' Cignoture	Diddor's Cianatura
Witness' Signature	Bidder's Signature
Date	

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

Small Business Enterprise Compliance Report

Summary Sheet

SBE Subcontractors Who Are NOT Suppliers

Name(s) of SBEs Utilized	Type of Work	% of Total Bid Amount
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
Subtotal SBE who are NOT suppliers:		%
		,
SBE Subcontractors Who Are Suppliers		
Name(s) of SBEs Utilized	Type of Work	% of Total Bid Amount
Name(s) of ODEs Offized	Type of Work	% of Total Bid Amount
		%
		%
		<u>%</u> %
		%
Subtotal Contractors who are suppliers	0/ v 0 6 _	% (discounted to 60%)
Subtotal Contractors who are suppliers:	% x 0.6 =	% (discounted to 60%)
Total Percentage of SBE Utilization:	%.	

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

Small Business Enterprise Compliance Report

SBE Contact Report

Submit $\underline{\text{separate}}$ copy of this form for $\underline{\text{each}}$ SBE which you are not able to utilize towards meeting the SBE goal for this project. Attach separate sheets if necessary.

SBE Ir	<u>nformation</u>
Compa	any:
Addres	SS:
Teleph	none Number:
	ct Person/Title:
1.	Outline below all efforts to solicit a bid from the above SBE. Include date, means of contact, who from your company made this contact and the result.
2.	Describe the information provided to the aforementioned SBE regarding the scope of work for which he/she was to provide a bid.
	Is this the same scope of work on which the subcontractor you intend to utilize based his/her bid? Yes No
3.	Did this SBE submit a bid? ☐ Yes ☐ No
4.	Is the General Contractor pre-qualified to self-perform this category of work? Yes No

reques	responded "Yes" to Question 3, please check the items below which apply and provide the sted detail. If you responded "No" to Question 3, please skip ahead to item 6 below.
	The SBE listed above is unavailable for work on this project for the following reasons Provide specific detail for this conclusion.
	The SBE listed above is unqualified for work on this project. Provide specific details fo this conclusion.
	The SBE listed above provided a price that was unreasonable (i.e. more than 5% above the lowest bidder). Provide specific detail for this conclusion including the SBE's price and the price of the subcontractor you intend to utilize.
	A contract with the SBE listed above may constitute a breach of the bidder's collective bargaining agreements. Provide specific detail for this conclusion including, but no limited to, correspondence from the SBE indicating it will not sign a project labo agreement and/or correspondence from the applicable trade union indicating a project labor agreement will not be allowed at the time of project bidding.
	Other; please specify reason(s) other than listed above which made it impossible for you to utilize this SBE on this project.

SECTION D: SPECIAL PROVISIONS

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

It is the intent of these Special Provisions to set forth the final contractual intent as to the matter involved and shall prevail over the Standard Specifications and plans whenever in conflict therewith. In order that comparisons between the Special Provisions can be readily made, the numbering system for the Special Provisions is equivalent to that of the Specifications.

Whenever in these Specifications the term "Standard Specifications" appears, it shall be taken to refer to the City of Madison Standard Specifications for Public Works Construction and Supplements thereto.

SECTION 102.12: BEST VALUE CONTRACTING

This Contract shall be considered a Best Value Contract if the Contractor's bid is equal to or greater than \$59,000 for a single trade contract; or equal to or greater than \$288,000 for a multi-trade contract pursuant to MGO 33.07(7).

ARTICLE 104 SCOPE OF WORK

The proposed project will construct a new storm sewer relief main on Hughes Place from Cypress Way to South Park Street and from Hughes Place to the West Badger Road and South Park Street Intersection to help alleviate flooding issues on Hughes Place and in the alley adjacent to the Villager Mall. The existing water main will also be replaced on Hughes Place from Cypress Way to South Park Street. The work includes approximately 1830 linear feet of storm sewer construction and 850 linear feet of water main construction.

The work under this contract shall include but not be limited to installation of storm sewer, water main, base preparation, spot replacement of curb and gutter, pulverizing and shaping, asphalt pavement, concrete pavement, drive aprons, spot replacement of sidewalk, topsoil placement, seeding and restoration.

The Contractor shall view the site prior to bidding to become familiar with the existing conditions. It will be the responsibility of the Contractor to work with the utilities located in the right of way to resolve conflicts during the construction process.

SECTION 104.4 INCREASED OR DECREASED QUANTITIES

The Contractor shall note that some bid item quantities may increase or decrease based on what is encountered in the field at the time of construction. If the actual field conditions vary from the plan quantity, no additional compensation shall be given for increasing or decreasing quantities. Any overruns shall be paid for under the appropriate bid item(s) without any penalty or change to the bid price for the associated bid item. The Contractor shall not be reimbursed for any deletions to the contract. No change to the unit bid price will be allowed for changes to the quantities.

SECTION 105.12 COOPERATION BY THE CONTRACTOR

The City of Madison has been given to understand that work will be undertaken by others in approximately the same time frame and the same area as the proposed project. It shall be the Contractor's responsibility to verify this information and any subsequent changes in the scheduling of the work by others and to make corrections in his/her construction timetable as required.

Access to Adjacent Properties

Access to all properties must be maintained per Article 107 of the Standard Specifications. Most driveways in the project area are commercial drives and access must be maintained per Article 107 of the Standard Specifications. The Contractor shall maintain access for property owners, mail delivery and

garbage/recycling pickup for all properties in the project area. Maintain access to properties by performing the work in front of the driveways one half at a time. If a property has multiple driveways, perform work in front of each driveway while maintaining access to the other driveways.

Existing Items to Remain

The Contractor shall use care around existing trees, plantings, fences, walls, steps and driveways that are indicated on the plans to remain. Damage to these items during construction shall be repaired or replaced at the Contractor's expense. No trees, other than those shown on the plan to be removed, shall be cut without the approval of the Engineer and the City Forester; the abutting property owners shall be notified in accordance with the City's Administrative Procedure Memorandum No. 6-2.

The Contractor shall use care around all utilities to remain. All costs to protect existing pipe and structures shall be incidental to construction. If storm sewer pipe or structures that are to remain are removed and replaced to complete portions of the work under this contract, all storm sewer work shall be included in the unit price for associated work. Protection of existing structures, which may include temporary plating or ramping with gravel or temporary pavement as necessary shall be considered incidental to the work being performed. All private storm sewer discharges shall be maintained for all properties in the project area.

Coordination with Adjacent Properties

Improvements to the Villager Mall building, (2300 S Park St) will be constructed by others during the timeframe of this contract. Improvements by others include roofing work, building waterproofing work and on-site concrete improvements.

Access to perform the proposed contract work in the alley of the Villager Mall will be provided to the Contractor from August 1, 2017 to August 21, 2017. Coordinate with the management of the Villager Mall:

Off-Site Property Manager: Eric Boswell Office: 608-630-9284 / Cell: 608-658-6022

Email: eboswell@sg-re.com

On-Site Property Manager / Engineer: Jamah Johnson

Office: 608-385-5748 / Cell: 608-257-2660 Email: jjohnson@sgtechservice.com

Coordination with Private Utilities

This project will require coordination with private utility companies. There are existing utilities located within the project limits that are to remain. The Contractor will be responsible for coordination and providing work space for any conflict resolution work that will need to be performed by the private utility companies. It will be the responsibility of the Contractor to work with the utilities located in the right of way to resolve conflicts during the construction process and provide working area for installation of new facilities.

Madison Gas & Electric (Gas)

Contact Steve Beversdorf, (608) 252-1552, cell (608) 444-9620 for coordination questions regarding gas main.

Madison Gas & Electric (Electric)

Contact Rich Parker, (608) 252-7379, email: rparker@mge.com for coordination questions regarding electrical facilities.

AT&T

Contact Carol Anason; office (608) 252-2385, cell (920) 475-2799 for coordination questions regarding AT&T facilities.

Charter Communications

Contact Tom Payne; office (608) 288-6839, cell (608) 574-3331 to coordinate work with Charter Communications.

No trees shall be cut without the approval of the Engineer and the City Forester; the abutting property owners shall be notified in accordance with the City's Administrative Procedure Memorandum No. 6-2.

Meetings

The Contractor shall attend bi-weekly construction coordination meetings for the duration of the project. These meetings will be held to coordinate with area businesses and private utilities to discuss upcoming schedule and impacts to adjacent properties. The first meeting will be held a minimum of one week prior to starting construction. The Contractor shall provide a project schedule update at each meeting so that the project schedule can be discussed by the attendees.

SECTION 107.6 DUST PROOFING

The Contractor shall take all necessary steps to control dust arising from operations connected with this contract. When ordered by the Engineer, the Contractor shall dust proof the construction area by using power sweepers and water. Dust proofing shall be incidental with operations connected with this contract.

SECTION 107.7 MAINTENANCE OF TRAFFIC

All signing and barricading shall conform to Part VI of the Federal Highways Administrations "Manual on Uniform Traffic Control Devices" (MUTCD), the State of Wisconsin Standard Facilities Development Manual (including Chapter 16 – Standard Detail Drawings) and the City of Madison Standards for sidewalk and bikeway closures.

A traffic control plan for Badger Road is provided in the plan set. The traffic control plan is a schematic representation of the traffic control. It shall not be considered to scale. The contractor shall not use the traffic control plan to represent quantity of drums. Drums shall be spaced per M.U.T.C.D. The contractor shall maintain all lanes shown on the traffic control plan except as noted below. If the plan contains any contradictions to the MUTCD, the MUTCD will take precedence over the plan. Any changes to the traffic control plan must be approved by the City Traffic Engineer. Submit all traffic control change requests to the construction engineer at least 3 working days prior to an actual traffic control change. A request does not constitute approval. If the plan contains any contradictions to the MUTCD, the MUTCD will take precedence over the plan. Any changes to the traffic control plan must be approved by the City Traffic Engineer.

The Contractor shall be responsible for installing and maintaining traffic control in accordance with the approved Traffic Control Plan and as directed by the City Traffic Engineer. The traffic control plan may need to be altered as conditions change in the field or as unexpected conditions occur. This may include relocating existing traffic control or providing additional traffic control. The Contractor shall install and maintain any necessary modifications or additions to the traffic control, as directed by the City Traffic Engineer, at no cost to the City.

The Contractor may remove parking within the project limits as indicated on the Traffic Control Plan. The Contractor shall be responsible for posting and maintaining NO PARKING signs in accordance with City of Madison Police Department's "Guidelines for Temporary No Parking Restrictions for Construction or Special Events".

Hughes Place

Work on Hughes Place shall be phased such that access to the South Madison Police Station located at 825 Hughes Place is maintained at all times. Phase the utility construction on Hughes Place so that when work is taking place east of the Police Station driveway, Hughes Place remains open to traffic from Cypress Way to the Police Station driveway. When work is taking place west of the Police Station

driveway Hughes Place shall be open to traffic from S Park Street to the Police Station driveway. Maintain access to the Police Station on either existing pavement or compacted millings of the pulverized asphalt on Hughes Place. Hughes place may be closed to through traffic as described above for the duration of the project. Local and emergency vehicle access shall be maintained at all times.

Cypress Way

Cypress Way may be closed to through traffic, at the project limits, for the duration of the project. Do not close Cypress Way until utility work is ready to commence on Cypress Way

West Badger Road

One lane in each direction on West Badger Road shall be maintained at all times. Phase traffic as shown in the traffic control plan. Use flaggers to maintain two-way traffic during off-peak traffic hours when necessary. No lanes closures or flagging operations shall be done during the hours of 7:00am to 8:30am or 4:00pm to 5:30pm.

All ingress/egress movements from Metro driveways shall be accommodated. Traffic control placement may need to be adjusted in the field to facilitate Metro buses turning off of or onto Badger Rd from Metro's driveway.

Contractor shall place portable changeable message boards at least one week in advance of the start of work, notifying the public of the start of construction. One portable changeable message board will be required for each direction of traffic on W Badger Road. Contractor shall locate the portable changeable message boards as directed by the Engineer.

South Park Street

All traffic lanes on South Park Street shall remain open at all times for the duration the project.

The Contractor shall not remove traffic signs. For removal or replacement of traffic and parking signs, contact the City of Madison Traffic Engineering Field Operations, 1120 Sayle Street, 266-4767, 8:00 a.m. to 4:00 p.m., a minimum of 2 working days in advance of when any existing signs need to be removed. This service is provided free of charge. If the contractor removes the signs, the contractor will be billed for the reinstallation of, and any damage to, the signing equipment. The contractor shall notify The City of Madison Traffic Engineering Field Operations, 1120 Sayle Street, 266-4767 upon completion of final landscaping to have permanent signs reinstalled. The contractor shall expect a minimum of seven working days to have permanent signs reinstalled. The contractor shall leave in place all necessary traffic control until given notice by the construction engineer that permanent signing is in place and temporary traffic control may be removed.

The work areas shall be backfilled, plated, or protected by traffic control devices during non-working hours. If steel plates are used, the Contractor shall notify the City of Madison Streets Division, 266-4681, (1) working day prior to placement of the plates.

No construction equipment or materials shall be stored in the roadway or street right-of-way that is open to traffic during non-working hours. Construction equipment and materials are not to be stored within the street right-of-way that is outside the project limits as shown on the approved plan.

Contact Mark Winter City of Madison Traffic Engineering at 266-6543 for questions on this spec.

SECTION 107.8 NOTIFICATION WHEN CLOSING STREET

All Contractors shall give the Traffic Engineer (266-4761) notice of their intent to begin work on any street at least seventy-two (72) hours in advance. The Contractor shall not remove traffic signs. For removal or replacement of traffic and parking signs, contact the City of Madison Traffic Engineering Field Operations, 1120 Sayle Street, 266-4767, 8:00 a.m. to 4:00 p.m., a minimum of one (1) working day in advance of when any existing signs need to be removed. This service is provided free of charge. If the Contractor removes the signs, the Contractor will be billed for the reinstallation of, and any damage to, the signing equipment.

SECTION 107.10: OPENING OF SECTION OF HIGHWAY TO TRAFFIC

The Contractor shall notify the Traffic Engineering Field Operations Facility in writing so that the Traffic Engineering Division can install traffic control signs and barricades prior to the opening of the street. Traffic Engineering shall have five (5) working days once the project site is restored with topsoil, seed and mulch to install signs and pavement marking. The Contractor shall maintain his/her traffic control and barricades until the Traffic Engineering Division has completed their work.

SECTION 108.2 PERMITS

The City of Madison has obtained a City of Madison Erosion Control Permit.

The Contractor shall meet the conditions of the permits by properly installing and maintaining the erosion control measures shown on the plans, specified in these Special Provisions, or as directed by the Construction Engineer or his designees. This work will be paid for under the appropriate contract bid items or, if appropriate items are not included in the contract, shall be paid for as Extra Work. A copy of the permit is available at the City of Madison, Engineering Division office.

This permit covers trench dewatering to a maximum of 70 gallons/minute from the project, provided appropriate control measures are in place. The City's obtaining this permit is not intended to be exhaustive of all permits that may be required to be obtained by the Contractor for construction of this project. It shall be the responsibility of the Contractor to identify and obtain any other permits needed for construction.

The Contractor shall refer to section 210.6 Erosion Control Implementation and Enforcement for additional information on the requirements regarding this topic.

SECTION 109.2 PROSECUTION OF WORK

The Contractor shall begin work on <u>JUNE 26, 2017</u>. The completion date for work on the Contract shall be **NOVEMBER 3, 2017**.

Work in the Villager Mall Alley, Including final surface later of HMA pavement, shall be performed between the dates of **August 1, 2017 and August 21, 2017**.

Work shall begin only after the start work letter is received. If it is desirable to begin work before or after the above-mentioned date, the Contractor shall establish a mutually acceptable date with the City Engineer, and the agreed upon date must be determined prior to the preconstruction meeting.

The Contractor shall limit workdays to 7:00 a.m. to 7:00 p.m. unless approved by the Engineer in writing.

BID ITEM 20336 - PIPE PLUG

With regard to the City of Madison Standard Specifications for Public Works Construction 2015 Edition Article 203.2(c), any pipe found in a trench that is less than 10" in diameter while installing a sewer facility shall be considered incidental to the pipe being installed.

Any pipe plugs required to abandon or remove sewer access structure (pipes directly connected to the structure) shall be considered incidental to abandoning or removing the structure regardless of the size of the pipe being abandoned.

One (1) - 18" plug is expected for storm sewer work.

SECTION 210.1(d) STREET SWEEPING

When required, either by the erosion control plan or the Construction Engineer, the Contractor shall perform mechanical street sweeping on all streets or paved surfaces affected by construction equipment, hauling or related construction activities that result in mud tracking or siltation. Mechanical street sweeping shall be completed as directed by the Construction Engineer and shall remove all loose material to the satisfaction of the Construction Engineer. Depending on site conditions, construction activities, and hauling methods utilized by the Contractor mechanical street sweeping may be required multiple times throughout the day with an absolute minimum that all streets are clean at the end of the work day. Areas not accessible by mechanical street sweepers may require hand scraping with shovels.

SECTION 210.6 <u>EROSION CONTROL IMPLEMENTATION AND ENFORCEMENT</u>

Timely action regarding the maintenance of erosion control practices is critical to compliance with the City of Madison's land disturbance permits as issued both by the WDNR and the City. To allow the City to be assured of compliance with these permits, and federal, state and local laws, the Contractor shall be required to proceed in the following manner with regard to the maintenance of these practices.

In the event an erosion control practice is determined by the Engineer or their designee to require maintenance, or if the terms of the erosion control permit are not being met, the Engineer shall order the Contractor, in writing, to maintain the erosion control practice/device or comply with the terms of the permit. The contractor shall have forty eight (48) hours to complete that work and provide documentation that it has been completed to the Engineer.

Failure to complete the work within the forty eight (48) hours shall result in any or all of the following actions by the Engineer:

- 1) The Contractor shall be charged one (1) day of liquidated damages for failure to complete the work during the ordered timeframe and an additional day of liquidated damages for each twenty four (24) hour period that passes after the initial forty eight (48) hours during which time the ordered work is not completed.
- 2) At the Engineer's discretion, the work ordered may be completed by City Forces. In this case, the Contractor shall be charged the liquidated damages as described in 1 above and shall be charged the full cost of City Forces responding to complete the ordered work.
- 3) At the Engineer's discretion, work on the project as a whole may be suspended under Section 109.6 until such time as the Contractor completes the originally ordered work. In this case, the Contractor shall still be charged liquidated damages as described in 1 above. Additionally, days of work will continue to be charged during the suspension of work. If this results in the Contractor failing to complete the project within the allotted contract time then additional liquidated damages shall be charged.

Notwithstanding the foregoing, the failure to comply with an order under this Section may constitute a default under Section 109.10.

The Engineer's decision under this Section may be reviewed under Section 105.2.

ARTICLE 401 CRUSHED AGGREGATE BASE COURSE

The clear stone base course and the crushed stone base course shall be placed on the same day as the existing stone base is removed.

The Contractor shall maintain a minimum of six (6") inches of stone base course (existing or new) on all portions of the roadway open to vehicle access. No additional compensation will be given for stone used to maintain the six (6") required for access.

Crushed stone base course shall be used for bringing temporary ramps to grade. This material shall be reused after ramp is removed.

The material commonly known as crusher run or breaker run shall be used in undercut areas as designated by the Engineer.

ARTICLE 500 <u>SEWER AND SEWER STRUCTURES GENERAL</u>

The sewer designer for the project is Kyle Frank. He may be contacted at (608) 266-4098 or kfrank@cityofmadison.com.

STORM SEWER GENERAL

Storm sewer pipe work shall include installing approximately 1830 feet of new storm sewer of various sizes ranging from 12" to 42".

Reconnection of existing pipes at new or existing structures, or new pipes at new or existing structures, shall be considered to be part of the work required to construct the new structure or to construct the new sewer pipe and shall not be rewarded with additional compensation. However, if the structure being removed is larger than the new structure, thus requiring additional pipe, the new pipe shall be paid under the appropriate bid item and the connection of the old pipe to the new pipe shall be accomplished with a concrete collar.

Where a new structure is to be constructed at an existing pipe, it is expected that the contractor shall saw cut the existing pipe in the required location to accommodate the placement of the new structure. If the contractor for his or her convenience deems it more suitable to remove the existing pipe to a full joint, the additional pipe and concrete collar required to reconnect to the new structure stall be the contractor's responsibility and shall not be compensated.

Connection of new pipes to existing structures shall be accommodated with a Storm Sewer Tap – Bid Item 50792.

Precast structures are only allowed where field poured structures are not specifically called for, and no precast structures are allowed until ULO's are completed and approval of the design engineer has been received.

BID ITEM 50390 - SEWER ELECTRONIC MARKERS

With regard to the City of Madison Standard Specifications for Public Works Construction Latest Edition Article 503.3(c), each sanitary lateral shall have a minimum of two (2) electronic markers with the City providing the Contractor with the required number of electronic markers. For sanitary laterals which only include the installation of a wye, a marker ball shall be installed directly above the wye connection to the main.

BID ITEM 50801 - UTILITY LINE OPENING (ULO)

The work under this item shall be completed in accordance with Article 508 of the Standard Specifications for Public Works Construction. It is the discretion of the contractor to locate utilities by either a trench excavation or by a pothole technique. However, the contractor shall not be compensated more than once for multiple utilities located within a maximum distance of five (5) feet long.

SECTION 701 PROVISIONS FOR WATER INSTALLATION AND ABANDONMENT

The Water Utility designer for the project is Adam Wiederhoeft. He may be contacted at (608) 266-9121 or awiederhoeft@madisonwater.org.

The proposed water system improvements in this Contract include furnishing and installing approximately 850-feet of new 8-inch diameter ductile iron water main and associated valves, hydrants and service lateral connections on Hughes PI from S Park St to Cypress Way (see Sheets W-1 to W-2). The project also includes installing one utility offset on W Badger Rd (see Sheet U-1).

Once the new systems have passed the required pressure and water quality tests, cut off, extend as necessary, and reconnect the existing water service laterals to the new water mains (unless the service is to be abandoned). Services will be reconnected to the new main as shown on the plans. Service lateral work in conflict with tree protection specifications and/or damaged service laterals may require relocation or replacement of the lateral. Any service lateral work other than what is designated on the plans must be authorized in advance by the Water Utility Inspector and will be paid under BID ITEM: 70053 – REPLACE 1-INCH COPPER SERVICE LATERAL.

The water main construction also includes concrete work, such as curb & gutter removal and replacement at various locations, as designated on the plans. Payment shall be made only for authorized and required curb replacement in the designated areas. Additional removal and replacement work to accommodate water main construction must be authorized by the Water Utility Construction Inspector or Engineer during construction to be considered for payment.

Take all necessary precautions to protect the existing Madison Water Utility system and ensure its proper functioning during construction.

View the site prior to bidding and become familiar with existing conditions and utilities.

SECTION 702 MATERIALS

Furnish all materials, labor and equipment necessary to complete this project except any proposed tapping sleeves, tapping valves and tapping valve boxes. Water Utility will furnish the tapping sleeves, tapping valve boxes, and the crew to perform the taps.

SECTION 703 CONSTRUCTION METHODS

Perform all work in accordance with these provisions and the City of Madison Standard Specifications, current edition. Keep all valves accessible and functioning throughout the duration of the work or directed otherwise by the Water Utility representative.

ACCESS REQUIREMENTS

During all water construction activities, vehicle driveway access must be maintained, or otherwise provided by work-phasing or other temporary access measures, to all non-residential properties located along the project. Coordinate access needs, as applicable, with contacts provided in the 'Water Shut-Off and Notification Requirements' section below. This requirement and any associated work to accommodate shall be incidental to the water main construction in this contract.

WATER SHUT-OFF AND NOTIFICATION REQUIREMENTS

In addition to the water shut-off and notification requirements in the Standard Specifications, the following requirements apply to water work under this Contract:

The Village on Park - 2300 S Park St

For water shut-offs affecting the Village on Park mall, provide at least <u>ONE WEEK</u> in advance of the anticipated service interruption, which must occur on a <u>SUNDAY</u>. Coordinate with both property managers to establish an agreeable date/time and mall tenant notification / communication plan.

Off-Site Property Manager: Eric Boswell Office: 608-630-9284 / Cell: 608-658-6022

Email: eboswell@sg-re.com

On-Site Property Manager / Engineer: Jamah Johnson

Office: 608-385-5748 / Cell: 608-257-2660 Email: jjohnson@sgtechservice.com

Sunday water service interruptions will impact operations at the following locations, and possibly additional – also provide direct <u>ONE WEEK</u> notice and coordinate outage with the following mall tenants and minimize disturbance to existing operations to the greatest extent practical:

Madison College – South Campus – 2238 S Park St (Sunday hours: 11:30-5:00)

General Information: (608) 243-4200 Email: southinfo@madisoncollege.edu

Lane's Bakery & Coffee – 2304 S Park St (non-customer hours/bakery operations)

Phone: (608) 251-0532

Contact: Becky Lane or Chuck Lane

Yue-Wah Oriental Foods – 2328 S Park St (Sunday hours: 9:30 am – 7:30 pm)

Phone: (608) 257-9338 (Owner operated)

McDonald's - 2402 S Park St

For water shut-offs affecting McDonald's restaurant at 2402 S Park St, provide at least <u>ONE WEEK</u> in advance of the anticipated service interruption, which must occur on a <u>SUNDAY</u>. Coordinate with restaurant managers to establish an agreeable date/time/plan.

Restaurant Supervisor: Kris Walker Main: 608-251-1993 / Cell: 920-650-7330

Corporate representative of location – Contact: Todd at 608-635-3550

South District Police Station - 825 Hughes PI

For water shut-offs affecting the South District Police Station, provide at least <u>TWO WORKING DAYS</u> in advance of the anticipated service interruption, which must <u>NOT</u> occur between the hours of 12:00 pm and 3:00 pm, on any day. Coordinate with Captain John Patterson.

Captain John Patterson – City of Madison Police Department – South District

Desk: 608-267-8687

Email: jpatterson@cityofmadison.com

Early Childhood Learning Center, Inc. - 833 Hughes PI

For water shut-offs affecting the Early Childcare Learning Center, provide at least <u>TWO WORKING DAYS</u> in advance of the anticipated service interruption, which must occur on a <u>SATURDAY OR SUNDAY</u>. Coordinate with Nisreen Madhloom or Joyce Baggel.

Nisreen Madhloom – 608-628-7450 Joyce Baggel – 608-219-3673

General: 608-251-8127 - Email: eclc@eclcenter.org

WATER UTILITY GENERAL NOTES FOR SPECIFIC WORK:

WN1	Replace the existing lead service with a new copper service.
WN2	Extend and reconnect the existing copper service to the new water main.
WN3	Existing service to be abandoned when water main is cut-off.
WN4	Disconnect service from the old water main and reconnect the existing copper water service lateral to the new water main.
WN5	Relocate the existing fire hydrant.
WN6	Abandon water valve access structure.
WN7	Furnish and install the new top section for the water access structure.
WN8	Abandon the valve box.
WN9	Furnish the ditch, compaction and all materials and labor for the installation of new service lateral.
WN10	Remove and salvage existing hydrant.
WN11	Replace the existing copper service with a new copper service.

BID ITEM 70053 - REPLACE 1-INCH COPPER SERVICE LATERAL

Service lateral work in conflict with tree protection specifications and/or damaged service laterals may require relocation or replacement of the lateral. Any service lateral work other than what is designated on the plans must be authorized in advance by the Water Utility Inspector. Refer to Section 704.10 - Method of measurement and payment in this contract shall be per <u>each</u> completed service replacement, and also includes abandonment of the existing curb box.

BID ITEM 90001 - REMOVE CHAIN LINK FENCE

DESCRIPTION

Work under this item shall be accomplished in accordance with Section 204 of the Wisconsin Department of Transportation Standard Specifications and as hereinafter provided.

CONSTRUCTION METHODS

Remove Chain Link Fence shall be constructed as shown in the plans and in accordance with Section 204 of the Wisconsin Department of Transportation Standard Specifications.

METHOD OF MEASUREMENT

Remove Chain Link Fence shall be measured as linear feet of Fence removed in accordance with Section Section 204 of the Wisconsin Department of Transportation Standard Specifications.

BASIS OF PAYMENT

Remove Chain Link Fence shall be paid at the contract price per linear foot, which shall be full compensation for all work, materials, equipment, and incidentals and disposal necessary to complete the work as described.

BID ITEM 90002 - INSTALL CHAIN LINK FENCE

DESCRIPTION

Work under this item shall be accomplished in accordance with Section 616.3.3-Chain Link Fence of the Wisconsin Department of Transportation Standard Specifications, as shown in the plans and as hereinafter provided. Work under this item shall include all work, materials, equipment, and incidentals required to Install Chain Link Fence in accordance with Section 616.3.3 Chain Link Fence.

CONSTRUCTION METHODS

Install Chain Link Fence shall be constructed as shown in the plans and in accordance with Section 616.3.3-Chain Link Fence of the Wisconsin Department of Transportation Standard Specifications.

METHOD OF MEASUREMENT

Install Chain Link Fence shall be measured as linear feet of fence successfully installed and accepted work.

BASIS OF PAYMENT

Install Chain Link Fence shall be paid at the contract price per linear foot, which shall be full compensation for all work, materials, equipment, and incidentals necessary to complete the work as described. Note the costs for installation of (1) 4-foot wide gate in each fenced enclosure shall be incidental to the contract price per linear foot of Chain Link Fence successfully installed.

BID ITEM 90003 – 7-INCH CONCRETE SLOPE PAVING

DESCRIPTION

Work under this item shall include all work, materials, equipment, and incidentals required to construct 7-Inch Concrete Slope Paving as shown in the plans and as hereinafter provided. The 7-Inch Concrete Slope Paving shall be constructed as shown in the plans and in accordance with Part III of the Standard Specifications for Public Works Construction.

CONSTRUCTION METHODS

7-Inch Concrete Slope Paving shall be constructed as shown in the plans and in accordance with Part III of the Standard Specifications for Public Works Construction.

METHOD OF MEASUREMENT

7-Inch Concrete Slope Paving shall be measured as square feet of concrete installed for all completed and accepted work.

BASIS OF PAYMENT

7-Inch Concrete Slope Paving shall be paid at the contract price per square foot, which shall be full compensation for all work, materials, reinforcing steel, equipment, and incidentals to complete the work as described.

BID ITEM 90004- REMOVE, SALVAGE AND REINSTALL BOULDER RETAINING WALL

DESCRIPTION

Work under this item shall include all work, materials, equipment, and incidentals required to Remove, Salvage and Reinstall Boulder Retaining Wall. Remove, Salvage and Reinstall Boulder Retaining Wall shall be constructed as shown in the plans and in accordance with Part II of the Standard Specifications for Public Works Construction and in accordance with S.D.D. 2.06.

CONSTRUCTION METHODS

Remove, Salvage and Reinstall Boulder Retaining Wall shall be constructed as shown in the plans and in accordance with Part II of the Standard Specifications for Public Works Construction.

METHOD OF MEASUREMENT

Remove, Salvage and Reinstall Boulder Retaining Wall shall be measured as linear feet of Boulder Retaining Wall for all completed and accepted work.

BASIS OF PAYMENT

Remove, Salvage and Reinstall Boulder Retaining Wall shall be paid at the contract price per linear foot, which shall be full compensation for all work, materials, equipment, and incidentals to complete the work as described.

BID ITEM 90030 - 6'X7' STORM SAS

DESCRIPTION

Work under this item includes construction of a new 6' x 7' field poured storm structure, providing and installing two (2) castings (Two R-1050-0054), setting and adjustment of the castings to the grade as called out in the plan set or as directed in the field. The 6' x 7' field poured SAS shall have steel reinforcement and wall dimensions as described below:

- a. Roof thickness increased to 10" in vertical thickness.
- b. Roof reinforcement shall be #6 bars 4" on center is in the long dimension with #6 bars on 8" centers in the short dimension.
- Diagonal (45 degree) bars shall be provided around the cutouts for the two SAS castings on the structure.
- d. Long bars shall be centered 3" above the bottom of the roof with crossing bars tied above.
- e. The walls and floor shall be reinforced with #6 bars on 12" centers in both directions.
- Floor thickness shall be 10".

The Contractor shall either use epoxy coated steel for all reinforcement or shall provide concrete mix that is made with XYPEX C-1000 in accord with the manufactures recommendations. The option is the Contractors. Decision shall be document in writing to the City of Madison Construction Engineer.

The minimum compressive strength at twenty-eight (28) days for all concrete used on this project shall be four thousand (4000) pounds per square inch.

This item shall be constructed in accordance with Part III and V of the City of Madison Standard Specifications for Public Works Construction.

MEATHOD OF MEASUREMENT

Structure shall be measured as each completed unit. The contract price shall include furnishing all materials necessary to perform the work, including castings unless specified to include a salvaged casting; excavation; installation and removal of sheeting and bracing; disposal of surplus material from the excavation; backfilling the excavation and compaction of the backfill material; preparation of the foundation; construction of the structure, including connections; cleaning out the structure; restoring the site; and all other work incidental to the installation of sanitary sewer access structures.

BASIS OF PAYMENT

Structure shall be measured as described above which shall be full payment for all work, materials, and incidentals required to complete the work in accordance with the description.

BID ITEM 90031 - 36" RCP 45 DEGREES PRECAST BEND

DESCRIPTION

Where shown on the drawings, the Contractor shall provide a 36" RCP 45 degrees pipe bend. This bend should be a precast concrete bend.

Where precast sections are combined to form a precast bend, adequate reinforcing from each section shall be exposed and tied together. A reinforced concrete collar shall then be provided around the entire perimeter of this joint. Collar shall be sized to provide a minimum of 2-inch coverage over all reinforcing and strength equivalent to the rest of the pipe section. The interior of the joint shall be finished smooth to match the interior of adjoining surfaces.

METHOD OF MEASUREMENT

Individual or multiple precast bend sections that are assembled to provide the total angle required will be measured for payment as a single precast bend.

BASIS OF PAYMENT

36" RCP 45 Degrees Precast Bend shall be paid for according to the unit price bid. Price bid shall include all materials, labor and equipment necessary for a complete installation as specified in the description.

BID ITEM 90032 - 42" RCP 45 DEGREES PRECAST BEND

DESCRIPTION

Where shown on the drawings, the Contractor shall provide a 42" RCP 45 degrees pipe bend. This bend should be a precast concrete bend.


Where precast sections are combined to form a precast bend, adequate reinforcing from each section shall be exposed and tied together. A reinforced concrete collar shall then be provided around the entire perimeter of this joint. Collar shall be sized to provide a minimum of 2-inch coverage over all reinforcing and strength equivalent to the rest of the pipe section. The interior of the joint shall be finished smooth to match the interior of adjoining surfaces.

METHOD OF MEASUREMENT

Individual or multiple precast bend sections that are assembled to provide the total angle required will be measured for payment as a single precast bend.

BASIS OF PAYMENT

42" RCP 45 Degrees Precast Bend shall be paid for according to the unit price bid. Price bid shall include all materials, labor and equipment necessary for a complete installation as specified in the description.



10	1	_ 1
 (,	-In	C.J

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.

LOG OF TEST BORING

Project Hughes Place Madison, Wisconsin Location

Boring No. 1A Surface Elevation (ft) 43.1 Job No. **C03040-12** Sheet 1 of 1

				2011 00	RRY STREET, MADISON, WIS. 53713 (608) 288-4100, FAX (608) 288-7887				
***	SA	MPL	E.	⇒oii ke	VISUAL CLASSIFICATION	SOIL	PRO	PEF	RTIE	S
No.	Rec	Moist	N	Depth (ft)	and Remarks	qu (qa) (tsf)	W	LL	PL	LI
1	11111	M	AS		1" Asphalt/1.5" Deteriorated Asphalt/12" Base Course	(1517)				
2	12	M	7		6" Dark Brown Clayey TOPSOIL Stiff, Brown Lean CLAY, Trace Sand and Gravel (CL)	(1.75)				
3	18	. M	25	L 	Medium Dense, Brown Fine SAND, Little Silt, Trace Gravel (SP-SM)		and the state of t			
					End Boring at 5 ft					
					Borehole backfilled with soil cuttings		- Port of			
	1	L	W	ATER	LEVEL OBSERVATIONS	GENERA	LNC	TES	3	
Deptl	After h to W	Drilli	ng	NW	Driller J Logger	31/03 End I&J Chief JP Edito	3/31 JJ r ES	P F	Rig C] 45	ME

00	l	1
	INC.	

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.

LOG OF TEST BORING

Boring No. 1B Surface Elevation (ft) 43.5 Project Hughes Place Job No. **C03040-12** Sheet 1 of 1 Location Madison, Wisconsin

3011 PERRY STREET, MADISON, WIS. 53713 (608) 288-4100, FAX (608) 288-7887-

	SA	MPL	E		VISUAL CLASSIFICATION	SOIL PROPERTIES						
No.	Rec P(in.)	Moist	N	Depth (ft)	and Remarks	qu (qa) (tsf)	W	LL	PL	ΓI		
1		M	AS		3" Asphalt/11" Base Course							
2	18	М	9	 - 	FILL: Mix of Dark Brown Clayey Topsoil and Brown Lean Clay Very Stiff, Brown Lean CLAY, Trace Sand & Gravel (CL)	(2.25)						
·						10				s		
3	1	M	25 /2"	 	Very Dense, Brown Fine SAND, Trace Silt (SP)							
				 5 	End Boring at 5 ft							
The state of the s					Borehole backfilled with soil cuttings							
			VALUE OF THE PROPERTY OF THE P	 	LEVEL OBSERVATIONS	SENERA	- NO	TES				
While	Drill	ing		W_	Upon Completion of Drilling NW Start 3/3	31/03 End	3/31/	03	0 *			
Time Deptl		Drillii ater	************		Driller J Logger Drill Metho	L&J Chief JP Editor	JP	R	ig CI 45			

CCC	Inc

LOG OF TEST BORING

Project Hughes Place Signature June 1 June 1

Boring No. 1C
Surface Elevation (ft) 43.3
Job No. C03040-12
Sheet 1 of 1

;					Location Madison, Wisconsin	Sheet	1	of,	1				
				-3011 PE	ERRY STREET, MADISON, WIS. 53713 (608) 288-4100, FAX (608) 288-7887-							
	SA	MPL	E		VISUAL CLASSIFICATION	SOIL PROPERTIES							
No. H	Rec in.)	Moist	N	Depth (ft)	and Remarks	qu (qa) (tsf)	W	LL	PL	LI			
1		M	AS		3" Asphalt/7" Base Course			A THE REAL PROPERTY AND ASSESSMENT OF THE PROPERTY OF THE PROPERTY ASSESSMENT OF THE PROPERTY ASSESSMENT OF THE PROP					
2	12	M	7	 - - - - - - - -	FILL: Mix of Dark Brown Clayey Topsoil and Brown Lean Clay Very Stiff, Brown Lean CLAY, Trace Sand & Gravel (CL)	(2.25)							
3	12	M	100 /14"		Very Dense, Brown Fine SAND, Trace Silt (SP)								
			/14	 									
				 	End Boring at 4'8"								
					Borehole backfilled with soil cuttings								
			WA	ı	LEVEL OBSERVATIONS C	ENERA	L NC	TES	5				
					Upon Completion of Drilling NW Start 3/3	31/03 End	3/31	/03					

While Drilling

Time After Drilling

Depth to Water

Depth to Cave in

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.

Start 3/31/03 End 3/31/03

Driller J&J Chief JP Rig CME

Logger JP Editor ESF 45

Drill Method 6" FA



LOG OF TEST BORING

Project Hughes Place Su
Joi
Location Madison, Wisconsin Sh

Boring No. 2A
Surface Elevation (ft) 34,2
Job No. C03040-12
Sheet 1 of 1

3011 PERRY STREET, MADISON, WIS. 53713 (608) 288-4100, FAX (608) 288-7887												
	SA	MPL			VISUAL CLASSIFICATION	SOIL PROPERTIES						
No.	Rec	Moist	N	Depth (ft)	and Remarks	qu (qa) (tsf)	W	LL	ЪГ	LI		
1		M	AS		3" Asphalt/5" Base Course							
				Γ 	FILL: Mix of mostly Brown Lean Clay, Trace							
2	12	M	6	i i L	Sand, Gravel and Topsoil	(1525)						
]	 		(1.5-2.5)						
] - -	H							
				i -								
3	12	M	12	 <u> </u> 	[
,	12	171	3.67.0	i 		(1.5)						
				 - 	Medium Dense, Brown Fine SAND, Some Silt,	-		.5				
				 	Little Gravel (SM)							
		(Q		L I	190) 190)							
4	18	М	15									
				- 								
						*			1			
					End Boring at 7.5 ft	an			3			
				[[Borehole backfilled with soil cuttings							
				10-		A-61						
J	- L : :		W	ATEF	LEVEL OBSERVATIONS	GENERA	LN	ノーに	ა			
Whil	e Dril	ling		NW_	Upon Completion of Drilling NW Start 3/	31/03 End J&J Chie	3/3 f J	1/03 P	Rig C	ME		
	After h to V			-	▼ Logger	JP Edito	r E	SF	4:			
Dent	h to C	ave ir	ì	-	Drill Method							
The	stra	tifica	tion	lines r	epresent the approximate boundary between ion may be gradual.							

		-
	1	7
(Inc	
		11/
	C	C Inc

LOG OF TEST BORING

Location Madison, Wisconsin

Project Hughes Place Su Jo

Boring No. 2B
Surface Elevation (ft) 33.2
Job No. C03040-12
Sheet 1 of 1

SAMPLE No. No.	3011 PERRY STREET, MADISON, WIS. 53713 (608) 288-4100, FAX (608) 288-7887										
A Secondary Seco		SA	MPL		→UII K		SOIL PROPERTIE				
Time After Drilling While Drilling While Drilling While Drilling Why Time After Drilling Depth to Water	No.	-11	Moist	N	and the second second	and Remarks	(qa)	W	LL	PL	LI
Brown Lear Clay End Boring at 1.5 ft Borehole backfilled with soil cuttings Note: Original boring location offset 50 E due to utilities; boring terminated at 16° due to presence of storm box pipe. Offsetting of boring north or south would have aligned 2B near either 2A or 2C, respectively. WATER LEVEL OBSERVATIONS WATER LEVEL OBSERVATIONS WHIle Drilling VNW Upon Completion of Drilling NW Time After Drilling Depth to Water Depth to Water Depth to Gave in Drilling Case in Drill Method (F. FA.)	1		M	AS		3.5" Asphalt/7" Base Course					
Brown Lear Clay End Boring at 1.5 ft Borehole backfilled with soil cuttings Note: Original boring location offset 50 E due to utilities; boring terminated at 16° due to presence of storm box pipe. Offsetting of boring north or south would have aligned 2B near either 2A or 2C, respectively. WATER LEVEL OBSERVATIONS WATER LEVEL OBSERVATIONS WHIle Drilling VNW Upon Completion of Drilling NW Time After Drilling Depth to Water Depth to Water Depth to Gave in Drilling Case in Drill Method (F. FA.)					ľ F			5			
Brown Lear Clay End Boring at 1.5 ft Borehole backfilled with soil cuttings Note: Original boring location offset 50 E due to utilities; boring terminated at 16° due to presence of storm box pipe. Offsetting of boring north or south would have aligned 2B near either 2A or 2C, respectively. WATER LEVEL OBSERVATIONS WATER LEVEL OBSERVATIONS WHIle Drilling VNW Upon Completion of Drilling NW Time After Drilling Depth to Water Depth to Water Depth to Gave in Drilling Case in Drill Method (F. FA.)					<u> </u>	III FILL: Mix of Dark Brown Clavey Topsoil and					
Borehole backfilled with soil cuttings Note: Original boring location offset 50°E due to utilities; boring terminated at 1°6° due to presence of storm box pipe. Offsetting of boring north or south would have aligned 2B near either 2A or 2C, respectively. **Section 1.5** While Drilling NW Upon Completion of Drilling NW Start 3/31/03. End Driller J&J. Chief JP. Rig CME. Depth to Water Depth to Caye in Drill Method 6.7° &A.	2	0	M	2/6"	Į.	Brown Lean Clay					
Note: Original boring location offset 50°E due to utilities; boring terminated at 1′6° due to presence of storm box pipe. Offsetting of boring north or south would have aligned 2B near either 2A or 2C, respectively. WATER LEVEL OBSERVATIONS While Drilling V NW Upon Completion of Drilling NW Time After Drilling Depth to Water Depth to Water Depth to Water Depth to Kape in After Drilling Depth to Water Depth to Kape in After Drilling Depth to Water Depth to Kape in After Drilling Depth to Water Depth to Kape in After Drilling Depth to Water Depth to Kape in After Drilling Depth to Water Depth to Kape in After Drilling Depth to Water Depth to Kape in After Drilling Depth to Kape in After Drilling Depth to Water Depth to Kape in After Drilling Drill					<u></u>	End Boring at 1.5 ft					
water level observations While Drilling V NW Upon Completion of Drilling NW Depth to Water Depth to Water Depth to Cave in D					 - 	Borehole backfilled with soil cuttings					
water level observations While Drilling V NW Upon Completion of Drilling NW Depth to Water Depth to Water Depth to Cave in D					<u> </u>	Note: Original horing location offset 50'E due to					
boring north or south would have aligned 2B near either 2A or 2C, respectively. WATER LEVEL OBSERVATIONS WATER LEVEL OBSERVATIONS While Drilling V NW Upon Completion of Drilling NW Start 3/31/03 End Driller J&J Chief JP Rig CME. Denth to Cave in ESF 45. Drill Method 6" FA.					<u> </u>	utilities; boring terminated at 1'6" due to	- 61 - 63				
WATER LEVEL OBSERVATIONS While Drilling V NW Upon Completion of Drilling NW Time After Drilling Depth to Water Denth to Cave in Drill Method 6." FA.						presence of storm box pipe. Offsetting of boring north or south would have aligned					
WATER LEVEL OBSERVATIONS While Drilling VNW Upon Completion of Drilling NW Driller J&J Chief JP Rig CME Depth to Water Depth to Cave in Drill to Cave in Drill Method 6" FA					L	2B near either 2A or 2C, respectively.					
WATER LEVEL OBSERVATIONS While Drilling VNW Upon Completion of Drilling NW Driller J&J Chief JP Rig CME Depth to Water Depth to Cave in Drill to Cave in Drill Method 6" FA	'	13			ļ.						
WATER LEVEL OBSERVATIONS While Drilling VNW Upon Completion of Drilling NW Driller J&J Chief JP Rig CME Depth to Water Depth to Cave in Drill to Cave in Drill Method 6" FA					 -			8			
WATER LEVEL OBSERVATIONS While Drilling VNW Upon Completion of Drilling NW Driller J&J Chief JP Rig CME Depth to Water Depth to Cave in Drill to Cave in Drill Method 6" FA					į .						
WATER LEVEL OBSERVATIONS While Drilling					5-		E .				
WATER LEVEL OBSERVATIONS While Drilling					-						
WATER LEVEL OBSERVATIONS While Drilling					I						
WATER LEVEL OBSERVATIONS While Drilling						,					
WATER LEVEL OBSERVATIONS While Drilling					 						
WATER LEVEL OBSERVATIONS While Drilling					-						
WATER LEVEL OBSERVATIONS While Drilling					Ĺ						
WATER LEVEL OBSERVATIONS While Drilling											
WATER LEVEL OBSERVATIONS While Drilling											
WATER LEVEL OBSERVATIONS While Drilling					-	20					
WATER LEVEL OBSERVATIONS While Drilling					į –						
WATER LEVEL OBSERVATIONS While Drilling					i i	*					
WATER LEVEL OBSERVATIONS While Drilling					Γ 						
While Drilling ☐ NW Upon Completion of Drilling ☐ Depth to Water Depth to Cave in Upon Completion of Drilling ☐ Depth to Cave in NW Start 3/31/03 End 3/31/03 Driller J&J Chief JP Rig CME ☐ Logger JP Editor ESF 45 ☐ Drill Method 6" FA				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	and the same of the same	The state of the s	 GENER∆	I NC	TF:	S	
Time After Drilling Depth to Water Depth to Cave in Driller J&J Chief JP Rig CME Logger JP Editor ESF 45 Drill Method 6" FA			7/3					Zerreg ut		- W	
Depth to Water Logger JP Editor ESF 45 Depth to Cave in Drill Method 6" FA					NW_	Driller	J&J Chief	J	P]		
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.	Dept	h to V	Vater	-			JP Edito	r ES	SF	45	j
	Dept	n to C	tifica	tion	lines r	epresent the approximate boundary between ion may be gradual.	······································				

100		
10	L	_ 1
¬(,		[C, I]
	11 3	

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.

LOG OF TEST BORING

Project Hughes Place Location Madison, Wisconsin

Boring No. 2C Surface Elevation (ft) 34.0 Job No. C03040-12 Sheet 1 of 1

L				3011 PE	RRY S	TREET, MADISON, WIS. 53713 (608) 288-41	00, FAX (608	3) 288-7887				
SAMPLE						VISUAL CLASSIFICATIO	N	SOIL	PRO	PEF	RTIE	S
No.	T Y Rec P (in.)	Moist	N	Depth (ft)		and Remarks		qu (qa) (tsf)	W	LL	PL	LI
1		M	AS		X	1.5" Asphalt/2" Deteriorated Asphalt		_				
				 		FILL: Gray/Brown Lean Clay						
2	12	M	8		1115	Stiff to Very Stiff, Brown Lean CLAY, Sand, Few Brown Thin Fine Sand Seams	Trace s (CL)	(2.25)				
3	12	M	9	 - - 								1-1
		e e e e e e e e e e e e e e e e e e e					As .	(1.5)				,
				5	////	End Boring at 5 ft						
				 - - 	e de la company de la comp	Borehole backfilled with soil cutti	ings	v.				ž
				- - 		v						
<u> </u>	.1		W	ATER	LE	VEL OBSERVATIONS		GENERA	LNC	TES	}	
While Drilling VNW Upon Completion of Drilling NW Time After Drilling Depth to Water								31/03 End J&J Chief JP Editor od 6" FA	3/31 JI ES	R	tig CI 45	

SECTION E: BIDDERS ACKNOWLEDGEMENT

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

Bidder must state a Unit Price and Total Bid for each item. The Total Bid for each item must be the product of quantity, by Unit Price. The Grand Total must be the sum of the Total Bids for the various items. In case of multiplication errors or addition errors, the Grand Total with corrected multiplication and/or addition shall determine the Grand Total bid for each contract. The Unit Price and Total Bid must be entered numerically in the spaces provided. All words and numbers shall be written in ink.

1.	The undersigned having familiarized himself/herself with the Contract documents, including Advertisement for Bids, Instructions to Bidders, Form of Proposal, City of Madison Standard
	Specifications for Public Works Construction - 2017 Edition thereto, Form of Agreement, Form of
	Bond, and Addenda issued and attached to the plans and specifications on file in the office of the
	City Engineer, hereby proposes to provide and furnish all the labor, materials, tools, and
	expendable equipment necessary to perform and complete in a workmanlike manner the
	specified construction on this project for the City of Madison; all in accordance with the plans and
	specifications as prepared by the City Engineer, including Addenda Nos through
	to the Contract, at the prices for said work as contained in this proposal. (Electronic bids
	submittals shall acknowledge addendum under Section E and shall not acknowledge here)
2.	If awarded the Contract, we will initiate action within seven (7) days after notification or in
۷.	accordance with the date specified in the contract to begin work and will proceed with diligence to
	bring the project to full completion within the number of work days allowed in the Contract or by
	the calendar date stated in the Contract.
3.	The undersigned Bidder or Contractor certifies that he/she is not a party to any contract,
0.	combination in form of trust or otherwise, or conspiracy in restraint of trade or commerce or any
	other violation of the anti-trust laws of the State of Wisconsin or of the United States, with respect
	to this bid or contract or otherwise.
4.	I hereby certify that I have met the Bid Bond Requirements as specified in Section 102.5.
••	(IF BID BOND IS USED, IT SHALL BE SUBMITTED ON THE FORMS PROVIDED BY THE
	CITY. FAILURE TO DO SO MAY RESULT IN REJECTION OF THE BID).
5.	I hereby certify that all statements herein are made on behalf of
	(name of corporation, partnership, or person submitting hid)
	a corporation organized and existing under the laws of the State of
	a corporation organized and existing under the laws of the State of; an individual trading as; of the City of; state of; that I have examined and carefully prepared this Proposti,
	; of the City of State
	of; that I have examined and carefully prepared this Proposal,
	from the plans and specifications and have checked the same in detail before submitting this
	Proposal; that I have fully authority to make such statements and submit this Proposal in (its,
	their) behalf; and that the said statements are true and correct.
CICNIA	TUDE
SIGNA	TURE
TITLE,	IF ANY
Sworr	n and subscribed to before me this
	day of, 20
(Nota	ry Public or other officer authorized to administer oaths)
	ommission Expires

Bidders shall not add any conditions or qualifying statements to this Proposal.

SECTION F: BEST VALUE CONTRACTING

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

Best Value Contracting

active	Madison General Ordinance (M.G.O.), 33.07(7), does provide for some exemptions from the active apprentice requirement. Apprenticeable trades are those trades considered apprenticeable by the State of Wisconsin. Please check applicable box if you are seeking an exemption.				
	Contractor has a total skilled workforce of four or less individuals in all apprenticeable trades combined.				
	No available trade training program; The Contractor has been rejected by the only available trade training program, or there is no trade training program within 90 miles.				
	Contractor is not using an apprentice due to having a journey worker on layoff status, provided the journey worker was employed by the contractor in the past six months.				
	First-time Contractor on City of Madison Public Works contract requests a onetime exemption but intends to comply on all future contracts and is taking steps typical of a "good faith" effort.				
	Contractor has been in business less than one year.				
	Contractor doesn't have enough journeyman trade workers to qualify for a trade training program in that respective trade.				
	An exemption is granted in accordance with a time period of a "Documented Depression" as defined by the State of Wisconsin.				
The Contractor shall indicate on the following section which apprenticeable trade on this contract. Compliance with active apprenticeship, to the extent requipation 33.07(7), shall be satisfied by documentation from an applicable trade trapprenticeship contract with the Wisconsin Department of Workforce Developing agency in another state; or the U.S Department of Labor. This documentation is the Contractor beginning work on the project site.					
	The Contractor has reviewed the list and shall not use any apprenticeable trades on this project.				

LIST	APPRENTICABLE TRADES (check all that apply to your work to be performed on this contract)
	BRICKLAYER
	CARPENTER
	CEMENT MASON / CONCRETE FINISHER
	CEMENT MASON (HEAVY HIGHWAY)
	CONSTRUCTION CRAFT LABORER
	DATA COMMUNICATION INSTALLER
	ELECTRICIAN
	ENVIRONMENTAL SYSTEMS TECHNICIAN / HVAC SERVICE TECH/HVAC INSTALL / SERVICE
	GLAZIER
	HEAVY EQUIPMENT OPERATOR / OPERATING ENGINEER
	INSULATION WORKER (HEAT & FROST)
_	IRON WORKER
	IRON WORKER (ASSEMBLER, METAL BLDGS)
	PAINTER & DECORATOR
	PLASTERER
	PLUMBER
_	RESIDENTIAL ELECTRICIAN
	ROOFER & WATER PROOFER
	SHEET METAL WORKER
	SPRINKLER FITTER
	STEAMFITTER
	STEAMFITTER (REFRIGERATION)
	STEAMFITTER (SERVICE)
	TAPER & FINISHER
	TELECOMMUNICATIONS (VOICE, DATA & VIDEO) INSTALLER-TECHNICIAN
	TILE SETTER

SECTION G: BID BOND

KNOW ALL MEN BY THESE PRESENT, THAT Principal and Surety, as identified below, are held and firmly bound unto the City of Madison, (hereinafter referred to as the "Obligee"), in the sum of five per cent (5%) of the amount of the total bid or bids of the Principal herein accepted by the Obligee, for the payment of which the Principal and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

The conditions of this obligation are such that, whereas the Principal has submitted, to the City of Madison a certain bid, including the related alternate, and substitute bids attached hereto and hereby made a part hereof, to enter into a contract in writing for the construction of:

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

- 1. If said bid is rejected by the Obligee, then this obligation shall be void.
- 2. If said bid is accepted by the Obligee and the Principal shall execute and deliver a contract in the form specified by the Obligee (properly completed in accordance with said bid) and shall furnish a bond for his/her faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith, and shall in all other respects perform the agreement created by the acceptance of said bid, then this obligation shall be void.

If said bid is accepted by the Obligee and the Principal shall fail to execute and deliver the contract and the performance and payment bond noted in 2. above executed by this Surety, or other Surety approved by the City of Madison, all within the time specified or any extension thereof, the Principal and Surety agree jointly and severally to forfeit to the Obligee as liquidated damages the sum mentioned above, it being understood that the liability of the Surety for any and all claims hereunder shall in no event exceed the sum of this obligation as stated, and it is further understood that the Principal and Surety reserve the right to recover from the Obligee that portion of the forfeited sum which exceed the actual liquidated damages incurred by the Obligee.

The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no way impaired or affected by an extension of the time within which the Obligee may accept such bid, and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, on the day and year set forth below.

Seal	PRINCIPAL		
	Name of Principal		-
	Ву		Date
	Name and Title		-
Seal	SURETY		
	Name of Surety		-
	Ву		Date
	Name and Title		-
Nationa authorit	ıl Provider No	for the year,	above company in Wisconsin under and appointed as attorney in fact with bond referred to above, which power
Date		Agent Signature	
		Address	
		City, State and Zip Code	
		Telephone Number	

NOTE TO SURETY & PRINCIPAL

The bid submitted which this bond guarantees shall be rejected if the following instrument is not attached to this bond:

Power of Attorney showing that the agent of Surety is currently authorized to execute bonds on behalf of the Surety, and in the amounts referenced above.

Certificate of Biennial Bid Bond

TIME PERIOD - VALID (FROM/TO)		
NAME OF SURETY		
NAME OF CONTRACTOR		
NAME OF CONTRACTOR		
CERTIFICATE HOLDER		
City of Madison, Wisconsin		
This is to certify that a biennial bid bond issued by the above-named Surety is currently on file with the		
City of Madison.		
This contificate is issued as a matter of information and conveys no rights upon the contificate helder and		
This certificate is issued as a matter of information and conveys no rights upon the certificate holder and		
does not amend, extend or alter the coverage of the biennial bid bond.		
Cancellation: Should the above policy be cancelled before the expiration date, the issuing Surety will give		
thirty (30) days written notice to the certificate holder indicated above.		
O'contract A there's a LOcation to Decrease to the		
Signature of Authorized Contractor Representative		
Data		
Date		

SECTION H: AGREEMENT

Sevent	AGREEMENT made this een between on, Wisconsin, hereinafter called th			•	
	EAS, the Common Council of the second counci	e of authority	\prime vested in the said		
NOW, follows	THEREFORE, the Contractor and:	d the City, f	or the consideration	n hereinafter nar	ned, agree as
1.	Scope of Work. The Contractor following listed complete work o Standard Specifications, Supple all items of work covered or stipu	r improvemei mental Speci	nt in full compliance fications, Special P	with the Plans, rovisions and cor	Specifications, ntract; perform

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

furnish, unless otherwise provided in the contract, all materials, implements, machinery, equipment, tools, supplies, transportation, and labor necessary to the prosecution and completion

- 2. **Completion Date/Contract Time.** Construction work must begin within seven (7) calendar days after the date appearing on mailed written notice to do so shall have been sent to the Contractor and shall be carried on at a rate so as to secure full completion <u>SEE SPECIAL PROVISIONS</u>, the rate of progress and the time of completion being essential conditions of this Agreement.
- 3. **Contract Price.** The City shall pay to the Contractor at the times, in the manner and on the conditions set forth in said specifications, the sum of ______(\$_____) Dollars being the amount bid by such Contractor and which was awarded to him/her as provided by law.
- 4. **Affirmative Action.** In the performance of the services under this Agreement the Contractor agrees not to discriminate against any employee or applicant because of race, religion, marital status, age, color, sex, disability, national origin or ancestry, income level or source of income, arrest record or conviction record, less than honorable discharge, physical appearance, sexual orientation, gender identity, political beliefs, or student status. The Contractor further agrees not to discriminate against any subcontractor or person who offers to subcontract on this contract because of race, religion, color, age, disability, sex, sexual orientation, gender identity or national origin.

The Contractor agrees that within thirty (30) days after the effective date of this agreement, the Contractor will provide to the City Affirmative Action Division certain workforce utilization statistics, using a form to be furnished by the City.

If the contract is still in effect, or if the City enters into a new agreement with the Contractor, within one year after the date on which the form was required to be provided, the Contractor will provide updated workforce information using a second form, also to be furnished by the City. The second form will be submitted to the City Affirmative Action Division no later than one year after the date on which the first form was required to be provided.

The Contractor further agrees that, for at least twelve (12) months after the effective date of this contract, it will notify the City Affirmative Action Division of each of its job openings at facilities in Dane County for which applicants not already employees of the Contractor are to be considered. The notice will include a job description, classification, qualifications and application procedures

of the work or improvements:

and deadlines. The Contractor agrees to interview and consider candidates referred by the Affirmative Action Division if the candidate meets the minimum qualification standards established by the Contractor, and if the referral is timely. A referral is timely if it is received by the Contractor on or before the date started in the notice.

Articles of Agreement Article I

The Contractor shall take affirmative action in accordance with the provisions of this contract to insure that applicants are employed, and that employees are treated during employment without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national original and that the employer shall provide harassment free work environment for the realization of the potential of each employee. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation and selection for training including apprenticeship insofar as it is within the control of the Contractor. The Contractor agrees to post in conspicuous places available to employees and applicants notices to be provided by the City setting out the provisions of the nondiscrimination clauses in this contract.

Article II

The Contractor shall in all solicitations or advertisements for employees placed by or on behalf of the Contractors state that all qualified or qualifiable applicants will be employed without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national origin.

Article III

The Contractor shall send to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding a notice to be provided by the City advising the labor union or worker's representative of the Contractor's equal employment opportunity and affirmative action commitments. Such notices shall be posted in conspicuous places available to employees and applicants for employment.

Article V

The Contractor agrees that it will comply with all provisions of the Affirmative Action Ordinance of the City of Madison, including the contract compliance requirements. The Contractor agrees to submit the model affirmative action plan for public works contractors in a form approved by the Affirmative Action Division Manager.

Article VI

The Contractor will maintain records as required by Section 39.02(9)(f) of the Madison General Ordinances and will provide the City Affirmative Action Division with access to such records and to persons who have relevant and necessary information, as provided in Section 39.02(9)(f). The City agrees to keep all such records confidential, except to the extent that public inspection is required by law.

Article VII

In the event of the Contractor's or subcontractor's failure to comply with the Equal Employment Opportunity and Affirmative Action Provisions of this contract or Section 39.03 and 39.02 of the Madison General Ordinances, it is agreed that the City at its option may do any or all of the following:

1. Cancel, terminate or suspend this Contract in whole or in part.

- 2. Declare the Contractor ineligible for further City contracts until the Affirmative Action requirements are met.
- 3. Recover on behalf of the City from the prime Contractor 0.5 percent of the contract award price for each week that such party fails or refuses to comply, in the nature of liquidated damages, but not to exceed a total of five percent (5%) of the contract price, or five thousand dollars (\$5,000), whichever is less. Under public works contracts, if a subcontractor is in noncompliance, the City may recover liquidated damages from the prime Contractor in the manner described above. The preceding sentence shall not be construed to prohibit a prime Contractor from recovering the amount of such damage from the non-complying subcontractor.

Article VIII

The Contractor shall include the above provisions of this contract in every subcontract so that such provisions will be binding upon each subcontractor. The Contractor shall take such action with respect to any subcontractor as necessary to enforce such provisions, including sanctions provided for noncompliance.

Article IX

The Contractor shall allow the maximum feasible opportunity to small business enterprises to compete for any subcontracts entered into pursuant to this contract. (In federally funded contracts the terms "DBE, MBE and WBE" shall be substituted for the term "small business" in this Article.)

- 5. Substance Abuse Prevention Program Required. Prior to commencing work on the Contract, the Contractor, and any Subcontractor, shall have in place a written program for the prevention of substance abuse among its employees as required under Wis. Stat. Sec. 103.503.
- 6. Contractor Hiring Practices.

Ban the Box - Arrest and Criminal Background Checks. (Sec. 39.08, MGO)

This provision applies to all prime contractors on contracts entered into on or after January 1, 2016, and all subcontractors who are required to meet prequalification requirements under MGO 33.07(7)(I), MGO as of the first time they seek or renew pre-qualification status on or after January 1, 2016. The City will monitor compliance of subcontractors through the pre-qualification process.

a. Definitions. For purposes of this section, "Arrest and Conviction Record" includes, but is not limited to, information indicating that a person has been questioned, apprehended, taken into custody or detention, held for investigation, arrested, charged with, indicted or tried for any felony, misdemeanor or other offense pursuant to any law enforcement or military authority.

"Conviction record" includes, but is not limited to, information indicating that a person has been convicted of a felony, misdemeanor or other offense, placed on probation, fined, imprisoned or paroled pursuant to any law enforcement or military authority.

"Background Check" means the process of checking an applicant's arrest and conviction record, through any means.

- **b. Requirements.** For the duration of this Contract, the Contractor shall:
 - 1. Remove from all job application forms any questions, check boxes, or other inquiries regarding an applicant's arrest and conviction record, as defined herein.

- 2. Refrain from asking an applicant in any manner about their arrest or conviction record until after conditional offer of employment is made to the applicant in question.
- 3. Refrain from conducting a formal or informal background check or making any other inquiry using any privately or publicly available means of obtaining the arrest or conviction record of an applicant until after a conditional offer of employment is made to the applicant in question.
- 4. Make information about this ordinance available to applicants and existing employees, and post notices in prominent locations at the workplace with information about the ordinance and complaint procedure using language provided by the City.
- 5. Comply with all other provisions of Sec. 39.08, MGO.
- **c. Exemptions:** This section shall not apply when:
 - 1. Hiring for a position where certain convictions or violations are a bar to employment in that position under applicable law, or
 - 2. Hiring a position for which information about criminal or arrest record, or a background check is required by law to be performed at a time or in a manner that would otherwise be prohibited by this ordinance, including a licensed trade or profession where the licensing authority explicitly authorizes or requires the inquiry in question.

To be exempt, Contractor has the burden of demonstrating that there is an applicable law or regulation that requires the hiring practice in question, if so, the contractor is exempt from all of the requirements of this ordinance for the position(s) in question.

HUGHES PLACE STORM RELIEF AND RESURFACING - 2017 CONTRACT NO. 7895

IN WITNESS WHEREOF, the Contractor has hereunto set his/her hand and seal and the City has caused these presents to be sealed with its corporate seal and to be subscribed by its Mayor and City Clerk the day and year first above written.

Countersigned:				
Ü		Company Name		
Witness	Date	President		Date
Witness	Date	Secretary		Date
CITY OF MADISON, WISCONSIN	N			
Provisions have been made to that will accrue under this contract		Approved as to form:		
Finance Director		City Attorney		
Signed this	day of		, 20	
Witness		Mayor		Date
Witness		City Clerk		Date

SECTION I: PAYMENT AND PERFORMANCE BOND

	SE PRESENTS, that we			
as	principal,	and		
Company ofas surety, are held and firmly bound unto the City of Madison, Wisconsin, in the sum of(\$) Dollars, lawful money of the United States, for the payment of which sum to the City of Madison, we hereby bind ourselves and our espective executors and administrators firmly by these presents.				
	d is such that if the above bounden shall on his/he the Contract entered into between him/herself and the			
HUGHES F	PLACE STORM RELIEF AND RESURFACIN CONTRACT NO. 7895	IG - 2017		
prosecution of said work, a in the prosecution of said	and shall pay all claims for labor performed and mand save the City harmless from all claims for damage work, and shall save harmless the said City from all onsin Statutes) of employees and employees of subcord force, virtue and effect.	es because of negligence claims for compensation		
Signed and sealed this	Signed and sealed thisday of			
Countersigned:	Company Name (Princip	pal)		
Witness	President	Seal		
Secretary				
Approved as to form:	Surety Salary Employee	Seal Commission		
City Attorney	By Attorney-in-Fact			
National Producer Number	been duly licensed as an agent for the above comportion of the year, and apport this payment and performance bond which power or	ointed as attorney-in-fact		
Date	Agent Signature			