




Legend

⊗ Denotes Boring Location

Notes

1. Soil Borings performed by America's Drilling Co. in September 2022
2. Boring locations are approximate

Scale: Reduced

| | | |
|----------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Job No. C22051-14 |  | SOIL BORING LOCATION MAP Hudson Avenue Area Madison, Wisconsin |
| Date: 9/2022 | | |



LOG OF TEST BORING

Project Hudson Ave. Area
 Sommers: 190'E of Hudson, 5'N of Centerline
 Location Madison, WI

Boring No. 1
 Surface Elevation (ft) 886±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|-----------|--------------|-------|-------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---|----|----|
| No. | TYPE E | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL |
| | | | | | 5 | 5 in. Asphalt Pavement/4.5 in. Concrete Pavement/7 in. Base Course | | | | |
| 1 | | 8 | M | 5 | | | | | | |
| | | | | | 9 | Very Stiff, Brown Lean CLAY (CL - Possible Fill to 3') | | | | |
| 2 | | 12 | M | 9 | | | | | | |
| | | | | | 17 | Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) (Very Dense near 5.5' due to probable cobble or boulder) | | | | |
| 3 | | 0 | - | 50/2" | | | | | | |
| | | | | | 23 | End of Boring at 15 ft Backfilled with bentonite chips and asphalt patch | | | | |
| 4 | | 16 | M | 17 | | | | | | |
| | | | | | 34 | | | | | |
| 5 | | 14 | M | 23 | | | | | | |
| | | | | | 34 | | | | | |
| 6 | | 12 | M | 34 | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/15/22 End 9/15/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
Hudson: 65'N of Oakridge, 9'E of Centerline
 Location Madison, WI

Boring No. 2
 Surface Elevation (ft) 881±
 Job No. C22051-14
 Sheet 1 of 1

2921 Ferry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | | | | | |
|---------------------------------------------------|-----------|--------------|-------|----|--------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------|---|----|----|-------|--|--|--|--|
| No. | TYPE E | Rec (in.) | Moist | N | | Depth (ft) | qu (qa) (tsf) | W | LL | PL | LOI | | | | |
| | | | | | 0 | 5 in. Asphalt Pavement/7 in. Base Course | | | | | | | | | |
| 1 | | 10 | M | 7 | 7 | Stiff to Medium Stiff, Brown Lean CLAY (CL) | | | | | (1.5) | | | | |
| 2 | | 14 | M | 5 | 11 | Becoming Sandy Near 4' | | | | | (1.0) | | | | |
| 3 | | 0 | - | 48 | 15 | Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | | | | | | |
| 4 | | 18 | M | 18 | 18 | | | | | | | | | | |
| 5 | | 10 | M | 22 | 22 | | | | | | | | | | |
| 6 | | 10 | M | 22 | 22 | | | | | | | | | | |
| End of Boring at 15 ft | | | | | | | | | | | | | | | |
| Backfilled with bentonite chips and asphalt patch | | | | | | | | | | | | | | | |

| WATER LEVEL OBSERVATIONS | | | | | GENERAL NOTES | | | | | | | | | | |
|--------------------------|-------------------------------------|----|-----------------------------|--------------------------|---------------|--------|---------|--------|---------|--------------|-----------------------|-------|----|-----|--------|
| While Drilling | <input checked="" type="checkbox"/> | NW | Upon Completion of Drilling | <input type="checkbox"/> | NW | Start | 9/16/22 | End | 9/16/22 | Driller | ADC | Chief | KD | Rig | CME-55 |
| Time After Drilling | | | | | | Logger | DB | Editor | ESF | Drill Method | 2.25" HSA; Autohammer | | | | |
| Depth to Water | | | | | | | | | | | | | | | |
| Depth to Cave in | | | | | | | | | | | | | | | |

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
Hudson: 100'S of Center, 10'E of Centerline
 Location Madison, WI

Boring No. 3
 Surface Elevation (ft) 889±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | w | LL | PL | LOI |
| | | | | | X | 6 in. Asphalt Pavement/4 in. Concrete Pavement | | | | |
| 1 | 10 | M | 7 | 7 | X | Very Stiff to Hard, Brown Lean CLAY (CL) | | | | |
| | | | | 5 | / | | | | | |
| 2 | 6 | M | 12 | 12 | / | (2.5) | | | | |
| | | | | 5 | - | | | | | |
| 3 | 10 | M | 25 | 25 | - | Medium Dense, Light Brown Fine to Medium SAND, Some Gravel, Little Silt (SP-SM) | | | | |
| | | | | 10 | - | | | | | |
| 4 | 12 | M | 24 | 24 | - | | | | | |
| | | | | 10 | - | | | | | |
| 5 | 12 | M | 25 | 25 | - | Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| | | | | 15 | - | | | | | |
| 6 | 18 | M | 31 | 31 | - | | | | | |
| | | | | 15 | - | End of Boring at 15 ft | | | | |
| | | | | 20 | - | Backfilled with bentonite chips and asphalt patch | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/16/22 End 9/16/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
Hudson: 110'S of Sommers, 10'E of Centerline
 Location Madison, WI

Boring No. 4
 Surface Elevation (ft) 888±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|--------------------------------------|----------------------------------------------------------------------------------------------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | w | LL | PL | LOI |
| | | | | 0 | X | 5 in. Asphalt Pavement/4 in. Concrete Pavement/ 2 in. Base Course | | | | |
| 1 | 0 | - | 5 | 5 | / | Brown Lean CLAY (CL - Possible Fill) | | | | |
| | | | | 9 | - | Loose, Brown Clayey Fine SAND (SC) | | | | |
| 2 | 12 | M | 9 | 13 | - | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| 3 | 12 | M | 13 | 19 | - | | | | | |
| 4 | 10 | M | 19 | 23 | - | | | | | |
| 5 | 10 | M | 19 | 23 | - | | | | | |
| 6 | 14 | M | 23 | 15 | - | | | | | |
| 15 | | | | | - | End of Boring at 15 ft Backfilled with bentonite chips and asphalt patch | | | | |
| | | | | 20 | - | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/16/22 End 9/16/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
Hudson: 60'S of Atwood, 6'E of Centerline
 Location Madison, WI

Boring No. 5
 Surface Elevation (ft) 883±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|-----------------------------------------------------------------------------------------------------------|---------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | W | LL | PL | LOI |
| | | | | | 5 in. Asphalt Pavement/5 in. Concrete Pavement | | | | | |
| 1 | 8 | M | 10 | | Stiff, Brown Lean CLAY, Trace Sand (CL) | (1.5) | | | | |
| 2 | 12 | M | 8 | | | (1.5) | | | | |
| 3 | 14 | M | 5 | | Loose to Very Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | | |
| 4 | 14 | M | 16 | | | | | | | |
| 5 | 16 | M | 24 | | | | | | | |
| 6 | 18 | M | 79 | | | | | | | |
| | | | | 15 | End of Boring at 15 ft Backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | 20 | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/15/22 End 9/15/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
 Center: 190'W of Miller, 6'N of Centerline
 Location Madison, WI

Boring No. 6
 Surface Elevation (ft) 884±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | | | | | | | | | | |
|--------|--------------|-------|----|---------------|--------------------------------------|----------------------------------------------------------------------------------------------------------|-------|----|----|-----|--|--|--|--|--|--|--|--|--|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | W | LL | PL | LOI | | | | | | | | | |
| | | | | | X | | | | | | | | | | | | | | |
| | | | | | X | 4 in. Asphalt Pavement/4 in. Concrete Pavement/ 3 in. Base Course | | | | | | | | | | | | | |
| 1 | 3 | M | 5 | 5 | / | Medium Stiff to Stiff, Brown Lean CLAY (CL - Possible Fill to 3') | (1.0) | | | | | | | | | | | | |
| | | | | | / | | | | | | | | | | | | | | |
| 2 | 12 | M | 8 | 8 | / | | (1.5) | | | | | | | | | | | | |
| | | | | | / | | | | | | | | | | | | | | |
| 3 | 10 | M | 24 | 24 | . | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | | | | | | | | | | |
| | | | | | . | | | | | | | | | | | | | | |
| 4 | 14 | M | 21 | 21 | . | | | | | | | | | | | | | | |
| | | | | | . | | | | | | | | | | | | | | |
| 5 | 12 | M | 25 | 25 | . | Medium Dense, Light Brown Fine to Medium SAND, Some Gravel, Little Silt (SP-SM) | | | | | | | | | | | | | |
| | | | | | . | | | | | | | | | | | | | | |
| 6 | 18 | M | 28 | 28 | . | | | | | | | | | | | | | | |
| | | | | | . | | | | | | | | | | | | | | |
| | | | | 15 | | - | - | | | | | | | | | | | | |
| | | | | | | - | - | | | | | | | | | | | | |
| | | | | 20 | | | | | | | | | | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/16/22 End 9/16/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
 Willard: 35'W of Hudson, 5'N of Centerline
 Location Madison, WI

Boring No. 7
 Surface Elevation (ft) 888±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|---------------------------------------------------|----------------------------------------------------------------------------------------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | w | LL | PL | LOI |
| | | | | 0 | X | 8 in. Asphalt Pavement/3 in. Base Course | | | | |
| 1 | 10 | M | 10 | 10 | X | (2.5) | | | | |
| | | | | 11 | X | Stiff, Brown Sandy Lean CLAY, Trace Gravel (CL) | | | | |
| 2 | 12 | M | 11 | 11 | X | (1.5) | | | | |
| | | | | 27 | X | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| 3 | 2 | M | 27 | 27 | X | | | | | |
| | | | | 15 | X | Medium Dense, Light Brown Fine to Medium SAND, Some Gravel, Little Silt (SP-SM) | | | | |
| 4 | 14 | M | 15 | 15 | X | | | | | |
| | | | | 18 | X | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| 5 | 14 | M | 18 | 18 | X | | | | | |
| | | | | 28 | X | Medium Dense, Light Brown Fine to Medium SAND, Some Gravel, Little Silt (SP-SM) | | | | |
| 6 | 14 | M | 28 | 28 | X | | | | | |
| 15 | | | | | End of Boring at 15 ft | | | | | |
| 20 | | | | | Backfilled with bentonite chips and asphalt patch | | | | | |

| WATER LEVEL OBSERVATIONS | GENERAL NOTES |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| While Drilling <input checked="" type="checkbox"/> <u>NW</u> Upon Completion of Drilling <input type="checkbox"/> <u>NW</u> Time After Drilling _____ Depth to Water _____ Depth to Cave in _____ | Start <u>9/15/22</u> End <u>9/15/22</u> Driller <u>ADC</u> Chief <u>KD</u> Rig <u>CME-55</u> Logger <u>DB</u> Editor <u>ESF</u> Drill Method <u>2.25" HSA; Autohammer</u> |

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
 Willard: 35'W of Miller, 6'N of Centerline
 Location Madison, WI

Boring No. 8
 Surface Elevation (ft) 875±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|--------------------------------------|----------------------------------------------------------------------------------------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | w | LL | PL | LOI |
| | | | | 0 | X | 4 in. Asphalt Pavement/5 in. Base Course | | | | |
| 1 | 6 | M | 4 | 4 | █ | FILL: Medium Stiff to Stiff Brown Clay Mixed with Sand and Topsoil | | | | |
| | | | | 8 | █ | | | | | |
| 2 | 6 | M | 9 | 9 | █ | (1.75) | | | | |
| | | | | 12 | █ | | | | | |
| 3 | 14 | M | 12 | 12 | █ | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| | | | | 16 | █ | | | | | |
| | | | | 20 | █ | | | | | |
| 4 | 12 | M | 16 | 16 | █ | | | | | |
| | | | | 20 | █ | | | | | |
| 5 | 16 | M | 20 | 20 | █ | | | | | |
| | | | | 26 | █ | | | | | |
| 6 | 16 | M | 26 | 26 | █ | | | | | |
| | | | | 15 | █ | End of Boring at 15 ft | | | | |
| | | | | 15 | █ | Backfilled with bentonite chips and asphalt patch | | | | |
| | | | | 20 | █ | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling
 Depth to Water
 Depth to Cave in

Start 9/15/22 End 9/15/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
 Willard: 65'W of Elmside, 4'N of Centerline
 Location Madison, WI

Boring No. 9
 Surface Elevation (ft) 875±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | W | LL | PL | LOI |
| | | | | | X | 5 in. Asphalt Pavement/4 in. Concrete Pavement/ 3 in. Base Course | | | | |
| 1 | 14 | M | 7 | | / | Stiff, Brown Lean CLAY (CL) | | | | |
| | | | | | - | | | | | |
| 2 | 0 | - | 30 | | . | Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| | | | | 5 | | | | | | |
| 3 | 6 | M | 12 | | | | | | | |
| | | | | | | | | | | |
| 4 | 12 | M | 11 | | | | | | | |
| | | | | 10 | | | | | | |
| 5 | 14 | M | 12 | | | | | | | |
| | | | | | | | | | | |
| 6 | 16 | M | 22 | | | | | | | |
| | | | | 15 | | End of Boring at 15 ft | | | | |
| | | | | | | Backfilled with bentonite chips and asphalt patch | | | | |
| | | | | 20 | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/15/22 End 9/15/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
 Miller: 45'N of Willard, 6'E of Centerline
 Location Madison, WI

Boring No. 10
 Surface Elevation (ft) 875±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | W | LL | PL | LOI |
| | | | | 0 | X | 5 in. Asphalt Pavement/5 in. Base Course | | | | |
| 1 | 6 | M | 9 | 9 | █ | FILL: Loose Brown Silty Sand with Gravel and Clay | | | | |
| 2 | 14 | M | 9 | 9 | █ | Loose to Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | |
| 3 | 12 | M | 18 | 18 | █ | | | | | |
| 4 | 14 | M | 19 | 19 | █ | | | | | |
| 5 | 10 | M | 23 | 23 | █ | | | | | |
| 6 | 12 | - | 26 | 26 | █ | | | | | |
| | | | | 15 | | End of Boring at 15 ft | | | | |
| | | | | 15 | | Backfilled with bentonite chips and asphalt patch | | | | |
| | | | | 20 | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/16/22 End 9/16/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
 Miller: 50'N of Center, 10'E of Centerline
 Location Madison, WI

Boring No. 11
 Surface Elevation (ft) 888±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|---------------------------------------------------|-----------------|-------|----|------------|--------------------------------------|------------------------------------------|---|----|----|-----|
| No. | Field Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | w | LL | PL | LOI |
| | | | | | X | 7 in. Asphalt Pavement/4 in. Base Course | | | | |
| 1 | 12 | M | 11 | | / | (3.0) | | | | |
| 2 | 14 | M | 13 | | / | (4.5+) | | | | |
| 3 | 12 | M | 22 | 5 | . | | | | | |
| 4 | 3 | M | 40 | 10 | . | | | | | |
| 5 | 14 | M | 28 | 15 | . | | | | | |
| 6 | 14 | M | 41 | 20 | . | | | | | |
| End of Boring at 15 ft | | | | | | | | | | |
| Backfilled with bentonite chips and asphalt patch | | | | | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/16/22 End 9/16/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Hudson Ave. Area
 Miller: 40'N of Sommers, 10'E of Centerline
 Location Madison, WI

Boring No. 12
 Surface Elevation (ft) 883±
 Job No. C22051-14
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

| SAMPLE | | | | | VISUAL CLASSIFICATION and Remarks | SOIL PROPERTIES | | | | |
|--------|--------------|-------|----|---------------|----------------------------------------------------------------------------------------------------------|---------------------|---|----|----|-----|
| No. | Rec (in.) | Moist | N | Depth (ft) | | qu (qa) (tsf) | W | LL | PL | LOI |
| | | | | | 5 in. Asphalt Pavement/6 in. Concrete Pavement/ 6 in. Base Course | | | | | |
| 1 | 6 | M | 5 | | FILL: Stiff Brown Clay with Sand and Gravel | (1.25) | | | | |
| | | | | | Stiff, Brown Sandy Lean CLAY (CL) | | | | | |
| 2 | 6 | M | 17 | | | (1.25) | | | | |
| | | | | 5 | | | | | | |
| 3 | 14 | M | 28 | | Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM) | | | | | |
| | | | | 10 | | | | | | |
| 4 | 10 | M | 15 | | | | | | | |
| | | | | 15 | | | | | | |
| 5 | 12 | M | 26 | | | | | | | |
| | | | | 20 | | | | | | |
| 6 | 14 | M | 20 | | | | | | | |
| | | | | 15 | End of Boring at 15 ft | | | | | |
| | | | | | Backfilled with bentonite chips and asphalt patch | | | | | |
| | | | | 20 | | | | | | |

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling NW
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/16/22 End 9/16/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.