



Legend

 Denotes Boring Location



Notes

1. Soil borings performed by ADC in May 2025
2. Boring locations are approximate

Scale: Reduced

Date: 5/2025
Job No. C25051-6



Soil Boring Location Map
Troy Dr and Green Ave
Madison, WI



LOG OF TEST BORING

Project **Troy Drive and Green Avenue**
Green: 310'S of Pine View, 12'E of Centerline
Location **Madison, WI**

Boring No. **1**
Surface Elevation (ft) **932±**
Job No. **C25051-6**
Sheet **1** of **1**

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE						VISUAL CLASSIFICATION and Remarks		SOIL PROPERTIES				
No.	TYPE	Rec (in.)	Moist	N	Depth (ft)			qu (qa) (tsf)	W	LL	PL	LOI
							6 in. Asphalt Pavement/9 in. Base Course					
1		2	M	4			FILL: Loose to Very Loose Brown Sand and Gravel with Silt					
2		8	M/W	5			Medium Stiff, Brown Sandy Lean CLAY (CL)					
					5			(0.6)				
3		10	M	42			Weathered to Competent, Light Brown to White Sandstone Bedrock					
4		12	M	19								
					10							
5		1	M	50/3"								
					15							
							End of Boring at 15 ft					
							Backfilled with Bentonite Chips and Asphalt Patch					
									</			

WATER LEVEL OBSERVATIONS						GENERAL NOTES					
While Drilling	☒	NW	Upon Completion of Drilling			Start	5/9/25	End	5/9/25	Rig CME-55	
Time After Drilling					10 Mins.	Driller	ADC	Chief	LD		
Depth to Water						Logger	KD	Editor	ESF		
Depth to Cave in					11.8'	Drill Method	2.25" HSA; Autohammer				
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.											



LOG OF TEST BORING

Project Troy Drive and Green Avenue
Troy: 135'SE of North Rd., 12'NE of Centerline
Location Madison, WI

Boring No. 2
Surface Elevation (ft) 933±
Job No. C25051-6
Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES					
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL	LOI
						6 in. Asphalt Pavement/9 in. Base Course					
1		4	M	11		FILL: Medium Dense Brown Sandy Gravel with Silt					
2		6	M	7		Stiff, Brown Lean CLAY, Some Sand (CL)					
					5		(1.25)				
3		10	M	9		Loose to Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
4		12	M	18							
					10						
5		6	M	70 /10"		Weathered to Competent, Light Brown to White Sandstone Bedrock					
6		2	M	50/3"							
					15						
7		2	M	50/3"							
8		1	M	50/2"							
					20						
						End of Boring at 20 ft					
						Backfilled with Bentonite Chips and Asphalt Patch					
					25						
WATER LEVEL OBSERVATIONS						GENERAL NOTES					
While Drilling ☒ NW Upon Completion of Drilling _____						Start <u>5/9/25</u> End <u>5/9/25</u>					
Time After Drilling _____ 10 Mins. ▼						Driller <u>ADC</u> Chief <u>LD</u> Rig <u>CME-55</u>					
Depth to Water _____						Logger <u>KD</u> Editor <u>ESF</u>					
Depth to Cave in _____ 15.4'						Drill Method <u>2.25" HSA; Autohammer</u>					
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.											

[illegible]



LOG OF TEST BORING

Project Troy Drive and Green Avenue
Troy: 75'E of Harper, 16'S of Centerline
Location Madison, WI

Boring No. 4
Surface Elevation (ft) 893±
Job No. C25051-6
Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES					
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL	LOI
						6 in. Asphalt Pavement/9 in. Base Course					
1		10	M	8		FILL: Loose Dark Gray Silt, with Sand and Gravel					
						Medium Stiff, Brown Lean CLAY (CL)					
2		14	M	2			(0.75)				
						Loose to Medium Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
3		6	M	5							
4		10	M	9							
5		8	M	23							
6		8	M	61/ 10"		Weathered to Competent, Light Brown to White Sandstone Bedrock					
						End of Boring at 15 ft					
						Backfilled with Bentonite Chips and Asphalt Patch					

WATER LEVEL OBSERVATIONS					GENERAL NOTES					
While Drilling	☒	NW	Upon Completion of Drilling		Start	5/9/25	End	5/9/25		
Time After Drilling				10 Mins.	Driller	ADC	Chief	LD	Rig	CME-55
Depth to Water					Logger	KD	Editor	ESF		
Depth to Cave in				11.8'	Drill Method	2.25" HSA; Autohammer				
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.										

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Troy Drive and Green Avenue
Troy: 135'E of Lerdahl, 12'N of Centerline
Location Madison, WI

Boring No. 6
Surface Elevation (ft) 892±
Job No. C25051-6
Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES					
No.	TYPE	Rec (in.)	Moist	N		Depth (ft)	qu (qa) (tsf)	W	LL	PL	LOI
						5 in. Asphalt Pavement/10 in. Base Course					
1		13	M	8		FILL: Loose Brown Sand with Some Gravel and Clay					
2		6	M	8							
					5						
3		10	M	22		Medium Dense to Dense, Brown Fine to Medium SAND, Some Silt and Gravel, Scattered Cobbles and Boulders (SM)					
4		0	M	48							
					10						
5		3	M	28							
6		10	M	19							
					15						
7		10	M	23							
8		12	M	55		Very Dense Near 19'					
					20						
						End of Boring at 20 ft					
						Backfilled with Bentonite Chips and Asphalt Patch					
					25						
WATER LEVEL OBSERVATIONS						GENERAL NOTES					
While Drilling ☒ NW Upon Completion of Drilling _____						Start <u>5/9/25</u> End <u>5/9/25</u>					
Time After Drilling _____ 15 Mins. ▼						Driller <u>ADC</u> Chief <u>LD</u> Rig <u>CME-55</u>					
Depth to Water _____						Logger <u>KD</u> Editor <u>ESF</u>					
Depth to Cave in _____ 13.8'						Drill Method <u>2.25" HSA; Autohammer</u>					
The stratification lines represent the approximate boundary between soil types and the transition may be gradual.											