Urgent Rush ROUTING:

Contract Routing Form

printed on: 09/08/2021

Contract between:

FER-PAL CONSTRUCTION USA, LLC

and Dept. or Division:

Engineering Division

Name/Phone Number:

Project: CIPP 2021 - E Johnson St

Contract No.: 9057

File No.: 66866

Enactment No.: RES-21-00576

Enactment Date: 09/07/2021

Dollar Amount: 206,450.00

(Please DATE before routing)

Signatures Required	Date Received	Date Signed
City Clerk	1 9/8/2021	1 9/8/2021
Director of Civil Rights	1 9/8/2021	1999/2021
Risk Manager	1 919121	19/9/21 mer
Finance Director	919,9121	19/9/21
City Attorney	1 9/9/21	9/9/2/
Mayor	1 9/9/2021	

Please return signed Contracts to the City Clerk's Office Room 103, City-County Building for filing.

Original + 2

Copies

09/08/2021 14:35:45 enjls - Pete Holmgren 261-5530



# City of Madison

City of Madison Madison, WI 53703 www.cityofmadison.com

# Legislation Details (With Text)

File #:

66866

Version: 1

Name:

Awarding Public Works Contract No. 9057, CIPP

2021 - E. Johnson St.

Type:

Resolution

Status:

Passed

File created:

8/6/2021

In control:

**Engineering Division** 

On agenda:

8/31/2021

Final action:

8/31/2021

Enactment date: 9/7/2021

Enactment #:

RES-21-00576

Title:

Awarding Public Works Contract No. 9057, CIPP 2021 - E. Johnson St. (12th AD)

Sponsors:

**BOARD OF PUBLIC WORKS** 

Indexes:

Code sections:

Attachments:

1. 9057BidOpeningTab.pdf, 2. 9057 contract.pdf

Date	Ver.	Action By	Action	Result
8/31/2021	1	COMMON COUNCIL	Adopt Under Suspension of Rules 2.04, 2.05, 2.24, and 2.25	Pass
8/18/2021	1	BOARD OF PUBLIC WORKS	RECOMMEND TO COUNCIL TO ADOPT UNDER SUSPENSION OF RULES 2.04, 2.05, 2.24, & 2.25 - REPORT OF OFFICER	Pass
8/6/2021	1	Engineering Division	Refer	

The proposed resolution authorizes awarding the contract for CIPP (Cured-In-Place Pipe) 2021 - East Johnson Street at a total estimated cost of \$222,970, including contingency. Funding for the project is available in Munis 13565-86-179. No additional appropriation is required.

Awarding Public Works Contract No. 9057, CIPP 2021 - E. Johnson St. (12th AD)

BE IT RESOLVED, that the following low bids for miscellaneous improvements be accepted and that the Mayor and City Clerk be and are hereby authorized and directed to enter into a contract with the low bidder contained herein, subject to the Contractor's compliance with Section 39.02 of the Madison General Ordinances concerning compliance with the Affirmative Action provisions and subject to the Contractor's compliance with Section 33.07 of the Madison General Ordinances regarding Best Value Contracting:

BE IT FURTHER RESOLVED, that the funds be encumbered to cover the cost of the projects contained herein.

See attached document (Contract No. 9057) for itemization of bids.

EN- Steve Danner-Rivers

CONTRACT NO. 9057 CIPP 2021 - E JOHNSON ST

FER-PAL CONSTRUCTION USA, LLC

\$ 206,450.00

Acct. No. 13566-86-179 Contingency 8%± \$ 206,450.00 <u>16,520.00</u>

**GRAND TOTAL** 


\$ 222,970.00

01/25/2001

01/25/2001

01/25/200

01/25/2001






Fire, Inland Marine and Other Properly Insurance

lability and incidental Medical Expense Insurance (other than automobile)

Legal Expense Insurance

Miscellaneous



Miscellaneous

Legal Expense Insurance

Fire, Inland Marine and Other Property Insurance

Liability and incidental Medical Expense Insurance (other than automobile)

Line of Business		Citation Type							Effective	Date
Ocean Marine Insurance		Ocean Marine Insurance					21111111111	01/25/20	01	
					First	Previous	1	2	Next	Last
Contact		A THE	entrage i vers agree versagene a	4 . 4F . F . F . F . F . F . F . F . F .	en en Cherta Anne est e deue des es	***************************************	e, Thirty restaur		a profite interpretation	wante and tra delate
Contact Type		referred Name	Name	E-mail	Phone	Address				
Registered Agent for Service of Process							CELSI N, W	OR DF	RVICE COI	
Company Merger										
No results found.	er (1885 projection) is a major metapo (1865 projection) of projection of the projec	2013 - Maria I. (1905) - Maria II (1906) - Maria II (1906) - Maria II (1906) - Maria II (1906) - Maria II (1906) - Maria II (1906) - Maria		e alle en	e a salanda deser de la salanda de la sal		and the second			
Name Change History	/									
Previous Name	New Name	an er				Effective Da	ite			
	Atlantic Specialty Insurance Company	y								

© 2021 National Association of Insurance Commissioners. All rights reserved.


CONTRACT NO. 9057 CIPP 2021 - E JOHNSON ST

FER-PAL CONSTRUCTION USA, LLC

\$ 206,450.00

Acct. No. 13566-86-179 Contingency 8%± **GRAND TOTAL** 

\$ 222,970.00





#### Demographics

Company Name: Atlantic Specialty Insurance Company

SBS Company Number: 54219564

Domicile Type: Foreign

NAIC Group Number: 4904 - Intact Financial Grp

Merger Flag: No

NAIC CoCode: 27154 State of Domicile: New York Organization Type: Stock

Short Name:

FEIN: 13-3362309

Country of Domicile: United States Date of Incorporation: 06/27/1986

#### Address

**Business Address** 605 N Hwy 169 Ste 800 Plymouth, MN 55441 United States

Mailing Address 605 N Hwy 169 Ste 800 Plymouth, MN 55441 United States

Statutory Home Office Address One State St Plaza Fl 31 New York, NY 10004

United States

Main Administrative Office Address

605 N Hwy 169 Ste 800 Plymouth, MN 55441 United States

#### Phone, Email, Website

Туре	Number
Fax Phone	(781) 332-7704
Business Primary Phone	(781) 332-7000
Business Primary Phone	(952) 852-0211
Business Primary Phone	(212) 440-6500
Business Primary Phone	(952) 852-2431
Business Primary Phone	(952) 852-0496

Email No results found. Website

No results found.

## Company Type

Company Type: Property and Casualty

Status: Active Effective Date: 06/07/2011 Issue Date: 01/25/2001

Articles of Incorporation Received: No

Status Reason: Legacy State ID: 111630

Approval Date: Article No:

Status Date: 01/25/2001

**Expiration Date:** File Date: COA Number:

#### **Appointments**

Show 10 v entries			Showing <b>211</b> to <b>220</b>	of 285 entries				Q	Fil	ter							
Licensee Name	License Number	NPN	License Type	Line of Authority Appointmen		Appointment Date		Appointment Date		Appointment Dat		) •	Effectiv	e Date	Ex	piration D	ate
LORINA GARCIA	18692090	18692090	Intermediary (Agent) Individual	Casualty	Casualty 07/18/20		07/18/2018		07/18/2018		03/08/2	021	03/	/15/2022			
JYNELL WHITEHEAD	18489097	18489097	Intermediary (Agent) Individual	Casualty		06/20/2018	3	***********	03/08/2	021	03/	/15/2022	manea				
JYNELL WHITEHEAD	18489097	18489097	Intermediary (Agent) Individual	Property 06/20		06/20/2018		NATION OF THE WAR AND THE PROPERTY OF		06/20/2018		03/		03/08/2021		03/15/2022	
SAMUEL BEGUN	18684812	18684812	Intermediary (Agent) Individual	Casualty	06/28/2018		*********	03/08/2021		03/08/2021		03/15/2022		100/1000/00/00			
SAMUEL BEGUN	18684812	18684812	Intermediary (Agent) Individual	Property	Property 06/28/2018			03/08/2021		03/08/2021 03/15/202		/15/2022	**********				
TANYA NGUYEN	18627225	18627225	Intermediary (Agent) Individual	Casualty	Casualty 06/20/2018		06/20/2018 03/08/2021		021	03/	/15/2022	***********					
TANYA NGUYEN	18627225	18627225	Intermediary (Agent) Individual	Property		06/20/2018	3		03/08/2021		2021 03/15/2022		100/1-00/00				
BETHANY STEVENSON	18493483	18493483	Intermediary (Agent) Individual	Casualty	***************************************	06/18/2018	3	03		03/08/2021		/15/2022	BURNING				
BETHANY STEVENSON	18493483	18493483	Intermediary (Agent) Individual	Property		06/18/2018	06/18/2018		03/08/2021		03/15/2022		***************************************				
CINDY LI	16961037	16961037	Intermediary (Agent) Individual	Casualty	06/22/2018		mandonios	03/08/2	021	03/	/15/2022	-					
					<u>First</u>	Previous	<u>20</u>	<u>21</u>	22	23	<u>24</u>	Next	Las				

#### Line Of Business

Show 10 💟 entries	Showing 1 to 10 of 12 entries Q Filter	
Line of Business	Citation Type	Effective Date
Aircraft	Aircraft	01/25/2001
Automobile	Automobile	01/25/2001
Credit Insurance	Credit Insurance	06/07/2011
Disability Insurance	Disability Insurance	06/07/2011
Fidelity Insurance	Fidelity Insurance	01/25/2001
Fire, Inland Marine and Other Property Insurance	Fire, Inland Marine and Other Property Insurance	01/25/2001
Legal Expense Insurance	Legal Expense Insurance	01/25/2001
Liability and Incidental Medical Expense Insurance (other than automobile)	Liability and Incidental Medical Expense Insurance (other than automobile)	01/25/2001
Miscellaneous	Miscellaneous 21 National Association of Insurance Commissioners. All rights reserved.	01/25/2001

Line of Business		Citation Type							Effective Date		
Ocean Marine Insurance		Ocean Marine Insu	rance		and the second consequence of the second				01/25/2001		
					<u>First</u>	Previous	1	2	<u>Next</u>	Last	
Contact				***************************************		1884 (***********************************	***************************************	*************		***************************************	
Contact Type		Preferred Name	Name	E-mail	Phone	Address			and the second	**************************************	
Registered Agent for Service of Process						3	CELSI N, WI	OR DE	EVICE COA		
Company Merger			arrich des Herrich Christian (1921)			THE STATE OF THE S	n negeri (marye)	***************************************	an tagen of the state of the st	100,000 to 0,000	
No results found.		e kalagoja kilokoja ja kilokoja ja ja kilokoja ja j		est canadalan en est lacencal de la ca Viviaca est del canada la canada de c	avillen und navensk ernen sit kan avillen und eller seit litter vid blev	endriten en drie de general contre		kanayayan maa			
Name Change History				An done and 11 to 12					00 TT 810 TO 10 10 10 10 10 10 10 10 10 10 10 10 10		
Previous Name	New Name					Effective Da	ıte		And an expensive finance of the second	***************************************	
	Atlantic Specialty Insurance Compar	ny	······································		A100 A100 A100 A100 A100 A100 A100 A100				Principle and a Change of Franke	VIII-173 160-11111	

# NAIC National Association of Insurance Commissioners





#### Demographics

Company Name: Atlantic Specialty Insurance Company SBS Company Number: 54219564

Basic Variation Services 54219

Domicile Type: Foreign

NAIC Group Number: 4904 - Intact Financial Grp

Merger Flag: No

NAIC CoCode: 27154 State of Domicile: New York Organization Type: Stock Short Name:

FEIN: 13-3362309

Country of Domicile: United States

Date of Incorporation: 06/27/1986

#### Address

Business Address 605 N Hwy 169 Ste 800 Plymouth, MN 55441 United States Mailing Address 605 N Hwy 169 Ste 800 Plymouth, MN 55441 United States Statutory Home Office Address One State St Plaza Fl 31 New York, NY 10004 United States Main Administrative Office Address 605 N Hwy 169 Ste 800 Plymouth, MN 55441 United States

## Phone, Email, Website

Туре	Number
Fax Phone	(781) 332-7704
Business Primary Phone	(781) 332-7000
Business Primary Phone	(952) 852-0211
Business Primary Phone	(212) 440-6500
Business Primary Phone	(952) 852-2431
Business Primary Phone	(952) 852-0496

No results found.

Website

No results found.

# Company Type

Company Type: Property and Casualty

Status: Active Effective Date: 06/07/2011 Issue Date: 01/25/2001

Issue Date: 01/25/2001 Articles of Incorporation Received: No Status Reason: Legacy State ID: 111630

Approval Date: Article No: Status Date: 01/25/2001

Expiration Date: File Date: COA Number:

#### **Appointments**

Licensee Name	License Number	NPN	License Type	Line of Authority	Appointment Date	Effective Date	<b>Expiration Date</b>	
CINDY LI	16961037	16961037	Intermediary (Agent) Individual	Property	06/22/2018	03/08/2021	03/15/2022	
DAVID HARRIS	2577970	2577970	Intermediary (Agent) Individual Casualty 06/29/2018		06/29/2018	03/08/2021 03/15/2022		
DAVID HARRIS	2577970	2577970	Intermediary (Agent) Individual	Property	06/29/2018	03/08/2021	03/15/2022	
MERCEDES PHOTHIRATH	18655914	18655914	Intermediary (Agent) Individual	Casualty	06/21/2018	03/08/2021	03/15/2022	
MERCEDES PHOTHIRATH	18655914	18655914	Intermediary (Agent) Individual	Property	06/21/2018	03/08/2021	03/15/2022	
FRANCES RODRIGUEZ	4644730	4644730	Intermediary (Agent) Individual	Property	10/26/2018	03/08/2021	03/15/2022	
FRANCES RODRIGUEZ	4644730	4644730	Intermediary (Agent) Individual	Casualty	10/26/2018	03/08/2021	03/15/2022	
JOANNE CZLAPINSKI	7231206	7231206	Intermediary (Agent) Individual	Casualty	01/16/2019	03/08/2021	03/15/2022	
JOANNE CZLAPINSKI	7231206	7231206	Intermediary (Agent) Individual	Property	01/16/2019	03/08/2021	03/15/2022	
THELMA LETT	7293061	7293061	Intermediary (Agent) Individual	Casualty	02/18/2019	03/08/2021	03/15/2022	

## Line Of Business

Show 10 v entries	Showing 1 to 10 of 12 entries Q Filter	
Line of Business	Citation Type	Effective Date
Aircraft	Aircraft	01/25/2001
Automobile	Automobile	01/25/2001
Credit Insurance	Credit Insurance	06/07/2011
Disability Insurance	Disability Insurance	06/07/2011
Fidelity Insurance	Fidelity Insurance	01/25/2001
Fire, Inland Marine and Other Property Insurance	Fire, Inland Marine and Other Property Insurance	01/25/2001
Legal Expense Insurance	Legal Expense Insurance	01/25/2001
Liability and Incidental Medical Expense Insurance (other than automobile)	Liability and Incidental Medical Expense Insurance (other than automobile)	01/25/2001
Miscellaneous	Miscellaneous 221 National Association of Insurance Commissioners. All rights reserved.	01/25/2001

Line of Business		Citation Type							Effective	Date		
Ocean Marine Insurance		Ocean Marine Insurance					Control and the figure of the first financial and figure of the first financial and figure of the first firs					
					<u>First</u>	Previous		2	<u>Next</u>	Last		
Contact				***************************************		***************************************		***************************************				
Contact Type		Preferred Name	Name	E-mail	Phone	Address						
Registered Agent for Service of Process							CELS N, W	IOR DE	RVICE COA	<i>A</i> PANY		
Company Merger			annugat a maritum our grown consent or my	and the second s	and the second s	Tillengen Henry om Hilliam og blir set		rational con	ratificani at gilder colli	J. 100 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 - 110 -		
No results found.												
Name Change History	1		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)					NO ac programmation	40,000,000,000,000,000			
Previous Name	New Name					Effective Da	ite	****************		***************************************		
	Atlantic Specialty Insurance Compan	у				-						

# BID OF FER-PAL CONSTRUCTION USA, LLC

2021

# PROPOSAL, CONTRACT, BOND AND SPECIFICATIONS

**FOR** 

CIPP 2021 - E JOHNSON ST

**CONTRACT NO. 9057** 

**MUNIS NO. 13566** 

IN

MADISON, DANE COUNTY, WISCONSIN

AWARDED BY THE COMMON COUNCIL MADISON, WISCONSIN ON AUGUST 31, 2021

> CITY ENGINEERING DIVISION 1600 EMIL STREET MADISON, WISCONSIN 53713

https://bidexpress.com/login

# CIPP 2021 – E JOHNSON ST CONTRACT NO. 9057

# INDEX

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS	A-
SECTION B: PROPOSAL SECTION	B-
SECTION C: DISADVANTAGED BUSINESS ENTERPRISE	C-
SECTION D. SPECIAL PROVISIONS	D-
SECTION E: BIDDER'S ACKNOWLEDGEMENT	E-
SECTION F: BEST VALUE CONTRACTING	F-
SECTION G: BID BOND.	
SECTION H: AGREEMENT	H-′
SECTION I: PAYMENT AND PERFORMANCE BOND	
SECTION J. DAVIS-BACON LABOR PROVISIONS	J-
SECTION K: DAVIS-BACON WAGE RATES	K-1

This Proposal, and Agreement have been prepared by:

CITY ENGINEERING DIVISION CITY OF MADISON MADISON, DANE COUNTY, WISCONSIN

7/22/2021

Adam Wiederhoeft, P.E. Madison Water Utility Int. Chief Engineer

PEH:



#### SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS

# REQUEST FOR BID FOR PUBLIC WORKS CONSTRUCTION CITY OF MADISON, WISCONSIN

#### A BEST VALUE CONTRACTING MUNICIPALITY

PROJECT NAME:	CIPP 2021 - E JOHNSON ST
CONTRACT NO.:	9057
DBE GOAL	8%
BID BOND	5%
DBE PRE BID MEETING	See Pre-Bid Meeting info below
PREQUALIFICATION APPLICATION DUE (2:00 P.M.)	July 29, 2021
BID SUBMISSION (2:00 P.M.)	August 5, 2021
BID OPEN (2:30 P.M.)	August 5, 2021
PUBLISHED IN WSJ	July 22, 2021 & July 29, 2021

DBE PRE BID MEETING: Meetings are not being held in person at this time. Contractors can schedule one-on-one phone calls with Juan Pablo Torres Meza in Affirmative Action to count towards good faith efforts. Juan Pablo can be reached at 608-261-9162 or by email, <a href="mailto:itorresmeza@cityofmdison.com">itorresmeza@cityofmdison.com</a>.

PREQUALIFICATION APPLICATION: Forms are available on our website, <a href="https://www.cityofmadison.com/business/pw/forms.cfm">www.cityofmadison.com/business/pw/forms.cfm</a>. If not currently prequalified in the categories listed in Section A, an amendment to your Prequalification will need to be submitted prior to the same due date. Postmark is not applicable.

BIDS TO BE SUBMITTED by hand to 1600 EMIL ST., MADISON, WI 53713 or online at www.bidexpress.com.

THE BID OPENING is at 1600 EMIL ST., MADISON, WI 53713.

The process for submission of bids has not changed. Bids may be submitted on line through Bid Express or in person at 1600 Emil St. Please note that the doors at 1600 Emil St. are locked, but there is a sign with phone numbers on the door. Please call one of the numbers and staff will come to the door to get your bid. Until further notice, the bid openings will be closed to the public to support the guidance of social distancing as the City responds to responsively to COVID-19 impacts to services. The bids will be posted on line after the bid opening. If you have any questions, please call Alane Boutelle at 608-267-1197, or John Fahrney at 608-266-9091.

#### STANDARD SPECIFICATIONS

The City of Madison's Standard Specifications for Public Works Construction - 2021 Edition, as supplemented and amended from time to time, forms a part of these contract documents as if attached hereto.

These standard specifications are available on the City of Madison Public Works website, www.cityofmadison.com/Business/PW/specs.cfm.

The Contractor shall review these Specifications prior to preparation of proposals for the work to be done under this contract, with specific attention to Article 102, "BIDDING REQUIREMENTS AND CONDITIONS" and Article 103, "AWARD AND EXECUTION OF THE CONTRACT." For the convenience of the bidder, below are highlights of three subsections of the specifications.

# DAVIS BACON COMPLIANCE PROVISIONS

The City of Madison is applying to fund portions of this contract through the Safe Drinking Water Loan Program (SDWLP) administered by the Wisconsin Department of Natural Resources. All work in this

一种的复数形式 医二种

contract is subsequently subject to the Davis-Bacon Compliance Provisions. The Contractor shall use the Davis-Bacon wage rate tables as issued by the U.S. Department of Labor. The contractor shall submit weekly payroll certification, utilizing the payroll form included in the contract documents, or equivalent.

See SECTION J: DAVIS-BACON LABOR PROVISIONS, and SECTION K: DAVIS-BACON WAGE RATES for additional information and specific Contract requirements.

#### AMERICAN IRON AND STEEL (AIS)

All iron and steel products provided by the Contractor shall be produced in the United States and comply with the American Iron and Steel Requirement (AIS). Contractor shall provide AIS Certification for all iron and steel products supplied in this Contract.

See SECTION D: SPECIAL PROVISIONS, SECTION 106.1: SOURCE AND SUPPLY AND QUALITY for additional information and specific Contract requirements.

#### SECTION 102.1: PRE-QUALIFICATION OF BIDDERS

In accordance with Wisconsin State Statutes 66.0901 (2) and (3), all bidders must submit to the Board of Public Works proof of responsibility on forms furnished by the City. The City requires that all bidders be qualified on a biennial basis.

Bidders must present satisfactory evidence that they have been regularly engaged in the type of work specified herein and they are fully prepared with necessary capital, materials, machinery and supervisory personnel to conduct the work to be contracted for to the satisfaction of the City. All bidders must be prequalified by the Board of Public Works for the type of construction on which they are bidding prior to the opening of the bid.

In accordance with Section 39.02(9)(a)l. of the General Ordinances, all bidders shall submit in writing to the Affirmative Action Division Manager of the City of Madison, a Certificate of Compliance or an Affirmative Action Plan at the same time or prior to the submission of the proof of responsibility forms.

The bidder shall be disqualified if the bidder fails to or refuses to, prior to opening of the bid, submit a Certificate of compliance, Affirmative Action Plan or Affirmative Action Data Update, as applicable, as defined by Section 39.02 of the General Ordinances (entitled Affirmative Action) and as required by Section 102.11 of the Standard Specifications.

#### SECTION 102.4 PROPOSAL

No bid will be accepted that does not contain an adequate or reasonable price for each and every item named in the Schedule of Unit Prices.

A lump sum bid for the work in accordance with the plans and specifications is required. The lump sum bid must be the same as the total amounts bid for the various items and it shall be inserted in the space provided.

All papers bound with or attached to the proposal form are considered a part thereof and must not be detached or altered when the proposal is submitted. The plans, specifications and other documents designated in the proposal form will be considered a part of the proposal whether attached or not.

A proposal submitted by an individual shall be signed by the bidder or by a duly authorized agent. A proposal submitted by a partnership shall be signed by a member/partner or by a duly authorized agent thereof. A proposal submitted by a corporation shall be signed by an authorized officer or duly authorized registered agent of such corporation, and the proposal shall show the name of the State under the laws of which such corporation was chartered. The required signatures shall in all cases appear in the space provided thereof on the proposal.

Each proposal shall be placed, together with the proposal guaranty, in a sealed envelope, so marked as to indicate name of project, the contract number or option to which it applies, and the name and address of the Contractor or submitted electronically through Bid Express (<a href="www.bidexpress.com">www.bidexpress.com</a>). Proposals will be accepted at the location, the time and the date designated in the advertisement. Proposals received after the time and date designated will be returned to the bidder unopened.

#### SECTION 102.5: BID DEPOSIT (PROPOSAL GUARANTY)

All bids, sealed or electronic, must be accompanied with a Bid Bond (City of Madison form) equal to at least 5% of the bid or a Certificate of Annual/Biennial Bid Bond or certified check, payable to the City Treasurer. Bid deposit of the successful bidders shall be returned within forty-eight (48) hours following execution of the contract and bond as required.

#### MINOR DISCREPENCIES

Bidder is responsible for submitting all forms necessary for the City to determine compliance with State and City bidding requirements. Nothwithstanding any language to the contrary contained herein, the City may exercise its discretion to allow bidders to correct or supplement submissions after bid opening, if the minor discrepancy, bid irregularity or omission is insignificant and not one related to price, quality, quantity, time of completion or performance of the contract.

# Bidders for this Contract(s) must be Pre-Qualified for at least one of the following type(s) of construction denoted by an ⊠

DATE OF BUILDING AND ADDRESS.

101	ding <u>Demolition</u> ☐ Asbestos Removal ☐ House Mover	110  Building Demolition
	et, Utility and Site Construction  Asphalt Paving Blasting Boring/Pipe Jacking Concrete Paving Con. Sidewalk/Curb & Gutter/Misc. Flat Work Concrete Bases and Other Concrete Work Concrete Removal Dredging Fencing Fiber Optic Cable/Conduit Installation Grading and Earthwork Horizontal Saw Cutting of Sidewalk Infrared Seamless Patching Landscaping, Maintenance Ecological Restoration Landscaping, Site and Street Parking Ramp Maintenance Pavement Marking Pavement Sealcoating and Crack Sealing Petroleum Above/Below Ground Storage Tank Removal/Installation Playground Installer	265 ☐ Retaining Walls, Precast Modular Units 270 ☐ Retaining Walls, Reinforced Concrete 275 ☐ Sanitary, Storm Sewer and Water Main Construction 276 ☐ Sawcutting 280 ☐ Sewer Lateral Drain Cleaning/Internal TV Insp. 285 ☐ Sewer Lining 290 ☐ Sewer Pipe Bursting 295 ☐ Soil Borings 300 ☐ Soil Nailing 305 ☐ Storm & Sanitary Sewer Laterals & Water Svc. 310 ☐ Street Construction 315 ☐ Street Lighting 318 ☐ Tennis Court Resurfacing 320 ☐ Traffic Signals 325 ☐ Traffic Signing & Marking 332 ☐ Tree pruning/removal 333 ☐ Tree, pesticide treatment of 335 ☐ Trucking 340 ☐ Utility Transmission Lines including Natural Gas Electrical & Communications 399 ☒ Other WATER MAIN LINING
	ge Construction ☐ Bridge Construction and/or Repair	
Build 401 402 403 404 405 410 412 413 415 420 425 428 429 430 433 435	ding Construction  ☐ Floor Covering (including carpet, ceramic tile installation, rubber, VCT ☐ Building Automation Systems ☐ Concrete ☐ Doors and Windows ☐ Electrical - Power, Lighting & Communications ☐ Elevator - Lifts ☐ Fire Suppression ☐ Furnishings - Furniture and Window Treatments ☐ General Building Construction, Equal or Less than \$250,000 ☐ General Building Construction, \$250,000 to \$1,500,000 ☐ General Building Construction, Over \$1,500,000 ☐ Glass and/or Glazing ☐ Hazardous Material Removal ☐ Heating, Ventilating and Air Conditioning (HVAC) ☐ Insulation - Thermal ☐ Masonry/Tuck pointing	437 ☐ Metals 440 ☐ Painting and Wallcovering 445 ☐ Plumbing 450 ☐ Pump Repair 455 ☐ Pump Systems 460 ☐ Roofing and Moisture Protection 464 ☐ Tower Crane Operator 461 ☐ Solar Photovoltaic/Hot Water Systems 465 ☐ Soil/Groundwater Remediation 466 ☐ Warning Sirens 470 ☐ Water Supply Elevated Tanks 475 ☐ Water Supply Wells 480 ☐ Wood, Plastics & Composites - Structural & Architectural 499 ☐ Other
Stat 1 2 3 4 5	of Wisconsin Certifications  ☐ Class 5 Blaster - Blasting Operations and Activities 2500 feet and closer to inhabited buildings for quarries, open pits an road cuts.  ☐ Class 6 Blaster - Blasting Operations and Activities 2500 feet and closer to inhabited buildings for trenches, site excavations, basements, underwater demolition, underground excavations, or structures 15 feet or less in height.  ☐ Class 7 Blaster - Blasting Operations and Activities for structures greater than 15 ' in height, bridges, towers, and any of the objects or purposes listed as "Class 5 Blaster or Class 6 Blaster".  ☐ Petroleum Above/Below Ground Storage Tank Removal and Installation (Attach copies of State Certifications.)  ☐ Hazardous Material Removal (Contractor to be certified for asbestos and lead abatement per the Wisconsin Department of Health Services, Asbestos and Lead Section (A&LS).) See the following link for application: <u>www.dhs.wisconsin.gov/Asbestos/Cert</u> . State of Wisconsin Performance of Asbestos Abatement Certificate must be attached.  ☐ Certification number as a Certified Arborist or Certified Tree Worker as administered by the International Society of Arboriculture  ☐ Pesticide application (Certification for Commercial Applicator For Hire with the certification in the category of turf and	
8	landscape (3.0) and possess a current license issued by the DATCP)  State of Wisconsin Master Plumbers License.	

**SECTION B: PROPOSAL** 

# Please refer to the Bid Express Website at <a href="https://bidexpress.com">https://bidexpress.com</a> look up contract number and go to Section B: Proposal Page

You can access all City of Madison bid solicitations for FREE at <a href="https://www.bidexpress.com">www.bidexpress.com</a>

Click on the "Register for Free" button and follow the instructions to register your company and yourself. You will be asked for a payment subscription preference, since you may wish to bid online someday. Simply choose the method to pay on a 'per bid' basis. This requires no payment until / unless you actually bid online. You can also choose the monthly subscription plan at this time. You will, however, be asked to provide payment information. Remember, you can change your preference at anytime. You will then be able to complete your free registration and have full access to the site. Your free access does not require completion of the 'Digital ID' process, so you will have instant access for viewing and downloading. To be prepared in case you ever do wish to bid online, you may wish to establish your digital ID also, since you cannot bid without a Digital ID.

If you have any problems with the free registration process, you can call the bidexpress help team, toll free at 1-888-352-2439 (option 1, option1).

and subsequently, to the Engineer, whenever solicitation occurs beyond the time of the bid-submittal.

In addition to Form 8700-294A documenting DBE solicitation efforts, the DBE Program Subcontractor Utilization Form (EPA Form 6100-4) must be completed for all DBEs selected and/or intended for utilization on the project, including an estimated dollar value of their subcontract. The total subcontract values of eligible DBE subcontractors will determine whether the 8% utilization goal has been met. Submit the completed and signed form(s) with the bid, and subsequently, to the Engineer, whenever additional DBE utilization occurs beyond the time of the bid submittal.

Additional solicitation steps are identified and provided for reference on Form 8700-294, DBE Good Faith Certification Form. This form is not required for submittal by the Prime Contractor.

# 2.4 Required Submittals by Bidder / Prime Contractor

The following forms and solicitation documentation materials must be completed and submitted with the bid in order to be considered eligible for award of the Contract.

#### 1) DNR Form 8700-294A

The Environmental Improvement Fund (EIF) DBE Contacts Worksheet

#### 2) EPA Form 6100-4

The DBE Program Subcontractor Utilization Form captures the prime's intended use of an identified DBE subcontractor, and the estimated dollar amount of the subcontract.

#### 2.5 Additional Solicitation Information

- 1) Example Contractor's Advertisement Soliciting DBE Proposals A sample ad format is provided for reference.
- 2) DNR Form 8700-294 (not required for submittal by the Prime Contractor)
  The DBE Good Faith Certification Form provides additional solicitation steps, included for reference purposes. This form is not required for submittal by the Prime Contractor.

#### 2.6 Contract Administration Requirements

Upon award and through the completion of contract, the following provisions are required to prevent unfair practices that adversely affect DBEs. Those provisions are as follows:

- 1) The Prime Contractor shall pay its subcontractor for satisfactory performance no later than 30 days from the Prime Contractor's receipt of payment from the City of Madison.
- 2) The City of Madison, through the Affirmative Action Division Manager and Engineer, must be notified in writing by its Prime Contractor prior to any termination of a DBE subcontractor for convenience by the Prime Contractor.
- 3) If a DBE subcontractor fails to complete work under the subcontract for any reason, the Prime Contractor is required to employ the six good faith efforts if soliciting a replacement subcontractor.
- 4) The Prime Contractor shall employ the six good faith efforts even if the Prime Contractor has achieved its fair share objectives for the project.

#### 2.7 Federal Equivalency Requirements

This project is being financed in whole or in part by the Wisconsin Department of Natural Resources through the Clean Water Fund Program (CWFP) or the Safe Drinking Water Loan Program (SDWLP). This project is subsequently designated as Federal Equivalency and must comply with the following federal laws and all applicable state and federal laws, rules, and regulations and must ensure that their contractor(s) also comply with these laws, rules, and regulations.

- 1) Title VI of the Civil Rights Act of 1964 (P.L 88-352), the Rehabilitation Act of 1973 (P.L. 93-1123, 87 Stat. 355, 29 U.S.C. Sec. 794), the Older Americans Amendments of 1975 (P.L. 94-135 Sec. 303, 89 Stat. 713, 728, 42 U.S.C. Sec. 6102), and subsequent regulations ensure access to facilities or programs regardless of race, color, national origin, sex, age, or handicap.
- 2) Executive Order 11246, as amended by Executive Orders 11375 and 12086 and subsequent regulations, prohibits employment discrimination on the basis of race, color, religion, sex, or national origin. Inclusion of the seven clauses in Section 202 of E.O. 11246 as amended by E.O. 11375 and 12086 are required in all project related contracts and subcontracts for municipalities over 3,300 population.
- 3) Executive Orders 11625, 12138, and 12432; 40 CFR part 33; Section 129 of P.L. 100-590 Small Businesses Reauthorization & Amendment Act of 1988; Public Law 102-389 (42 USC. 437d); a 1993 appropriations act ("EPA's 8% statute"); and Public Law 101-549, Title X of the Clean Air Acts Amendments of 1990 (42 USC. 7601 note) ("EPA's 10% statute") encourage recipients to award construction, supply, and professional service contracts to minority and women's business enterprises (MBE/WBE) and small businesses and require recipients to utilize affirmative steps in procurement.
- 4) 40 CFR Part 33 Participation by Disadvantaged Business Enterprises in Procurement under Environmental Protection Agency (EPA) Financial Assistance Agreements sets forth a narrowly tailored EPA program to serve the compelling government interest of remedying past and current racial discrimination through agency-wide DBE procurement objectives.
- 5) Executive Order 12549, 3 CFR, 189; and 40 CFR Part 32, Subparts B and C, prohibit entering into contracts or subcontracts with individuals or businesses who are debarred or suspended. Borrowers are required to check the status of all contractors (construction and professional services) and must require contractors to check the status of subcontractors for contracts expected to be equal to or over \$25,000 via this Internet address: <a href="http://epls.arnet.gov/">http://epls.arnet.gov/</a>.
- 6) Executive Order 13202, as amended by Executive Order 13208, does not allow bid specifications, project agreements, or other controlling agreements to require or prohibit bidders, contractors, or subcontractors to enter into or to adhere to project labor agreements.
- 7) Section 513 of the Federal Water Pollution Control Act (33 USC 1372) or Section 1450(e) of the Safe Drinking Water Act (42 USC 300j-9(e)), as applicable, requires that all laborers and mechanics employed by contractors and subcontractors on projects funded directly by or assisted in whole or in part by and through the Federal Government pursuant to this Act shall be paid wages at rates not less than those prevailing on projects of a character similar in the locality as determined by the Secretary of Labor in accordance with subchapter IV of chapter 31 of title 40, United States Code. With respect to the labor standards specified in this section, the Secretary of Labor has the authority and functions set forth in Reorganization Plan Numbered 14 of 1950 (64 Stat. 1267; 5 USC. App.) and section 3145 of title 40, United State Code.

#### SECTION D: SPECIAL PROVISIONS

# CIPP 2021 – E JOHNSON ST CONTRACT NO. 9057

It is the intent of these Special Provisions to set forth the final contractual intent as to the matter involved and shall prevail over the Standard Specifications and plans whenever in conflict therewith. In order that comparisons between the Special Provisions can be readily made, the numbering system for the Special Provisions is equivalent to that of the Specifications.

Whenever in these Specifications the term "Standard Specifications" appears, it shall be taken to refer to the City of Madison Standard Specifications for Public Works Construction and Supplements thereto.

#### SECTION 102.11 BEST VALUE CONTRACTING

This Contract shall be considered a Best Value Contract if the Contractor's bid is equal to or greater than \$65,000 for a single trade contract; or equal to or greater than \$318,000 for a multi-trade contract pursuant to MGO 33.07(7).

#### SECTION 102.13: FEDERAL PREVAILING WAGE

For this project, payment of prevailing wages is required. The wages and benefits paid on the contract shall not be less than those specified in the Federal Wage Decision included with these contract documents for the following types of work:

Building
Heavy
Highway
Residential

When multiple boxes are checked, worker's wages may vary according to the type and area of work performed. It is the responsibility of the Contractor to determine and apply the appropriate wage rate for the specific work assigned.

The City of Madison will be utilizing Federal Funds for this project. Because of this additional terms and conditions will apply. In addition to the requirements In Article 102 of the Standard Specifications, during the performance of this agreement, the Contractor will be required to conform to the wage requirements prescribed by the federal Davis-Bacon and Related Acts which requires that all laborers and mechanics employed by contractors and sub-contractors performing on contracts funded in whole or in part with federal funds in excess of \$2,000 pay their laborers and mechanics not less than the prevailing wage rates and fringe benefits, as determined by the Secretary of Labor, for corresponding classes of laborers and mechanics employed on similar projects in the area.

See the attached Additional Federal Requirements Attachment and Federal Wage Decision. Note that the Wage Decision is subject to change and does not lock in until the bid's due date.

#### ARTICLE 104: SCOPE OF WORK

This water main rehabilitation project consists of coordination with Madison Water Utility for the work plan and execution of rehabilitating approximately 2,800 linear feet of 6-inch cast-iron water main in the City of Madison, WI. The project consists of rehabilitating water main and reinstating service laterals on the following streets:

- East Johnson Street (North Street to North Lawn Avenue)
- Approximately 48 services within the above limits; records indicate most are \(^3\)/-inch laterals however there may be 1-inch and 1½-inch laterals as well and they are noted on the plan set.

The rehabilitation of these water mains is to be completed by lining the existing water mains with a Class IV structural cured-in-place pipe (CIPP), certified for the conveyance of drinking water. Temporary water service is to be provided to all affected properties during the rehabilitation of these water mains.

The work in this Contract will include, but is not limited to, the following:

- Mobilization, shoring and maintaining water main access pits.
- Installing, disinfecting, protecting and maintaining temporary water service.
- Traffic control and work site protection.
- Cleaning, televising and recording the existing and new water mains.
- Furnishing and installing a structural CIPP water main liner.
- Internally reinstating service laterals.
- Field and laboratory documentation/testing.
- Site restoration (NOT to include pavement restoration).
- Delivering submittals and obtaining approvals (both Madison Water Utility and WI-Dept. of Natural Resources) as specified in these Contract documents.

View the site prior to bidding to become familiar with the existing conditions. It will be the responsibility of the Contractor to work with the utilities located in the right of way to resolve conflicts during the construction process.

#### ARTICLE 105.12: COOPERATION BY THE CONTRACTOR

As defined in these Special Provisions, Madison Water Utility is providing portions of work and select materials related to the scope of this Contract (i.e. excavation, backfilling, pavement restoration, permanent water main reconnections, water sampling/testing etc.). Coordinate with Madison Water Utility to establish mutually acceptable scheduling and work procedures.

Per Madison General Ordinance Section 13.205, make no unauthorized alterations to the water system. Only when properly authorized to proceed may any work on the water system occur. Provide the Engineer notice of at least two working days prior to beginning any work affecting the water system. Additionally, any work related to emergency repairs and/or Contractor proposed water system or construction plan alterations, shall be done in accordance with Section 703.3 'Repairs and Alterations' of the Standard Specifications.

Use care around existing trees, plantings, fences, walls, steps and driveways that are not indicated on the plans to be removed. Damage to these items during construction shall be repaired or replaced at no cost to the City. No trees shall be cut without approval of the Engineer and City Forester; the abutting property owners shall be notified in accordance with the City's Administrative Procedure Memorandum No. 6-2.

Maintain access for mail delivery and garbage and/or recycling pickup for all properties in the project area. Garbage and/or recycling collection will be every Tuesday in this area.

#### SECTION 106.1: SOURCE AND SUPPLY AND QUALITY

#### AMERICAN IRON AND STEEL REQUIREMENTS:

The Contractor acknowledges to and for the benefit of the City of Madison "Purchaser" and the State of Wisconsin (the "State") that it understands the goods and services under this Agreement are being funded with monies made available by the Clean Water State Revolving Fund and/or Drinking Water State Revolving Fund that have statutory requirements commonly known as "American Iron and Steel;" that requires all of the iron and steel products used in the project to be produced in the United States ("American Iron and Steel Requirement") including iron and steel products provided by the Contactor pursuant to this Agreement.

The Contractor hereby represents and warrants to and for the benefit of the Purchaser and the State that (a) the Contractor has reviewed and understands the American Iron and Steel Requirement, (b) all of the iron and steel products used in the project will be and/or have been produced in the United States in a manner that complies with the American Iron and Steel Requirement, unless a waiver of the requirement is approved, and (c) the Contractor will provide any further verified information, certification or assurance of compliance with this paragraph, or information necessary to support a waiver of the American Iron and Steel Requirement, as may be requested by the Purchaser or the State.

Notwithstanding any other provision of this Agreement, any failure to comply with this paragraph by the Contractor shall permit the Purchaser or State to recover as damages against the Contractor any loss, expense, or cost (including without limitation attorney's fees) incurred by the Purchaser or State resulting from any such failure (including without limitation any impairment or loss of funding, whether in whole or in part, from the State or any damages owed to the State by the Purchaser).

While the Contractor has no direct contractual privity with the State, as a lender to the Purchaser for the funding of its project, the Purchaser and the Contractor agree that the State is a third-party beneficiary and neither this section (nor any other provision of this Agreement necessary to give this section force or effect) shall be amended or waived without the prior written consent of the State.

The following information is provided as a sample letter of step certification for AIS compliance. Documentation must be provided on company letterhead:

Date Company Name Company Address City, State Zip

I, (company representative), certify that the (melting, bending, coating, galvanizing, cutting, etc.) process for (manufacturing or fabricating) the following products and/or materials shipped or provided for the subject project is in full compliance with the American Iron and Steel requirement as mandated in EPA's State Revolving Fund Programs.

Item, Products and/or Materials:

- 1. Xxxx
- 2. Xxxx

Such process took place at the following location:

If any of the above compliance statements change while providing material to this project we will immediately notify the prime contractor and the engineer.

[Signature of company representative]

# **SECTION 107.7:**

#### MAINTENANCE OF TRAFFIC

Closing the project area to all but residential traffic will be permitted. All signing and barricading shall conform to Part VI of the Federal Highways Administrations "Manual on Uniform Traffic Control Devices" (MUTCD), the State of Wisconsin Standard Facilities Development Manual (including Chapter 16 - Standard Detail Drawings) and the City of Madison Standards for sidewalk and bikeway closures.

Submit an acceptable Traffic Control Plan to Mohr, Traffic Engineering Division via email:

tmohr@cityofmadison.com

Access to property entrance driveways shall be maintained whenever possible. Any closure of driveways shall require notice to the affected property owners at least three (3) working days prior to this occurring.

No work shall begin without an approved Traffic Control Plan.

Provide ADA/Handicap Accessible pedestrian access at all intersections within the construction area at all times. Sidewalks shall be maintained on at least one side of the street at all times.

Parking may be removed within the project limits as necessary to facilitate construction. Post and maintain NO PARKING signs in accordance with the City of Madison Police Department's "Guidelines for Temporary No Parking Restrictions for Construction or Special Events".

The work areas shall be backfilled, plated, or protected by traffic control devices during non-working hours. If steel plates are used, notify the City of Madison Streets Division, 266-4681, 24-hours prior to placement of the plates.

Provide temporary bridging for above-ground water piping and/or hosing when the piping and/or hosing is to lie on the pavement across sidewalks, driveways or roadways subject to minimal traffic. Provide signage in advance of bumps where there is piping and/or hosing across lanes of traffic. Any 4-inch piping crossing a roadway and any other piping and/or hosing crossing a Metro Transit or MMSD school bus service route or regularly traveled roadway shall be trenched, buried, and backfilled to be flush to the existing pavement grade and adequately withstand traffic loads. Regularly inspect, maintain, and repair as necessary all bridging locations and trenched crossings while they are in use. Trenched crossings shall require pavement cutting to avoid excess damage to the existing pavement.

No construction equipment or materials shall be stored in roadway or street right-of-way that is open to traffic during non-working hours. Construction equipment and materials are not to be stored within the street right-of-way outside of the project limits as shown on the plans without permissions from the Engineer.

Contact the City Traffic Engineering Division with any questions concerning the traffic control requirements as specified:

 Tom Mohr (608) 267-8725 tmohr@cityofmadison.com

#### ARTICLE 107.11: USE OF CITY WATER

Any Madison Water Utility charges associated with the installation, use and removal of the reduced pressure zone (RPZ) valve and water usage will be waived for all work included in this contract. Any use of City of Madison water will still require request and notification procedures indicated in the City of Madison Construction Specifications.

Properly dispose of any highly-chlorinated water in accordance to Section 703 of the Standard Specifications. Contact the Water Utility Engineering Department at (608) 266-4646 to coordinate the installation of the RPZ valves. Contractor-furnished RPZ valves are not to be connected to City hydrants unless authorized in writing by the Engineer. Adequately protect and support City RPZ valves at all times; any RPZ valve damage resulting from negligence shall be repaired or replaced at no cost to the City.

# SECTION 108.2: PERMITS

Section NR811.69 (6), Wisconsin Administrative Code states, "All materials used for the interior rehabilitation of water mains shall meet ANSI/NSF standards and may not be used until specifically approved by the department."

This water main rehabilitation project is intended to allow the Wisconsin Department of Natural Resources and the Madison Water Utility to evaluate the performance and potential opportunities of rehabilitating

deteriorated water mains in-place through structural CIPP lining technology. As identified above per NR811.69 (6), this project requires consent approval from the Wisconsin Department of Natural Resources (WI-DNR).

In order to obtain consent approval from the department, submit documentation to the WI-DNR that the proposed structural CIPP liner is comparatively similar to an AWWA pressure class 150 pipe rating through pipe design calculations based on at least a 50-year service life at an internal working pressure of 100 psi with a safety factor of 2.5. The submittal must include the pipe design calculations and the basis for the long-term strength value used in the design calculations.

Construction may not begin until the WI-DNR has approved the pressure class submittal, even if all additional submittals have been reviewed and approved by the Engineer. See Section 702.3 of these Special Provisions for more detailed information regarding the requirements of the WI-DNR submittal and Section 701.3 for more detailed information regarding submittals to the Engineer.

It is the responsibility of the Contractor to identify and obtain any other permits needed for construction.

## ARTICLE 109.2 PROSECUTION OF WORK

Work shall begin after the pre-construction submittals are approved and the start work letter is received. Submit the proposed construction schedule to the Engineer prior to mobilization.

Phases 1 and 2 within the project limits, as shown on the plans, may be completed simultaneously.

Work on this contract shall begin no later than September 13, 2021.

All work under this contract shall be completed no later than November 12, 2021.

#### SECTION 701 PROVISIONS FOR WATER INSTALLATION AND ABANDONMENT

For questions related to this Contract, contact the Project Engineer:

Pete Holmgren, PE
 Madison Water Utility
 (608) 261-5530
 pholmgren@madisonwater.org

The CIPP liner system shall consist of either a spin-cast monolithic surfacing system or a resin-impregnated flexible tube system, which when cured, forms a hard, impermeable, corrosion resistant pipe-within-a-pipe. The new CIPP liner shall be designed as a Class IV structural liner, not relying on the remaining strength of the host pipe to withstand long-term external loading and internal pressure per AWWA M-28 and as required in the Contract documents.

As the piping system is intended for the conveyance of potable water, the proposed CIPP liner system must be certified as complying with the requirements of NSF/ANSI Standard 61 and be listed on the NSF Approved Product Listing website:

http://www.nsf.org/Certified/PwsComponents

Failure of the selected CIPP lining system to be satisfactorily installed in the existing water main shall not relieve the responsibility to provide satisfactorily reconstructed water mains. Any cost associated with the removal of the unsatisfactorily installed liner and the subsequent, satisfactory reinstallation of an approved liner shall be borne solely by the Contractor, and no claims shall be made against Madison Water Utility or the City of Madison, WI for such required work.

During the warranty period, any defects that might affect the integrity or strength of the CIPP shall be repaired or replaced at no cost to Madison Water Utility or the City of Madison, and are to be executed in accordance to the manufacturer's recommendations and to the satisfaction of the Engineer.

#### SECTION 701.1 REFERENCE SPECIFICATIONS AND STANDARDS

The following references apply to CIPP lining work and are to be the latest edition and revision.

#### American Society for Testing and Materials (ASTM):

- F1216: Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube
- F1743: Rehabilitation of Existing Pipelines and Conduits by Pulled-in-Place Installation of Cured-in-Place Thermosetting Resin Pipe (CIPP)
- D2837: Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials or Pressure Design Basis for Thermoplastic Pipe Products
- D2992: Obtaining Hydrostatic or Pressure Design Basis for "Fiberglass" (Glass Fiber Reinforced Thermosetting Resin) Pipe and Fittings
- D5813: Cured-In-Place Thermosetting Resin Sewer Piping Systems (Section 6.4)
- D7065: Determination of Nonylphenol, Bisphenol A, p-tert-Octylphenol, Nonylphenol Monoethoxylate and Nonylphenol Diethoxylate in Environmental Waters by Gas Chromatography Mass Spectrometry
- D7574: Determination of Bisphenol A in Environmental Waters by Liquid Chromatography/Tandem Mass Spectrometry

#### American Water Works Association (AWWA):

- M28: Rehabilitation of Water Mains
- C600: Installation of Ductile-Iron Water Mains and Their Appurtenances
- C602: Cement Mortar Lining of Water Pipelines in Place 4-in and Larger
- C651: Disinfecting Water Mains

#### **Environmental Protection Agency (EPA):**

 Method 524.2: Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry

#### NSF/American National Standards Institute (ANSI):

61: Drinking Water Components

In case of conflicting requirements between the Contract Special Provisions and the referenced specifications and standards, these Special Provisions will govern.

#### SECTION 701.2 QUALIFICATION REQUIREMENTS FOR CIPP REHABILITATION

#### Installer:

- The liner installer must be certified or licensed by the liner manufacturer to perform the installation and rehabilitation work. The installer and/or their subcontractor shall a minimum of three years of active experience in the installation of structural CIPP water main liners in pressure pipe applications and shall have completed at least five projects of similar size as required for this project, unless otherwise authorized by the Engineer in writing.
- The installer shall install the liner in accordance with the liner system manufacturer's requirements, NSF requirements, and Section 703 of these Special Provisions.

#### Product:

- The CIPP system to be installed must be certified as complying with the requirements of NSF/ANSI Standard 61 drinking water components.
- The CIPP liner must meet the requirements of AWWA M-28 Liner Classification IV (Structural), capable of withstanding all external loads and internal design pressure for a minimum of 50years.

- The Class IV structural CIPP liner must demonstrate comparable similarity to AWWA pressure class 150 rated pipe, based on criteria defined by WI-DNR. Liner design requires WI-DNR approval prior to installation (See sections 108.2 and 702.3 of these Special Provisions).
- The product shall meet the material requirements identified in Section 702 of these Special Provisions.

#### SECTION 701.3 SUBMITTALS

At least 20 working days prior to the planned start of construction, deliver the WI-DNR submittal to the department. It should be considered advantageous to submit the WI-DNR submittal prerequisite as early as possible to minimize risk of construction delay (see section 108.2 and 702.3 of these Special Provisions for instructions).

At least two weeks prior to the planned start of construction, deliver the submittals designated in 701.3 (a) to the Engineer. The Engineer will review the required submittals and respond to the Contractor in writing within two weeks of receipt. Submittals to the Engineer shall be electronic (unless specified otherwise) and delivered to the Project Engineer.

It is the Contractor's sole responsibility to obtain approval for all required submittals identified in this contract; no claim shall be made against the Department of Natural Resources, the Madison Water Utility or the City of Madison if authorization to proceed is not granted due to unsatisfactory submittals.

Construction may not begin until the pre-construction submittal package is accepted in writing by the Engineer and the WI-DNR submittal has been accepted in writing by the WI-DNR. Once authorized to proceed with construction, the submittal requirements identified in Sections 701.3 (b) and 701.3 (c) shall be required in accordance with section 703 – Construction Methods.

#### SECTION 701.3(A) PRE-CONSTRUCTION SUBMITTAL REQUIREMENTS

#### CIPP product data:

- WI-DNR Submittal per Section 108.2 and Section 702.3 of these Special Provisions.
- ANSI/NSF Standard 61 certificate for the proposed CIPP liner system and any associated installation products such as liner lubricant (Section 702.1). Include any NSF 61 installation/curing requirements for the proposed CIPP liner system.
- CIPP liner design and thickness calculations prepared and stamped by a Professional Engineer (per design criteria of Section 702.2).
- Manufacturer's technical data and applicable product testing data for the proposed CIPP liner system, including all applicable instructions for installation, handling, storing, and inspecting the product.
- Manufacturer's recommended procedures for future 1-inch to 2-inch service taps and recommended procedures for 4-inch to 8-inch pressure tapping using a Mueller CL-12 Drilling Machine (Section 702.1).
- Documentation of compliance with ASTM F1216 Standards or ASTM F1743 Standards, as applicable.
- Documentation of compliance with AWWA Liner Structural Classification IV Structural (AWWA M-28: Rehabilitation of Water Mains Appendix A).
- Documentation of compliance with chemical resistivity requirements of ASTM D5813 Section 6.4, including chemicals commonly used to treat drinking water (Section 702.1).

#### Quality Assurance Submittals:

- Manufacturer's certification, identifying the Contractor as a licensed installer and list of at least five successfully completed projects of similar scope (Section 701.2).
- Blank copy of field installation log for liner segments identifying all QA/QC verifications, measurements and tolerances which will be monitored & recorded by the installer during installations.
- Traffic Control Plan (Section 107.7).

- Temporary Water Service Plan including the proposed bypass disinfection methods and the contact information for the Contractor's 24-hour maintenance representative (Section 703.3).
- CIPP Liner Disinfection Plan (Section 703.14)
- Customer Meter Coordination Plan (required only if meters will be affected by lining activities).
- Proposed construction schedule, with including phases (Section 109.2).
- Proposed location and dimension of access pits and vehicle/equipment storage (Section 703.4)

### SECTION 701.3(B) CONSTRUCTION SUBMITTAL REQUIREMENTS

- Pre-Installation CCTV recording to the Engineer and WI-DNR (Section 703.5).
- Resin material quantities for the tube to be installed (Section 703.8).
- Copy of CIPP field curing data log (Section 703.9 (b)).
- Copy of hydrostatic pressure test log and test results (Section 703.10)
- Post-Installation CCTV recording to the Engineer and WI-DNR (Section 703.5 and Section 703.12)
- Physical product samples from each liner segment installed (Section 703.15)

#### SECTION 701.3(C) POST-CONSTRUCTION SUBMITTAL REQUIREMENTS

- Product Evaluation Test Data (Section 703.15):
- Short Term Flexural Properties Report
- Tensile Properties Report
- CIPP Wall Thickness Report

#### SECTION 702 MATERIALS

In addition to the Standard Specifications, these Special Provisions apply to CIPP lining materials and all associated materials required under this Contract.

See the Plans and Standard Specifications for material requirements including but not limited to pavements, granular materials, ductile iron water main pipe, valves, hydrants, and fittings identified to be installed under this Contract.

#### SECTION 702.1 CIPP MATERIALS

For resin-impregnated flexible tube systems, the CIPP liner shall consist of one or more concentric layers of an absorbent material (i.e. felt, synthetic fiber), and may also contain additional materials such as glass fiber reinforcement or polymeric membranes. The CIPP tube is to be impregnated with an epoxy resin system that is compatible with the proposed installation procedures. For spin-cast surfacing systems the epoxy resin CIPP material shall yield a structural, monolithic pipeline surfacing with proper sealing connections to un-surfaced areas and a hard, impermeable surface that is suitable for water service.

The CIPP lining system must be certified for use in potable drinking water applications by NSF/ANSI 61: Drinking Water Components, which is standard for health effects of all devices, components, and materials to ensure that these products do not contribute contaminants to drinking water that could cause adverse health effects. The product shall also be listed on the NSF Approved Product Listing website, http://www.nsf.org/Certified/PwsComponents/.

The liner shall form tightly to the internal circumference of the host pipe without leaving annular space that could compromise the liner system performance in a pressurized environment.

The liner shall not leach organic compounds (volatile organic compounds or bisphenol A) into the potable water system. Pre-installation and post-installation water quality sampling shall be performed to verify that the installed liner system is consistent with NSF/ANSI 61 certification requirements. See Section 703.15 of these Special Provisions for more information.

The CIPP liner system, when cured, shall be chemically resistant to internal exposure to drinking water treated with common chemical additives and meet the sewer corrosion performance requirements of ASTM D5813, Section 6.4.

The resin impregnated tube shall have a relatively uniform thickness that when compressed at installation pressures (and after curing is completed) will equal or exceed the approved minimum design thickness, excluding the thickness of any polymeric membranes or any other non-structural surface coatings.

The use of a lubricant during the installation process may be needed to reduce friction. The lubricant used shall be a nontoxic, NSF/ANSI 61 certified product compatible for use with the approved CIPP liner system. If lubricated installation will be considered, submit the lubricant's NSF certification with the preconstruction submittals identified in Section 701.3 (a) of these Special Provisions.

The wall color of the interior pipe surface of CIPP after installation shall be a relatively light reflective color so that a clear detailed examination with closed circuit television inspection equipment may be made.

The proposed CIPP liner system shall be compatible with and include manufacturer's recommended installation procedures for future service-line corporation stop tapping in 1-inch, 1 ½-inch and 2-inch diameters.

The proposed CIPP liner system shall be compatible with and include manufacturer's recommended procedures for 4-inch to 6-inch pressurized live-taps using a Mueller CL-12 drilling machine and cutting head.

#### SECTION 702.2 DESIGN PARAMETERS

The design of the CIPP liner shall be based on the following design conditions, in addition to the manufacturer's standards and referenced standards:

Host Pipe Diameter / Material /	6-inch / Cast-Iron /
Length (approx. total length lined)	(1,200 LF)
Internal Operating Pressure	100 psi
Ovality of Existing Pipe	2% Minimum
Soil Modulus	700 psi
Soil Unit Weight	120 pcf Minimum
Soil Depth (above top of pipe)	7-feet
Safety Factor	2.5
Design Condition	Fully Deteriorated, Pressure Pipe
Live Loads	AASHTO HS20-44 Loading Under Roadways

The CIPP liner design and thickness calculations are to be prepared and stamped by a Professional Engineer actively licensed in the State of Wisconsin and submitted to the Engineer and WI-DNR for approval in accordance with the submittal requirements of Section 701.3 (a) of these Special Provisions.

#### SECTION 702.3 WORKING PRESSURE REQUIREMENT

As identified in Section 108.2 of these specifications, the proposed structural CIPP liner system must demonstrate comparative similarity to an AWWA pressure class 150 requirements in order to be approved for installation as a Class IV structural liner by WI-DNR.

Section NR811.69 (2), Wis. Adm. Code, states in part, "All pipe shall be minimum AWWA pressure class 150 and shall be designed for a minimum 100 psi working pressure except as approved by the Department for special low pressure applications."

The department's working pressure criteria for considering the installation of structural CIPP liners is that the CIPP liner must sufficiently demonstrate that it is designed, at a minimum, for a 50-year service life with 100 psi internal working pressure and a design safety-factor of 2.5.

WI-DNR requests the working pressure class verification of the proposed CIPP liner is to be demonstrated based on pressure rating and design calculations that use long-term hydrostatic strength data obtained through hydrostatic design basis (HDB) testing procedures, such as:

- Procedure B in ASTM D2992: Obtaining Hydrostatic Design Basis for Glass Fiber Reinforced Thermosetting Resin Pipe and Fittings, OR;
- ASTM D2837: Obtaining Hydrostatic Design Basis for Thermoplastic Pipe Materials

Submit the CIPP liner design calculations based on the design conditions described above, and in Section 702.2. The submittal shall include the calculated pressure rating and the HDB Test Report per Sections 5.7 & 6 of ASTM 2837 or Sections 14 & 15 of ASTM D2992.

For CIPP liners designed without long-term hydrostatic strength data obtained through HDB test methods, submit the CIPP liner design calculations (based on the design conditions described above, and in Section 702.2) using the Fully Deteriorated Pressure Pipe Condition formula (Section X1.3.2 in ASTM F1216). In lieu of HDB strength data, submit documentation to confirm the value and the method used to obtain the value used as the '50-year tensile strength' in the formula. The submittal must include the pipe design calculations and the basis for the long-term strength value used in the design calculations.

The pressure class verification documents are to be submitted to the WI-DNR and to the Engineer as part of the initial submittal package required in Section 701.3 (a) of these Special Provisions. Construction may not begin until the WI-DNR has approved the pressure class verification, even if all additional submittals have been reviewed and approved by the Engineer. WI-DNR will respond to the Contractor regarding their submittal within 20-business days of receipt.

Submit the WI-DNR pressure class verification documents by certified mail:

James Whitthuhn
 Public Water Supply Section
 Wisconsin Department of Natural Resources
 PO Box 7921
 Madison, WI 53707-7921

Or submit electronically to:

James.Witthuhn@wisconsin.gov

#### SECTION 702.4 DELIVERY, STORAGE, AND HANDLING CIPP LINER

Transport, handle, and store the liner and thermosetting resin, and other materials as recommended by the manufacturers to prevent damage.

CIPP liner materials that are defective or damaged prior to installation shall be rejected and replaced at the no expense to the City. Liner materials damaged during installation shall be repaired or replaced as recommended by the manufacturers and approved by the Engineer.

#### SECTION 702.5 <u>TEMPORARY BYPASS SERVICE MATERIALS</u>

All materials furnished for use as temporary bypass pipe, service hose, connections and related appurtenances that come into contact with drinking water are to be certified for compliance with ANSI/NSF Standard 61. All materials shall be fully adequate to withstand the required water pressure and all other conditions of use, and shall provide adequate water tightness before being put into service. All previously used materials may only have been used in potable water applications.

All sample taps shall be smooth-bore taps.

All materials for use as main temporary bypass lines, service lines, connections and related appurtenances shall have a minimum working pressure rating of 200 psi and be made of materials that will not have an adverse effect on the taste or odor of the water.

The temporary bypass lines must be at least 2-inch in diameter.

Match the diameter of the temporary service line with the existing service lateral diameter for all services 1½-inch diameter to ¾-inch diameter. Use a ¾-inch temporary service line for any service lateral smaller than ¾-inch diameter. Use hoses or piping that are hydraulically equivalent to the service size for all services 2 inch in diameter and larger.

#### SECTION 703 CONSTRUCTION METHODS

In addition to the Standard Specifications, these Special Provisions apply to CIPP lining activities and all associated construction activities required under this Contract.

See the Plans and Standard Specifications for construction and installation requirements for any pavements, granular materials, ductile iron water main pipe, valves, hydrants, and fittings identified to be installed under this Contract by the Contractor.

#### SECTION 703.1 SAFETY

Carry out all operations in strict accordance with all applicable OSHA and manufacturer's safety requirements. Emphasis shall be placed upon safety requirements for excavations; entering confined spaces; air quality; and working with chemicals, hot water, hot air and/or steam.

Erect such signs and other related devices as necessary for the safety of the work site and to secure the site. All work shall conform to the safety requirements of pertinent regulations and as identified in these specifications.

#### SECTION 703.2 PRE-CONSTRUCTION RESPONSIBILITIES

Provide adequate notice to Madison Water Utility prior to mobilization. Madison Water Utility will schedule and conduct a preconstruction meeting with the Contractor at a mutually acceptable time.

Prior to construction, Madison Water Utility will deliver an informational letter to inform affected residents and emergency services regarding the water main rehabilitation project. It will be the responsibility of the Contractor to notify residents at least 48-hours prior to any planned interruption of service, or immediately upon and throughout any unplanned service interruption.

Do not operate water main valves, curb stops, or fire hydrants without direct authorization from a Madison Water Utility representative

Provide Madison Water Utility at least one (1) working-day notice prior to transferring any water services from the water main to the temporary bypass piping system. For any other work affecting the water system, provide the Engineer at least two (2) working-days' notice prior to beginning, per Section 105.12 of these Specifications or as applicable to Section 703.3 of the Standard Specifications.

Water necessary for cleaning, disinfection and flushing, etc. will be available, at no cost per Special Provision Section 107.11, from one location prior to the start of construction. Contact Madison Water Utility to schedule the installation of RPZ valves at least two (2) working-days' notice prior to the time water service is needed. The provided water source shall be in close proximity to the lines being rehabilitated. Furnish any necessary piping or flexible hoses, fittings, required for connection between the RPZ valve on the fire hydrant and where water is required.

#### SECTION 703.3 TEMPORARY WATER SERVICE

As required in Section 701.3 (a), submit a proposed Temporary Water Service plan depicting the proposed components, configuration/locations, protection measures, proposed disinfection methods, bulk chlorine disinfection station(s) and contact information for the Contractor's representative(s) responsible for routine maintenance and emergency response. The temporary water service plan must also indicate if any customer water meters are to be temporarily removed or otherwise affected in order to accommodate the temporary water service or other construction activities. The Temporary Water Service Plan must be approved by the Engineer before installing any section of the temporary distribution piping.

The temporary bypass system shall maintain a continuous supply of water to all affected customers for the duration of time the existing main is out-of-service for rehabilitation. The temporary bypass system shall be maintained in a safe and operative condition at all times. For protection of the work and the public, flashers and barricades shall be installed at apt locations and as directed by the Engineer or Construction Inspector. The flashers and barricades shall be in proper operating condition. Temporary water piping shall be protected from freezing weather at all times.

Additionally, the work is to be in conformance with the requirements of the Standard Specifications, Provisions and AWWA C602 Cement Mortar Lining of Water Pipelines in Place – 4 In. and Larger, Section 4.6 Temporary Bypass to Customers.

If any water meters are to be removed or otherwise affected to establish temporary water service or accommodate any other construction activities, notify the Madison Water Utility Meter Shop according to Section 703.3(a) and coordinate with Madison Water Utility prior to performing any meter related work.

Perform any required or indicated meter removals on the approved Temporary Water Service Plan. Notify the Madison Water Utility Meter Shop of all meter removal appointments and allow the Water Utility to inspect the existing conditions during the removal appointment. Do not reinstall any meter which has been removed. See Section 703.3(e) for meter reinstatement requirements.

If customer water meters are not affected or removed to accommodate construction, the meter reinstatement requirements of Section 703.3(e) shall still apply.

All associated temporary water bypass work, including any work required to schedule appointments and coordinate with Madison Water Utility for meter removals and reinstallations, will be paid under Bid Item 90160 – Temporary Water Service.

#### SECTION 703.3(A) NOTICE REQUIREMENTS & RESTRICTIONS OF SERVICE INTERRUPTIONS:

Notify the Madison Water Utility Meter Shop at least three (3) working-days in advance of any anticipated work involving or affecting customer water meters. Notify and coordinate all subsequent water meter related work with the Madison Water Utility Meter Shop as customer appointments are scheduled or as otherwise directed.

Notify the Madison Water Utility Meter Shop at least three (3) working-days in advance of any anticipated work involving the installation of meters on bypass fire hydrants per section 703.3(B).

Meter Shop contact:

 Rick Marx 608-261-9820 rmarx@madisonwater.org

Notify the Construction Inspector and the Engineer at least two (2) working-days in advance of any planned service interruption.

Provide affected customers at least 72-hours of advanced notice of any planned service interruption. The notice shall include the delivery of a door-hanger or similar pamphlet which indicates the date and time of the planned service interruption and, as applicable, the proposed location of temporary service connection and the proposed route of the temporary service line and main bypass line. The notice shall

attempt to coordinate the service interruption at a time that is convenient to the customer. Include contact information for the Contractor's field representative and the Engineer.

Whenever possible, make connections to the customer's water service line on a day and at a time that is convenient to the customer. Make satisfactory arrangements with the customer so that stop and waste valves shall be accessible at all times.

Immediately prior to individual service work, attempt to notify the customer again to verify that all water use has been stopped.

Do not interrupt any customer's service until it is certain that all labor, material and equipment necessary to perform the work are present at the work site.

Restore water service as soon as possible. Immediately notify the Madison Water Utility's Project Representative regarding the restoration of service.

For emergency shutdowns and notifications:

In the event of a break on a water main, service, bypass pipe, temporary service or other failure of a Madison Water Utility facility, whether the result of the Contractor's activities or other unrelated matters, act in accordance with the following procedure:

- Immediately notify Madison Water Utility's 24-hour Operator at (608) 266-4667 and inform them of the situation, the affected area, estimated duration, and if there is a need for an immediate water main shutdown.
- Do NOT operate any valves unless directly authorized to do so by a Madison Water Utility representative.
- Notify all residents affected by the emergency service interruption.

#### SECTION 703.3(B) TEMPORARY BYPASS WATER SYSTEM SET-UP

Disinfect hydrant standpipes prior to connecting bypass pipes to the hydrants, by pouring 1 quart of commercially available bleach (solution containing approximately 5% sodium hypochlorite) into each hydrant. The hydrants shall be filled with clean water that is allowed to stand for a minimum of 20 minutes. The hydrants shall then be flushed and the bypass pipes connected to it. All hydrant nozzles shall be capped when not in use.

All connections to fire hydrants shall be first metered by Madison Water Utility staff. Refer to Section 703.3(A) for coordination requirements.

Connect only to the 2½-inch hydrant nozzles; the 4½-inch nozzles shall remain capped and accessible for Fire Department use. Support, as necessary, all appurtenances attached to hydrants.

All temporary water service connections to hydrants shall be made in such a manner that they can be removed with minimum effort so that the hydrants can be fully used for firefighting purposes.

When a connection cannot be made on hydrants, a bulkhead connection may be required. Install compatible bulkheads (temporary line caps) on the existing water main in place of a solid cap or plug fitting to keep the section of the existing water main pressurized and capable of supplying a continuous flow of water. The bulkheads shall be fitted with a compatible outlet fitting so the temporary bypass pipe can be fed through the end of the bulkhead. The coupling shall be slid over the end of the water main, and braced or restrained so that it will support normal operating pressure without leaking.

Temporary valves shall be installed on the temporary bypass pipe at all appropriate locations and as designated on the approved Temporary Bypass Service Plan. Valve spacing should, at a minimum, schematically match the existing water main configuration, and also as required to isolate the temporary

piping from the existing system. Spacing between adjacent valves shall not exceed 500 feet, unless approved by the Engineer.

Any hydrants within the project taken out of service shall be reported to the Engineer and the City of Madison Fire Department. Completely cover and secure black plastic sheeting around all existing or newly-installed hydrants while they are out-of-service. Maintain the plastic covering until the hydrant is returned to service or removed and salvaged.

Hydrants must be remain in service such that no property within the project is within less than 1,000-feet (measured from the hydrant to the property along accessible streets) from an active hydrant.

All hydrants are subject to inspection at any time by either the Madison Water Utility or the City of Madison Fire Department. If they are found to be unserviceable or unsatisfactory in any way, immediate correction shall be made.

Install bypass piping on the house-side of sidewalks and in ditches or along City-owned greenways whenever possible to minimize or avoid crossing traffic or pedestrian routes. Where not possible, provide a ramping system to protect the bypass pipe at each location where pipe crosses roads or driveways. All piping and/or hosing crossing a Metro Transit or MMSD school bus service route or regularly traveled roadway shall be trenched, buried, and backfilled to adequately withstand the traffic loads and be flush to the existing pavement grade. ADA compliance shall be provided at sidewalk or sidewalk ramp crossings per Section 107.7 of these Special Provisions.

All ramping material is to be furnished, installed, maintained and removed by the Contractor. Any required trenched roadway crossings, including pavement cutting, excavation, backfill, maintenance and removal are the responsibility of the Contractor, not Madison Water Utility. Madison Water Utility will provide the final pavement restoration at these locations.

Water from the temporary bypass pipes will NOT be allowed for any purpose other than to supply the bypass pipes. Water for filling water tanks or any other purpose other than supplying water to bypass pipes must be obtained from a hydrant with a Madison Water Utility approved backflow preventer installed per Section 107.11 of the Standard Specifications and these Special Provisions.

Any unconnected threaded main taps must be capped prior to disinfecting the temporary system, and remain capped for the duration of the time that the temporary system is in place.

Under no circumstances shall any portion of the temporary water system lie in a gutter, ditch or any other line of surface water flow.

If previously used material is employed for use in the temporary bypass water system, clean and/or pressure wash the piping such that it inspires confidence in the system.

#### SECTION 703.3(C) TEMPORARY CUSTOMER SERVICE LINES

Connect customer services that are 1½ inch and smaller, to the temporary bypass system using a hose connected to an outside hose bib. Use a double-valved "Y" connector to connect temporary hose to the customer's hose bib. When a hose bib connection is not possible, an alternate manner of connection shall be reviewed and approved by the Engineer.

After completing the temporary bypass disinfection per Section 703.3(D) of these Special Provisions, thoroughly flush hoses to be used for temporary services with potable water immediately prior to connection to the customer's service. Notify customers in accordance with 703.2(A) prior to shutting off and transferring the service to the bypass. Do not transfer services to the bypass earlier than necessary to allow the work to progress without delay.

#### SECTION 703.3(D) BYPASS SYSTEM DISINFECTION

All bypass pipes and services shall be properly disinfected and yield a safe-water sample prior to connecting any customers to the temporary bypass system. The temporary service connections shall have valves at both the connection to the bypass pipe and near the point of connection to the private plumbing system so the entire bypass system including temporary service lines can be disinfected.

Install a bulk chlorine disinfection station or stations for the disinfection of temporary service laterals. Stations shall consist of a large drum or container filled with disinfectant solution with an attached spigot. Disinfect and flush each lateral adequately before entering it into service

As part of the Temporary Water Service plan, required by Section 701.3(A) and described in Section 703.3 of these Special Provisions, include the proposed disinfection, flushing, and applicable customer notification procedures required for the proposed temporary bypass system. These procedures shall be in accordance with AWWA C651 – Disinfecting Water Mains and the Standard Specifications, which require 48-hours of disinfection prior to flushing and sampling.

Properly dispose of any highly-chlorinated water in accordance with Standard Specification 703.14(C). Sampling and testing will be done according to the Standard Specifications.

#### SECTION 703.3(E) RETURN SERVICE LINE TO NEW WATER MAIN

Schedule all appointments and any necessary customer notifications at all properties being served by the temporary water system prior to reconnection to the existing water system. Notify the Madison Water Utility Meter Shop in accordance with Section 703.3(A) and coordinate with Madison Water Utility prior to performing any meter-related work.

Prior to transferring service lines from the bypass system to the existing water system, clear lines by back flushing with potable water or as otherwise approved in the disinfection and flushing plan. Disconnect the hose, restore the water service line back to normal conditions, and restore water flow. All areas used while providing temporary service shall be properly restored to pre-construction status, or better.

After flushing is completed and service lines have been restored to the permanent laterals, remove the bypass and all associated materials used for maintenance and ramping. Complete the restoration of all areas damaged by temporary bypass pipe and service connections.

#### SECTION 703.3(F) 24-HOUR MAINTENANCE

Maintain and repair as necessary all components of the temporary bypass system and all associated protective equipment (barricades, flashers, ramps etc.) at all times. Be equipped to make all repairs necessary at the project site through the duration of the project.

Designate a permanent company employee or subcontractor available and able to maintain the bypass system and services 24 hours every day, seven days a week (including holidays). Provide Madison Water Utility with the applicable emergency and after-hours phone numbers as part of the proposed Temporary Water Service Plan submittal required in Section 701.3(A) of these Special Provisions.

#### SECTION 703.4 <u>EXCAVATION OF CIPP LINER INSERTION/EXTRACTION PITS</u>

Based on the information represented on the Plans, the field conditions of the work-site and any design/manufacturing limits of the CIPP liner, identify the number and location of access pit points required to rehabilitate the designated water main. Submit the proposed locations and dimensions to the Engineer for approval as part of the pre-construction submittal requirements in Section 701.3(A) of these Special Provisions.

Madison Water Utility will provide the excavation and water removal, if necessary, for establishing the approved water main access pits, and other approved excavations on the site. Provide at least two (2) working-days notice prior to the anticipated start of the work to coordinate work schedules. The Madison Water Utility coordinator for this work is:

Tom Rosemeyer
 608-266-5985
 trosemeyer@madisonwater.org

Excavation by Madison Water Utility will not begin until all underground facilities have been marked through Digger's Hotline (three working days' notice required). Excavation work, other than emergency repairs, that is needed outside of normal work hours (Monday-Friday 7:30 AM to 3:30 PM) or excavations requested with less than two working days' notice shall be the responsibility of the Contractor if Madison Water Utility resources are unavailable.

Coordinate the work on-site with Madison Water Utility to ensure that the ditch dimensions adequately allow for the Contractor's proper installation and maintenance of shoring/trench protection and also that the proper length of existing pipe is exposed in the pit based on the manufacturer's recommended installation procedures.

Madison Water Utility will also provide the backfilling work including backfill material, compacting the backfill material, removal of excess ditch/backfill material, final restoration of the access pit, and other work deemed incidental to preparing the ditch and/or pavement base.

The Contractor shall be required to furnish, install, and maintain the shoring/trench protection in the access pits, as well as any other maintenance associated with the access pits after they are excavated.

Shoring/trench protection shall comply with the Standard Specifications and applicable OSHA regulations. Shoring shall be installed such that it completely fills the trench from the bottom of the excavation to a height 1-foot above finished grade. Shoring shall be free of any holes or defects that would otherwise allow standard clear stone to pass through. Minimum inside rectangular dimensions of all shoring enclosures shall be 5.5-feet by 7.5-feet.

Install chain link fencing around all access pits while the pits are open and shored. The chain link fencing shall also be wrapped with high-visibility orange safety fencing. Mount reflective signage on all sides of the fencing to warn of an open excavation. Install barricades as needed on streets where additional traffic control may be required.

The existing water main shall be cut square using an appropriate cutting device which leaves no split or fractured ends. All cut faces of the existing water main shall be chamfered on the inside surface to a suitable profile to prevent damage to the liner pipe during or after insertion. Edge guards, approved lubrication, or other means shall be used as needed to protect the liner from damage caused by the host pipe edges at insertion points.

Immediately upon opening the host main at the liner insertion points, the ends of the adjacent existing water main that are not to be lined at the insertion/extraction points shall be covered/plugged by the Contractor so that no debris or animals shall enter into them during reconstruction work.

A thorough examination of the route of the existing water main shall be made after cutting the existing water main. This should include a pipeline location survey with equipment capable of locating any changes in direction, valves, bends, intrusions, and other fittings that may impede the insertion and/or proper inflation of the CIPP liner.

#### SECTION 703.5 CLEAN AND INSPECT THE EXISTING WATER MAIN

Remove all internal debris from the pipeline that will interfere with the CIPP liner installation. Pipes shall be adequately cleaned with high-velocity jet cleaners; mechanically powered equipment; cable-attached devices; or fluid-propelled devices (e.g., pipe pigs).

The cleaning method shall remove all rust; scales; tuberculation; deposits; loose or deteriorated remains of any original coatings; and other foreign materials from the inside of the pipe so as to produce a smooth

metal surface finish that will allow the new CIPP liner to adhere and securely bond to the existing host pipe.

Lawfully dispose of all materials removed from the pipe during the cleaning operation at an off-site location, and pay all associated landfill fees and taxes. Lawfully dispose of any and all leftover materials and/or byproducts of the rehabilitation process at an off-site location, and pay all associated landfill fees and taxes. Cleanup of any soil contamination caused by or encountered during the excavation and/or water main lining process is to be the responsibility of the Contractor.

Verification of readiness to install the liner shall be performed by experienced personnel trained in locating services, breaks, obstacles, etc. This will include closed-circuit television (CCTV) and possibly also include pipe mandrels or other devices. The interior of the pipeline shall be carefully inspected to determine the location of any conditions that may prevent proper installation of the CIPP liner. These conditions shall be noted and brought to the attention of the Engineer so that they may be corrected. Copies of CCTV inspection DVD's and related reports shall be made available to the Engineer as soon as possible for review and approval prior to commencement of lining activities.

It shall be the responsibility of Madison Water Utility to remove any unforeseen obstructions that might prevent the liner installation. Madison Water Utility shall have the right to make corrective repairs using inhouse staff; a third-party contractor; or if it is deemed to be in Madison Water Utility's best interest to do so, the Engineer may authorize the Contractor to make repairs and compensate the additional work under the terms of this Contract.

Any external water leaking back into the existing pipeline shall be removed so as not to interfere with the proper installation and curing of the CIPP liner.

Verify the length of water main sections to be cleaned and lined. Flush the host pipe with clean water to remove any loose debris from the interior surface of the pipe, and remove all standing water from the inside surfaces of the cleaned water main by passing a sufficient number of oversized foam swabs through the main. A progressive expansion method to remove standing water is also allowed.

Perform and submit to the Engineer video recording files of the closed circuit television (CCTV) inspection of existing water mains at two intervals:

- 1. Prior to water main lining, per Section 703.5 of these Special Provisions.
- 2. The finished pipeline after service reinstatement, per Section 703.5 and Section 703.12 of these Special Provisions.

Provide Madison Water Utility and the Wisconsin Department of Natural Resources with a complete set of all required inspection video recording files. The picture quality and definition shall be clear and acceptable for viewing and the files shall be compatible with Microsoft Windows operation systems. Information in the files shall identify the water main section, direction of travel, and the date of inspection. Where applicable, the files shall include a voice description of the location of any identified defects.

#### SECTION 703.6 PREPARE WATER SERVICE CONNECTIONS FOR LINING

Prior to installing the CIPP liner, locate all existing water service laterals, and plug the service laterals as recommended by the manufacturer and approved by the Engineer. The insertion of plugs into the service connections may be done simultaneously with the pre-installation CCTV inspections.

The plugs, or other approved devices, shall prevent any accumulation of resin inside the service lines that may otherwise obstruct them, and shall also prevent water infiltration from a leaking curb-stop service valve.

The plugs, or other approved devices, shall make visible any non-penetrating service connections in the lined pipe, to ensure that operators are able to accurately locate the non-penetrating service connections after they have been covered with the CIPP liner.

### SECTION 703.7 EQUIPMENT SUFFICIENCY

Provide a suitable quantity of temperature and pressure gauges, capable of meeting or exceeding the manufacturer's standards and specifications for monitoring installation and curing of the CIPP liner. Puller units and winch cables shall be equipped with manufacturer-recommended tension gauges, and shall be smooth running and variable speed. The cutting devices shall be remotely-monitored devices for use inside the lined pipes.

Prepare and inspect all necessary tools and any spare parts that are required for equipment which suffers recurring breakdowns, and ensure that said tools and spare parts are available at the work-site. Prepare and make operable all necessary communication equipment for the installation field crew.

### SECTION 703.8 RESIN MATERIAL INSPECTION

Ensure that the Engineer and other Madison Water Utility representatives are able to inspect the epoxy resin materials and/or the chemical impregnation procedures of the CIPP liner tube or spin-cast surfacing liners. The resins and catalyst systems shall be prepared as recommended by the liner manufacturers, NSF, and as approved by the Engineer and shall be monitored and documented for each installation.

The quantities of the resins and catalyst systems must be prepared in accordance to the manufacturer's standards and NSF requirements to yield liners that, when cured, provide at least the lining thickness specified in the approved liner designs plus additional allowances for polymerization shrinkage and the loss of resins through irregularities in the deteriorated host pipe walls. Liner thickness measurements shall exclude the thickness of any polymeric membranes or any other non-structural surface coatings. Ratios of the epoxy resin mixtures shall be documented for each installation and verified for consistency with ratios identified on the product's NSF/ANSI 61 certification.

If any chemical impregnation procedures are done onsite, the impregnation shall be done in an enclosed vehicle or other controlled environment approved by the Engineer. On-site impregnation in open air space is not acceptable.

### SECTION 703.9 INSTALLING THE CIPP LINER

Prior to installing the CIPP liner, verify full compliance with the approval requirements of the Engineer as specified in Section 701.3 of these Special Provisions; also verify full compliance with the approval requirements of the WI-DNR as specified in Sections 108.2 and 702.3 of these Special Provisions. Do not proceed with the installation of liners until the Engineer, in writing, certifies compliance and gives direction to proceed with the CIPP liner installations. The approved liners shall be installed pursuant to the specific provisions set forth for the approved lining methods.

### SECTION 703.9(A) PREPARING AND INSERTING THE CIPP LINER

The CIPP liner system shall be installed within the existing water main through the insertion point by either spin-casting, inversion or by the pull-in-place method, as recommended by the manufacturer and as specified in ASTM F126/1723 and/or other applicable ASTM Standards required by the Engineer.

The liner dimensions shall be sufficient enough to fully extend the liners within the host pipe both circumferentially and longitudinally. Liner dimensions must also ensure that the proper finished pipe thickness will be obtained, with the liners either adhering to or fitting tightly against the interior walls of the existing pipes and without creating annular spaces between the liners and the host pipes.

Before installation begins, confirm as applicable the minimum pressure required to hold the liners tight against the existing pipeline and the maximum allowable pressure so as not to damage the liner materials. In order to ensure a proper fit of the liners, pressure shall be maintained between the recommended minimum and maximum pressures through the duration of the installation process. As applicable, verify that field installation data-logs and installation procedures are consistent with

manufacturer recommendations and any installation/curing requirements identified in the NSF/ANSI 61 certifications for the liner products.

### SECTION 703.9(B) CURING THE CIPP LINER

The equipment used to execute the curing of the CIPP liners shall be in accordance with the liner manufacturer's equipment requirements. As applicable, the equipment shall be capable of uniformly raising the temperature in the entire liner above the temperature required to initiate and complete the curing of the resin system. The required temperatures shall be determined by the manufacturer requirements of the approved resin/catalyst systems. The heat source shall be fitted with suitable monitors to gauge the temperature and pressure of the incoming and outgoing heat exchanger circulating heating medium. The monitoring devices shall be in accordance to Section 703.6 of these Special Provisions. Thermocouples or temperature gauges or infra-red guns shall be used at the insertion and extraction points to determine and record the temperature of the liners and times of exotherm.

Sufficiently monitor and document the pressure readings, temperature readings and the time of readings throughout the duration of the curing process (from before the initiation of the heat source through the cool-down phase). A copy of the documentation shall be submitted to the Engineer in accordance with Section 701.3(B) of these Special Provisions.

The cure periods shall be of a duration recommended by the resin manufacturers and/or the NSF/ANSI 61 certification. Extend the duration as necessary for the site specific conditions at the time of curing (temperature, moisture level, thermal conductivity of soil, etc.). During this cure time, it is required that the temperature inside the liner be continuously maintained at or above the temperature required by the manufacturer and/or NSF/ANSI 61 requirements for curing the product.

The curing shall be considered complete when inspection of the exposed portions of the liner show it to be hard and sound, and the temperature readings at the interface of the liners with the host pipes show that enough heating had occurred to ensure that no portions of the CIPP liner have not been fully cured.

Once the cures are ensured to be 100% complete, cool the hardened liners to a temperature below one hundred degrees Fahrenheit (100°F) before relieving the internal pressure. The cool-down shall be accomplished as recommended by the manufacturers. Care shall be taken during the release of the internal pressure so that a vacuum does not develop that could damage the newly installed liner.

After the liners are sufficiently cooled to below one hundred degrees Fahrenheit (100°F), and before beginning to reinstate the service laterals, a CCTV inspection of the newly installed liners shall be performed to confirm that the liners were properly installed and completely cured. If no services are involved, then this inspection is to be recorded and delivered to the Engineer on file as the final TV inspection submittal.

The finished lining segments shall be continuous over their entire lengths and be free from visual defects such as foreign inclusions, dry spots, pinholes and de-laminations. All lining shall be impervious and free of any leakage.

If at the insertion/extraction ends the lining fails to make a tight seal, notify the Engineer and apply a seal of a resin mixture compatible with the CIPP liner or repair using manufacturer's approved methods if different from above.

### SECTION 703.10 PRESSURE TESTING

Pressure testing for water-tightness is required on all CIPP sections installed, and shall be completed after the preliminary video inspection but before the reinstatement of service connections, unless otherwise directed by the Engineer.

Remove any trapped air and stabilize the CIPP liner prior to beginning hydrostatic pressure testing.

Perform hydrostatic pressure test on the lined water main at a hydrostatic pressure of 25% greater than the normal area pressure, for a period of one hour.

After the one-hour test, the quantified make up water shall be calculated and if the loss at test pressure exceeds what is acceptable (up to 20 gallons per inch diameter, per mile, per day) identify the source of the loss and minimize it in a manner acceptable to the Engineer.

### SECTION 703.11 REINSTATE SERVICE OPENINGS

Upon completion of installation and pressure testing of the CIPP liner, reconnect existing services from the interior of the water main using a television camera directed robotic cutting device that removes a small section of the liner to expose the corporation valve opening. All connections that are to be reopened shall be satisfactorily opened to the size of the original opening, and to the depth required to completely open the water service connection to its pre-lining state. The reinstated service opening shall be circular, smooth and flush.

Each successful service reinstatement will be paid under Bid Items 90162 and 90165 – Reinstate Service Opening. In the event that a service cannot be successfully reinstated from within the pipeline, the service must either be connected using manufacturer's recommended methods and as approved by the Engineer, or a new service must be tapped into the newly rehabilitated water main. Provide the Engineer at least two working-days' notice prior to beginning any such work, per Section 105.12 of these Specifications or as applicable to Section 703.3 of the Standard Specifications.

Any additional cost resulting from unsuccessfully reinstating a service opening from within the pipeline shall be borne solely by the Contractor, and there shall be no claim against Madison Water Utility for any additional required work associated with the service lateral reinstatement.

### SECTION 703.12 FINAL TELEVISION INSPECTION

A final television inspection and video recording of the rehabilitated water main, including the restored service connections, shall be performed immediately after work is completed. The final CCTV recording files shall be submitted to the Engineer in accordance to Sections 701.3(B) and 703.5 of these Special Provisions.

Should the results of this final inspection reveal any defects that are determined by the Engineer to be repairable, repair these defects as directed by the Engineer. Should the results of this final inspection reveal any defects that are determined by the Engineer and manufacturer not to be repairable, remove and replace the existing water main as ordered by the Engineer. Any repairs or replacements, as directed, shall be completed at no cost to Madison Water Utility or the City of Madison.

### SECTION 703.13 RECONNECT WATER MAIN

After the final television inspection is completed, Madison Water Utility will furnish and install new water main and reinstall the removed sections of the existing pipeline (e.g. at insertion/reception pits, valves, connections, etc.) as indicated on the Plans. Any required cutting or removal of lined water main will be done in accordance to the manufacturer's recommendations provided to Madison Water Utility. Any additional shoring or trench protection needed for installing/reconnecting water mains will be the responsibility of Madison Water Utility. Provide at least two (2) working-days' notice to the Madison Water Utility contact listed in Section 703.4 prior to the anticipated start of the water main work, to coordinate work schedules.

Madison Water Utility main installation/reconnection work, other than emergency repairs, shall only occur during normal working hours (Monday-Friday 7:30 AM to 3:30 PM) unless otherwise approved by the Madison Water Utility.

The Contractor shall be responsible for furnishing and performing water main disinfection according to the Standard Specifications and these Special Provisions. Coordinate and work with Madison Water Utility

during the water main installations/reconnections to properly perform disinfection procedures and to ensure the adequacy of the new materials furnished and installed by Madison Water Utility.

### SECTION 703.14 DISINFECTION

All rehabilitated water mains, newly installed water mains, or reinstalled existing water mains shall be properly disinfected by the Contractor and produce a safe-water sample before any customers may be reconnected to the water system. Coordinate this work with Madison Water Utility to properly disinfect and ensure the adequacy of all new water mains being furnished and installed by Madison Water Utility or others.

As part of the submittals required under Section 701.3(A) of these Special Provisions, include the proposed CIPP Lining Disinfection Plan to the Engineer for approval. The plan shall identify the disinfection, flushing, and applicable customer notification procedures required to properly disinfect all water main work included in this Contract. These procedures shall be in accordance with AWWA C651 – Disinfecting Water Mains.

Once all of the pipe work is completed, perform chlorine disinfection of the newly installed pipe and CIPP liner in accordance with the approved CIPP Liner Disinfection Plan.

Properly dispose of any highly-chlorinated water in accordance to Standard Specification 703.14(C). Sampling and testing will be done according to the Standard Specifications.

Customer service lines shall be transferred from the temporary bypass system to the newly-rehabilitated system after both of the following occur:

- 1. Acceptable water samples have been obtained and approved by the Engineer in accordance to Section 703.14(A) of these Special Provisions.
- 2. The line has been flushed following the 24-hour stagnation sampling procedures in Special Provisions Sections 703.15.

### SECTION 703.15 MADISON WATER UTILITY WATER QUALITY SAMPLING AND TESTING

Madison Water Utility shall sample and test the rehabilitated drinking water system to ensure that the CIPP lining system is not leaching any volatile organic compounds (VOCs) and/or Bisphenol A (BPA) into the water. Sampling shall occur after the disinfection and flushing of the rehabilitated water main. Locations (and number of samples) to be taken shall be determined by the WI-DNR.

After approved disinfection and flushing, allow the water within the filled rehabilitated pipe sections to stagnate for at least 24-hours before Madison Water Utility takes the post-lining testing samples. Notify the Engineer prior to beginning the stagnation period.

Madison Water Utility will pay for all fees associated with this testing. VOC/BPA samples shall only be allowed to be taken between Mondays and Wednesdays of the work week.

After the post-lining VOC and/or BPA samples have been collected and the Engineer has authorized proceeding, the customer service lines shall be transferred from the temporary bypass system to the permanent service lines on the rehabilitated water main.

### SECTION 703.16 QUALITY ASSURANCE TESTING

A thorough evaluation of the CIPP liner is intended and considered incidental to the installation of the CIPP liner. Prepare and collect all product/material samples required herein, complete all requested testing procedures, and submit to the Engineer all associated test results, data, and reports in a timely manner.

### Product / Material Samples:

 Collect and submit one restrained tube sample prepared as specified in ASTM F1216 for each liner segment installed. Notify the Engineer if a restrained tube sample cannot be prepared due to physical constraints; a flat plate sample shall be prepared in lieu of the restrained tube. These samples will be in addition to any samples required for required product evaluation testing.

### Product Evaluation Testing / Test Data:

- CIPP flat plate samples shall be prepared and physical properties tested in accordance with ASTM F1216 Section 8.1.3.1 Short Term Flexural Properties, and ASTM F1216 Section 8.1.32 Tensile Properties.
- CIPP liner wall thickness shall be tested for each liner segment installed in accordance with ASTM F1216 Section 8.6 – CIPP Wall Thickness. The minimum wall thickness at any point shall not be less than the approved minimum design wall thickness, excluding the thickness of any polymeric membranes or any other non-structural surface coatings.
- Test results from the VOC analysis (Section 703.14(B)).
- Test results from the BPA analysis (Section 703.14(C)).

### SECTION 703.17 ACCEPTANCE

Site restoration is considered incidental to the installation of the CIPP liner. Ensure that the entire worksite is sufficiently restored to pre-construction conditions or better. Any excavated areas and other work areas prepared or maintained by Madison Water Utility will be restored by Madison Water Utility.

The CIPP liner shall be deemed acceptable when the installation is performed according to these Special Provisions and Contract documents, and when the applicable tests data submittals are satisfied according to Section 703.16 of these Special Provisions.

Any remaining work pertinent to backfilling excavations, pavement milling, placing asphalt, placing concrete, etc. shall be the responsibility of Madison Water Utility and/or the City of Madison.

### BID ITEM 90160: PROVIDE & MAINTAIN TEMPORARY WATER SERVICE

### Description.

This bid item will apply to the areas as described in Article 104 of these Special Provisions, and consist of the cost of furnishing, installing, maintaining and removing:

- All temporary bypass pipe and pipe fittings
- Valves including large service valves as required
- Service lines
- General hardware
- Water supply connection backflow preventers and reduced pressure zone devices
- Testing, flushing, and sampling taps

### Work may also include but is not limited to:

- Disinfecting, scheduling and assisting with obtaining health samples
- Ramping, pavement cutting, excavation, and burial at road crossings/sidewalks/driveways
- Preparation and distribution of service interruption notices
- Maintenance of the bypass system throughout the duration of project
- Site restoration excluding final pavement restoration
- Furnishing all labor, additional material and equipment necessary to complete work as described

### Materials.

Materials under these bid items shall be in accordance to Section 702 of these Special Provisions and applicable Standard Specifications.

#### Construction Methods.

Construction methods under these bid items shall be in accordance to Section 703 of these Special Provisions and applicable Standard Specifications.

#### Method of Measurement.

These bid items are measured as one lump sum to include all temporary water service work performed in accordance with these Special Provisions.

### Basis of Payment.

These bid items shall be paid for at the Contract lump sum unit price. Lump sum payment shall be full compensation for all temporary water service work as specified.

A partial payment of 50 percent of the unit price bid may be made for the bypass pipe system after assembly has been completed, disinfected, tested and safe water samples have been obtained. The remaining 50 percent of the unit price may be paid when the bypass system has been removed and associated site restorations have been completed.

### BID ITEM 90161: STRUCTURAL REHABILITATION OF 6-IN WATER MAIN

### Description.

This bid item will apply to the areas as described in Article 104 of these Special Provisions and includes all labor, materials, plant, equipment, samples, tests, and insurance required and necessary for the designing, fabricating, furnishing, delivering, mobilization, traffic control, cleaning, inspecting/surveying, installing, field and lab testing and reporting, reconnecting, disinfecting, site restoration, and recommissioning of the existing water main reconstructed by using an approved CIPP liner method and all work incidental thereto, all in accordance with the Plans, Special Provisions, and applicable Standard Specifications, and as directed by the Engineer.

Included in these bid items shall be the cost of all labor, material and equipment required to locate and set-up insertion and receiving pits (excavated by Madison Water Utility) with sheeting/bracing in accordance to OSHA and the Standard Specifications (See Section 703.2 – Excavation and Section 703.3 – Sheeting, Bracing and Shoring), carefully hand excavating if required, removal of existing pipe, cleaning up, disposal of any removed materials-, and cut/remove portions of the existing water main at insertion and extraction points.

In addition, included in these bid items shall be the cost for mobilization, traffic and site control, signage, miscellaneous site facilities and equipment, all required submittals, notifications, CCTV inspection and video recording, field and lab testing as required in the Contract documents, and other incidentals required to complete the work. No separate or additional payment will be made for this work.

### Materials.

Materials under these bid items shall be in accordance to Section 702 of these Special Provisions and applicable Standard Specifications.

### Construction Methods.

Construction methods under these bid items shall be in accordance to Section 703 of these Special Provisions and applicable Standard Specifications.

### Method of Measurement.

The quantity of these bid items to be measured for payment shall be the number of linear feet of existing water main actually reconstructed by the approved CIPP lining method, complete, all in accordance with the Contract documents and to the satisfaction of the Engineer, measured along the centerline of the water main from insertion point to extraction point.

### 5. Basis of Payment.

These bid items shall be paid for at the Contract unit price per linear foot. Payment per linear foot shall be full compensation for all work in furnishing and installing the liner as specified.

### BID ITEM 90162: REINSTATE SERVICE OPENING

### Description.

This bid item will apply to the areas as described in Article 104 of these Special Provisions and include all labor, materials, equipment, tools, and incidentals required to re-open existing services (two-inch diameter or smaller) from the interior of the CIPP lined water main.

### Materials.

Materials under these bid items shall be in accordance to Section 702 of these Special Provisions and applicable Standard Specifications.

### Construction Methods.

Construction methods under these bid items shall be in accordance to Section 702 of these Special Provisions and applicable Standard Specifications.

#### Method of Measurement.

The quantity of these bid items to be measured for payment shall be the number of service locations which are re-opened to the size and depth of the original opening and are satisfactorily circular, smooth and flush.

### Basis of Payment.

These bid items shall be paid for at the Contract unit price per each re-opened service. Payment per each shall be full compensation for all work in furnishing and installing the liner as specified.

In the event a service cannot be successfully reinstated from within the pipeline, the service must be connected using manufacturer's recommended methods and as approved by the Engineer or a new service must be tapped into the newly rehabilitated water main, including all required excavation and surface restoration.

Any additional cost resulting from repairing and/or re-tapping a new service connection due to an unsuccessfully reinstated service opening shall be bore solely by the Contractor, and there shall be no claims against Madison Water Utility for any additional required work associated with the service lateral reinstatement.



Department of Public Works

# **Engineering Division**

Robert F. Phillips, P.E., City Engineer

City-County Building, Room 115 210 Martin Luther King, Jr. Boulevard Madison, Wisconsin 53703 Phone: (608) 266-4751 Fax: (608) 264-9275 engineering@cityofmadison.com www.cityofmadison.com/engineering

Deputy City Engineer

Gregory T. Fries, P.E.

**Deputy Division Manager** Kathleen M. Cryan

Principal Engineer 2

Christopher J. Petykowski, P.E. John S. Fahrney, P.E.

Janet Schmidt, P.E.

Principal Engineer 1 Christina M. Bachmann, P.E.

Mark D. Moder, P.E.

James M. Wolfe, P.E.

Facilities & Sustainability Bryan Cooper, Principal Architect

Mapping Section Manager

Eric T. Pederson, P.S.

Financial Manager

Steven B. Danner-Rivers

July 28, 2021

**NOTICE OF ADDENDUM ADDENDUM NO. 1 CONTRACT NO. 9057** CIPP 2021 - E JOHNSON ST

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

### **ESTIMATE:**

### ADD BID ITEMS:

109	11	MOBILIZATION	1	LUMP SUM
107	01	TRAFFIC CONTROL	1	LUMP SUM

The Bid Submission Deadline (Date and Time) has NOT been modified.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at: http://www.bidexpress.com

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.

Sincerely,

Adam Wiederhoeft, PE Int. Chief Engineer

n Middhact

Madison Water Utility

### **SECTION E: BIDDERS ACKNOWLEDGEMENT**

### CONTRACT TITLE CIPP 2021 - E JOHNSON ST

### CONTRACT NO. 9057

Bidder must state a Unit Price and Total Bid for each item. The Total Bid for each item must be the product of quantity, by Unit Price. The Grand Total must be the sum of the Total Bids for the various items. In case of multiplication errors or addition errors, the Grand Total with corrected multiplication and/or addition shall determine the Grand Total bid for each contract. The Unit Price and Total Bid must be entered numerically in the spaces provided. All words and numbers shall be written in ink.

T	The undersigned having familiarized himself/herself with the Contract documents, including Advertisement for Bids, Instructions to Bidders, Form of Proposal, City of Madison Standard Specifications for Public Works Construction - 2021 Edition thereto, Form of Agreement, Form of Bond, and Addenda issued and attached to the plans and specifications on file in the office of the City Engineer, hereby proposes to provide and furnish all the labor, materials, tools, and expendable equipment necessary to perform and complete in a workmanlike manner the specified construction on this project for the City of Madison; all in accordance with the plans and specifications as prepared by the City Engineer, including Addenda to the Contract Nos.  1 through 1 issued thereto, at the prices for said work as contained in this proposal. (Electronic bids submittals shall acknowledge addendum under Section E and shall not
2.	acknowledge here)  If awarded the Contract, we will initiate action within seven (7) days after notification or in accordance with the date specified in the contract to begin work and will proceed with diligence to bring the project to full completion within the number of work days allowed in the Contract or by the calendar date stated in the Contract.
3,	The undersigned Bidder or Contractor certifies that he/she is not a party to any contract, combination in form of trust or otherwise, or conspiracy in restraint of trade or commerce or any other violation of the anti-trust laws of the State of Wisconsin or of the United States, with respect to this bid or contract or otherwise.
4.	I hereby certify that I have met the Bid Bond Requirements as specified in Section 102.5. (IF BID BOND IS USED, IT SHALL BE SUBMITTED ON THE FORMS PROVIDED BY THE CITY, FAILURE TO DO SO MAY RESULT IN REJECTION OF THE BID).
5.	I hereby certify that all statements herein are made on behalf ofFer-Pal Construction USA LLC (name of corporation, partnership, or person submitting bid) a corporation organized and existing under the laws of the State ofMichigan a partnership consisting of ; an individual trading as of the City of State of ; that I have examined and carefully prepared this Proposal, from the plans and specifications and have checked the same in detail before submitting this
	Proposal; that I have fully authority to make such statements and submit this Proposal in (its, their) behalf; and that the said statement and correct.
TITLE, IF	DONNA J FARNER  ANY  DONNA J FARNER  NOTARY PUBLIC - STATE OF MICHIGAN  COUNTY OF WAYNE  My Commission Expires May 12, 2022  Adding in the County of Way 12, 2022
Sworn a	nd subscribed to before me this 3th day of August, 2021.
worn a	nd subscribed to before me this 3th day of August, 2021.  Acting in the County of Wayne

(Notary Public or other officer authorized to administer oaths)

My Commission Expires May 12, 2022

Bidders shall not add any conditions or qualifying statements to this Proposal.

Contract 9057 - Fer-Pal Construction USA, LLC

Section F: Best Value Contracting (BVC)

This section is a required document for the bid to be considered complete. There are two methods for completing the Best Value Contracting (BVC) form. Method one: The form can be filled out online and submitted to this site to be included with your electronic bid. Method two: The form can be downloaded from the site and submitted by hand to the City of Madison.

Method of Submittal for BVC (click in box below to choose) \*

I will submit Bid Express fillable online form (BVC).

### **Best Value Contracting**

1. The Contractor shall indicate the non-apprenticeable trades used on this contract.

2 Madison General Ordinance (M.G.O.), 33 07(7), does provide for some exemptions from

2. Madicoli Colloral Chamber (m. 2.27), 22.0. (1), 4000 provide for Collic exempliante meth
the active apprentice requirement. Apprenticeable trades are those trades considered apprenticeable by the State of Wisconsin. Please check applicable box if you are seeking an
exemption.
Contractor has a total skilled workforce of four or less individuals in all apprenticeable
trades combined.
No available trade training program; The Contractor has been rejected by the only available trade training program, or there is no trade training program within 90 miles.
available trade training program, or there is no trade training program within 50 miles.
Contractor is not using an apprentice due to having a journey worker on layoff status, provided the journey worker was employed by the contractor in the past six months.  First time contractor on City of Madison Public Works contract requests a onetime
exemption but intends to comply on all future contracts and is taking steps typical of a "good
faith" effort.
Contractor has been in business less than one year.
Contractor doesn't have enough journeyman trade workers to qualify for a trade training
program in that respective trade.
An exemption is granted in accordance with a time period of a "Documented Depression" as defined by the State of Wisconsin.

3. The Contractor shall indicate on the following section which apprenticeable trades are to be used on this contract. Compliance with active apprenticeship, to the extent required by M.G.O. 33.07(7), shall be satisfied by documentation from an applicable trade training body; an apprenticeship contract with the Wisconsin Department of Workforce Development or a

	ilar agency in another state; or the U.S Department of Labor. This documentation is uired prior to the Contractor beginning work on the project site.
LIS	The Contractor has reviewed the list and shall not use any apprenticeable trades on this ject. T APPRENTICABLE TRADES (check all that apply to your work to be performed on this stract)
	BRICKLAYER  CARPENTER  CEMENT MASON / CONCRETE FINISHER  CEMENT MASON (HEAVY HIGHWAY)  CONSTRUCTION CRAFT LABORER  DATA COMMUNICATION INSTALLER  ELECTRICIAN  ENVIRONMENTAL SYSTEMS TECHNICIAN / HVAC SERVICE TECH/HVAC INSTALL  ERVICE  GLAZIER  HEAVY EQUIPMENT OPERATOR / OPERATING ENGINEER  INSULATION WORKER (HEAT and FROST)  IRON WORKER  IRON WORKER (ASSEMBLER, METAL BLDGS)  PAINTER and DECORATOR  PLASTERER  PLUMBER  RESIDENTIAL ELECTRICIAN
	ROOFER and WATER PROOFER
	SHEET METAL WORKER
П	SPRINKLER FITTER
	STEAMFITTER
	STEAMFITTER (REFRIGERATION)
	STEAMFITTER (SERVICE)
	TAPER and FINISHER
	TELECOMMUNICATIONS (VOICE, DATA and VIDEO) INSTALLER-TECHNICIAN
	TILE SETTER



Prime Contractor Name

# Disadvantaged Business Enterprise (DBE) Program DBE Subcontractor Utilization Form

This form is intended to capture the prime contractor's actual and/or anticipated use of identified certified DBE¹ subcontractors² and the estimated dollar amount of each subcontract. An EPA Financial Assistance Agreement Recipient must require its prime contractors to complete this form and include it in the bid or proposal package. Prime contractors should also maintain a copy of this form on file.

FER-PAL Construction USA LLC		CIPP 2021- E Johnson St			
Bid/ Proposal No.	Assistance Agreement ID No. (if known) Point of Contact			.:	
9057	Frank Garcea				
Address 1350 Gasket Drive, Elg	yin, IL, 60120				
Telephone No. 847-214-0103	dal de dilimina anno monomento	Email Address fgarcea@ferpa		re.com	
Issuing/Funding Entity:					
I have identified potential DBI			an and an	· · · · · · · · · · · · · · · · · · ·	
certified subcontractors		YES			NO
If yes, please complete the tab	le below. If no, please explaractor has been confirmed.	in: Effort has be	en made to c	ontact DBE su	bcontractors.
Curefully, no potential subcond	addi nad boon dominiod.				
Subcontractor Name/ Company Name	Company Addres	ss/Phone/Ema	<b>il</b> .	Est. Dollar Amt	DBE
Subcontractor Name/		ss/Phone/Ema	ii .		DBE
Subcontractor Name/		ss/Phone/Ema	il		DBE
Subcontractor Name/		ss/Phone/Ema			Currently DBE Certified?

EPA FORM 6100-4 (DBE Subcontractor Utilization Form)

<sup>&</sup>lt;sup>1</sup> A DBE is a Disadvantaged, Minority, or Woman Business Enterprise that has been certified by an entity from which EPA accepts certifications as described in 40 CFR 33.204-33.205 or certified by EPA. EPA accepts certifications from entities that meet or exceed EPA certification standards as described in 40 CFR 33.202.

<sup>&</sup>lt;sup>2</sup> Subcontractor is defined as a company, firm, joint venture, or individual who enters into an agreement with a contractor to provide services pursuant to an EPA award of financial assistance.



# Disadvantaged Business Enterprise (DBE) Program DBE Subcontractor Utilization Form

I certify under penalty of perjury that the forgoing statements are true and correct. Signing this form does not signify a commitment to utilize the subcontractors above. I am aware of that in the event of a replacement of a subcontractor, I will adhere to the replacement requirements set forth in 40 CFR Part 33 Section 33.302 (c).

Prime Contractor Signature	Print Name
	Frank Garcea
Title	Date
Treasurer	August 5, 2021
(8/8 mm/s) 5.	
Consult.	

The public reporting and recordkeeping burden for this collection of information is estimated to average three (3) hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

EPA FORM 6100-4 (DBE Subcontractor Utilization Form)

State of Wisconsin
Department of Natural Resources
Bureau of Community Financial Assistance
101 S. Webster St., PO Box 7921
Madison WI 53707-7921
Phone No. (608) 266-7555 FAX (608) 267-0496
Website: dn.wi.gov/Ald/EIF.html

# Environmental Improvement Fund (EIF) DBE Contacts Worksheet

Form 8700-294A (R 03/17)

Page 1 of 4

NOTE: This form is authorized by chs. NR 162 and NR 166, Wis. Adm. Code. The information requested on this form is necessary for the review of solicitation of Disadvantaged Business Enterprises (DBEs). This form is intended to be a tool to assist those seeking funding from the EIF (Clean Water Fund Program or Safe Drinking Water Loan Program) to meet the DBE requirements of EIF programs. Submitting this form to the Department is optional. Applicants may submit the form as the required documentation of solicitation efforts or provide the information in some other format. Personally identifiable information provided on this form will only be used in determining whether or not DBE requirements are met. Failure to complete or submit this form has no impact on the applicant. For complete information regarding DBE requirements, see the Contract Packet for DBE Compliance on DNR's website at http://dnr.wi.gov/Aid/documents/EIF/Guide/DBE.html.

Contact DBEs on a Unified Certification Program (UCP) List to solicit bids from DBE firms (e.g., firms registered in the WisDOT UCP, <a href="http://wisconsindot.gov/pages/doing-bus/civil-rights/dbe/certified-firms.aspx">http://wisconsindot.gov/pages/doing-bus/civil-rights/dbe/certified-firms.aspx</a>). The individual that makes the contacts should document all contacts. Contact at least 2 minority business enterprises (MBEs) and 2 women's business enterprises (WBEs); additional contacts may be to any type of DBE. Only contacts made to DBEs on DOT's UCP list can be considered in determining whether a good faith effort was made to solicit DBEs.

Project Information					
Name of Municipality		EIF Project Number  9057 - CIPP 2021 - E Johnson St.  Information Prepared By (Name and Phone or E-Mail Address)			
City of Madison, WI					
Name of Prime Contractor					
Fer-Pal Construction USA LLC		Frank Garcea Tel: 847-214-0103			
Contacts					
Information Needed For Review	Contact 1	Contact 2	Contact 3		
a. Name of Firm Contacted	The Expediters Inc.	DCN Trucking	midnight run materials LLC		
b. Contact's Phone Number or E-Mail	262-965-3343 kmuchka@aol.com	414-438-1809 dcntruckingkingllc55@yahoo.com	715-218-4559 midnightrunmaterials@gmail.co		
c. Firm Type	○ MBE ○ WBE ② Other DBE	○ MBE ○ WBE ② Other DBE	Ø MBE ○ WBE Ø Other DBE		
d. On DOT UCP list?			O∕Yes ○ No		
e. Date Contacted	8/2/2021	8/2/2021	8/2/2021		
f. Result of contact	no reply	no reply	no reply		
g. Bid recelved?	◯ Yes 🧭 No	◯ Yes ⊘ No	○ Yes ℚ'No		
h. If bld received and rejected, why rejected?					
i. Utilizing this firm? (If yes, more on p. 4)*	◯ Yes ◯ No	◯ Yes ◯ No	◯ Yes ◯ No		

# Environmental Improvement Fund (EIF) DBE Contacts Worksheet Form 8700-294A (R 03/17) Page 2 of 4

Page 2 of 4

Imc/metion Neaded Por Review	Cunacis	Gontadios	Gontact 6
a. Name of Firm Contacted	Big Guy Trucking LLC	Precision Underground markings	Abari Construction
b. Contact's Phone Number or E-Mail	414-690-9656 bigguytruckingllc@yahoo.com	414-228-5189 charles@precisionunderground.com	630-766-6676 janice@acurainc.com
c. Firm Type	○ MBE ○ WBE ② Other DBE	○ MBE ○ WBE ② Other DBE	○ MBE ○ WBE ○ Other DBE
d. On DOT UCP list?		Q Yes ○ No	√Yes ○ No
e. Date Contacted	7/30/2021	7/30/2021	7/30/2021
f. Result of contact			
g. Bid received?	◯ Yes 🧭 No	◯ Yes 🧭 No	○ Yes ○ No
h. If bid received and rejected, why rejected?		per community and the second s	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
i. Utilizing this firm? (If yes, more on p. 4)*	◯ Yes ◯ No	◯ Yes ◯ No	○ Yes ○ No
Information Naeded Ege Review	Contact 7	Contact 8	Contact 9
a. Name of Firm Contacted			
b. Contact's Phone Number or E-Mail			
c. Firm Type	○ MBE ○ WBE ○ Other DBE	○ MBE ○ WBE ○ Other DBE	○ MBE ○ WBE ○ Other DBE
d. On DOT UCP list?			
· · · · · · · · · · · · · · · · · · ·	◯ Yes ◯ No	○ Yes ○ No	◯ Yes ◯ No
e. Date Contacted	◯ Yes ◯ No	○ Yes ○ No	◯ Yes ◯ No
	◯ Yes ◯ No	○ Yes ○ No	○ Yes ○ No
e. Date Contacted		○ Yes ○ No	○ Yes ○ No
e. Date Contacted  f. Result of contact			

# **Customer Ad Proof**

### 60017269 Fer-Pal Construction USA

Order Nbr 64316

Contact	Fer-Pal Construction USA	PO Number	
Address 1	1350 GASKET DRIVE	Rate	Ореп
Address 2		Order Price	58.93
City St Zip	ELGIN IL 60120	Amount Paid	0.00
Phone	8472140103	Amount Due	58.93
Fax			<b></b> -
Section	Legals	Start/End Dates	08/02/2021 - 08/04/2021
SubSection		Insertions	3
Category	0100 LEGAL NOTICE	Size	19 
Ad Key	64316-1	Salesperson(s)	Rebecca Henreckson
Keywords	Public Notice to Madison, Wi D	Taken By	Rebecca Henreckson

Ad Proof

Public Notice to Madison, WI DEE Itsainees's For-Pel Construction is seeking DEE compliant businesses that wish to supply us with bids / proposals for Madison, WI —Contract if 8556 & 3057 in this area of cleaning water pice (failing), stellic bonule, a function of expending the contract of supply water pice (failing), stellic bonule, a function of expending to the project. The see sometime to this project, Please contact Chris Remoids at 847,214–3103.
Christopher, reynolds gifternaturational function on 150,000 and 1

### **CIPP 2021 - E JOHNSON ST**

CONTRACT NO. 9057 DATE: 8/5/2021

*k* 

# Fer-Pal Construction USA, LLC

Item	Quantity	Price	Extension
Section B: Proposal Page			
10911 - MOBILIZATION - LS	1.00	\$10,000.00	\$10,000.00
10701 - TRAFFIC CONTROL - LS	1.00	\$5,500.00	\$5,500.00
90160 - PROVIDE & MAINTAIN TEMPORARY WATER SERVICE -			
LS	1.00	\$54,150.00	\$54,150.00
90161 - STRUCTURAL REHABILITATION OF 6-IN WATER MAIN -			
LF .	1200.00	\$105.00	\$126,000.00
90162 - REINSTATE SERVICE OPENINGS - EA	48.00	\$225.00	\$10,800.00
5 Items	Totals		\$206,450.00

BID NO: TS8030610-23

### **SECTION G: BID BOND**

LET ALL KNOW BY THESE DOCUMENTS PRESENTED, THAT Principal and Surety, as identified below, are held and firmly bound unto the City of Madison, (hereinafter referred to as the "Obligee"), in the sum of five per cent (5%) of the amount of the total bid or bids of the Principal herein accepted by the Obligee, for the payment of which the Principal and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

The conditions of this obligation are such that, whereas the Principal has submitted, to the City-of Madison a certain bid, including the related alternate, and substitute bids attached hereto and hereby made a part hereof, to enter into a contract in writing for the construction of:

### CIPP 2021 – E JOHNSON ST CONTRACT NO. 9057

- 1. If said bid is rejected by the Obligee, then this obligation shall be void.
- 2. If said bid is accepted by the Obligee and the Principal shall execute and deliver a contract in the form specified by the Obligee (properly completed in accordance with said bid) and shall furnish a bond for his/her faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith, and shall in all other respects perform the agreement created by the acceptance of said bid, then this obligation shall be void.

If said bid is accepted by the Obligee and the Principal shall fail to execute and deliver the contract and the performance and payment bond noted in 2. above executed by this Surety, or other Surety approved by the City of Madison, all within the time specified or any extension thereof, the Principal and Surety agree jointly and severally to forfeit to the Obligee as liquidated damages the sum mentioned above, it being understood that the liability of the Surety for any and all claims hereunder shall in no event exceed the sum of this obligation as stated, and it is further understood that the Principal and Surety reserve the right to recover from the Obligee that portion of the forfeited sum which exceed the actual liquidated damages incurred by the Obligee.

The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no way impaired or affected by an extension of the time within which the Obligee may accept such bid, and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, on the day and year set forth below.

- PUG-9	PRINCIPAL		
ONSTRUCTION ON TED LIABILITY	Fer-Pal Construction USA, I	LLC	
SEAL 2 S	Name of Principal		
* Miffilingania * -	1		August 5, 2021
COMPAN'	i By		Date
OMPAN	Frank Garcea, Tr	ceasurer	
	Name and Title	and the second s	
Seal	SURETY		
	Atlantic Specialty Insurance	e Company	
	Name of Surety	,	
	Wastr	)'	July 29, 2021
	By U		Date
	Cíndy Li, Attorney-in-Fact		
#Triber	Name and Title	•	
National authority	Provider No. <u>16961037</u>	for the year <u>2021</u> , a	above company in Wisconsin under and appointed as attorney in fact with bond referred to above, which power
· · · · · · · · · · · · · · · · · · ·	9, 2021	word	
Date		Agent Signature	
		One State Street Plaza, 31st Floo	DF
		Address	
		New York, NY 10004	
		City, State and Zip Code	
		212-440-6534	
		Telephone Number	

### NOTE TO SURETY & PRINCIPAL

The bid submitted which this bond guarantees shall be rejected if the following instrument is not attached to this bond:

Power of Attorney showing that the agent of Surety is currently authorized to execute bonds on behalf of the Surety, and in the amounts referenced above.



## Power of Attorney

KNOW ALL MEN BY THESE PRESENTS, that ATLANTIC SPECIALTY INSURANCE COMPANY, a New York corporation with its principal office in Plymouth, Minnesota, does hereby constitute and appoint: Michael Kubis, Michael Seff, Chad Anderson, Donna Guluzzy, Michael Calabro, Erica Colon, Nicholas Kyprianou, Cindy Li, each individually if there be more than one named, its true and lawful Attorney-in-Fact, to make, execute, seal and deliver, for and on its behalf as surety, any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof; provided that no bond or undertaking executed under this authority shall exceed in amount the sum of: unlimited and the execution of such bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof in pursuance of these presents, shall be as binding upon said Company as if they had been fully signed by an authorized officer of the Company and sealed with the Company seal. This Power of Attorney is made and executed by authority of the following resolutions adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the President, any Senior Vice President or Vice-President (each an "Authorized Officer") may execute for and in behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and affix the seni of the Company thereto; and that the Authorized Officer may appoint and authorize an Attorney-in-Fact to execute on behalf of the Company any and all such instruments and to affix the Company seal thereto; and that the Authorized Officer may at any time remove any such Attorney-in-Fact and revoke all power and authority given to any such Attorney-in-Fact.

Resolved: That the Attorney-in-Fact may be given full power and authority to execute for and in the name and on behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed and sealed by an Authorized Officer and, further, the Attorney-in-Fact is hereby authorized to verify any affidavit required to be attached to bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof.

This power of attorney is signed and sealed by facsimile under the authority of the following Resolution adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE, COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the signature of an Authorized Officer, the signature of the Secretary or the Assistant Secretary, and the Company seal may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing an Attorney-in-Fact for purposes only of executing and sealing any bond, undertaking, recognizance or other written obligation in the nature thereof, and any such signature and seal where so used, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

IN WITNESS WHEREOF, ATLANTIC SPECIALTY INSURANCE COMPANY has caused these presents to be signed by an Authorized Officer and the seal of the Company to be affixed this twenty-seventh day of April, 2020.


ORPORAL TO SEAL 1986

Ву

Paul J. Brehm, Senior Vice Presiden

STATE OF MINNESOTA HENNEPIN COUNTY

On this twenty-seventh day of April, 2020, before me personally came Paul J. Brehm, Senior Vice President of ATLANTIC SPECIALTY INSURANCE COMPANY, to me personally known to be the individual and officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, that he is the said officer of the Company aforesaid, and that the seal affixed to the preceding instrument is the seal of said Company and that the said seal and the signature as such officer was duly affixed and subscribed to the said instrument by the authority and at the direction of the Company.



Motani Dublic

I, the undersigned, Secretary of ATLANTIC SPECIALTY INSURANCE COMPANY, a New York Corporation, do hereby certify that the foregoing power of attorney is in full force and has not been revoked, and the resolutions set forth above are now in force.

Signed and scaled. Dated\_

day of \144 202

\_\_\_2021

SEAL 1986

Kara Barrow, Secretary

This Power of Attorney expires January 31, 2025



# Atlantic Specialty Insurance Company

### Dollars displayed in thousands

Admitted Assets		Liabilities and Surplus	
investments.		Liabiliues	
Bonds	\$ 1,500,023	Loss Reserves	\$ 878,884
Preferred Stocks	•	Loss Adjustment Expense Reserves	272,666
Common Stocks	775,828	Total Loss & LAE Reserves	1,151,550
Morigage Loans	-		
Real Estate	-	Uneamed Premium Reserve	593,451
Contract Loans		Total Reinsurance Liabilities	13,171
Derivatives	<b>8</b> :	Commissions, Other Expenses, and Taxes due	54,583
Cash, Cash Equivalents & Short Term Investments	147,408	Derivatives	•
Other Investments	23,375	Payable to Parent, Subs or Affiliates	
Total Cash & Investments	2,446,629	All Other Liabilities	237,942
Premiums and Considerations Due	276,120	Total Liabilities	2,050,707
Reinsurance Recoverable	59,375		party the selection of
Receivable from Parent, Subsidiary or Affiliates	29,538	Capital and Surplus	
All Other Admitted Assets	62,330	Common Capital Stock	9,001
		Preferred Capital Stock	-,
Total Admitted Assets	2,873,992	Surplus Notes	_
	-	Unassigned Surplus	91,944
		Other including Gross Contributed	722,341
		Capital & Surplus	823,286 .
		Total Liabilities and C&S	2.873.992

# State of Minnesota County of Hennepin

I, Kara Barrow, Secretary of Atlantic Specialty Insurance Company do hereby certify that the foregoing statement is a correct exhibit of the assets and liabilities of the said Company, on the 31st day of December, 2020, according to the best of my information, knowledge and belief.

Secretary

Subscribed and sworn to, before me, a Notary Public of the State of Minnesota on this 2nd day of March, 2021.



### GREEMENT

S

THIS AGREEMENT made this \_\_\_\_\_\_ day of \_\_\_\_\_\_ in the year Two Thousand and Twenty-One between FER-PAL CONSTRUCTION USA, LLC hereinafter called the Contractor, and the City of Madison, Wisconsin, hereinafter called the City.

WHEREAS, the Common Council of the said City of Madison under the provisions of a resolution adopted <u>AUGUST 31, 2021</u>, and by virtue of authority vested in the said Council, has awarded to the Contractor the work of performing certain construction.

NOW, THEREFORE, the Contractor and the City, for the consideration hereinafter named, agree as follows:

Scope of Work. The Contractor shall, perform the construction, execution and completion of the following listed complete work or improvement in full compliance with the Plans, Specifications, Standard Specifications, Supplemental Specifications, Special Provisions and contract; perform all items of work covered or stipulated in the proposal; perform all altered or extra work; and shall furnish, unless otherwise provided in the contract, all materials, implements, machinery, equipment, tools, supplies, transportation, and labor necessary to the prosecution and completion of the work or improvements:

### CIPP 2021 – E JOHNSON ST CONTRACT NO. 9057

- Completion Date/Contract Time. Construction work must begin within seven (7) calendar
  days after the date appearing on mailed written notice to do so shall have been sent to the
  Contractor and shall be carried on at a rate so as to secure full completion <u>SEE SPECIAL</u>
  PROVISIONS, the rate of progress and the time of completion being essential conditions of this
  Agreement.
- Contract Price. The City shall pay to the Contractor at the times, in the manner and on the conditions set forth in said specifications, the sum of <u>TWO HUNDRED SIX THOUSAND</u> <u>FOUR HUNDRED FIFTY AND NO/100</u> (\$206,450.00) Dollars being the amount bid by such Contractor and which was awarded to him/her as provided by law.
- 4. Affirmative Action. In the performance of the services under this Agreement the Contractor agrees not to discriminate against any employee or applicant because of race, religion, marital status, age, color, sex, disability, national origin or ancestry, income level or source of income, arrest record or conviction record, less than honorable discharge, physical appearance, sexual orientation, gender identity, political beliefs, or student status. The Contractor further agrees not to discriminate against any subcontractor or person who offers to subcontract on this contract because of race, religion, color, age, disability, sex, sexual orientation, gender identity or national origin.

The Contractor agrees that within thirty (30) days after the effective date of this agreement, the Contractor will provide to the City Affirmative Action Division certain workforce utilization statistics, using a form to be furnished by the City.

If the contract is still in effect, or if the City enters into a new agreement with the Contractor, within one year after the date on which the form was required to be provided, the Contractor will provide updated workforce information using a second form, also to be furnished by the City. The second form will be submitted to the City Affirmative Action Division no later than one year after the date on which the first form was required to be provided.

The Contractor further agrees that, for at least twelve (12) months after the effective date of this contract, it will notify the City Affirmative Action Division of each of its job openings at facilities in Dane County for which applicants not already employees of the Contractor are to be considered. The notice will include a job description, classification, qualification and application procedures

and deadlines. The Contractor agrees to interview and consider candidates referred by the Affirmative Action Division if the candidate meets the minimum qualification standards established by the Contractor, and if the referral is timely. A referral is timely if it is received by the Contractor on or before the date started in the notice.

### Articles of Agreement Article I

The Contractor shall take affirmative action in accordance with the provisions of this contract to insure that applicants are employed, and that employees are treated during employment without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national original and that the employer shall provide harassment free work environment for the realization of the potential of each employee. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation and selection for training including apprenticeship insofar as it is within the control of the Contractor. The Contractor agrees to post in conspicuous places available to employees and applicants notices to be provided by the City setting out the provisions of the nondiscrimination clauses in this contract.

#### Article II

The Contractor shall in all solicitations or advertisements for employees placed by or on behalf of the Contractors state that all qualified or qualifiable applicants will be employed without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national origin.

### Article III

The Contractor shall send to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding a notice to be provided by the City advising the labor union or worker's representative of the Contractor's equal employment opportunity and affirmative action commitments. Such notices shall be posted in conspicuous places available to employees and applicants for employment.

### Article V

The Contractor agrees that it will comply with all provisions of the Affirmative Action Ordinance of the City of Madison, including the contract compliance requirements. The Contractor agrees to submit the model affirmative action plan for public works contractors in a form approved by the Affirmative Action Division Manager.

#### Article VI

The Contractor will maintain records as required by Section 39.02(9)(f) of the Madison General Ordinances and will provide the City Affirmative Action Division with access to such records and to persons who have relevant and necessary information, as provided in Section 39.02(9)(f). The City agrees to keep all such records confidential, except to the extent that public inspection is required by law.

### Article VII

In the event of the Contractor's or subcontractor's failure to comply with the Equal Employment Opportunity and Affirmative Action Provisions of this contract or Section 39.03 and 39.02 of the Madison General Ordinances, it is agreed that the City at its option may do any or all of the following:

1. Cancel, terminate or suspend this Contract in whole or in part.

- 2. Declare the Contractor ineligible for further City contracts until the Affirmative Action requirements are met.
- 3. Recover on behalf of the City from the prime Contractor 0.5 percent of the contract award price for each week that such party fails or refuses to comply, in the nature of liquidated damages, but not to exceed a total of five percent (5%) of the contract price, or ten thousand dollars (\$10,000), whichever is less. Under public works contracts, if a subcontractor is in noncompliance, the City may recover liquidated damages from the prime Contractor in the manner described above. The preceding sentence shall not be construed to prohibit a prime Contractor from recovering the amount of such damage from the non-complying subcontractor.

### Article VIII

The Contractor shall include the above provisions of this contract in every subcontract so that such provisions will be binding upon each subcontractor. The Contractor shall take such action with respect to any subcontractor as necessary to enforce such provisions, including sanctions provided for noncompliance.

### Article IX

The Contractor shall allow the maximum feasible opportunity to small business enterprises to compete for any subcontracts entered into pursuant to this contract. (In federally funded contracts the terms "DBE, MBE and WBE" shall be substituted for the term "small business" in this Article.)

- 5. Substance Abuse Prevention Program Required. Prior to commencing work on the Contract, the Contractor, and any Subcontractor, shall have in place a written program for the prevention of substance abuse among its employees as required under Wis. Stat. Sec. 103.503.
- 6. Contractor Hiring Practices.

### Ban the Box - Arrest and Criminal Background Checks. (Sec. 39.08, MGO)

This provision applies to all prime contractors on contracts entered into on or after January 1, 2016, and all subcontractors who are required to meet prequalification requirements under MGO 33.07(7)(I), MGO as of the first time they seek or renew pre-qualification status on or after January 1, 2016. The City will monitor compliance of subcontractors through the pre-qualification process.

- a. Definitions. For purposes of this section, "Arrest and Conviction Record" includes, but is not limited to, information indicating that a person has been questioned, apprehended, taken into custody or detention, held for investigation, arrested, charged with, indicted or tried for any felony, misdemeanor or other offense pursuant to any law enforcement or military authority.
  - "Conviction record" includes, but is not limited to, information indicating that a person has been convicted of a felony, misdemeanor or other offense, placed on probation, fined, imprisoned or paroled pursuant to any law enforcement or military authority.
  - "Background Check" means the process of checking an applicant's arrest and conviction record, through any means.
- **b. Requirements.** For the duration of this Contract, the Contractor shall:
  - 1. Remove from all job application forms any questions, check boxes, or other inquiries regarding an applicant's arrest and conviction record, as defined herein.

- 2. Refrain from asking an applicant in any manner about their arrest or conviction record until after conditional offer of employment is made to the applicant in question.
- 3. Refrain from conducting a formal or informal background check or making any other inquiry using any privately or publicly available means of obtaining the arrest or conviction record of an applicant until after a conditional offer of employment is made to the applicant in question.
- 4. Make information about this ordinance available to applicants and existing employees, and post notices in prominent locations at the workplace with information about the ordinance and complaint procedure using language provided by the City.
- 5. Comply with all other provisions of Sec. 39.08, MGO.
- **c. Exemptions:** This section shall not apply when:
  - 1. Hiring for a position where certain convictions or violations are a bar to employment in that position under applicable law, or
  - 2. Hiring a position for which information about criminal or arrest record, or a background check is required by law to be performed at a time or in a manner that would otherwise be prohibited by this ordinance, including a licensed trade or profession where the licensing authority explicitly authorizes or requires the inquiry in question.

To be exempt, Contractor has the burden of demonstrating that there is an applicable law or regulation that requires the hiring practice in question, if so, the contractor is exempt from all of the requirements of this ordinance for the position(s) in question.

# CIPP 2021 – E JOHNSON ST CONTRACT NO. 9057

IN WITNESS WHEREOF, the Contractor has hereunto set his/her hand and seal and the City has caused this contract to be sealed with its corporate seal and to be executed by its Mayor and City Clerk on the dates written below.

Countersigned:		FER-PAL CONSTRUCTION	USA, LLC
Mu Zikee	August 26, 2021	Company Name	August 26, 2021
Witness Lucy Filice	Date	Frank Garcea, Treasurer	Date
day theo	August 26, 2021		August 26, 2021
Witness Lucy Fllice	Date	Secretary Gerry Rasmay	August 26, 2021
CITY OF MADISON, WISCON	ISIN		ANN PORTE ONST
Provisions have been made liability that will accrue under t		Approved as to form:	TIMES TO STATE OF THE PARTY OF
Hinance Director	0 9/0 g/wl Date	Mishael House	9/9/2/ Date
L. D'Costa Witness Hours Line	9/9/2021 Date 9/9/21	Mayor Laven N. Jewz	9/9/21 Date 6x 9/8/21
Witness	Date	City Clerk	Date

# SECTION I: PAYMENT AND PERFORMANCE BOND

LET ALL KNOW BY THESE DOCUMENTS PRESENT LLC as principal, and _ATLANTIC SPECIALTY INSURA	
Company of NEW YORK, NY as surety, are Wisconsin, in the sum of TWO HUNDRED SIX THO (\$206,450.00) Dollars, lawful money of the United State Madison, we hereby bind ourselves and our respectives.	held and firmly bound unto the City of Madison, DUSAND FOUR HUNDRED FIFTY AND NO/100 tes, for the payment of which sum to the City of
The condition of this Bond is such that if the above be perform all of the terms of the Contract entered into be construction of:	
CIPP 2021 – E J CONTRACT	
in Madison, Wisconsin, and shall pay all claims for prosecution of said work, and save the City harmless fin the prosecution of said work, and shall save harmle (under Chapter 102, Wisconsin Statutes) of employee is to be void, otherwise of full force, virtue and effect.	rom all claims for damages because of negligence ess the said City from all claims for compensation s and employees of subcontractor, then this Bond
Signed and sealed thisday	of SEPTEMBER, 2021
Countersigned:  Witness Lucy Filippe  Secretary Gerry Ramsay	Company Name (Principal)  xRiveritient Frank Garcea  Treasurer
. Gerry Ramody	-
Approved as to form:  Wheel Hay	ATLANTIC SPECIALTY INSURANCE COMPANY Surety Seal  ☐ Salary Employee ☐ Commission
City Attorney	Attorney-in-Fact, Sindy Li
This certifies that I have been duly licensed as an a National Producer Number 16961037 for the with authority to execute this payment and performa revoked.  SEPTEMBER 1, 2021	agent for the above company in Wisconsin under e year 2021, and appointed as attorney-in-fact nice bond which power of attorney has not been
Date	Agent Signature



# Power of Attorney

KNOW ALL MEN BY THESE PRESENTS, that ATLANTIC SPECIALTY INSURANCE COMPANY, a New York corporation with its principal office in Plymouth, Minnesota, does hereby constitute and appoint: Michael Kubis, Michael Seff, Chad Anderson, Donna Guluzzy, Michael Calabro, Erica Colon, Nicholas Kyprianou, Cindy Li, each individually if there be more than one named, its true and lawful Attorney-in-Fact, to make, execute, seal and deliver, for and on its behalf as surety, any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof; provided that no bond or undertaking executed under this authority shall exceed in amount the sum of: unlimited and the execution of such bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof in pursuance of these presents, shall be as binding upon said Company as if they had been fully signed by an authorized officer of the Company and sealed with the Company seal. This Power of Attorney is made and executed by authority of the following resolutions adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:

Resolved: That the President, any Senior Vice President or Vice-President (each an "Authorized Officer") may execute for and in behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and affix the seal of the Company thereto; and that the Authorized Officer may appoint and authorize an Attorney-in-Fact to execute on behalf of the Company any and all such instruments and to affix the Company seal thereto; and that the Authorized Officer may at any time remove any such Attorney-in-Fact and revoke all power and authority given to any such Attorney-in-

Resolved: That the Attorney-in-Fact may be given full power and authority to execute for and in the name and on behalf of the Company any and all bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-Fact shall be as binding upon the Company as if signed and sealed by an Authorized Officer and, further, the Attorney-in-Fact is hereby authorized to verify any affidavit required to be attached to bonds, recognizances, contracts of indemnity, and all other writings obligatory in the nature thereof.

This power of attorney is signed and sealed by facsimile under the authority of the following Resolution adopted by the Board of Directors of ATLANTIC SPECIALTY INSURANCE COMPANY on the twenty-fifth day of September, 2012:


Resolved: That the signature of an Authorized Officer, the signature of the Secretary or the Assistant Secretary, and the Company seal may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing an Attorney-in-Fact for purposes only of executing and sealing any bond, undertaking, recognizance or other written obligation in the nature thereof, and any such signature and seal where so used, being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

IN WITNESS WHEREOF, ATLANTIC SPECIALTY INSURANCE COMPANY has caused these presents to be signed by an Authorized Officer and the seal of the Company to be affixed this twenty-seventh day of April, 2020.

Paul J. Brehm, Senior Vice President

STATE OF MINNESOTA HENNEPIN COUNTY

On this twenty-seventh day of April, 2020, before me personally came Paul J. Brehm, Senior Vice President of ATLANTIC SPECIALTY INSURANCE COMPANY, to me personally known to be the individual and officer described in and who executed the preceding instrument, and he acknowledged the execution of the same, and being by me duly sworn, that he is the said officer of the Company aforesaid, and that the seal affixed to the preceding instrument is the seal of said Company and that the said seal and the signature as such officer was duly affixed and subscribed to the said instrument by the authority and at the direction of the Company.



Notary Public

I, the undersigned, Secretary of ATLANTIC SPECIALTY INSURANCE COMPANY, a New York Corporation, do hereby certify that the foregoing power of attorney is in full force and has not been revoked, and the resolutions set forth above are now in force.

Signed and sealed. Dated

day of September, 2021

This Power of Attorney expires January 31, 2025

Kara Barrow, Secretary



### Atlantic Specialty Insurance Company

Period Ended 12/31/2020

Dollars displayed in thousands

Admitted Assets		Liabilities and Surplus	
Investments:		Liabilities	
Bonds	\$ 1,500,023	Loss Reserves	\$ 878,884
Preferred Stocks	-	Loss Adjustment Expense Reserves	272,666
Common Stocks	775,825	Total Loss & LAE Reserves	1,151,550
Mortgage Loans	-		
Real Estate	-	Unearned Premium Reserve	593,461
Contract Loans		Total Reinsurance Liabilities	13,171
Derivatives		Commissions, Other Expenses, and Taxes due	54,583
Cash, Cash Equivalents & Short Term Investments	147,406	Derivatives	-
Other Investments	23,375	Payable to Parent, Subs or Affiliates	
Total Cash & Investments	2,446,629	All Other Liabilities	237,942
Premiums and Considerations Due	276,120	Total Liabilities	2,050,707
Reinsurance Recoverable	59,375		
Receivable from Parent, Subsidiary or Affiliates	29,538	Capital and Surplus	
All Other Admitted Assets	62,330	Common Capital Stock	9,001
		Preferred Capital Stock	
Total Admitted Assets	2,873,992	Surplus Notes	•
		Unassigned Surplus	91,944
		Other Including Gross Contributed	722,341
		Capital & Surplus	823,286
		Total Liabilities and C&S	2,873,992

# State of Minnesota County of Hennepin

I, Kara Barrow, Secretary of Atlantic Specialty Insurance Company do hereby certify that the foregoing statement is a correct exhibit of the assets and liabilities of the said Company, on the 31<sup>st</sup> day of December, 2020, according to the best of my information, knowledge and belief.

Secretary

Subscribed and sworn to, before me, a Notary Public of the State of Minnesota on this 2<sup>nd</sup> day of March, 2021.



Reu: lichez
Notary Public

### SECTION J: DAVIS-BACON LABOR PROVISIONS

The Davis-Bacon and Related Acts, apply to contractors and subcontractors performing on federally funded or assisted contracts in excess of \$2,000 for the construction, alteration, or repair (including painting and decorating) of public buildings or public works. Davis-Bacon Act and Related Act contractors and subcontractors must pay their laborers and mechanics employed under the contract no less than the locally prevailing wages and fringe benefits for corresponding work on similar projects in the area. The Davis-Bacon Act directs the Department of Labor to determine such locally prevailing wage rates. The Davis-Bacon Act applies to contractors and subcontractors performing work on federal or District of Columbia contracts. The Davis-Bacon Act prevailing wage provisions apply to the "Related Acts," under which federal agencies assist construction projects through grants, loans, loan guarantees, and insurance.

For prime contracts in excess of \$100,000, contractors and subcontractors must also, under the provisions of the Contract Work Hours and Safety Standards Act, as amended, pay laborers and mechanics, including guards and watchmen, at least one and one-half times their regular rate of pay for all hours worked over 40 in a workweek. The overtime provisions of the Fair Labor Standards Act may also apply to DBA-covered contracts.

### (1) Minimum wages.

(i) All laborers and mechanics employed or working upon the site of the work will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the applicable wage determination of the Secretary of Labor which the City, hereinafter the "RLF Recipient", obtained under the procedures specified, above, and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph (a)(1)(iv) of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in § 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided that the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph (a)(1)(ii) of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers. RLF Recipients shall require that the contractor and subcontractors include the name of the RLF Recipient employee or official responsible for monitoring compliance with DB on the poster. A COPY OF THE REQUIRED DAVIS-BACON POSTER IS INCLUDED AT THE END OF THIS SECTION.

- (ii)(A) The RLF Recipient, on behalf of EPA, shall require that contracts and subcontracts entered into by borrowers and subrecipients provide that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The EPA Award Official shall approve, upon the request or the RLR Recipient an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:
- (1) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
- (2) The classification is utilized in the area by the construction industry; and
- (3) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
- (B) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the RLF Recipient and the borrower or subrecipient agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the RLF Recipient to the EPA Award Official. The Award Official will transmit the report, to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the award official or will notify the award official within the 30-day period that additional time is necessary.
- (C) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the RLF Recipient and borrower or subrecipient do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the RLF Recipient shall provide a report on the disagreement which includes submissions by all interested parties to the EPA Award Official. The Award Official shall refer the questions, including the views of all interested parties and the recommendation of the award official, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the Award Official or will notify the Award Official within the 30-day period that additional time is necessary. The Award Official will direct that the RLF Recipient take appropriate action to implement the Administrator's determination.
- (D) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs (a)(1)(ii)(B) or (C) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- (iii) Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- (iv) If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the

applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

(1) Withholding. The RLF Recipient, upon written request of the Award Official or an authorized representative of the Department of Labor, shall withhold or cause the borrower or subrecipient to withhold from the contractor under the affected contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, EPA may, after written notice to the contractor, or RLF Recipient take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

### (2) Payrolls and basic records.

- (i) Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b) (2) (B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.
- (ii)(A) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the borrower or subrecipient and to the RLF Recipient who will maintain the records on behalf of EPA. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this the Wage Hour Division and https://www.dol.gov/whd/programs/dbra/wh347.htm or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the RLF Recipient for transmission to

the EPA, if requested by EPA, the contractor, or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the RLF Recipient.

- (B) Each payroll submitted to the RLF Recipient shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
- (1) That the payroll for the payroll period contains the information required to be provided under § 5.5 (a) (3) (ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under § 5.5 (a) (3) (i) of Regulations, 29 CFR part 5, and that such information is correct and complete;
- (2) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;
- (3) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.
- (C) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph (a)(3)(ii)(B) of this section.
- (D) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.
- (iii) The contractor or subcontractor shall make the records required under paragraph (a)(3)(i) of this section available for inspection, copying, or transcription by authorized representatives of the EPA or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, EPA may, after written notice to the contractor, *Recipient, borrower or recipient,* sponsor, applicant, or owner, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

### (4) Apprentices and Trainees

(i) Apprentices. Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program,

who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice. The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed. Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination. In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

- (ii) Trainees. Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration. The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. In the event the Employment and Training Administration withdraws approval of a training program. the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.
- (iii) Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended and 29 CFR part 30.

- (5) Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR Part 3, which are incorporated by reference in this contract.
- (6) Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses contained in 29 CFR 5.5(a)(1) through (10) and such other clauses as the EPA may by appropriate instructions require, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in this term and condition.
- (7) Contract termination: debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- (8) Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.
- (9) Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors), **the RLF Recipient, borrower or subrecipient and EPA**, the U.S. Department of Labor, or the employees or their representatives.
- (10) Certification of eligibility.
- (i) By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- (ii) No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- (iii) The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.
- 4. Contract Provisions for Contracts in Excess of \$100,000
- (a) Contract Work Hours and Safety Standards Act. *The RLF Recipient shall ensure that subrecipients and borrowers* insert the following clauses set forth in paragraphs (a)(1), (2), (3), and (4) of this section in full in any contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by Item 3, above or 29 CFF 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.
- (1) Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or

mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.

- (2) Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (a) (1) of this section the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (a) (1) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (a) (1) of this section.
- (3) Withholding for unpaid wages and liquidated damages. The RLF Recipient shall upon written request from the Award Official or an authorized representative of the Department of Labor withhold or cause to be withheld by the borrower or subrecipient from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (a)(2) of this section.
- (4) Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (a) (1) through (4) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (a)(1) through (4) of this section.
- (b) In addition to the clauses contained in Item 3, above, in any contract subject only to the Contract Work Hours and Safety Standards Act and not to any of the other statutes cited in 29 CFR 5.1, the RLF Recipient shall insert a clause requiring that the contractor or subcontractor shall maintain payrolls and basic payroll records during the course of the work and shall preserve them for a period of three years from the completion of the contract for all laborers and mechanics, including guards and watchmen, working on the contract. Such records shall contain the name and address of each such employee, social security number, correct classifications, hourly rates of wages paid, daily and weekly number of hours worked, deductions made, and actual wages paid. Further, the RLF Recipient shall insert in any such contract a clause providing that the records to be maintained under this paragraph shall be made available by the contractor or subcontractor for inspection, copying, or transcription by authorized representatives of the (write the name of agency) and the Department of Labor, and the contractor or subcontractor will permit such representatives to interview employees during working hours on the job.

# EMPLOYEE RIGHTS

# **UNDER THE DAVIS-BACON ACT**

# FOR LABORERS AND MECHANICS EMPLOYED ON FEDERAL OR FEDERALLY ASSISTED CONSTRUCTION PROJECTS

PREVAILING WAGES

You must be paid not less than the wage rate listed in the Davis-Bacon Wage Decision posted with this Notice for the work you perform.

**OVERTIME** 

You must be paid not less than one and one-half times your basic rate of pay for all hours worked over 40 in a work week. There are few exceptions.

**ENFORCEMENT** 

Contract payments can be withheld to ensure workers receive wages and overtime pay due, and liquidated damages may apply if overtime pay requirements are not met. Davis-Bacon contract clauses allow contract termination and debarment of contractors from future federal contracts for up to three years. A contractor who falsifies certified payroll records or induces wage kickbacks may be subject to civil or criminal prosecution, fines and/or imprisonment.

**APPRENTICES** 

Apprentice rates apply only to apprentices properly registered under approved Federal or State apprenticeship programs.

PROPER PAY

If you do not receive proper pay, or require further information on the applicable wages, contact the Contracting Officer listed below:

or contact the U.S. Department of Labor's Wage and Hour Division.





1-866-487-9243 TTY: 1-877-889-5627 www.dol.gov/whd



"General Decision Number: WI20210010 07/09/2021

Superseded General Decision Number: WI20200010

State: Wisconsin

S. M. M. A. Car

Construction Type: Highway

Counties: Wisconsin Statewide.

HIGHWAY, AIRPORT RUNWAY & TAXIWAY CONSTRUCTION PROJECTS (does not include bridges over navigable waters; tunnels; buildings in highway rest areas; and railroad construction)

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.95 for calendar year 2021 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.95 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2021. If this contract is covered by the EO and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must pay workers in that classification at least the wage rate determined through the conformance process set forth in 29 CFR 5.5(a)(1)(ii) (or the EO minimum wage rate, if it is higher than the conformed wage rate). The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification	Number	Publication	Date
0		01/01/2021	
1		03/12/2021	
2		03/19/2021	
3		04/09/2021	
4		05/14/2021	
5		07/09/2021	

BRWI0001-002 06/01/2020

CRAWFORD, JACKSON, JUNEAU, LA CROSSE, MONROE, TREMPEALEAU, AND VERNON COUNTIES

	Rates	Fringes
BRICKLAYER	.\$ 35.31	24.7 7
BRWI0002-002 06/01/2020		
ASHLAND, BAYFIELD, DOUGLAS, AND	IRON COUNTIES	
	Rates	Fringes
BRICKLAYER	.\$ 42.77	23.47
BRWI0002-005 06/01/2020		
ADAMS, ASHLAND, BARRON, BROWN, BECLARK, COLUMBIA, DODGE, DOOR, DUEFOREST, GREEN LAKE, IRON, JEFFER LINCOLN, MANITOWOC, MARATHON, MAYOCONTO, ONEIDA, OUTAGAMIE, POLK, SHAWANO, SHEBOYGAN, TAYLOR, VILAMINNEBAGO, AND WOOD COUNTIES	NN, FLORENCE, FO SON, KEWAUNEE, L RINETTE, MARQUET PORTAGE, RUSK,	OND DU LAC, ANGLADE, TE, MENOMINEE, ST CROIX, SAUK,
	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER BRWI0003-002 06/01/2020	.\$ 36.68	23.40
BROWN, DOOR, FLORENCE, KEWAUNEE,	MARINETTE, AND	OCONTO COUNTIES
	Rates	Fringes
BRICKLAYER	.\$ 35.68	24.40
BRWI0004-002 06/01/2020		
KENOSHA, RACINE, AND WALWORTH CO	UNTIES	
•	Rates	Fringes
BRICKLAYER	.\$ 39.90	25.53
BRWI0006-002 06/01/2020		
ADAMS, CLARK, FOREST, LANGLADE, ONEIDA, PORTAGE, PRICE, TAYLOR,		
	Rates	Fringes
BRICKLAYER	.\$ 36.60 K-2	23.48

BRWI0007-002 06/01/2020		
GREEN, LAFAYETTE, AND ROCK COL	UNTIES	
	Rates	Fringes
BRICKLAYER	\$ 37.07	24.72
BRWI0008-002 06/01/2020		
MILWAUKEE, OZAUKEE, WASHINGTON	, AND WAUKESHA	COUNTIES
	Rates	Fringes
BRICKLAYER BRWI0011-002 06/01/2020	\$ 40.75	24.32
CALUMET, FOND DU LAC, MANITOWO	OC, AND SHEBOYGA	AN COUNTIES
	Rates	Fringes
BRICKLAYER	\$ 35.68	24.40
BRWI0019-002 06/01/2020		
BARRON, BUFFALO, BURNETT, CHIP PIERCE, POLK, RUSK, ST. CROIX,	PPEWA, DUNN, EAU	I CLATRE, PEPTN.
FILINGE, FULK, NUSK, SI. CRUIK,	SAWYER AND WAS	
TILINGE, FOLK, NOOK, ST. CRUIX,	SAWYER AND WAS	
BRICKLAYER	Rates	SHBURN COUNTIES
BRICKLAYER	Rates	Fringes
BRICKLAYER	Rates	Fringes
BRICKLAYER	Rates\$ 34.86	Fringes  25.22  Fringes
BRICKLAYERBRWI0034-002 06/01/2020  COLUMBIA AND SAUK COUNTIES	Rates\$ 34.86	Fringes  25.22  Fringes
BRICKLAYER	Rates\$ 34.86\$ 37.36\$ 37.36	Fringes  25.22  Fringes  24.43
BRICKLAYER	Rates\$ 34.86\$ 37.36\$ 37.36	Fringes  25.22  Fringes  24.43

#### CARP0252-002 06/01/2016

ADAMS, BARRON, BAYFIELD (Eastern 2/3), BROWN, BUFFALO, BURNETT (E. of Hwy 48), CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DANE, DODGE, DOOR, DUNN, EAU CLAIRE, FLORENCE (except area bordering Michigan State Line), FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IOWA, IRON, JACKSON, JEFFERSON, JUNEAU, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE (except N.E. corner), MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE (E. of Hwys 29 & 65), POLK (E. of Hwys 35, 48 & 65), PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST CROIX (E. of Hwy 65), TAYLOR, TREMPEALEAU, VERNON, VILAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes
CARPENTER CARPENTER		18.00
MILLWRIGHTPILEDRIVER	.\$ 34.12	18.35 18.00
CARP0252-010 06/01/2016		
ASHLAND COUNTY		
•	Rates	Fringes
Carpenters Carpenter	.\$ 35.08 .\$ 34.12	18.00
CARP0264-003 06/01/2016		
KENOSHA, MILWAUKEE, OZAUKEE, RAC COUNTIES	INE, WAUKESHA,	AND WASHINGTON
	Rates	Fringes
CARPENTER		22.11
CARP0361-004 05/01/2018		
BAYFIELD (West of Hwy 63) AND DO	UGLAS COUNTIES	
	Rates	Fringes
CARPENTER	.\$ 36.15	20.43
	V A	

CARP2337-001 06/01/2016

ZONE A: MILWAUKEE, OZAUKEE, WAUKESHA AND WASHINGTON

ZONE B: KENOSHA & RACINE

		Rates	Fringes
PILEDRIVER	RMAN		
Zone	A\$	31.03	22.69
Zone	B\$	31.03	22.69

ELEC0014-002 06/14/2020

ASHLAND, BARRON, BAYFIELD, BUFFALO, BURNETT, CHIPPEWA, CLARK (except Maryville, Colby, Unity, Sherman, Fremont, Lynn & Sherwood), CRAWFORD, DUNN, EAU CLAIRE, GRANT, IRON, JACKSON, LA CROSSE, MONROE, PEPIN, PIERCE, POLK, PRICE, RICHLAND, RUSK, ST CROIX, SAWYER, TAYLOR, TREMPEALEAU, VERNON, AND WASHBURN COUNTIES

	Rates	Fringes
Electricians:	\$ 35.98	20.98
ELEC0014-007 07/05/2020		

Rates

Fringes

REMAINING COUNTIES

	0
Teledata System Installer	
<pre>Installer/Technician\$ 27.75</pre>	15.14

Low voltage construction, installation, maintenance and removal of teledata facilities (voice, data, and video) including outside plant, telephone and data inside wire, interconnect, terminal equipment, central offices, PABX, fiber optic cable and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area networks), LAN (local area networks), and ISDN (integrated systems digital network).

-----

ELEC0127-002 06/01/2020

KENOSHA COUNTY

Rates Fringes
Electricians:.....\$ 41.62 30%+12.70

#### ELEC0158-002 06/01/2020

BROWN, DOOR, KEWAUNEE, MANITOWOC (except Schleswig), MARINETTE(Wausuakee and area South thereof), OCONTO, MENOMINEE (East of a ine 6 miles West of the West boundary of Oconto County), SHAWANO (Except Area North of Townships of Aniwa and Hutchins) COUNTIES

	Rates	Fringes
ELECTRICIAN	\$ 34.77	29.75%+10.26
FLEC0159-003 08/02/2020		

COLUMBIA, DANE, DODGE (Area West of Hwy 26, except Chester and Emmet Townships), GREEN, LAKE (except Townships of Berlin, Seneca, and St. Marie), IOWA, MARQUETTE (except Townships of Neshkoka, Crystal Lake, Newton, and Springfield), and SAUK COUNTIES

	Rates	Fringes
ELECTRICIAN	\$ 41.86	22.67
ELEC0219-004 06/01/2019		

FLORENCE COUNTY (Townships of Aurora, Commonwealth, Fern, Florence and Homestead) AND MARINETTE COUNTY (Township of Niagara)

	Rates	Fringes
Electricians:		
Electrical contracts over \$180,000 Electrical contracts unde		21.80
\$180,000	•	21.73
ELEC0242-005 05/31/2020		
DOUGLAS COUNTY		

Rates Fringes

Electricians:.....\$39.77 28.11

ELEC0388-002 06/01/2020

ADAMS, CLARK (Colby, Freemont, Lynn, Mayville, Sherman, Sherwood, Unity), FOREST, JUNEAU, LANGLADE, LINCOLN, MARATHON,

MARINETTE (Beecher, Dunbar, Goodman & Pembine), MENOMINEE (Area West of a line 6 miles West of the West boundary of Oconto County), ONEIDA, PORTAGE, SHAWANO (Aniwa and Hutchins), VILAS AND WOOD COUNTIES

	Rates	Fringes
Electricians:	.\$ 34.85	26%+11.20
ELEC0430-002 02/02/2021		
RACINE COUNTY (Except Burlington	Township)	
	Rates	Fringes
Electricians:	.\$ 41.859	22.871
* ELEC0494-005 06/01/2021		
MILWAUKEE, OZAUKEE, WASHINGTON,	AND WAUKESHA CO	UNTIES
	Rates	Fringes
Electricians:	.\$ 44.39	25.67
* ELEC0494-006 06/01/2021		
CALUMET (Township of New Holsteincluding Chester Township), FON (Schleswig), and SHEBOYGAN COUNT	D'DU LAC, MANIT	
	Rates	Fringes
Electricians:	.\$ 37.91	22.74
* ELEC0494-013 06/01/2021		
DODGE (East of Hwy 26 including Twp), FOND DU LAC (Except Waupui MANITOWOC (Schleswig), WASHINGTO	n), MILWAUKEE,	OZAUKEE,

Installation, testing, maintenance, operation and servicing of all sound, intercom, telephone interconnect, closed circuit TV systems, radio systems, background music

Rates

Fringes

systems, language laboratories, electronic carillion, antenna distribution systems, clock and program systems and low-voltage systems such as visual nurse call, audio/visual nurse call systems, doctors entrance register systems. Includes all wire and cable carrying audio, visual, data, light and radio frequency signals. Includes the installation of conduit, wiremold, or raceways in existing structures that have been occupied for six months or more where required for the protection of the wire or cable, but does not mean a complete conduit or raceway system. work covered does not include the installation of conduit, wiremold or any raceways in any new construction, or the installation of power supply outlets by means of which external electric power is supplied to any of the foregoing equipment or products

ELEC0577-003 06/01/2020

CALUMET (except Township of New Holstein), GREEN LAKE (N. part including Townships of Berlin, St Marie, and Seneca), MARQUETTE (N. part including Townships of Crystal Lake, Neshkoro, Newton, and Springfield), OUTAGAMIE, WAUPACA, WAUSHARA, AND WINNEBAGO COUNTIES

Dates

Eningos

	Rates	Fringes
Electricians:	\$ 34.23	29.50%+10.00
* ELEC0890-003 06/01/2021		
DODGE (Emmet Township only), GRERACINE (Burlington Township), RC		
	Rates	Fringes
Electricians:	\$ 39.00	25.95%+11.17
ELEC0953-001 06/02/2019		
	Rates	Fringes
Line Construction: (1) Lineman	,.\$ 47.53	21.43
Operator	\$ 42.78	19.80
(3) Equipment Operator		18.40
(4) Heavy Groundman Driver		16.88
(5) Light Groundman Driver (6) Groundsman	\$ 26.14	16.11 14.60

ENGI0139-005 06/01/2020

Rates	Fringes
Power Equipment Operator	
Group 1\$ 41.62	23.80
Group 2\$ 41.12	23.80
Group 3\$ 40.62	23.80
Group 4\$ 40.36	23.80
Group 5\$ 40.07	23.80
Group 6\$ 34.17	23.80

#### HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" protection - \$3.00 per hour EPA Level ""B"" protection - \$2.00 per hour EPA Level ""C"" protection - \$1.00 per hour

#### POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Cranes, tower cranes, and derricks with or without attachments with a lifting capacity of over 100 tons; or cranes, tower cranes, and derricks with boom, leads and/or jib lengths measuring 176 feet or longer.

GROUP 2: Cranes, tower cranes and derricks with or without attachments with a lifting capacity of 100 tons or less; or cranes, tower cranes, and derricks with boom, leads, and/or jibs lengths measuring 175 feet or under and Backhoes (excavators) weighing 130,000 lbs and over; caisson rigs; pile driver; dredge operator; dredge engineer; Boat Pilot.

GROUP 3: Mechanic or welder - Heavy duty equipment; cranes with a lifting capacity of 25 tons or under; concrete breaker (manual or remote); vibratory/sonic concrete breaker; concrete laser screed; concrete slipform paver; concrete batch plant operator; concrete pvt. spreader heavy duty (rubber tired); concrete spreader & distributor; automatic subgrader (concrete); concrete grinder & planing machine; concrete slipform curb & gutter machine; slipform concrete placer; tube finisher; hydro blaster (10,000 psi & over); bridge paver; concrete conveyor system; concrete pump; Rotec type Conveyor; stabilizing mixer (self-propelled); shoulder widener; asphalt plant engineer; bituminious paver; bump cutter & grooving machine; milling machine; screed (bituminous paver); asphalt heater, planer & scarifier; Backhoes (excavators) weighing under 130,000 lbs; grader or motor patrol; tractor (scraper, dozer, pusher, loader); scraper - rubber tired (single or twin engine); endloader; hydraulic backhoe (tractor type); trenching machine; skid rigs; tractor, side boom (heavy); drilling or boring machine (mechanical heavy); roller over 5 tons; percussion or rotary drilling machine; air track; blaster; loading machine (conveyor); tugger; boatmen;

winches & A-frames; post driver; material hoist.

GROUP 4: Greaser, roller steel (5 tons or less); roller (pneumatic tired) - self propelled; tractor (mounted or towed compactors & light equipment); shouldering machine; self- propelled chip spreader; concrete spreader; finishing machine; mechanical float; curing machine; power subgrader; joint sawer (multiple blade) belting machine; burlap machine; texturing machine; tractor endloader (rubber tired) - light; jeep digger; forklift; mulcher; launch operator; fireman, environmental burner

GROUP 5: Air compressor; power pack; vibrator hammer and extractor; heavy equipment, leadman; tank car heaters; stump chipper; curb machine operator; Concrete proportioning plants; generators; mudjack operator; rock breaker; crusher or screening plant; screed (milling machine); automatic belt conveyor and surge bin; pug mill operator; Oiler, pump (over 3 inches); Drilling Machine Tender, day light machine

GROUP 6: Off-road material hauler with or without ejector.

\* IRON0008-002 06/01/2021

BROWN, CALUMET, DOOR, FOND DU LAC, KEWAUNEE, MANITOWOC, MARINETTE, OCONTO, OUTAGAMI, SHAWANO, SHEBOYGAN, AND WINNEBAGO COUNTIES:

Rates Fringes
IRONWORKER.....\$ 38.77 28.15

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

\_\_\_\_\_\_

\* IRON0008-003 06/01/2021

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WALWORTH (N.E. 2/3), WASHINGTON, AND WAUKESHA COUNTIES

Rates Fringes
IRONWORKER......\$ 40.57 28.40

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

-----

#### \* IRON0383-001 06/06/2021

ADAMS, COLUMBIA, CRAWFORD, DANE, DODGE, FLORENCE, FOREST, GRANT, GREENE, (Excluding S.E. tip), GREEN LAKE, IOWA, JEFFERSON, JUNEAU, LA CROSSE, LAFAYETTE, LANGLADE, MARATHON, MARQUETTE, MENOMINEE, MONROE, PORTAGE, RICHLAND, ROCK (Northern area, vicinity of Edgerton and Milton), SAUK, VERNON, WAUPACA, WAUSHARA, AND WOOD COUNTIES

	Rates	Fringes	
IRONWORKER	.\$ 37.75	27.06	
IRON0498-005 06/01/2019			
GREEN (S.E. 1/3), ROCK (South of WALWORTH (S.W. 1/3) COUNTIES:	Edgerton and M	ilton), and	
	Rates	Fringes	
IRONWORKER	.\$ 40.25	40.53	
IRON0512-008 06/03/2019		<b>.</b>	
BARRON, BUFFALO, CHIPPEWA, CLARK PEPIN, PIERCE, POLK, RUSK, ST CR COUNTIES			
	Rates	Fringes	
IRONWORKER	.\$ 37.60	29.40	
IRON0512-021 05/03/2021			
ASHLAND, BAYFIELD, BURNETT, DOUGLAS, IRON, LINCOLN, ONEIDA, PRICE, SAWYER, VILAS AND WASHBURN COUNTIES			
	Rates	Fringes	
IRONWORKER	.\$ 35.09	31.80	
LAB00113-002 06/01/2020			
MILWAUKEE AND WAUKESHA COUNTIES			
	Rates	Fringes	
LABORER Group 1	.\$ 30.05 K-11	22.26	

Group 2\$ 30.20	22.26
Group 3\$ 30.40	22,26
Group 4\$ 30.55	22.26
Group 5\$ 30.70	22.26
Group 6\$ 26.54	22,26

#### LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagperson; traffic control person

LABO0113-003 06/01/2020

#### OZAUKEE AND WASHINGTON COUNTIES

	F	Rates	Fringes
			•
LABORER			
Group	1\$	29.30	22.26
Group	2\$	29.40	22.26
Group	3\$	29.45	22.26
Group	4\$	29.65	22.26
Group	5\$	29.50	22.26
Group	6\$	26.39	22.26

#### LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper);

#### Concrete Handler

1 5K + 48 1 1 1 1

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated);

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson and Traffic Control Person

-----

LABO0113-011 06/01/2020

#### KENOSHA AND RACINE COUNTIES

	·	Rates	Fringes
LABORER			
Group	1\$	29.11	22.26
Group	2\$	29.26	22.26
Group	3\$	29.46	22.26
Group	4\$	29.43	22.26
Group	5\$	29.76	22.26
Group	6\$	26.25	22,26

#### LABORERS CLASSIFICATIONS:

GROUP 1: General laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagman; traffic control person

LABO0140-002 06/01/2020

WIS BALLEY

ADAMS, ASHLAND, BARRON, BAYFIELD, BROWN, BUFFALO, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DODGE, DOOR, DOUGLAS, DUNN, EAU CLAIRE, FLORENCE, FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IRON, JACKSON, JUNEAU, IOWA, JEFFERSON, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE, POLK, PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST. CROIX, TAYLOR, TREMPEALEAU, VERNON, VILLAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

		Rates	Fringes
LABORER			
Group	1	\$ 33.72	17.95
Group	2	\$ 33.82	17.95
Group	3	\$ 33.87	17.95
Group	4	\$ 34.07	17.95
Group	5	\$ 33.92	17.95
Group	6	\$ 30.35	17.95

#### LABORER CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bitminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator, Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk and Pavement); Strike Off Man

GROUP 4: Line and Grade Secialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson; Traffic Control

-----

LAB00464-003 06/01/2020

#### DANE COUNTY

	Ra	ates	Fringes
LABORER			
Group	1\$	34.00	17.95
Group	2\$	34.10	17.95
Group	3\$	34.15	17.95
Group	4\$	34.35	17.95
Group	5\$	34.20	17.95
Group	6\$	30.35	17.95

#### LABORERS CLASSIFICATIONS:

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminious Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; Powderman

GROUP 6: Flagperson and Traffic Control Person

-----

PAIN0106-008 05/01/2017

ASHLAND, BAYFIELD, BURNETT, AND DOUGLAS COUNTIES

	ŀ	Rates	Fringes
Painters:			
New:			
Brush,	Roller\$	30.33	17.27
Spray,	Sandblast, Steel\$	30.93	17.27
Repaint			
Brush,	Roller\$	28.83	17.27
Spray,	Sandblast, Steel\$	29.43	17.27
Jpi dy ,	Janabrase, Secci	20.70	17.27

PAIN0108-002 06/01/2019

#### RACINE COUNTY

	Rates	Fringes	
Painters: Brush, Roller Spray & Sandblast		20.36 20.36	
PAIN0259-002 05/01/2008			
BARRON, CHIPPEWA, DUNN, EAU CLAIR SAWYER, ST. CROIX, AND WASHBURN C		E, POLK, RUSK,	
	Rates	Fringes	
PAINTER	\$ 24.11	12.15	
PAIN0259-004 05/01/2015			
BUFFALO, CRAWFORD, JACKSON, LA CR VERNON COUNTIES	OSSE, MONROE, T	REMPEALEAU, AND	
	Rates	Fringes	
PAINTER			
PAIN0781-002 06/01/2019			
JEFFERSON, MILWAUKEE, OZAUKEE, WA	SHINGTON, AND W	AUKESHA COUNTIES	
	Rates	Fringes	
Painters: Bridge Brush Spray & Sandblast	\$ 32.95	23.86 23.86 23.86	
PAIN0802-002 06/01/2019			
COLUMBIA, DANE, DODGE, GRANT, GREEN, IOWA, LAFAYETTE, RICHLAND, ROCK, AND SAUK COUNTIES			
	Rates	Fringes	
PAINTER Brush	\$ 30.93	18.44	
PREMIUM PAY: Structural Steel, Spray, Bridge hour.	s = \$1.00 add	itional per	

PAIN0802-003 06/01/2019

ADAMS, BROWN, CALUMET, CLARK, DOOR, FOND DU LAC, FOREST, GREEN LAKE, IRON, JUNEAU, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, PORTAGE, PRICE, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WAUSHARA, WAUPACA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes	
PAINTER		18.58	
PAIN0934-001 06/01/2017			
KENOSHA AND WALWORTH COUNTIES			
	Rates	Fringes	
Painters: Brush Spray Structural Steel	\$ 34.74	18.95 18.95 18.95	
PAIN1011-002 06/02/2019			
FLORENCE COUNTY	•		
	Rates	Fringes	
Painters:		13.33	
PLAS0599-010 06/01/2017			
	Rates	Fringes	
CEMENT MASON/CONCRETE FINISHER Area 1	\$ 35.07 \$ 35.61 \$ 34.70 \$ 36.27	17.17 19.75 19.40 20.51 18.73 22.99	

#### AREA DESCRIPTIONS

AREA 1: BAYFIELD, DOUGLAS, PRICE, SAWYER, AND WASHBURN COUNTIES

AREA 2: ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE,

#### NIS BACK WALLE SECTION K: DAVIS BACON WAGE RATES

FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

AREA 3: BUFFALO, CRAWFORD, EAU CLAIRE, JACKSON, JUNEAU, LA CROSSE MONROE, PEPIN, PIERCE, RICHLAND, TREMPEALEAU, AND VERNON COUNTIES

AREA 4: MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES

AREA 5: DANE, GRANT, GREEN, IOWA, LAFAYETTE, AND ROCK COUNTIES

AREA 6: KENOSHA AND RACINE COUNTIES

------

#### \* TEAM0039-001 06/01/2021

	Rates	Fringes	
TRUCK DRIVER  1 & 2 Axles  3 or more Axles; Euclids, Dumptor & Articulated,	.\$ 32.57	23.81	
Truck Mechanic	.\$ 32.72	23.81	
WELL DRILLER	.\$ 16.52	3.70	

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information

on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

#### Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

#### Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which

强烈的线线 医巨灰石 有形

these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

#### WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations

Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION"