



Department of Public Works
Engineering Division
Robert F. Phillips, P.E., City Engineer
City-County Building, Room 115
210 Martin Luther King, Jr. Boulevard
Madison, Wisconsin 53703
Phone: (608) 266-4751
Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

Deputy City Engineer
Gregory T. Fries, P.E.
Deputy Division Manager
Kathleen M. Cryan
Principal Engineer 2
Christopher J. Petykowski, P.E.
John S. Fahrney, P.E.
Principal Engineer 1
Christina M. Bachmann, P.E.
Mark D. Moder, P.E.
Janet Schmidt, P.E.
Facilities & Sustainability
Jeanne E. Hoffman, Manager
Bryan Cooper, Principal Architect
Mapping Section Manager
Eric T. Pederson, P.S.
Financial Manager
Steven B. Danner-Rivers

June 3, 2019

NOTICE OF ADDENDUM
ADDENDUM NO. 1
CONTRACT NO. 9411

McKenna Flood Mitigation

Revise and amend the contract documents for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

REMOVE:
SECTION 109.2

REPLACE SECTION 109.2 WITH THE FOLLOWING:

SECTION 109.2 PROSECUTION OF WORK

The Contractor shall begin work on JULY 29, 2019. All work shall be completed on or prior to May 31, 2020.

Work shall begin only after the start work letter is received. If it is desirable to begin work before or after the above-mentioned date, the Contractor shall establish a mutually acceptable date with the City Engineer, and the agreed upon date must be determined prior to the preconstruction meeting.

The Contractor shall limit workdays to 7:00 a.m. to 5:00 p.m. Monday through Friday within Elver Park, with no weekend work in the park, unless approved by the Engineer in writing.

This project includes interim completion dates at two locations within the project limits. All work necessary to restore north bound traffic on McKenna Blvd. at Gammon Ln. shall be completed on or prior to September 3, 2019. Restoring north bound traffic shall entail opening all northbound lanes and providing access to the pullout on the north side of McKenna Blvd. If temporary pavement is required to meet this deadline, it shall be paid for under BID ITEM 90006 – TEMPORARY PAVEMENT.

Several intersections within the project limits have a limited closure timeframe. Refer to the Maintenance of Traffic specifications for additional information on changes to traffic patterns.

All concrete work in the greenway channel and box culvert work in Elver Park must be completed by December 31,

2019 or a date mutually agreed upon by the City and the Contractor.

Any work that is not completed prior to the end of the year shall be left overwinter in a condition approved by the Engineer. All areas must be stabilized and channel and stormwater flow shall not be impeded.

Any remaining paving or restoration work shall be completed no later than May 31, 2020.

Work shall begin only after the start work letter is received.

SPECIAL PROVISIONS:

INSERT SENTENCE TO BID ITEM 90002 – 7” STAMPED & COLORED CONCRETE

DESCRIPTION

Cold weather protection, if used for installation of the concrete, shall be included with this item.

INSERT SENTENCE TO BID ITEM 90042 – DUAL CELL 5’X10’ REINFORCED CONCRETE BOX CULVERT

DESCRIPTION

If two single cell 5’x10’ Reinforced Box Culverts are proposed, it shall be approved by the Engineer prior to fabrication.

INSERT SENTENCE TO BID ITEM 90043 – DUAL CELL 5’X12’ REINFORCED CONCRETE BOX CULVERT

DESCRIPTION

If two single cell 5’x12’ Reinforced Box Culverts are proposed, it shall be approved by the Engineer prior to fabrication.

REMOVE: all text under **BID ITEM 90044 – RETAINING WALL AND CONCRETE MASONRY CUNETTE**, and

REPLACE WITH THE FOLLOWING:

BID ITEM 90044 – RETAINING WALL AND CONCRETE MASONRY CUNETTE

DESCRIPTION

Work under this item shall include all work, materials, and incidentals to construct a sheet pile retaining wall with concrete facing and architectural surface treatment, concrete channel lining, and concrete slab, as shown on plan sheets R-1 through R-6. Work shall be completed in accordance with the City of Madison Standard Specifications for Public Works Construction and the attached Technical Specifications for Retaining Wall (see original contract). The sheet pile steel shall be PZ 22, as shown on the plans, or an approved equivalent. Cold weather protection, if used for installation of the concrete, shall be included with this item.

METHOD OF MEASUREMENT

Retaining Wall and Concrete Masonry Cunette, is measured by the Lump Sum for satisfactory completion of the sheet piling; concrete facing; concrete slab; concrete channel lining; placing, finishing, and curing the concrete; furnishing and installing all tie bars and reinforcement; producing the proposed architectural surface treatment, including preparing the foundation, finishing and protecting the surface treatment, properly disposing of surplus material, for furnishing and applying the two coat system of stain, preparing the concrete surface, and for preparing the sample panels.

BASIS OF PAYMENT

Retaining Wall and Concrete Masonry Cunette, measured as described above, will be paid at the contract price lump sum and shall be considered full compensation for all work, materials and incidentals to complete the work as explained in the description above.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

<http://www.bidexpress.com>

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.



Robert F. Phillips, P.E., City Engineer

RFP:maa