

Department of Public Works

## **Engineering Division**

James M. Wolfe, P.E., City Engineer

City-County Building, Room 115
210 Martin Luther King, Jr. Boulevard
Madison, Wisconsin 53703
Phone: (608) 266-4751
Fax: (608) 264-9275
engineering@cityofmadison.com
www.cityofmadison.com/engineering

June 6, 2023

**Assistant City Engineer** 

Bryan Cooper, AIA Gregory T. Fries, P.E. Chris Petykowski, P.E.

Deputy Division Manager Kathleen M. Cryan

> Principal Engineer 2 John S. Fahrney, P.E. Janet Schmidt, P.E.

Principal Engineer 1 Mark D. Moder, P.E. Andrew J. Zwieg, P.E.

Financial Manager Steven B. Danner-Rivers

# NOTICE OF ADDENDUM ADDENDUM 2 CONTRACT NO. 9439 MENDOTA GRASSMAN GREENWAY FLOOD MITIGATION AND RESTORATION DESIGN

Revise and amend the contract document(s) for the above project as stated in this addendum, otherwise, the original document shall remain in effect.

#### **SPECIAL PROVISIONS:**

REMOVE AND REPLACE SECOND PARAGRAPH UNDER THE HEADING "DESCRIPTION" IN <u>BID ITEM 90025.1 –</u> GEOCELL 6-INCH DEPTH, BID ITEM 90025.2 – GEOCELL 3-INCH DEPTH WITH THE FOLLOWING:

This work shall consist of furnishing and placing the Presto Geoweb® geocell system, Baselok GeoCell GC30, or similar approved geocell system in accordance with this specification and conforming with the alignments, grades, design, and dimensions shown on the plans.

ADD SECTION UNDER THE HEADING "DESCRIPTION" IN <u>BID ITEM 90038 – 6-FOOT DIAMETER SAS</u> and in <u>BID ITEM 90039 – 6-FOOT DIAMETER MMSD FLOW MONITORING SAS:</u>

#### **Epoxy:**

Exposed interior concrete surfaces shall be coated with a protective coating. Acceptable products to be used for the coating shall be Sauerisen Sewergard No. 210 18 series Epoxy, Quadex Structure Guard Epoxy, Raven 405 Epoxy, CorCote Epoxy, 19 SherFlex Polyurethane, OBIC Multilayer Liner System, or approved equal.

#### **INFORMATIONAL:**

- Construction plans for the extension of the University Ave culvert from 2012 can be found on Bid Express.
- Barrier wall is incidental to Bid Item 10701 Traffic Control. The concrete barriers are not required to be pinned.

Please acknowledge this addendum on page E1 of the contract documents and/or in Section E: Bidder's Acknowledgement on Bid Express.

Electronic version of these documents can be found on the Bid Express web site at:

### http://www.bidexpress.com

If you are unable to download plan revisions associated with the addendum, please contact the Engineering office at 608-266-4751 receive the material by another route.

Sincerely,

For: James M. Wolfe, P.E., City Engineer

JMW:jeo