



MUNICIPAL COURT OVERLAID ONTO CCB104
NOT TO SCALE



MUNICIPAL COURT EXISTING DATA LOCATIONS
NOT TO SCALE



▽ = 2x Cat 6
▼ = 4x Cat 6 in floor box

MUNICIPAL COURT NEW DATA LOCATIONS
NOT TO SCALE

MUNICIPAL COURT DATA CABLING NOTES:

1. ALL DIVISION 27 - COMMUNICATIONS SPECIFICATIONS SHALL APPLY TO THE WORK DESCRIBED IN THIS EXHIBIT.
2. NO WORK SHALL BE SCHEDULED INSIDE OF MUNICIPAL COURT AREA ON THE FIRST AND THIRD THURSDAY OF EACH MONTH. ELECTRICIAN AND DATA CONTRACTORS TO VERIFY ALL OTHER SCHEDULING WITH MUNICIPAL COURT STAFF SUPERVISOR AND CITY CONSTRUCTION MANAGER.
3. ALL ROUGH-IN SHALL BE COMPLETED DURING NORMAL WORK HOURS. CONTRACTOR IS RESPONSIBLE FOR MOVING OF ANY FURNITURE AND CLEANING OF ANY CONSTRUCTION DEBRIS.
4. NEW DATA BOXES SHALL BE SURFACE MOUNTED, DATA CABLE SHALL BE INSTALLED IN NEW WIRE MOLD.
5. SWITCHOVER TO NEW CABLING AND NEW IT CLOSET SHALL ONLY HAPPEN AFTER NEW CLOSET CONSTRUCTION IS COMPLETE AND DATA EQUIPMENT HAS BEEN INSTALLED. SWITCHOVER SHALL BE SCHEDULED FOR OFF HOURS AND MUST BE COMPLETED AND TESTED PRIOR TO START OF WORK ON NEXT CALENDAR WORK DAY.
6. FINAL DEMOLITION AND REMOVAL OF BOXES, WIRE MOLD, AND CABLING SHALL BE COMPLETED AFTER NEW CABLING HAS BEEN INSPECTED AND MADE OPERATIONALLY READY BY CITY IT STAFF. FINAL DEMOLITION SHALL REMOVE ALL EXISTING DATA CABLE BETWEEN CCB 203-MUNICIPAL COURT AND THE EXISTING DATA CLOSET BEING ABANDONED.