

PART VIII - STANDARD DETAIL DRAWINGS

SERIES 1 - EROSION CONTROL

- 1.01 RESERVED FOR FUTURE USE
- 1.02 [EROSION MAT](#)
- 1.03 RESERVED FOR FUTURE USE
- 1.04 RESERVED FOR FUTURE USE
- 1.05 [CLEAR STONE BERM FOR EROSION CONTROL](#)
- 1.06 RESERVED FOR FUTURE USE
- 1.07 [CONSTRUCTION ENTRANCE](#)
- 1.08 [STREET CONSTRUCTION ENTRANCE BERM](#)
- 1.09 RESERVED FOR FUTURE USE
- 1.10 [STREET CONSTRUCTION STONE BERM](#)
- 1.11 [RIGID FRAME INLET PROTECTION](#)
- 1.12 [SILT SOCK](#)

SERIES 2 - EARTHWORK

- 2.01 [STANDARD PLANTING TECHNIQUE FOR TREES IN TURF AREAS](#)
- 2.02 [STANDARD PLANTING TECHNIQUE FOR TREES IN GRATES](#)
- 2.03 [STANDARD PLANTING TECHNIQUE FOR EVERGREENS](#)
- 2.04 [STANDARD PLANTING TECHNIQUE FOR SHRUBS](#)
- 2.05 [STANDARD PRUNING TECHNIQUES FOR DECIDUOUS AND CONIFEROUS TREES AND SHRUBS](#)
- 2.06 [TYPICAL FIELD STONE RETAINING WALL](#)
- 2.07 [WETLAND PLANTING PODS TYPE #1](#)
- 2.08 [WETLAND PLANTING PODS TYPE #2](#)
- 2.09 [8' TERRACE RAINGARDEN PLAN](#)
- 2.10 [8' TERRACE RAINGARDEN SECTIONS](#)
- 2.11 [10' TERRACE RAINGARDEN PLAN](#)
- 2.12 [10' TERRACE RAINGARDEN SECTIONS](#)
- 2.13 [10' TERRACE BIORETENTION PLAN](#)
- 2.14 [BOUNDARY MARKER](#)
- 2.16 [TERRACE SUPPORT SYSTEM](#)
- 2.17 [TREE ZONE PROTECTION](#)
- 2.18 [TERRACE EXCAVATION FOR TREE PLANTING](#)
- 2.20 [SPLIT RAIL FENCE DETAIL](#)

SERIES 3 - CONCRETE AND CONCRETE STRUCTURES

- 3.01 [STANDARD SPECIAL WATERWAY](#)
- 3.02 [MADISON STANDARD CURB CUT DETAILS](#)
- 3.03 [STANDARD CURB RAMPS TYPES 1 AND 2](#)
- 3.04 [CURB RAMP TYPE 2A AND CURB RAMP TYPE 2B](#)
- 3.05 [CURB & GUTTER DETAIL AT END OF CUL-DE-SAC](#)
- 3.06 [MADISON STANDARD CONCRETE CURB & GUTTER](#)
- 3.07 [MADISON STANDARD CONCRETE CURB & GUTTER](#)
- 3.08 [MADISON STANDARD CONCRETE CURB & GUTTER](#)
- 3.09 RESERVED FOR FUTURE USE
- 3.10 [LONGITUDINAL JOINTS AND PAVEMENT TIES DETAIL](#)
- 3.11 [DOWELED CONCRETE PAVEMENT DETAIL](#)
- 3.12 [MADISON STANDARD SECTION CORNER MONUMENT DETAIL](#)
- 3.13 [CONCRETE MOUNTABLE MEDIAN ISLAND NOSE DETAILS](#)
- 3.14 [BIKE/PED RAMP DETAIL](#)
- 3.15 [TREE GRATE DETAIL](#)

SERIES 4 - PAVEMENTS

- 4.01 [TYPICAL SECTION 32' STREET](#)
- 4.02 [TYPICAL SECTION VARIOUS WIDTH STREETS](#)
- 4.03 [TYPICAL SECTION BOULEVARD STREET](#)
- 4.04 [TYPICAL SECTION TEMPORARY STREET](#)
- 4.05 [TYPICAL SECTION WITH UNDERDRAINS](#)
- 4.06 [PAVEMENT DESIGN CRITERIA](#)
- 4.07 [TYPICAL ALLEY WITH CURB & GUTTER](#)
- 4.08 [TYPICAL SECTION BIKE PATH](#)
- 4.09 [GRINDING DETAIL](#)
- 4.10 [CONCRETE SPEED HUMP](#)
- 4.11 [CONCRETE SPEED HUMP RAISED GUTTER](#)

SERIES 5 - SEWER AND SEWER STRUCTURES

- 5.1 GENERAL
- 5.1.1 [MANDREL DETAIL](#)
- 5.1.2 [RCBC REPAIR TYPE I & TYPE II](#)
- 5.1.3 [TYPICAL SECTION SAS ACCESS ROAD TEMPORARY](#)
- 5.1.4 [TYPICAL SECTION SAS ACCESS ROAD PERMANENT](#)
- 5.1.4A [TYPICAL SECTION SAS ACCESS ROAD PERMANENT - FARM](#)
- 5.1.5 [TYPICAL SECTION SAS ACCESS ROAD PERMANENT- GRAVEL](#)
- 5.2 TRENCH EXCAVATION, BEDDING AND BACKFILL
- 5.2.1 [PIPE BEDDING AND BACKFILL](#)
- 5.2.1A [STORM PIPE BEDDING AND BACKFILL](#)
- 5.2.2 [TYPICAL TRENCH COMPACTION](#)
- 5.2.3 [TYPICAL TRENCH COMPACTION \(GREENWAY/PARK\)](#)
- 5.2.4 [TYPICAL PAVEMENT PATCH SECTIONS](#)
- 5.3 SANITARY SEWER PIPES
- 5.3.1 [RISER DETAIL](#)
- 5.3.2 [LOCATION OF SANITARY LATERALS](#)
- 5.3.3 [COUPLING DETAILS](#)
- 5.4 STORM SEWER PIPES, APRON ENDWALLS AND OTHER STORM WATER CHANNELS
- 5.4.1 [APRON ENDWALLS FOR PIPES AND PIPE ARCHES](#)
- 5.4.2 [MULTIPLE RCP AE](#)
- 5.4.3 [MULTIPLE HERCP AE](#)
- 5.4.4 [RIPRAP AT APRON END WALLS](#)
- 5.4.5 [CONCRETE COLLAR](#)
- 5.4.6 [CONCRETE PIPE JOINT TIES](#)
- 5.4.7 [DRAINAGE FLUME DETAIL](#)
- 5.4.8 [DRAINAGE FLUME DETAIL](#)
- 5.4.9 [SIDEWALK FLUME DETAIL](#)
- 5.4.10 [CURB TO DITCH TRANSITION ASPHALT FLUME](#)
- 5.4.11 [TYPICAL GREENWAY SECTION \(GRASSED-FLOWLINE\)](#)
- 5.4.12 [TYPICAL GREENWAY SECTION \(STABILIZED-FLOWLINE\)](#)
- 5.4.13 RESERVED FOR FUTURE USE
- 5.5 BOX CULVERTS AND WINGWALLS
- 5.5.1 [BOX CULVERT WINGWALL](#)
- 5.5.1A [BOX CULVERT WINGWALL - 1](#)
- 5.5.1B [BOX CULVERT WINGWALL - 2](#)
- 5.5.2 [RIPRAP AT BOX CULVERT WINGWALLS](#)
- 5.5.3 [CULVERT WINGWALL RAILINGS](#)
- 5.6 STORM SEWER GATES
- 5.6.1 [RCP AE GATE](#)
- 5.6.2 [BOX CULVERT INLET GATE \(UPSTREAM\)](#)

5.6.3	<u>BOX CULVERT OUTLET GATE (DOWNSTREAM)</u>
5.6.4	<u>STANDARD BASIN OUTLET STRUCTURE</u>
5.6.5	<u>STANDARD-BASIN OUTLET PIPE GATE DETAIL</u>
5.7	SEWER STRUCTURES
5.7.1	<u>SANITARY SEWER CAST-IN-PLACE SAS</u>
5.7.2	<u>SANITARY SEWER PRECAST SAS</u>
5.7.3	<u>STORM SEWER FIELD POURED SAS</u>
5.7.3A	<u>STORM SEWER FIELD POURED CATCH BASINS</u>
5.7.4	<u>STORM SEWER 6'X6' CATCH BASIN</u>
5.7.4A	<u>STORM SEWER 6'X8' CATCH BASIN</u>
5.7.5	<u>STORM SEWER PRECAST SAS (THROUGH SECTION VIEW)</u>
5.7.6	<u>STORM SEWER PRECAST SAS (TOP VIEW)</u>
5.7.7	<u>TYPE "H" INLET</u>
5.7.7A	<u>PVC DRAIN PIPE AT LOW POINTS WITHOUT SURFACE PAVEMENT</u>
5.7.8	<u>SADDLED INLET TYPE I</u>
5.7.9	<u>SADDLED INLET TYPE II</u>
5.7.9A	<u>STORM SEWER FIELD POURED SADDLED SAS</u>
5.7.10	<u>STORM SEWER PRECAST SADDLED INLET</u>
5.7.10A	<u>STORM SEWER PRECAST SADDLED SAS</u>
5.7.11	<u>ADJUST TUB INLET</u>
5.7.12	<u>TERRACE INLET TYPE 1</u>
5.7.12A	<u>TERRACE INLET TYPE 2</u>
5.7.12B	<u>TERRACE INLET TYPE 3</u>
5.7.12C	<u>TERRACE INLET TYPE 4</u>
5.7.12D	<u>TERRACE INLET TYPE 5</u>
5.7.12E	<u>TERRACE INLET TYPE 6</u>
5.7.13	<u>CURB OUTLET STRUCTURE SOLID FLOOR</u>
5.7.13A	<u>CURB OUTLET STRUCTURE NO FLOOR</u>
5.7.14	<u>UNDERDRAIN</u>
5.7.15	<u>SAS CHIMNEY AND CASTING</u>
5.7.16	<u>SAS FRAME AND COVER</u>
5.7.16A	<u>SAS LOCKING FRAME & LOGO COVER</u>
5.7.17	<u>SAS INTERNAL CHIMNEY SEAL</u>
5.7.18	<u>R-3067 FRAME</u>
5.7.20	<u>R-3067 TYPE R GRATE</u>
5.7.21	<u>R-3067 TYPE V GRATE (VANE)</u>
5.7.22	<u>R-3067 EL CURB BOX</u>
5.7.24	<u>R-3067 CDS CURB BOX</u>
5.7.25	<u>TYPE "S" INLET & R-3281 CASTING</u>
5.7.26	<u>CONSTRUCTION STORM STAKING LAYOUT</u>
5.7.27	<u>H INLET LOCATIONS IN DIFFERENT CURB TYPES</u>
5.7.28	<u>INLET IN TYPE "H" CURB AND GUTTER WITH CONCRETE PAVEMENT</u>
5.7.29	<u>INLET CASTING OFFSET CRITERIA FOR H INLETS</u>
5.7.30	<u>INSIDE DROP FOR SANITARY MAIN & LATERAL</u>
5.7.31	<u>FLEXIBLE PIPE TO SAS CONNECTOR</u>
5.7.32	<u>STORM SEWER TAP DETAIL</u>
5.7.33	<u>H INLET ALLEY CURB</u>
5.7.34	<u>DITCH INLET STRUCTURE</u>
5.7.35	<u>TERRACE FLUME</u>
5.7.36	<u>SIDEWALK DRAIN</u>
5.7.37	<u>RIBBON CURB CASTING R-3382</u>
5.7.38	<u>CURB HEAD PLATE FOR DRIVEWAY R-3067-7000</u>
5.7.39A	<u>SCREEN TREATMENT DEVICE – TYPE A PLAN</u>
5.7.39B	<u>SCREEN TREATMENT DEVICE – TYPE A DETAILS</u>
5.7.39C	<u>SCREEN TREATMENT DEVICE – TYPE B PLAN</u>
5.7.39D	<u>SCREEN TREATMENT DEVICE – TYPE B DETAILS</u>
5.7.40	<u>SEWER BACKWATER VALVE</u>

- 5.7.41 [LATERAL CLEANOUT](#)
- 5.7.47 [DRILLED UNDERDRAIN](#)
- 5.8 [UTILITY CROSSINGS](#)
- 5.8.1 [CONCRETE SUPPORTS](#)
- 5.8.2 [REINFORCED CONCRETE BEAM SUPPORT](#)

SERIES 6 - TRAFFIC ENGINEERING

- 6.01 [TYPICAL ELEVATIONS FOR BASES](#)
- 6.02 [TYPICAL PLAN VIEW OF DUCT INSTALLATION & DUCT IMPRINT LOCATION](#)
- 6.03 [DUCT TERMINATION DETAIL](#)
- 6.04 [LOOP LEAD DUCT DETAIL](#)
- 6.05 [CONCRETE POLE BURIAL DETAIL](#)
- 6.06 [POLE MOUNTED STREET LIGHT CONTROL PANEL](#)
- 6.07 [PEDESTAL MOUNTED STREET LIGHT CONTROL PANEL](#)
- 6.08 [120V STREET LIGHT CONTROL PANEL ELECTRICAL SERVICE DETAIL](#)
- 6.09 [CONDUIT PLACEMENT DETAILS FOR COMMERCIAL DRIVE APPROACH](#)
- 6.10 [TYPE "P" CONTROLLER BASE DETAIL](#)
- 6.11 [TYPE "G" BASE DETAIL](#)
- 6.11A [TYPE "GR" BASE DETAIL](#)
- 6.12 [LB-1 BASE DETAIL](#)
- 6.13 [LB-2 DETAIL](#)
- 6.14 [LB-3 BASE DETAIL](#)
- 6.14A [LB-3R BASE DETAIL](#)
- 6.15 [LB-4 DETAIL](#)
- 6.17 [LB-6 DETAIL](#)
- 6.18 [LB-7 BASE DETAIL](#)
- 6.19 [LB-8 BASE DETAIL](#)
- 6.19A [LB-8R BASE DETAIL](#)
- 6.20 [OFFSET BASE DETAIL](#)
- 6.21 [TYPICAL DETAIL FOR AUGERING A HOLE\(S\) IN EXISTING BASE FOR DUCT ENTRANCE](#)
- 6.22 [TYPE I HANDHOLE DETAIL](#)
- 6.23 [TYPE II HANDHOLE DETAIL](#)
- 6.24 [TYPE III HANDHOLE DETAIL](#)
- 6.25 [TYPE IV HANDHOLE DETAIL](#)
- 6.26 [TYPE V HANDHOLE DETAIL](#)
- 6.26A [TYPE VII HANDHOLE DETAIL](#)
- 6.27 [ELECTRICAL UTILITY ACCESS STRUCTURE DETAIL](#)
- 6.28 [ELECTRICAL CONDUIT BOX-OUT DETAIL](#)
- 6.29 [STREET BARRICADE DETAILS](#)
- 6.29A [END-OF-ROADWAY SIGNING DETAILS](#)
- 6.30 [SUPPLEMENTAL TRAFFIC CONTROLS FOR BIKEWAY CLOSURES](#)
- 6.31 [BARRICADES AND SIGNS FOR MAINLINE CLOSURES](#)
- 6.32 [BARRICADES AND SIGNS FOR SIDEROAD CLOSURES](#)
- 6.33 [TRAFFIC CONTROL, SINGLE LANE CLOSURE NON-FREEWAY/EXPRESSWAY](#)
- 6.34 [TRAFFIC CONTROL, INTERSECTION WITHIN SINGLE LANE CLOSURE](#)
- 6.35 [TRAFFIC CONTROL FOR LANE CLOSURE \(SUITABLE FOR MOVING OPERATIONS\)](#)
- 6.36 [TRAFFIC CONTROL, SIDEWALK CLOSURE](#)
- 6.37 [PAVEMENT MARKING DETAILS, PAGE 1](#)
- 6.38 [PAVEMENT MARKING DETAILS, PAGE 2](#)
- 6.39 [PAVEMENT MARKING DETAILS, PAGE 3](#)
- 6.40 [PAVEMENT MARKING DETAILS, PAGE 4](#)
- 6.41 [PIPE INSERT IN CONCRETE FOR SIGNING](#)
- 6.42 [PRECAST SIGN POST BASE DETAILS](#)
- 6.43 [SIGN POST DETAIL](#)
- 6.44 [ALTERNATE BUSINESS ACCESS SIGN](#)

- 6.45 [LB-9 BASE DETAIL](#)
- 6.46 [TYPICAL CONDUIT INSTALLATION PARALLEL TO CURB AND GUTTER](#)
- 6.47 [MULTISPACE PARKING METER BASE DETAIL](#)
- 6.48 [BIKE LOOP DETAIL](#)

SERIES 7 - WATER MAINS AND SERVICE LATERALS

- 7.01 [TYPICAL WATER PIPE TRENCH](#)
- 7.02 [FIELD INSTALLATION POLYETHYLENE WRAP / TAPPING POLYETHYLENE WRAP](#)
- 7.03 [TYPICAL STYROFOAM INSTALLATION](#)
- 7.04 [TYPICAL HYDRANT INSTALLATION](#)
- 7.05 [WATER MAIN VALVE ACCESS STRUCTURE](#)
- 7.05A [WATER MAIN VALVE ACCESS STRUCTURE](#)
- 7.05B [PRESSURE REDUCING VALVE DETAIL](#)
- 7.06 [WATER VALVE BOX ALIGNMENT](#)
- 7.07 [2-IN TEMPORARY FLUSHING / BLOW-OFF FOR 8-IN PIPE AND SMALLER](#)
- 7.08 [TYPICAL VALVE & BOX INSTALLATION](#)
- 7.09 [LOCATION OF WATER SERVICES](#)
- 7.10 [SERVICE LATERAL INSTALLATION](#)
- 7.13 [STANDARD CONCRETE BLOCK THRUST RESTRAINT](#)
- 7.14 [GRAVITY BLOCK THRUST RESTRAINT FOR VERTICAL BENDS](#)
- 7.15 [ROD & CONCRETE BLOCK THRUST RESTRAINT FOR VERTICAL BENDS](#)
- 7.16 [JOINT RESTRAINT LENGTHS FOR VERTICAL BENDS](#)
- 7.17 [THREADED ROD – JOINT RESTRAINT](#)
- 7.20 [STANDARD HDPE TRACER WIRE VALVE BOX](#)
- 7.21 [CASING SPACERS](#)
- 7.22 [OFFSETTING EXISTING WATER MAIN OVER/UNDER UTILITY CONFLICTS](#)
- 7.23 [CLAY TRENCH PLUG](#)
- 7.28 [2" SENSUS OMNI T2 TURBINE METER STANDARD INSTALLATION](#)
- 7.29 [2" BADGER RECORDALL TURBO SERIES METER STANDARD INSTALLATION](#)
- 7.30 [WATER METER PIT CONSTRUCTION](#)
- 7.31 [WATER METER PIT DIMENSIONS](#)
- 7.32 [WATER METER PIT CONSTRUCTION NOTES](#)
- 7.33 [WATER METER ENCLOSURE](#)
- 7.34 [YARD HYDRANT/DRINKING FOUNTAIN STANDARD INSTALLATION](#)
- 7.35 [STANDARD 5/8", 3/4", 1" METER INSTALLATION](#)
- 7.36 [STANDARD 1-1/2" – 2" METER INSTALLATION](#)
- 7.37 [BADGER RECORDALL COMPOUND METER STANDARD INSTALLATION](#)
- 7.38 [SENSUS OMNI COMPOUND METER STANDARD INSTALLATION](#)
- 7.39 [STANDARD MAG METER INSTALLATION BADGER M2000 ELECTROMAGNETIC FLOW METER](#)
- 7.40 [BADGER RECORDALL TURBO SERIES METER STANDARD INSTALLATION](#)
- 7.41 [SENSUS OMNI METER STANDARD INSTALLATION](#)
- 7.42 [SEWER DEDUCT METER/WATER ONLY STANDARD INSTALLATION](#)