

FINISHED TYPICAL SECTION
 EAST WASHINGTON AVENUE (W. OF EAGAN ROAD)
 LOOKING EAST

SEE CENTER RUNNING STATION PLATFORM TYPICAL SECTION AND PLAN SHEETS FOR CONSTRUCTION DETAILS

NOTE: ALL TYPICAL SECTIONS WIDTHS FOR REFERENCE ONLY. SEE PAVEMENT MARKING PLANS FOR VARIABILITY WITHIN SEGMENTS.

MARK	REVISION	DATE	BY


Designed By: AECOM
 Date: 2021-05-27
 Scale: 1"=100' FT
 60631225P

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C




TYPICAL SECTIONS
 BUS RAPID TRANSIT
 CITY OF MADISON
 60631225P
 TS-4

CONSTRUCTION DETAILS ARE BEING DEVELOPED AND WILL BE APPLIED TO STATION PLAN SHEETS IN FUTURE PLAN SET.




CURBSIDE STATION PLATFORM AREA DETAIL
PLAN VIEW

NOTES:
 1. SIDEWALK AROUND PLATFORM WILL VARY AT EACH SITE AND MAY NOT BE PRESENT DUE TO SITE CONSTRAINTS. IN THESE CASES, GENERAL PEDESTRIAN TRAFFIC WILL WALK-THROUGH STATION AREA. SHELTER TO BE MODIFIED TO ACCOMMODATE PEDESTRIAN MOVEMENT. SEE MIDVALE WB AND SHOREWOOD EB FOR VARIATIONS ON THE DESIGN.
 2. SPACE AROUND STATION WILL BE CONSIDERED FOR STATION UTILITY INFRASTRUCTURE, BIKE PARKING, ETC.
 3. IT IS PREFERRED THE SIDEWALK BE RAISED TO MEET PLATFORM HEIGHT. IF NOT POSSIBLE, A STEP WILL BE PROVIDED FOR ACCESS.



ISOMETRIC VIEW

* PLATFORM HEIGHT MEASURED AT A DISTANCE OF 3.75" FROM TOP EDGE OF PLATFORM (FACE OF PROTRUDING CONCRETE USED TO AFFIX 2" DOCKING GUIDE STRIP, SEE DETAIL ON STRUCTURAL DETAIL SHEETS).



TYPICAL SECTION A-A

MARK	REVISION	DATE	BY
60631225P	2021-11-22		

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C



CONSTRUCTION DETAILS
 BUS RAPID TRANSIT
 CITY OF MADISON



60631225P

CD-1

CONSTRUCTION DETAILS ARE BEING DEVELOPED AND WILL BE APPLIED TO STATION PLAN SHEETS IN FUTURE PLAN SET.



NOTES:
1. SPACE AROUND STATION WILL BE CONSIDERED FOR STATION UTILITY INFRASTRUCTURE, BIKE PARKING, ETC.
2. SHELTER MAY BE LOCATED ON THE OTHER SIDE OF THE PLATFORM.

MARK	REVISION	DATE	BY
60631225P	Designed By: AECOM	Date: 2021-11-22	Scale: NTS


60631225P
CITY OF MADISON, DANE COUNTY, WI
CONTRACT NO: 60631225C

CONSTRUCTION DETAILS
BUS RAPID TRANSIT
CITY OF MADISON



60631225P

CD-2



CENTER RUNNING STATION PLATFORM AREA DETAIL
PLAN VIEW

MARK	REVISION	DATE	BY
60631225P	Designed By: AECOM	2021-12-21	Scale: NTS


60631225P
CITY OF MADISON, DANE COUNTY, WI
CONTRACT NO: 60631225C

CONSTRUCTION DETAILS
BUS RAPID TRANSIT
CITY OF MADISON




60631225P
CD-3

CONSTRUCTION DETAILS ARE BEING DEVELOPED AND WILL BE APPLIED TO STATION PLAN SHEETS IN FUTURE PLAN SET.



TEST CURB
 LOCATION TO BE DETERMINED BY CITY OF MADISON.
 TEST CURB IS PAID BY CONCRETE CURB PLATFORM EXTENSION. DOCKING GUIDE STRIP IS INCIDENTAL TO PAYMENT AT THE TEST CURB LOCATION.



LIMITS OF DOCKING GUIDE STRIP
 DOCKING GUIDE STRIP TO BE EXTENDED ON THE APPROACH SIDE OF PLATFORMS. SEE XX SHEETS FOR DOCKING GUIDE STRIP LENGTHS AT EACH STATION. SEE XX SHEETS FOR DOCKING GUIDE STRIP AND CONNECTION DETAILS.

MARK	REVISION	DATE	BY


60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C

CONSTRUCTION DETAILS
 BUS RAPID TRANSIT
 CITY OF MADISON




60631225P
 CD-5


CONSTRUCTION DETAILS ARE BEING DEVELOPED AND WILL BE APPLIED TO STATION PLAN SHEETS IN FUTURE PLAN SET.



CONCRETE CURB PLATFORM EXTENSION




REMOVING ASPHALTIC SURFACE BUTT JOINTS



SIDEWALK OR PATH DETAIL AT BACK OF PLATFORM

INCREASED PAVEMENT DEPTH AT PLATFORM ONLY NEEDED AT LOCATIONS WHERE BACK OF PLATFORM AND SIDEWALK ARE AT THE SAME ELEVATION



DRILLED DOWEL/TIE BARS

TIE BARS USED FOR LONGITUDINAL JOINTS AT ABUTTING PAVEMENT
DOWEL BARS USED FOR TRANSVERSE JOINTS AT ABUTTING PAVEMENT

KEEP THE CLEAR DISTANCE TO DOWEL/BAR AT 1/2 THE THICKNESS OF EXISTING CONCRETE PAVEMENT IN LOCATIONS WHERE EXISTING CONCRETE PAVEMENT IS LESS THAN 8" THICK

SEE DETAILS S.D.D. CONCRETE PAVEMENT LONGITUDINAL JOINTS AND TIES AND S.D.D. URBAN DOWELED CONCRETE PAVEMENT FOR SPACING DETAILS

MARK	REVISION	DATE	BY


60631225P
CITY OF MADISON, DANE COUNTY, WI
CONTRACT NO: 60631225C

CONSTRUCTION DETAILS
BUS RAPID TRANSIT
CITY OF MADISON



60631225P

CD-4



TYPICAL CURBSIDE STATION PLATFORM LAYOUT
PLAN VIEW


- NOTES:
1. CURBSIDE WALK-THROUGH DESIGN WOULD NOT HAVE INCLUDE THE ENCLOSURE.
 2. IT IS PREFERRED THE SIDEWALK BE RAISED TO MEET PLATFORM HEIGHT. IF NOT POSSIBLE, A STEP WILL BE PROVIDED FOR ACCESS.

MARK	REVISION	DATE	BY
60631225P	Designed By: AECOM	2021-11-22	Scale:

60631225P
CITY OF MADISON, DANE COUNTY, WI
CONTRACT NO: 60631225C



60631225P
CD-7




TYPICAL CENTER RUNNING STATION PLATFORM LAYOUT
PLAN VIEW

MARK	REVISION	DATE	BY

60631225P
CITY OF MADISON, DANE COUNTY, WI
CONTRACT NO: 60631225C



60631225P
CD-8



TYPICAL REDUCED CURBSIDE STATION PLATFORM LAYOUT
PLAN VIEW

- NOTES:
 1. SHELTER MAY BE LOCATED ON THE OTHER SIDE OF THE PLATFORM.
 2. SHELTER MAY NOT INCLUDE AN ENCLOSURE. INSTEAD IT MAY HAVE A STEP DOWN FROM THE PLATFORM.

MARK	REVISION	DATE	BY

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C




60631225P


CD-8

NOTES:
 ALL RENDERINGS ARE DRAFT DESIGNS
 PROVIDED TO ASSIST IN CONCEPTUALIZING
 PROPOSED SHELTER DESIGNS. DRAWINGS
 ARE NOT TO SCALE. MODIFICATIONS TO
 OVERALL STATION DESIGN EXPECTED TO
 VARY BASED ON SITE CONSTRAINTS.

SECURITY CAMERAS NOT SHOWN
 TICKET VALIDATORS ON BUS



Curbside Station
 Perspective



Curbside Station
 Elevation

MARK	REVISION	DATE	BY

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C

CONSTRUCTION DETAILS
 BUS RAPID TRANSIT
 CITY OF MADISON





60631225P
 CD-9

NOTES:
 ALL RENDERINGS ARE DRAFT DESIGNS PROVIDED TO ASSIST IN CONCEPTUALIZING PROPOSED SHELTER DESIGNS. DRAWINGS ARE NOT TO SCALE. MODIFICATIONS TO OVERALL STATION DESIGN EXPECTED TO VARY BASED ON SITE CONSTRAINTS.

SECURITY CAMERAS NOT SHOWN

TICKET VALIDATORS ON BUS

ELECTRICAL CABINET LOCATED OFF PLATFORM



MARK	REVISION	DATE	BY

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C

CONSTRUCTION DETAILS
 BUS RAPID TRANSIT
 CITY OF MADISON





60631225P

CD-10

NOTES:
 ALL RENDERINGS ARE DRAFT DESIGNS PROVIDED TO ASSIST IN CONCEPTUALIZING PROPOSED SHELTER DESIGNS. DRAWINGS ARE NOT TO SCALE. MODIFICATIONS TO OVERALL STATION DESIGN EXPECTED TO VARY BASED ON SITE CONSTRAINTS.

SECURITY CAMERAS NOT SHOWN
 TICKET VALIDATORS ON BUS



MARK	REVISION	DATE	BY

Scale: NTS
 Designed By: AECOM
 60631225P

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C

CONSTRUCTION DETAILS
 BUS RAPID TRANSIT
 CITY OF MADISON



60631225P
 CD-11

Traffic Signal Summary		
Intersection	Controller	Associated Controller Improvements
Junction Rd. at New Park and Ride	COBALT	None, location will be a Cobalt
Junction Rd. at Mineral Pt EB	ASC/3	None
Junction Rd. at Mineral Pt	ASC/3	None
Junction at Commerce Dr	ASC/3	Cabinet replacement
Mineral Pt at Beltine (US12/14) EB	ASC/3	Cabinet replacement, 2 inters ections off one controller
MPR and High Point	ASC/3	Potential software upgrade
MPR and Randolph	ASC/3	Potential software upgrade
MPR and Westfield	ASC/3	Potential software upgrade
MPR and Gammon	ASC/3	Potential software upgrade
MPR and Grand Canyon	ASC/3	Potential software upgrade
MPR and Yellowstone	ASC/3	Potential software upgrade
MPR and Island	ASC/3	Potential software upgrade
MPR and Rosa	ASC/3	Potential software upgrade
Whitney Way and Tokay	ASC/3	Potential software upgrade
Whitney Way and Science	ASC/2	Replace Controller with Cobalt ATC
MPR and Whitney Way	ASC/3	Potential software upgrade
Whitney Way and Regent	ASC/3	Potential software upgrade
Whitney Way and Sheboygan	COBALT	None, location will be a Cobalt
Sheboygan and Segoe	COBALT	None, location will be a Cobalt
Segoe and Frey	ASC/3	Potential software upgrade
University and Segoe	COBALT	None
University and Hilldale	COBALT	None
University and Midvale	COBALT	None
University and Shorewood	COBALT	None
University and Ridge	COBALT	None
University and Farley	COBALT	None
University and Campus Drive	ASC/3	Potential software upgrade
University and Babcock	ASC/3	Potential software upgrade
Johnson and Randall	ASC/2	Replace Controller with Cobalt ATC
University and Randall	ASC/3	Potential software upgrade
Johnson and Orchard	ASC/3	Potential software upgrade
University and Orchard	ASC/3	Potential software upgrade
Johnson and Charter	ASC/2	Replace Controller with Cobalt ATC
University and Charter	ASC/3	Potential software upgrade
Johnson and Mills	ASC/2	Replace Controller with Cobalt ATC
University and Mills	ASC/3	Potential software upgrade
Johnson and Brooks	ASC/3	Potential software upgrade
University and Brooks	ASC/3	Potential software upgrade
Johnson and Park	COBALT	None
University and Park	COBALT	None
Johnson and East Campus	ASC/3	Potential software upgrade
University and East Campus	ASC/3	Potential software upgrade
Johnson and Lake	ASC/3	Potential software upgrade
University and Lake	ASC/3	Potential software upgrade
Johnson and Frances	ASC/2	Replace Controller with Cobalt ATC
University and Frances	ASC/3	Potential software upgrade

Traffic Signal Summary (Cont.)		
Intersection	Controller	Associated Controller Improvements
Johns on and Bass ett	ASC/2	Replace Controller with Cobalt ATC
Gorham and Bas sett	ASC/3	Potential software upgrade
Johns on and Broom	ASC/2	Replace Controller with Cobalt ATC
Gorham and Broom	ASC/2	Replace Controller with Cobalt ATC
State and Gorham	ASC/2	Replace Controller with Cobalt ATC
State and Johns on	ASC/3	Potential software upgrade
State and Dayton	ASC/3	Potential software upgrade
State and Mifflin	ASC/2	Replace Controller with Cobalt ATC
Caroll and West Wash	ASC/3	Potential software upgrade
Carroll and Main	ASC/3	Potential software upgrade
Main and MLK	ASC/3	Potential software upgrade
Main and Pinckney	ASC/3	Potential software upgrade
Main and Wis cons in	ASC/3	Potential software upgrade
Pinckney and Main	ASC/3	Potential software upgrade
Pinckney and East Wash	ASC/3	Potential software upgrade
East W as h and Webster	ASC/3	Potential software upgrade
East W as h and Blair	COBALT	None
East W as h and Livingston	COBALT	None
Paters on	COBALT	None
East W as h and Ingersoll	COBALT	None
East W as h and Baldwin	COBALT	None
East W as h and Firs t	COBALT	None
East W as h and Fourth	COBALT	None
East W as h and Sixth	COBALT	None
East W as h and Milwaukee	COBALT	None
Johns on	COBALT	None
East W as h and Marquette	COBALT	None
East W as h and EB Hwy 30	COBALT	None
East W as h and WB Hwy 30	COBALT	None
East W as h and Melvin Ct	COBALT	None, location will be a Cobalt
East W as h and Wright	COBALT	None
Wright and Anders on	ASC/2	Replace Controller with Cobalt ATC
Anderson and Stoughton	Wis DOT	Wis DOT controls the signal, uns ure of controller type
East W as h and Stoughton	Wis DOT	Wis DOT controls the signal, uns ure of controller type
East W as h and Mendota	COBALT	None
East W as h and Lien	COBALT	None
East W as h and Thier er	COBALT	None
East W as h and Eagan	COBALT	None
East W as h and Independence Ln	COBALT	None, location will be a Cobalt
East W as h and Zeier Rd	ASC/3	None
East W as h and Eas t Springs	COBALT	None
HWY 151 at Reiner Rd	Wis DOT	No work at location
HWY 151 SB at Reiner Rd/CTH C	Wis DOT	No work at location
Reiner Rd at O'Keefe Ave	Sun Prairie	No work at location

DATE	BY
REVISION	Scale: N/A
MARK	Designed By: ACCOM/Date: 2021-05-16
60631225P	60631225P

60631225P
CITY OF MADISON, DANE COUNTY, WI
CONTRACT NO: 60631225C



60631225P
SD-1



MARKING LEGEND

- ① PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID WHITE)
- ② PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(WHITE)
- ③ PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID YELLOW)
- ④ PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(YELLOW)
- ⑤ PAVEMENT MARKING EPOXY, DOUBLE LINE, 4-INCH (SOLID YELLOW)
- ⑥ PAVEMENT MARKING EPOXY, LINE, 8-INCH (SOLID WHITE)
- ⑦ PAVEMENT MARKING EPOXY, LINE, 8-INCH (2' LINE 6' GAP)(WHITE)
- ⑧ PAVEMENT MARKING EPOXY, LINE, 8-INCH (5' LINE 5' GAP)(WHITE)
- ⑨ PAVEMENT MARKING EPOXY, LINE, 12-INCH (SOLID WHITE)
- ⑩ PAVEMENT MARKING EPOXY, RADIUS LINE, 4-INCH (5' LINE, 5' GAP)(SOLID WHITE)
- ⑪ PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH (SOLID WHITE)
- ⑫ PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
- ⑬ PAVEMENT MARKING EPOXY, CURB
- ⑭ PAVEMENT MARKING EPOXY, MEDIAN NOSE
- ⑮ PAVEMENT MARKING EPOXY, PARKING STALL
- ⑯ PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
- ⑰ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE
- ⑱ PAVEMENT MARKING EPOXY, SYMBOL, BIKE STRAIGHT ARROW
- ⑲ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE & STRAIGHT ARROW
- ⑳ PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
- ㉑ PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
- ㉒ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
- ㉓ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & LEFT ARROW
- ㉔ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT ARROW
- ㉕ PAVEMENT MARKING EPOXY, WORD, ONLY
- ㉖ PAVEMENT MARKING EPOXY, SYMBOL, DIAMOND



DEDICATED BUS LANE. BUS ONLY MARKINGS AND BUS ONLY SIGNAGE REQUIRED.



LIMITS OF DISTURBANCE


NOTE:

-SEE CITY OF MADISON SDD 'PAVEMENT MARKING DETAILS', PAGE 1-4' FOR MAINLINE, CROSSWALK, CURB, BIKE LANE, AND RESTRICTED TRAFFIC LANE MARKINGS.

-SEE CONSTRUCTION DETAILS FOR PLATFORM CURB FACE MARKINGS.

-THE WORD "BUS" SHALL BE PLACED 20' BEYOND THE START OF THE LONGITUDINAL MARKINGS, AND PLACE THE WORD "ONLY" AT A 32' SPACING BEYOND THE "BUS" MARKING. SEE PLAN SHEETS FOR SPECIFIC LOCATIONS.

-SEE WISDOT SDD 'PAVEMENT MARKING (TURN LANES)' FOR WORD AND ARROW PLACEMENT AT INTERSECTIONS.



GRAYSCALE PAVEMENT MARKINGS ON ALL SHEETS REPRESENTS EXISTING MARKINGS AND ARE FOR REFERENCE ONLY; NOT ALL EXISTING MARKINGS ARE SHOWN AND SOME ARE SIMPLIFIED (EXAMPLE: CONTINENTAL CROSSWALKS SHOWN AS STANDARD TRANSVERSE MARKINGS).

MARK	REVISION	DATE	BY

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C

PAVEMENT MARKING & PERMANENT SIGNING
 BUS RAPID TRANSIT
 CITY OF MADISON



60631225P
 M-1W



MARKING LEGEND

- ① PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID WHITE)
- ② PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(WHITE)
- ③ PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID YELLOW)
- ④ PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(YELLOW)
- ⑤ PAVEMENT MARKING EPOXY, DOUBLE LINE, 4-INCH (SOLID YELLOW)
- ⑥ PAVEMENT MARKING EPOXY, LINE, 8-INCH (SOLID WHITE)
- ⑦ PAVEMENT MARKING EPOXY, LINE, 8-INCH (2' LINE 6' GAP)(WHITE)
- ⑧ PAVEMENT MARKING EPOXY, LINE, 8-INCH (5' LINE 5' GAP)(WHITE)
- ⑨ PAVEMENT MARKING EPOXY, LINE, 12-INCH (SOLID WHITE)
- ⑩ PAVEMENT MARKING EPOXY, RADIUS LINE, 4-INCH (5' LINE, 5' GAP)(SOLID WHITE)
- ⑪ PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH (SOLID WHITE)
- ⑫ PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
- ⑬ PAVEMENT MARKING EPOXY, CURB
- ⑭ PAVEMENT MARKING EPOXY, MEDIAN NOSE
- ⑮ PAVEMENT MARKING EPOXY, PARKING STALL
- ⑯ PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
- ⑰ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE
- ⑱ PAVEMENT MARKING EPOXY, SYMBOL, BIKE STRAIGHT ARROW
- ⑲ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE & STRAIGHT ARROW
- ⑳ PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
- ㉑ PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
- ㉒ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
- ㉓ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & LEFT ARROW
- ㉔ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT ARROW
- ㉕ PAVEMENT MARKING EPOXY, WORD, ONLY
- ㉖ PAVEMENT MARKING EPOXY, SYMBOL, DIAMOND



DEDICATED BUS LANE. BUS ONLY MARKINGS AND BUS ONLY SIGNAGE REQUIRED.



LIMITS OF DISTURBANCE


NOTE:

-SEE CITY OF MADISON SDD 'PAVEMENT MARKING DETAILS', PAGE 1-4' FOR MAINLINE, CROSSWALK, CURB, BIKE LANE, AND RESTRICTED TRAFFIC LANE MARKINGS.

-SEE CONSTRUCTION DETAILS FOR PLATFORM CURB FACE MARKINGS.

-THE WORD "BUS" SHALL BE PLACED 20' BEYOND THE START OF THE LONGITUDINAL MARKINGS, AND PLACE THE WORD "ONLY" AT A 32' SPACING BEYOND THE "BUS" MARKING. SEE PLAN SHEETS FOR SPECIFIC LOCATIONS.

-SEE WISDOT SDD 'PAVEMENT MARKING (TURN LANES)' FOR WORD AND ARROW PLACEMENT AT INTERSECTIONS.




MARK	REVISION	DATE	BY

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C



PAVEMENT MARKING & PERMANENT SIGNING
 BUS RAPID TRANSIT
 CITY OF MADISON
 60631225P
 M-2W



MARKING LEGEND

- ① PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID WHITE)
- ② PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(WHITE)
- ③ PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID YELLOW)
- ④ PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(YELLOW)
- ⑤ PAVEMENT MARKING EPOXY, DOUBLE LINE, 4-INCH (SOLID YELLOW)
- ⑥ PAVEMENT MARKING EPOXY, LINE, 8-INCH (SOLID WHITE)
- ⑦ PAVEMENT MARKING EPOXY, LINE, 8-INCH (2' LINE 6' GAP) (WHITE)
- ⑧ PAVEMENT MARKING EPOXY, LINE, 8-INCH (5' LINE 5' GAP) (WHITE)
- ⑨ PAVEMENT MARKING EPOXY, LINE, 12-INCH (SOLID WHITE)
- ⑩ PAVEMENT MARKING EPOXY, RADIUS LINE, 4-INCH (5' LINE, 5' GAP)(SOLID WHITE)
- ⑪ PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH (SOLID WHITE)
- ⑫ PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
- ⑬ PAVEMENT MARKING EPOXY, CURB
- ⑭ PAVEMENT MARKING EPOXY, MEDIAN NOSE
- ⑮ PAVEMENT MARKING EPOXY, PARKING STALL
- ⑯ PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
- ⑰ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE
- ⑱ PAVEMENT MARKING EPOXY, SYMBOL, BIKE STRAIGHT ARROW
- ⑲ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE & STRAIGHT ARROW
- ⑳ PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
- ㉑ PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
- ㉒ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
- ㉓ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & LEFT ARROW
- ㉔ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT ARROW
- ㉕ PAVEMENT MARKING EPOXY, WORD, ONLY
- ㉖ PAVEMENT MARKING EPOXY, SYMBOL, DIAMOND

DEDICATED BUS LANE. BUS ONLY MARKINGS AND BUS ONLY SIGNAGE REQUIRED.

LIMITS OF DISTURBANCE

NOTE:
 -SEE CITY OF MADISON SDD 'PAVEMENT MARKING DETAILS', PAGE 1-4' FOR MAINLINE, CROSSWALK, CURB, BIKE LANE, AND RESTRICTED TRAFFIC LANE MARKINGS.
 -SEE CONSTRUCTION DETAILS FOR PLATFORM CURB FACE MARKINGS.
 -THE WORD "BUS" SHALL BE PLACED 20' BEYOND THE START OF THE LONGITUDINAL MARKINGS, AND PLACE THE WORD "ONLY" AT A 32' SPACING BEYOND THE "BUS" MARKING. SEE PLAN SHEETS FOR SPECIFIC LOCATIONS.
 -SEE WISDOT SDD 'PAVEMENT MARKING (TURN LANES)' FOR WORD AND ARROW PLACEMENT AT INTERSECTIONS.

MATCHLINE 67+00MP


MATCHLINE 79+50

MARK	REVISION	DATE	BY
60631225P	Designed By: AECOM	2021-12-20	Scale: 1"=100 FT

60631225P
 CITY OF MADISON, DANE COUNTY, WI
 CONTRACT NO: 60631225C
 PAVEMENT MARKING & PERMANENT SIGNING
 BUS RAPID TRANSIT
 CITY OF MADISON



60631225P
M-3W



- MARKING LEGEND**
- ① PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID WHITE)
 - ② PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(WHITE)
 - ③ PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID YELLOW)
 - ④ PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(YELLOW)
 - ⑤ PAVEMENT MARKING EPOXY, DOUBLE LINE, 4-INCH (SOLID YELLOW)
 - ⑥ PAVEMENT MARKING EPOXY, LINE, 8-INCH (SOLID WHITE)
 - ⑦ PAVEMENT MARKING EPOXY, LINE, 8-INCH (2' LINE 6' GAP)(WHITE)
 - ⑧ PAVEMENT MARKING EPOXY, LINE, 8-INCH (5' LINE 5' GAP)(WHITE)
 - ⑨ PAVEMENT MARKING EPOXY, LINE, 12-INCH (SOLID WHITE)
 - ⑩ PAVEMENT MARKING EPOXY, RADIUS LINE, 4-INCH (5' LINE, 5' GAP)(SOLID WHITE)
 - ⑪ PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH (SOLID WHITE)
 - ⑫ PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
 - ⑬ PAVEMENT MARKING EPOXY, CURB

- ⑭ PAVEMENT MARKING EPOXY, MEDIAN NOSE
- ⑮ PAVEMENT MARKING EPOXY, PARKING STALL
- ⑯ PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
- ⑰ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE
- ⑱ PAVEMENT MARKING EPOXY, SYMBOL, BIKE STRAIGHT ARROW
- ⑲ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE & STRAIGHT ARROW
- ⑳ PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
- ㉑ PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
- ㉒ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
- ㉓ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & LEFT ARROW
- ㉔ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT ARROW
- ㉕ PAVEMENT MARKING EPOXY, WORD, ONLY
- ㉖ PAVEMENT MARKING EPOXY, SYMBOL, DIAMOND

DEDICATED BUS LANE. BUS ONLY MARKINGS AND BUS ONLY SIGNAGE REQUIRED.

LIMITS OF DISTURBANCE


NOTE:

- SEE CITY OF MADISON SDD 'PAVEMENT MARKING DETAILS , PAGE 1-4' FOR MAINLINE, CROSSWALK, CURB, BIKE LANE, AND RESTRICTED TRAFFIC LANE MARKINGS.
- SEE CONSTRUCTION DETAILS FOR PLATFORM CURB FACE MARKINGS.
- THE WORD "BUS" SHALL BE PLACED 20' BEYOND THE START OF THE LONGITUDINAL MARKINGS, AND PLACE THE WORD "ONLY" AT A 32' SPACING BEYOND THE "BUS" MARKING. SEE PLAN SHEETS FOR SPECIFIC LOCATIONS.
- SEE WISDOT SDD 'PAVEMENT MARKING (TURN LANES)' FOR WORD AND ARROW PLACEMENT AT INTERSECTIONS.

PAVEMENT MARKING & PERMANENT SIGNING BUS RAPID TRANSIT CITY OF MADISON	60631225P CITY OF MADISON, DANE COUNTY, WI CONTRACT NO: 60631225C
	60631225P M-4W

MARK	REVISION	DATE	BY
Designed By: AECOM/Date: 2021-12-20 60631225P Scale: 1"=100 FT			

FILE NAME : C:\PWORKING\AECOM_LDS20_NA_2019\MICHAEL.SCHNEIDERZ@AECOM.COM\DM586348\024501-PM.DWG
 LAYOUT NAME - MPO2
 LAST PLOT DATE - 2021-12-20



- MARKING LEGEND**
- ① PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID WHITE)
 - ② PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(WHITE)
 - ③ PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID YELLOW)
 - ④ PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(YELLOW)
 - ⑤ PAVEMENT MARKING EPOXY, DOUBLE LINE, 4-INCH (SOLID YELLOW)
 - ⑥ PAVEMENT MARKING EPOXY, LINE, 8-INCH (SOLID WHITE)
 - ⑦ PAVEMENT MARKING EPOXY, LINE, 8-INCH (2' LINE 6' GAP)(WHITE)
 - ⑧ PAVEMENT MARKING EPOXY, LINE, 8-INCH (5' LINE 5' GAP)(WHITE)
 - ⑨ PAVEMENT MARKING EPOXY, LINE, 12-INCH (SOLID WHITE)
 - ⑩ PAVEMENT MARKING EPOXY, RADIUS LINE, 4-INCH (5' LINE, 5' GAP)(SOLID WHITE)
 - ⑪ PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH (SOLID WHITE)
 - ⑫ PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
 - ⑬ PAVEMENT MARKING EPOXY, CURB

- ⑭ PAVEMENT MARKING EPOXY, MEDIAN NOSE
- ⑮ PAVEMENT MARKING EPOXY, PARKING STALL
- ⑯ PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
- ⑰ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE
- ⑱ PAVEMENT MARKING EPOXY, SYMBOL, BIKE STRAIGHT ARROW
- ⑲ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE & STRAIGHT ARROW
- ⑳ PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
- ㉑ PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
- ㉒ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
- ㉓ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & LEFT ARROW
- ㉔ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT ARROW
- ㉕ PAVEMENT MARKING EPOXY, WORD, ONLY
- ㉖ PAVEMENT MARKING EPOXY, SYMBOL, DIAMOND

 DEDICATED BUS LANE. BUS ONLY MARKINGS AND BUS ONLY SIGNAGE REQUIRED.

 LIMITS OF DISTURBANCE


NOTE:

- SEE CITY OF MADISON SDD 'PAVEMENT MARKING DETAILS , PAGE 1-4' FOR MAINLINE, CROSSWALK, CURB, BIKE LANE, AND RESTRICTED TRAFFIC LANE MARKINGS.
- SEE CONSTRUCTION DETAILS FOR PLATFORM CURB FACE MARKINGS.
- THE WORD "BUS" SHALL BE PLACED 20' BEYOND THE START OF THE LONGITUDINAL MARKINGS, AND PLACE THE WORD "ONLY" AT A 32' SPACING BEYOND THE "BUS" MARKING. SEE PLAN SHEETS FOR SPECIFIC LOCATIONS.
- SEE WISDOT SDD 'PAVEMENT MARKING (TURN LANES)' FOR WORD AND ARROW PLACEMENT AT INTERSECTIONS.

PAVEMENT MARKING & PERMANENT SIGNING BUS RAPID TRANSIT CITY OF MADISON	60631225P CITY OF MADISON, DANE COUNTY, WI CONTRACT NO: 60631225C
	60631225P M-5W

MARK	REVISION	DATE	BY
60631225P	2021-12-20		
Designed By: AECOM/Date: 2021-12-20			
Scale: 1"=100 FT			

FILE NAME : C:\P\WORKING\AECOM_D520_NA_2019\MICHAEL.SCHNEIDERZ@AECOM.COM\DM586348\024501-PM.DWG
LAYOUT NAME - MPO3
LAST PLOT DATE - 2021-12-20



- MARKING LEGEND**
- ① PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID WHITE)
 - ② PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(WHITE)
 - ③ PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID YELLOW)
 - ④ PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(YELLOW)
 - ⑤ PAVEMENT MARKING EPOXY, DOUBLE LINE, 4-INCH (SOLID YELLOW)
 - ⑥ PAVEMENT MARKING EPOXY, LINE, 8-INCH (SOLID WHITE)
 - ⑦ PAVEMENT MARKING EPOXY, LINE, 8-INCH (2' LINE 6' GAP)(WHITE)
 - ⑧ PAVEMENT MARKING EPOXY, LINE, 8-INCH (5' LINE 5' GAP)(WHITE)
 - ⑨ PAVEMENT MARKING EPOXY, LINE, 12-INCH (SOLID WHITE)
 - ⑩ PAVEMENT MARKING EPOXY, RADIUS LINE, 4-INCH (5' LINE, 5' GAP)(SOLID WHITE)
 - ⑪ PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH (SOLID WHITE)
 - ⑫ PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
 - ⑬ PAVEMENT MARKING EPOXY, CURB

- ⑭ PAVEMENT MARKING EPOXY, MEDIAN NOSE
- ⑮ PAVEMENT MARKING EPOXY, PARKING STALL
- ⑯ PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
- ⑰ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE
- ⑱ PAVEMENT MARKING EPOXY, SYMBOL, BIKE STRAIGHT ARROW
- ⑲ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE & STRAIGHT ARROW
- ⑳ PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
- ㉑ PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
- ㉒ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
- ㉓ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & LEFT ARROW
- ㉔ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT ARROW
- ㉕ PAVEMENT MARKING EPOXY, WORD, ONLY
- ㉖ PAVEMENT MARKING EPOXY, SYMBOL, DIAMOND

 DEDICATED BUS LANE. BUS ONLY MARKINGS AND BUS ONLY SIGNAGE REQUIRED.


 LIMITS OF DISTURBANCE

NOTE:

- SEE CITY OF MADISON SDD 'PAVEMENT MARKING DETAILS , PAGE 1-4' FOR MAINLINE, CROSSWALK, CURB, BIKE LANE, AND RESTRICTED TRAFFIC LANE MARKINGS.
- SEE CONSTRUCTION DETAILS FOR PLATFORM CURB FACE MARKINGS.
- THE WORD "BUS" SHALL BE PLACED 20' BEYOND THE START OF THE LONGITUDINAL MARKINGS, AND PLACE THE WORD "ONLY" AT A 32' SPACING BEYOND THE "BUS" MARKING. SEE PLAN SHEETS FOR SPECIFIC LOCATIONS.
- SEE WISDOT SDD 'PAVEMENT MARKING (TURN LANES)' FOR WORD AND ARROW PLACEMENT AT INTERSECTIONS.

PAVEMENT MARKING & PERMANENT SIGNING BUS RAPID TRANSIT CITY OF MADISON	60631225P CITY OF MADISON, DANE COUNTY, WI CONTRACT NO: 60631225C
	60631225P M-6W

MARK: 60631225P REVISION: DATE: BY: Scale: 1"=100 FT
 Designed By: AECOM/Date: 2021-12-20
 FILE NAME: C:\P\WORKING\AECOM_DS20_NA_2019\MICHAEL.SCHNEIDERZ@AECOM.COM\DM586348\024501-PM.DWG
 LAYOUT NAME - MPO4 LAST PLOT DATE - 2021-12-20



- MARKING LEGEND**
- ① PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID WHITE)
 - ② PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(WHITE)
 - ③ PAVEMENT MARKING EPOXY, LINE, 4-INCH (SOLID YELLOW)
 - ④ PAVEMENT MARKING EPOXY, LINE, 4-INCH (10' LINE 30' GAP)(YELLOW)
 - ⑤ PAVEMENT MARKING EPOXY, DOUBLE LINE, 4-INCH (SOLID YELLOW)
 - ⑥ PAVEMENT MARKING EPOXY, LINE, 8-INCH (SOLID WHITE)
 - ⑦ PAVEMENT MARKING EPOXY, LINE, 8-INCH (2' LINE 6' GAP)(WHITE)
 - ⑧ PAVEMENT MARKING EPOXY, LINE, 8-INCH (5' LINE 5' GAP)(WHITE)
 - ⑨ PAVEMENT MARKING EPOXY, LINE, 12-INCH (SOLID WHITE)
 - ⑩ PAVEMENT MARKING EPOXY, RADIUS LINE, 4-INCH (5' LINE, 5' GAP)(SOLID WHITE)
 - ⑪ PAVEMENT MARKING EPOXY, CROSSWALK, 6-INCH (SOLID WHITE)
 - ⑫ PAVEMENT MARKING EPOXY, STOP LINE, 24-INCH
 - ⑬ PAVEMENT MARKING EPOXY, CURB

- ⑭ PAVEMENT MARKING EPOXY, MEDIAN NOSE
- ⑮ PAVEMENT MARKING EPOXY, PARKING STALL
- ⑯ PAVEMENT MARKING EPOXY, SYMBOL, BIKE SHARROW
- ⑰ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE
- ⑱ PAVEMENT MARKING EPOXY, SYMBOL, BIKE STRAIGHT ARROW
- ⑲ PAVEMENT MARKING EPOXY, SYMBOL, BIKE LANE & STRAIGHT ARROW
- ⑳ PAVEMENT MARKING EPOXY, SYMBOL, LEFT ARROW
- ㉑ PAVEMENT MARKING EPOXY, SYMBOL, RIGHT ARROW
- ㉒ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT ARROW
- ㉓ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & LEFT ARROW
- ㉔ PAVEMENT MARKING EPOXY, SYMBOL, STRAIGHT & RIGHT ARROW
- ㉕ PAVEMENT MARKING EPOXY, WORD, ONLY
- ㉖ PAVEMENT MARKING EPOXY, SYMBOL, DIAMOND

DEDICATED BUS LANE. BUS ONLY MARKINGS AND BUS ONLY SIGNAGE REQUIRED.

LIMITS OF DISTURBANCE

NOTE:

- SEE CITY OF MADISON SDD 'PAVEMENT MARKING DETAILS , PAGE 1-4' FOR MAINLINE, CROSSWALK, CURB, BIKE LANE, AND RESTRICTED TRAFFIC LANE MARKINGS.
- SEE CONSTRUCTION DETAILS FOR PLATFORM CURB FACE MARKINGS.
- THE WORD "BUS" SHALL BE PLACED 20' BEYOND THE START OF THE LONGITUDINAL MARKINGS, AND PLACE THE WORD "ONLY" AT A 32' SPACING BEYOND THE "BUS" MARKING. SEE PLAN SHEETS FOR SPECIFIC LOCATIONS.
- SEE WISDOT SDD 'PAVEMENT MARKING (TURN LANES)' FOR WORD AND ARROW PLACEMENT AT INTERSECTIONS.

MARK	REVISION	DATE	BY
60631225P	Designed By: AECOM	2021-12-20	60631225P
Scale: 1"=100 FT			

PAVEMENT MARKING & PERMANENT SIGNING

BUS RAPID TRANSIT

CITY OF MADISON

60631225P

60631225C

60631225P

M-7W