



Department of Planning & Development
Planning Unit

Website: www.cityofmadison.com

Madison Municipal Building
215 Martin Luther King, Jr. Boulevard
P.O. Box 2985
Madison, Wisconsin 53701-2985
TTY/TEXTNET 866 704 2318
FAX 608 266-8739
PH 608 266-4635

November 7, 2006

Rafael Escamilla
Laredo's LLC
4001 Lien Road
Madison, WI 53704

Edward Bushman
Victor Construction, Inc.
1155 Quail Court
Pewaukee, WI 53072

SUBJECT: 4001 Lien Road – Outdoor Eating Area

Dear Gentlemen:

The Plan Commission, at its November 6, 2006 meeting, determined that the ordinance standards could be met subject to the conditions below for a conditional use for an outdoor eating area for your existing restaurant located at 4001 Lien Road.

In order to receive final approval of your proposal, the following conditions must be met:

THE PLAN COMMISSION ADDED THE FOLLOWING THREE CONDITIONS OF APPROVAL:

1. There shall be no amplified music in the outdoor eating area except from 11:45 a.m. and 1:00 p.m. and after 5:00 p.m. daily.
2. Signs shall be posted inside the restaurant and in the subject restaurant's parking lot alerting patrons that there is no restaurant parking on the adjacent industrial property and that violators would be ticketed and towed at the car owner's expense.
3. The applicant shall work with staff on providing enhanced landscaping between the subject property and adjacent manufacturing property in the vicinity of the outdoor eating area.

PLEASE CONTACT JOHN LEACH, CITY TRAFFIC ENGINEERING, AT 266-4761 IF YOU HAVE QUESTIONS REGARDING THE FOLLOWING THREE ITEMS:

4. When the applicant submits final plans for approval, the applicant shall show the following: items in the terrace as existing (e.g., signs and street light poles), type of surfaces, existing property lines, addresses, one contiguous plan (showing all easements, all pavement markings, building placement

and stalls), adjacent driveway approaches to lots on either side and across the street, signage, percent of slope, vehicle routes, dimensions of radii, aisles, driveways, stalls including the two (2) feet overhang, and a scaled drawing at 1" = 30'.

5. The applicant shall note the Outdoor Eating high fence along the sidewalk the length of the service area separating the sidewalk from the tables. All information as tables and seating shall be shown or noted on the plan.
6. Public signing and marking related to the development may be required by the City Traffic Engineer for which the developer shall be financially responsible.

PLEASE CONTACT JANET DAILEY, CITY ENGINEERING, AT 261-9688 IF YOU HAVE QUESTIONS REGARDING THE FOLLOWING THREE ITEMS:

7. The site plan shall identify lot and block numbers of recorded Certified Survey Map or Plat.
8. The site plan shall reflect a proper street address of the property as reflected by official City of Madison Assessor's and Engineering Division records.
9. The applicant shall submit, prior to plan sign-off, digital CAD files to the Engineering Program Specialist in the Engineering Division (Lori Zenchenko). The digital copies shall be to scale and represent final construction.

CAD submittals can be either AutoCAD (dwg), MicroStation(dgn) or Universal (dxf) formats and contain the following data, each on a separate layer name/level number:

- a. Building Footprints
- b. Internal Walkway Areas
- c. Internal Site Parking Areas
- d. Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.)
- e. Right-of-Way lines (public and private)
- f. Lot lines
- g. Lot numbers
- h. Lot/Plat dimensions
- i. Street names

Note: Email file transmissions preferred: lzenchenko@cityofmadison.com

PLEASE CONTACT KATHY VOECK, THE ASSISTANT ZONING ADMINISTRATOR, AT 266-4551 IF YOU HAVE QUESTIONS REGARDING THE FOLLOWING TWO ITEMS:

10. Provide 7 bike-parking stalls in a safe and convenient location on an impervious surface to be shown on the final plan. The lockable enclosed lockers or racks or equivalent structures in or upon which the bicycle may be locked by the user shall be securely anchored to the ground or building to prevent the lockers or racks from being removed from the location. NOTE: Bike stalls shall be a minimum

dimension of 6' x 2' with a 5' access area. Structures that require a user-supplied locking device shall be designed to accommodate U-shaped locking devices.

11. Parking lot plans with greater than twenty (20) stalls, landscape plans must be stamped by a registered landscape architect. Provide a landscape worksheet with the final plans that shows that the landscaping provided meets the point and required tree ordinances. In order to count toward required points, the landscaping shall be within 15' and 20' of the parking lot depending on the type of landscape element. Note: The required trees do not count toward the landscape point total. Planting islands shall consist of at least 75% vegetative cover, including trees, shrubs, ground cover, and/or grass. Up to 25% of the island surface may be brick pavers, mulch or other non-vegetative cover. All plant materials in islands shall be protected from vehicles by concrete curbs.

PLEASE CONTACT SCOTT STRASSBURG, MADISON FIRE DEPARTMENT, AT 266-4484 IF YOU HAVE QUESTIONS REGARDING THE FOLLOWING ITEM:

12. Per the IFC Chapter 10 and MGO 34:

- a. The applicant shall submit approved capacity with the site plan and post the capacity of the outside dining area in accordance with International Fire Code 2006 edition.
- b. The proposed deck, patio or fenced in area shall not be located at, adjacent or obstruct the required exits from the building.
- c. Provide and maintain exits from the deck, patio or fenced in area in accordance with the International Fire Code 2006 edition.
- d. Submit a seating plan for the proposed deck, patio or fenced in area space.

Approval of this proposal does not include any approval to prune, remove or plant trees in the public right-of-way. Permission for such activities must be obtained from the City Forester, 266-4816. The trees shown in the street rights-of-way shall not be shown on the sign-off plan or construction plans unless they have previously been approved by the City Forester. If these are existing trees or species and locations that have been approved by the Forester, they shall be so labeled on plans.

Please follow the procedures listed below to receive your conditional use approval.

1. Please revise plans per the above conditions and submit twelve (12) sets of the final site plans (including drainage and landscaping plans) to the Zoning Administrator. The final plans are reviewed and approved by Traffic Engineering, Fire Department, City Engineering, and Zoning. Any of these agencies may call you to request additional information or to resolve problems.
2. This letter shall be signed by the applicant to acknowledge the conditions of approval and returned to the Zoning Administrator when requesting cover sheet approval.
3. No alteration of this proposal shall be permitted unless approved by the City Plan Commission provided, however, the Zoning Administrator may issue permits for minor alterations. This approval shall become null and void one year after the date of Plan Commission approval unless the use is

Mr. R. Escamilla &
Mr. E. Bushman
11/7/06
Page 4

commenced, construction is under way, or a valid building permit is issued and construction commenced within six months of the date of issuance of the building permit. See Section 28.12(11)(h)(3), Madison General Ordinances. The Plan Commission shall retain jurisdiction over this matter for the purpose of resolving complaints against this approved conditional use.

IF YOU HAVE ANY QUESTIONS REGARDING OBTAINING YOUR BUILDING PERMIT OR OCCUPANCY PERMIT, PLEASE CALL KATHY VOECK OF THE CITY ZONING STAFF AT 266-4551.

Sincerely,

I hereby acknowledge that I understand and will comply with the above conditions of approval for this conditional use.

Bill Roberts
Planning & Development

Applicant

cc: Zoning Administrator
City Engineering
Traffic Engineering

Zoning City Engineering Traffic Engineering UDC (AI) Planning Parks CED Metro Transit
--