



Department of Planning & Development
Planning Unit

Website: www.cityofmadison.com

Madison Municipal Building
215 Martin Luther King, Jr. Boulevard
P.O. Box 2985
Madison, Wisconsin 53701-2985
TTY/TEXTNET 866 704 2318
FAX 608 266-8739
PH 608 266-4635

August 8, 2006

Roxanne Johnson
Calkins Engineering
5010 Voges Road
Madison, WI 53718

SUBJECT: 4504 Pflaum Road – Demolition of House

Dear Ms. Johnson:

The Plan Commission, at its August 7, 2006 meeting, determined that the ordinance standards could be met subject to the conditions below for the demolition of the house located at 4504 Pflaum Road to make way for the expansion of the nearby parking lot.

In order to receive final approval of your proposal, the following conditions must be met:

PLEASE CONTACT JOHN LEACH, CITY TRAFFIC ENGINEERING, AT 266-4761 IF YOU HAVE QUESTIONS REGARDING THE FOLLOWING SIX ITEMS:

1. When the applicant submits final plans for approval, the applicant shall show the following: items in the terrace as existing (e.g., signs and street light poles), type of surfaces, existing property lines, addresses, one contiguous plan (showing all easements, all pavement markings, building placement, and stalls), signage, percent of slope, vehicle routes, dimensions of radii, aisles, driveways, stalls including the two (2) feet overhang, and a scaled drawing at 1" = 20'.
2. When site plans are submitted, the developer shall provide recorded copies of the joint driveway ingress/egress and parking easements or may the site one lot.
3. A "Stop" sign shall be installed at a height of seven (7) feet at the driveway approaches. All signs at the approaches shall be installed behind the property line. All directional/regulatory signage and pavement markings on the site shall be shown and noted on the plan.
4. The applicant shall show the dimensions for proposed and existing parking stalls' items A, B, C, D, E and F for parking width and backing up, according to Figures II "Medium and Large Vehicles" parking design standards in Section 10.08(6)(b)2. Aisles, ramps, columns, offices or work areas are to be excluded from these rectangular areas, when designing underground parking areas.
5. All existing driveway approaches on which are to be abandoned shall be removed and replaced with curb and gutter and noted on the plan.

6. Public signing and marking related to the development may be required by the City Traffic Engineer for which the developer shall be financially responsible.

PLEASE CONTACT JANET GEBERT, CITY ENGINEERING, AT 261-9668 IF YOU HAVE QUESTIONS REGARDING THE FOLLOWING FOURTEEN ITEMS:

7. Site grading and retention pond design shall be revised to reflect right-of-way dedication.
8. Right-of-way dedication along Pflaum Road must be described and mapped by a Registered Land Surveyor (RLS). Submit RLS signed and stamped map and legal description exhibits and a \$500 check payable to City Treasurer to:

City of Madison Engineering Division
Eric T. Pederson, R.L.S. 2174
Surveyor II – Land Records Coordinator
1602 Emil Street
Madison, WI 53713-2362

Reference City of Madison Real Estate Project No. 8543 in submittal. Engineering will review and forward to City Real Estate staff to prepare the deed and coordinate signatures and recording.

9. The applicant shall dedicate a 7-foot wide strip of right-of-way along Pflaum Road.
10. The applicant shall close all abandoned driveways by replacing the curb in front of the driveways and restoring the terrace with grass.
11. All work in the public right-of-way shall be performed by a City licensed contractor.
12. The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.
13. Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to:

- ☐ Detain the 2 & 10-year storm events.
- ☐ Detain the 2, 10, & 100-year storm events.
- ☒ Control 40% TSS (20 micron particle).
- ☐ Control 80% TSS (5 micron particle).
- ☐ Provide infiltration in accordance with NR-151.
- ☐ Provide substantial thermal control.
- ☒ Provide oil & grease control from the first 1/2" of runoff from parking areas.

Stormwater management plans shall be submitted and approved by City Engineering prior to signoff.

14. The Applicant shall submit, prior to plan sign-off, digital CAD files to the Engineering Program Specialist in the Engineering Division (Lori Zenchenko). The digital copies shall be to scale and represent final construction.

CAD submittals can be either AutoCAD (dwg) Version 2001 or older, MicroStation (dgn) Version J or older, or Universal (dxf) formats and contain the following data, each on a separate layer name/level number:

- a) Building Footprints
- b) Internal Walkway Areas
- c) Internal Site Parking Areas
- d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.)
- e) Right-of-Way lines (public and private)
- f) Lot lines
- g) Lot numbers
- h) Lot/Plat dimensions
- i) Street names

NOTE: Email file transmissions preferred lzenchenko@cityofmadison.com . Include the site address in this transmittal.

15. The applicant shall submit, prior to plan sign-off, digital PDF files to the Engineering Division (Jeff Benedict or Tim Troester). The digital copies shall be to scale, and shall have a scale bar on the plan set.

PDF submittals shall contain the following information:

- a) Building footprints.
- b) Internal walkway areas.
- c) Internal site parking areas.
- d) Lot lines and right-of-way lines.
- e) Street names.
- f) Stormwater Management Facilities.
- g) Detail drawings associated with Stormwater Management Facilities (including if applicable planting plans).

16. The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:

- a) SLAMM DAT files.
- b) RECARGA files.
- c) TR-55/HYDROCAD/Etc...
- d) Sediment loading calculations

If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided.

17. The Applicant shall obtain a Street Excavation permit for the installation of utilities required to serve this project. The Applicant shall pay the permit fee, inspection fee and street degradation fee as applicable and shall comply with all the conditions of the permit.
18. The applicant shall obtain all necessary sewer connection permits and sewer plugging permits prior to any utility work.
19. Prior to approval of the conditional use application, the owner shall obtain a permit to plug each existing sanitary sewer lateral that serves a building that is proposed for demolition. For each lateral to be plugged the owner shall deposit \$1,000 with the City Engineer in two separate checks in the following amounts: (1). \$100 non-refundable deposit for the cost of inspection of the plugging by City staff; and (2). \$900 for the cost of City crews to perform the plugging. If the owner elects to complete the plugging of a lateral by private contractor and the plugging is inspected and approved by the City Engineer, the \$900 fee shall be refunded to the owner.
20. All outstanding Madison Metropolitan Sewerage District (MMSD) and City of Madison sanitary sewer connection charges are due and payable prior to connection to the public sewerage system.

PLEASE CONTACT KATHY VOECK, THE ASSISTANT ZONING ADMINISTRATOR, AT 266-4551 IF YOU HAVE QUESTIONS REGARDING THE FOLLOWING FOUR ITEMS:

21. Meet all applicable State requirements including, but not limited to:
 - a. Provide a minimum of three accessible stalls striped per State requirements. A minimum of one of the stalls shall be a van accessible stall 8-feet wide with an 8-foot striped out area adjacent.
 - b. Show signage at the head of the stalls. Accessible signs shall be a minimum of 60" between the bottom of the sign and the ground.
 - c. Show the accessible path from the stalls to the new building. The stalls shall be as near the accessible entrance as possible. Show ramps, curbs, or wheel stops where required.
22. Provide 6 bike-parking stalls in a safe and convenient location on an impervious surface to be shown on the final plan. The lockable enclosed lockers or racks or equivalent structures in or upon which the bicycle may be locked by the user shall be securely anchored to the ground or building to prevent the lockers or racks from being removed from the location. NOTE: Bike stalls shall be a minimum dimension of 6' x 2' with a 5' access area. Structures that require a user-supplied locking device shall be designed to accommodate U-shaped locking devices.
23. Parking lot plans with greater than twenty (20) stalls, landscape plans must be stamped by a registered landscape architect. Provide a landscape worksheet with the final plans that shows that the landscaping provided meets the point and required tree ordinances. In order to count toward required points, the landscaping shall be within 15' and 20' of the parking lot depending on the type of landscape element. Note: The required trees do not count toward the landscape point total. Planting islands shall consist of at least 75% vegetative cover, including trees, shrubs, ground cover, and/or grass. Up to 25% of the island surface may be brick pavers, mulch or other non-vegetative cover. All plant materials in islands shall be protected from vehicles by concrete curbs.
24. Lighting is not required. However, if it is provided, it must comply with City of Madison outdoor lighting standards. Lighting will be limited to .08 watts per square foot.

Approval of this proposal does not include any approval to prune, remove or plant trees in the public right-of-way. Permission for such activities must be obtained from the City Forester, 266-4816. The trees shown in the street rights-of-way shall not be shown on the sign-off plan or construction plans unless they have previously been approved by the City Forester. If these are existing trees or species and locations that have been approved by the Forester, they shall be so labeled on plans.

Please follow the procedures listed below to receive your conditional use approval.

1. Please revise plans per the above conditions and submit twelve (12) sets of the final site plans (including drainage and landscaping plans) to the Zoning Administrator. The final plans are reviewed and approved by Traffic Engineering, Fire Department, City Engineering, and Zoning. Any of these agencies may call you to request additional information or to resolve problems.
2. This letter shall be signed by the applicant to acknowledge the conditions of approval and returned to the Zoning Administrator when requesting cover sheet approval.
3. No alteration of this proposal shall be permitted unless approved by the City Plan Commission provided, however, the Zoning Administrator may issue permits for minor alterations. This approval shall become null and void one year after the date of Plan Commission approval unless the use is commenced, construction is under way, or a valid building permit is issued and construction commenced within six months of the date of issuance of the building permit. See Section 28.12(11)(h)(3), Madison General Ordinances. The Plan Commission shall retain jurisdiction over this matter for the purpose of resolving complaints against this approved conditional use.

IF YOU HAVE ANY QUESTIONS REGARDING OBTAINING YOUR BUILDING PERMIT OR OCCUPANCY PERMIT, PLEASE CALL KATHY VOECK OF THE CITY ZONING STAFF AT 266-4551.

Sincerely,

I hereby acknowledge that I understand and will comply with the above conditions of approval for this conditional use.

Bill Roberts
Planning & Development

Applicant

cc: Zoning Administrator
City Engineering
Traffic Engineering
Jim McDonald, Werner Electric Supply Co., 4428 Pflaum Rd., Madison, WI 53716

| |
|---|
| Zoning City Engineering Traffic Engineering |
|---|