



Department of Planning & Community & Economic Development
Planning Division

Website: www.cityofmadison.com

Madison Municipal Building
215 Martin Luther King, Jr. Boulevard
P.O. Box 2985
Madison, Wisconsin 53701-2985
TDD 608 266-4747
FAX 608 266-8739
PH 608 266-4635

December 6, 2011

Travis Schreiber
Vierbicher and Associates
999 Fourier Drive, Suite 201
Madison, WI 53717

RE: Approval of a demolition permit to demolish an existing automobile dealership for the purpose of constructing a new automobile dealership at **6601 Odana Road**

Dear Mr. Schreiber:

At its December 5, 2010 meeting, the Plan Commission, meeting in regular session, approved your client's request for a demolition permit to raze an existing automobile dealership and construct a new automobile dealership at 6601 Odana Road. In order to receive final approval of the demolition permit and for permits to be issued, the following conditions must be met:

Please contact Janet Dailey, City Engineering Division, at 261-9688 if you have questions regarding the following fifteen (15) items:

1. Provide additional details and calculations for the proposed storm sewer and stormwater management system. Storm sewer design must be stamped by a professional engineer.
2. The approved address for the new sales building is 6601 Odana Road and car wash building is 6609 Odana Road.
3. Provide recorded copies of the appropriate lease and/or deed, whichever is the intent, to Engineering Mapping for proper billing updates to Stormwater Utility site impervious areas.
4. The applicant shall close all abandoned driveways by replacing the curb in front of the driveways and restoring the terrace with grass.
5. All work in the public right-of-way shall be performed by a City licensed contractor.
6. All street tree locations and tree species within the right of way shall be reviewed and approved by City Forestry. Please submit a tree planting plan (in PDF format) to Dean Kahl, of the City Parks Department - dkahl@cityofmadison.com or 266-4816. Approval and permitting of any tree removal or replacement shall be obtained from the City Forester and/or the Board of Public Works prior to the approval of the site plan.
7. All damage to the pavement on Odana Road, adjacent to this development shall be restored in accordance with the City of Madison's Pavement Patching Criteria. For additional information please see the following link: <http://www.cityofmadison.com/engineering/patchingCriteria.cfm>

8. The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used. POLICY AND MGO 10.29
9. The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.
10. Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to a) Control 40% TSS (20 micron particle) off of new paved surfaces; b) Provide oil & grease control from the first 1/2" of runoff from parking areas; and c) Complete an erosion control plan and complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website – as required by Chapter 37 of the Madison General Ordinances. Stormwater management plans shall be submitted and approved by City Engineering prior to signoff.
11. The applicant shall submit, prior to plan sign-off, a digital CAD file (single file) to the Engineering Program Specialist in the Engineering Division (Lori Zenchenko). The digital CAD file shall be to scale and represent final construction. The single CAD file submittal can be either AutoCAD (dwg) Version 2001 or older, MicroStation (dgn) Version J or older, or Universal (dxf) format and contain only the following data, each on a separate layer name/level number: a) Building Footprints; b) Internal Walkway Areas; c) Internal Site Parking Areas; d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.); e) Right-of-Way lines (public and private); f) All Underlying Lot lines or parcel lines if unplatted; g) Lot numbers or the words "unplatted"; h) Lot/Plat dimensions; i) Street names; and All other levels (contours, elevations, etc) are not to be included with this file submittal.

NOTE: Email file transmissions preferred addressing@cityofmadison.com. Include the site address in the subject line of this transmittal. Any changes or additions to the location of the building, sidewalks, parking/pavement during construction will require a new CAD file. (POLICY and MGO 37.09(2) & 37.05(4))

12. The applicant shall submit, prior to plan sign-off, digital PDF files to the Engineering Division (Jeff Benedict or Tim Troester). The digital copies shall be to scale, and shall have a scale bar on the plan set. (POLICY and MGO 37.09(2)) PDF submittals shall contain the following information: a) Building footprints; b) Internal walkway areas; c) Internal site parking areas; d) Lot lines and right-of-way lines; e) Street names; f) Stormwater Management Facilities; and g) Detail drawings associated with Stormwater Management Facilities (including if applicable planting plans).
13. The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including: a) SLAMM DAT files; b) RECARGA files; c) TR-55/HYDROCAD/etc; and d) Sediment loading calculations. If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided. (POLICY and MGO 37.09(2))
14. The applicant's utility contractor shall obtain a connection permit and excavation permit prior to commencing the storm sewer construction. MGO 37.05(7) This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
15. All outstanding Madison Metropolitan Sewerage District (MMSD) and City of Madison sanitary sewer connection charges are due and payable prior Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Janet Dailey (608-261-9688) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff. (MGO 16.23(9)(d)(4))

Please contact Bryan Walker, Traffic Engineering, at 267-8754 if you have any questions regarding the following nine (9) items.

Please note, at their December 5, 2011 meeting, the Plan Commission removed conditions 19 and 20 (as listed in December 5 Report to the Plan Commission) originally recommended by Traffic Engineering. Those were listed as Comments 2 and 3 in the Traffic Engineering memo dated November 22, 2011.

16. The applicant shall be responsible for securing all proper permits and approvals from any municipality or government unit having jurisdiction with the project. In particular, the applicant shall contact David Kreitzmann, Wisconsin Department of Transportation (608-516-6497), with site plans sets for review and approval. The applicant shall return a set of site plans or letter with WDOT-approved copies to the City of Madison Traffic Engineering Division prior to final sign-off on site plans.
17. The car wash shall be used by employees only and not by the public, and be noted on the plans when submitted for approval.
18. When the applicant submits final plans of one contiguous plan for approval, the applicant shall show the following: items in the terrace as existing (e.g., signs and street light poles), type of surfaces, existing property lines, addresses, showing all easements, all pavement markings, building placement, and stalls, adjacent driveway approaches to lots on either side and across the street, signage, percent of slope, vehicle routes, dimensions of radii, aisles, driveways, stalls including the two (2) feet overhang, and a scaled drawing at 1" = 20'.
19. The developer shall post a deposit and reimburse the City for all costs associated with any modifications to Traffic Signals, Street Lighting, Signing and Pavement Marking, and conduit and handholes, including labor, engineering and materials for both temporary and permanent installations.
20. Public signing and marking related to the development may be required by the City Traffic Engineer for which the developer shall be financially responsible.
21. When the applicant submits final plans of one contiguous plan for approval, the applicant shall show the following: items in the terrace as existing (e.g., signs and street light poles), type of surfaces, existing property lines, addresses, showing all easements, all pavement markings, building placement, and stalls, adjacent driveway approaches to lots on either side, signage, percent of slope, vehicle routes, dimensions of radii, aisles, driveways, stalls including the two (2) feet overhang, and a scaled drawing at 1" = 20'.
22. The intersection shall be so designed so as not to violate the City's sight-triangle preservation requirement which states that on a corner lot no structure, screening, or embankment of any kind shall be erected, placed, maintained or grown between the heights of 30 inches and 10 feet above the curb level or its equivalent within the triangle space formed by the two intersecting street lines or their projections and a line joining points on such street lines located a minimum of 25 feet from the street intersection in order to provide adequate vehicular vision clearance.
23. The developer shall post a deposit and reimburse the City for all costs associated with any modifications to Traffic Signals, Street Lighting, Signing and Pavement Marking, and conduit and handholes, including labor, engineering and materials for both temporary and permanent installations.
24. Public signing and marking related to the development may be required by the City Traffic Engineer for which the developer shall be financially responsible.

Please contact Pat Anderson, Assistant Zoning Administrator, at 266-5978 if you have any questions regarding the following eight (8) items:

25. The submitted landscape plan does not appear to take into account the required landscaping for the automobile display parking area and sales staging area (if to be used for display). Landscaping is required for these features of the site. The landscaping plan must be revised to show landscaping for all required features of the site. Contact the zoning office to explain these requirements if there are questions.
26. Parking lot plans with greater than twenty (20) stalls shall comply with City of Madison General Ordinances Section 28.04 (12) and shall have the landscape plans stamped by a registered landscape architect. Provide a revised landscape worksheet with the final plans that shows that the landscaping provided meets the point and required tree ordinances. Planting islands shall consist of at least 75% vegetative cover, including trees, shrubs, ground cover, and/or grass. Up to 25% of the island surface may be brick pavers, mulch or other non-vegetative cover. All plant materials in islands shall be protected from vehicles by concrete curbs.
27. Car sales lots or outdoor merchandise display lighting and shall be in accordance with City of Madison General Ordinances Section 10.085.
28. Signage approvals are not granted by the Plan Commission. Signage must be reviewed for compliance with Chapter 31 of the Madison General Ordinances. Sign permits must be issued by the Zoning Section of the Department of Planning and Development prior to sign installations. NOTE: The decorative flags cannot have a commercial message on them.
29. Provide a reuse/recycling plan, to be reviewed and approved by The City's Recycling Coordinator, Mr. George Dreckmann, prior to a demolition permit being issued. Sec 28.12(12)(e) of the Madison Zoning Ordinance requires the submittal of documentation demonstrating compliance with the approved reuse and recycling plan. Please note, the owner must submit documentation of recycling and reuse within 60 days of completion of demolition
30. Bike parking shall comply with City of Madison General Ordinances Section 28.11. Provide twelve bike parking stalls in a safe and convenient location on an impervious surface to be shown on the final plan. The lockable enclosed lockers or racks or equivalent structures in or upon which the bicycle may be locked by the user shall be securely anchored to the ground or building to prevent the lockers or racks from being removed from the location. NOTE: A bike-parking stall is two feet by six feet with a five-foot access area.
31. Parking requirements for persons with disabilities must comply with City of Madison General Ordinances Section 28.11(3)6.(m) which includes all applicable State accessible requirements, including but not limited to:
 - a. Provide a minimum of five accessible stalls striped per State requirements. A minimum of one of the stalls shall be a van accessible stall 8' wide with an 8' striped out area adjacent.
 - b. Show signage at the head of the stalls. Accessible signs shall be a minimum of 60" between the bottom of the sign and the ground.
 - c. Show the accessible path from the stalls to the building. The stalls shall be as near the accessible entrance as possible. Show ramps, curbs, or wheel stops where required.
32. Parking & Loading shall comply with City of Madison General Ordinances Section 28.11 (4). Provide (2) 10' x 35' loading areas with 14' vertical clearance to be shown on the plan. The loading area shall be exclusive of drive aisle and maneuvering space.

Please contact Bill Sullivan, Madison Fire Department, at 261-9658 if you have any questions regarding the following two (2) items:

33. The Madison Fire Department does not object to this proposal provided the project complies with all applicable fire codes and ordinances.
34. Provide fire apparatus access as required by IFC 503 2009 edition, MGO 34.503.

Please contact my office at 267-1150 if you have any questions regarding the following six (6) items:

35. That the canopy trees proposed along Odana Road are planted with a minimum caliper of 2 ½ inches and have minimum canopy height of 6 feet at the time of planting.
36. That the two trees along the southern edge of the property be preserved.
37. That a revised landscaping plan to be approved by the Planning Division as part of final approval that shows the two trees along the southern edge of the property preserved, and the three display stalls proposed along Odana Road removed to allow additional room for landscaping.
38. That the highway guard rail included in the application materials be replaced by the decorative pipe bollards proposed by the applicant.
39. That a tree preservation plan be submitted for staff approval.
40. That bike access be provided to the site from the adjacent bike path, with a bike rack to be provided as approved by staff.

No interior, exterior or structural demolition or wrecking activities or remodeling activities (including material reclamation activities by the applicant or a third party) shall commence nor any wrecking or building permits be issued until the applicant has met all of the conditions of approval stated in this letter.

Please now follow the procedures listed below for obtaining your demolition permit:

1. Please revise your plans per the above and submit eight (8) copies of a complete plan set to the Zoning Administrator for final review and comment. Also be sure to include any additional materials requested by these departments for their approval prior to sign off.
2. All wells located on this property shall be abandoned if no valid well operation permit has been obtained from the Madison Water Utility. City Engineering staff will review plans for compliance. Please note, this property is not in a Wellhead Protection District. The Madison Water Utility shall be notified to remove the water meter prior to demolition.
3. A reuse and recycling plan approved by the Recycling Coordinator is required by ordinance prior to the issuance of a wrecking permit. The reuse and recycling plan shall be submitted along with the resubmittal of site plans for forwarding to the Recycling Coordinator.
4. This letter shall be signed by the applicant to acknowledge the conditions of approval and returned to the Zoning Administrator when requesting demolition and/or building permit approval.

If you have any questions regarding obtaining your demolition or building permits, please contact the Zoning Administrator at 266-4551. If you have any questions or if I may be of any further assistance, please do not hesitate to contact my office at 267-1150.

Sincerely,

Kevin Firchow, AICP
Planner

cc: Janet Dailey, City Engineering Division
Pat Anderson, Asst. Zoning Administrator
Bryan Walker, Traffic Engineering
Bill Sullivan, Fire Department

I hereby acknowledge that I understand and will comply with the above conditions of approval for this demolition permit.

Signature of Applicant

For Official Use Only, Re: Final Plan Routing

<input checked="" type="checkbox"/>	Planning Div. (Firchow)	<input checked="" type="checkbox"/>	Engineering Mapping Sec.
<input checked="" type="checkbox"/>	Zoning Administrator	<input type="checkbox"/>	Parks Division
<input checked="" type="checkbox"/>	City Engineering	<input type="checkbox"/>	Urban Design Commission
<input checked="" type="checkbox"/>	Traffic Engineering	<input type="checkbox"/>	Recycling Coord. (R&R)
<input checked="" type="checkbox"/>	Fire Department	<input type="checkbox"/>	Other: