DATE: February 12, 2008

TO: Plan Commission

FROM: Larry D. Nelson, P.E., City Engineer

SUBJECT: 1301 University Avenue Rezoning

The City Engineering Division has reviewed the subject development and has the following comments.

**MAJOR OR NON-STANDARD REVIEW COMMENTS** (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

- 1. Revise Drawing No. C101 Boundary and Topographic Survey and other plan sheets to include the surveyed exterior parcel boundary and right-of-way lines. Include location and reference to all interior platted lot lines.
- 2. The Applicant shall dedicate a 17 feet wide strip of right of way along North Randall Street as shown on the Applicants drawings and as agreed to by City staff and UW staff.
- 3. The Applicant shall be required to widen the existing concrete pavement on North Randall Avenue to provide space for the addition of bike lanes and shall reconstruct the terrace. The Applicant shall reconstruct North Orchard Street including the terraces. The Applicant shall reconstruct any damaged pavement and curb and gutter on Campus Drive and shall reconstruct the terrace adjacent to the Applicants Project.
- 4. The Applicant shall reconstruct the terrace on University Avenue. The City has a project planned for the replacement of the pavement on University Avenue except for the bus and bike lane on the north side. The City shall replace any pavement that is considered part of the planned City Project. This will consist of the 3 vehicular lanes, the median divider, and the bike lane on the south side. The Applicant shall be required to complete temporary pavement patching on University Avenue until such time as the City is able to reconstruct the pavement. The applicant shall reconstruct the curb and gutter on University Avenue with pavement ties unless other arrangements are made with the City Engineer.
- 5. Applicant shall enter into a maintenance agreement with the City of Madison for all amenities and/or landscape features located in the right-of-way.
- 6. Applicant shall provide a detail section showing location of proposed tunnel and its impact on the existing utilities.
- 7. Storm connections to public main shall be made with structures not taps and collars.
- 8. The applicant shall coordinate and cooperate with the City as we remove and replace the 18-inch clay storm pipe along the west side of North Orchard Street in advance of the project and the existing sanitary in Orchard.

- 9. Proposed 10-inch sanitary lateral onto Orchard Street will require a manhole on the City sewer main.
- 10. Proposed direct connection to MMSD sewer on Randall Avenue will require a connection permit from MMSD and shall follow all MMSD permit criteria including contacting Don Lythjohn 3 days prior to connection to arrange for inspection.
- Plans require being reused to include RIM/invert information on all manholes including sampling manholes.
- 12. Plumbing code requires manholes or cleanouts where 2 pipes 8-inches in diameter or larger intersect.

## **GENERAL OR STANDARD REVIEW COMMENTS**

In addition, we offer the following General or Standard Review Comments:

Engineering Division Review of Planned Community Developments, Planned Unit Developments and Conditional Use Applications.

Name: 1301 University Avenue Rezoning

J. This information

against each lot in the subdivision..

#### General

1.1	The construction of this building will require removal and replacement of sidewalk, curb and gutter and possibly other parts of the City's infrastructure. The applicant shall enter into a City / Developer agreement for the improvements required for this development. The applicant shall be required to provide deposits to cover City labor and materials and surety to cover the cost of construction. The applicant shall meet with the City Engineer to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the agreement executed by the developer. The developer shall sign the Developer's Acknowledgement prior to the City Engineer signing off on this project.
1.2	The site plan shall identify lot and block numbers of recorded Certified Survey Map or Plat.
1.3	The site plan shall include all lot/ownership lines, existing building locations, proposed building additions, demolitions, parking stalls, driveways, sidewalks (public and/or private), existing and proposed signage, existing and proposed utility locations and landscaping.
1.4	The site plan shall identify the difference between existing and proposed impervious areas.
1.5	The site plan shall reflect a proper street address of the property as reflected by official City of Madison Assessor's and Engineering Division records.
1.6	Coordinate all necessary new interior addresses associated with this proposed development with City Engineering Program Specialist Lori Zenchenko <a href="mailto:lzenchenko@cityofmadison.com">lzenchenko@cityofmadison.com</a> or (608) 266-5952
1.7	The site plan shall include a full and complete legal description of the site or property being subjected to this application.
1.8	The Developer is required to pay Impact Fees for theImpact Fee District for Lot(s)of thePlat/CSM. The current rate is \$/1000SF for a total of \$ The Developer shall select one of the following two options for payment of these fees:
	1) Impact Fees shall be paid in full prior to Engineering sign-off of the plat/csm.
	2) The Developer has elected to defer the payments until such time as the building permits are applied for, in which case the owner(s) shall have fourteen (14) days after receiving the invoices to pay the outstanding impact fees. The following shall be required <u>prior</u> to plat sign off;
	<ul> <li>a) The Developer shall supply an Excel spreadsheet with lot numbers, lot areas, and number of dwelling units per lot. The Developer shall supply a CADD file of the proposed FINAL plat, in a format compatible with Microstation</li> </ul>

shall be required to calculate the Impact Fees, which will then be recorded at the Register of Deeds

b) All information shall transmitted to Janet Dailey by e-mail at <u>Jdailey@cityofmadison.com</u>, or on a CD to:

Janet Dailey City of Madison Engineering Division 210 Martin Luther King Jr. Blvd Room 115 Madison, WI 53703

 A minimum of three (3) weeks shall be required for staff to calculate the Impact Fees and record the documents prior to plat sign-off.

The Developer shall put the following note on the face of the plat:

# ALL THE LOTS WITHIN THIS SUBDIVISION ARE SUBJECT TO IMPACT FEES THAT ARE DUE AND PAYABLE WITHIN FOURTEEN DAYS OF THE ISSUANCE OF BUILDING PERMIT(S).

## Right of Way / Easements

2.1	The Applicant shall Dedicate a foot wide strip of Right of Way along,
2.2	The Applicant shall Dedicate a foot wide strip of Right of Way along
2.3	The Applicant shall Dedicate a Permanent Limited Easement for grading and sloping feet wide along
2.4	The City Engineer has reviewed the need for pedestrian and bicycle connections through the development and finds that no connections are required.
2.5	The Applicant shall Dedicate a Permanent Limited Easement for a pedestrian / bicycle easement feet wide from to
2.6	The Developer shall provide a private easement for public pedestrian and bicycle use through the property running from to
2.7	The developer shall be responsible for the ongoing construction and maintenance of a path within the easement. The maintenance responsibilities shall include, but not be limited to, paving, repairing, marking and plowing. The developer shall work with the City of Madison Real Estate Staff to administer this easement. Applicable fees shall apply.
2.8	The Public Sanitary Sewer Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
2.9	<ul> <li>a. The property owner reserves the right to use and occupy the Public Sanitary Sewer Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public sanitary sewer facilities.</li> <li>b. No above-ground improvements shall be located in the Public Sanitary Sewer Easement Area(s) by the City or the property owner, with the exception that grates, sewer access structure (SAS) covers, and other access points to the public sanitary sewer facilities shall be permitted at grade level. (Optional: and with the exception that pavement and/or concrete for driveway purposes shall be permitted.)</li> <li>c. Plantings and landscaping within the Public Sanitary Sewer Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.</li> <li>d. The property owner shall not change the grade of the Public Sanitary Sewer Easement Area(s) without the prior written approval of the City's Engineering Division.</li> <li>e. The Public Sanitary Sewer Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.</li> <li>The Public Sidewalk Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey</li> </ul>
2.3	<ul> <li>Map or Subdivision Plat is/are subject to the following conditions:</li> <li>a. The property owner reserves the right to use and occupy the Public Sidewalk Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public sidewalk improvements.</li> <li>b. No above-ground improvements will be allowed in the Public Sidewalk Easement Area(s) by the property owner. (Optional: with the exception that pavement and/or concrete for driveway purposes shall be permitted.)</li> <li>c. Plantings and landscaping within the Public Sidewalk Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.</li> <li>d. The property owner shall not change the grade of the Public Sidewalk Easement Area(s) without the prior written approval of the City's Engineering Division.</li> <li>e. The Public Sidewalk Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.</li> </ul>
2.10	The Public Storm Sewer Easement(s) dedicated to the City of Madison ("City") on the face of this Certified

Survey Map or Subdivision Plat is/are subject to the following conditions:

- a. The property owner reserves the right to use and occupy the Public Storm Sewer Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public storm sewer facilities.
- b. No above-ground improvements shall be located in the Public Storm Sewer Easement Area(s) by the City or the property owner, with the exception that grates, sewer access structure (SAS) covers, and other access points to the public storm sewer facilities shall be permitted at grade level. (**Optional**: and with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
- c. Plantings and landscaping within the Public Storm Sewer Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
- d. The property owner shall not change the grade of the Public Storm Sewer Easement Area(s) without the prior written approval of the City's Engineering Division.
   The Public Storm Sewer Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.
- 2.11 The Public Water Main Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
  - a. The property owner reserves the right to use and occupy the Public Water Main Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public water main facilities.
  - b. No above-ground improvements will be allowed in the Public Water Main Easement Area(s) by the property owner. (**Optional**: with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Water Main Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Water Main Easement Area(s) without the prior written approval of the City's Engineering Division.
  - e. The Public Water Main Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.

### Streets and Sidewalks

Olicol	and On	deffund
	3.1	The Applicant shall execute a waiver of notice and hearing on the assessments for the improvement of [roadway] in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO.
_		
	3.2	Value of sidewalk installation over \$5000. The Applicant shall Construct Sidewalk to a plan approved by the City  Engineer along
	3.3	Value of sidewalk installation under \$5000. The Applicant shall install public sidewalk along The Applicant shall obtain a Street Excavation Permit for the sidewalk work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees. All work must be completed within six months or the succeeding June 1, whichever is later. This permit application is available on line at <a href="http://www.cityofmadison.com/engineering/permits.cfm">http://www.cityofmadison.com/engineering/permits.cfm</a> .
	3.4	The Applicant shall execute a waiver of their right to notice and hearings on the assessments for the installation of sidewalk along [roadway] in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO.
	3.5	The Applicant shall grade the property line along to a grade established by the City Engineer. The grading shall be suitable to allow the installation of sidewalk in the future without the need to grade beyond the property line. The Applicant shall obtain a Street Excavation permit prior to the City Engineer signing off on this development. This permit application is available on line at <a href="http://www.cityofmadison.com/engineering/permits.cfm">http://www.cityofmadison.com/engineering/permits.cfm</a> .
$\boxtimes$	3.6	The Applicant shall close all abandoned driveways by replacing the curb in front of the driveways and restoring the terrace with grass.
	3.7	Value of the restoration work less than \$5,000. When computing the value, do not include a cost for driveways. Do not include the restoration required to facilitate a utility lateral installation. The Applicant's project requires the minor restoration of the street and sidewalk. The Applicant shall obtain a Street Excavation Permit for the street restoration work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees. This permit application is available on line at <a href="http://www.cityofmadison.com/engineering/permits.cfm">http://www.cityofmadison.com/engineering/permits.cfm</a> .
	3.8	The Applicant shall make improvements to in order to facilitate ingress and egress to the development. The improvement shall include a (Describe what the work involves or strike this part of the comment.)

ш	5.5	improvements shall consist of
	3.10	The approval of this Conditional Use does not include the approval of the changes to roadways, sidewalks or utilities. The applicant shall obtain separate approval by the Board of Public Works and the Common Council for the restoration of the public right of way including any changes requested by developer. The City Engineer shall complete the final plans for the restoration with input from the developer. The curb location, grades, tree locations, tree species, lighting modifications and other items required to facilitate the development or restore the right of way shall be reviewed by the City Engineer, City Traffic Engineer, and City Forester.
	3.11	The Applicant shall provide the City Engineer with a survey indicating the grade of the existing sidewalk and street. The Applicant shall hire a Professional Engineer to set the grade of the building entrances adjacent to the public right of way. The Applicant shall provide the City Engineer the proposed grade of the building entrances. The City Engineer shall approve the grade of the entrances prior to signing off on this development.
	3.12	The Applicant shall replace all sidewalk and curb and gutter which abuts the property which is damaged by the construction or any sidewalk and curb and gutter which the City Engineer determines needs to be replaced because it is not at a desirable grade regardless of whether the condition existed prior to beginning construction.
	3.13	The Applicant shall obtain a privilege in streets agreement for any encroachments inside the public right of way. The approval of this development does not constitute or guarantee approval of the encroachments.
	3.14	The Applicant shall provide the City Engineer with the proposed soil retention system to accommodate the restoration. The soil retention system must be stamped by a Professional Engineer. The City Engineer may reject or require modifications to the retention system.
	3.15	The Applicant shall complete work on exposed aggregate sidewalk in accordance with specifications provided by the city. The stone used for the exposed aggregate shall be approved by the City. The Construction Engineer shall be notified prior to beginning construction. Any work that does not match the adjacent work or which the City Construction Engineer finds is unacceptable shall be removed and replaced.
	3.16	All work in the public right-of-way shall be performed by a City licensed contractor.
	3.17	Installation of "Private" street signage in accordance with 10.34 MGO is required.
	3.18.	All street tree locations and tree species within the right of way shall be reviewed and approved by City Forestry. Please submit a tree planting plan (in PDF format) to Dean Kahl, of the City Parks Department - <a href="mailto:dkahl@cityofmadison.com">dkahl@cityofmadison.com</a> or 266-4816.
Storm	Water M	anagement
Storm	Water M	anagement  The site plans shall be revised to show the location of all rain gutter down spout discharges.
_		
	4.1	The site plans shall be revised to show the location of all rain gutter down spout discharges.  Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing
	4.1 4.2	The site plans shall be revised to show the location of all rain gutter down spout discharges.  Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.  The plan set shall be revised to show a proposed private internal drainage system on the site. This information
	4.1 4.2 4.3	The site plans shall be revised to show the location of all rain gutter down spout discharges.  Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.  The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.  The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at
	4.1 4.2 4.3 4.4	The site plans shall be revised to show the location of all rain gutter down spout discharges.  Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.  The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.  The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at capacity.  The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate
	4.1 4.2 4.3 4.4 4.5	The site plans shall be revised to show the location of all rain gutter down spout discharges.  Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.  The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.  The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at capacity.  The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.  The City of Madison is an approved agent of the Department of Commerce. This proposal contains a commercial building and as such, the City of Madison is authorized to review infiltration, stormwater management, and erosion
	4.1 4.2 4.3 4.4 4.5	The site plans shall be revised to show the location of all rain gutter down spout discharges.  Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.  The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.  The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at capacity.  The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.  The City of Madison is an approved agent of the Department of Commerce. This proposal contains a commercial building and as such, the City of Madison is authorized to review infiltration, stormwater management, and erosion control on behalf of the Department of Commerce. No separate submittal to Commerce or the WDNR is required.  This development includes multiple building permits within a single lot. The City Engineer and/or the Director of
	4.1 4.2 4.3 4.4 4.5 4.6	The site plans shall be revised to show the location of all rain gutter down spout discharges.  Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.  The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.  The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at capacity.  The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.  The City of Madison is an approved agent of the Department of Commerce. This proposal contains a commercial building and as such, the City of Madison is authorized to review infiltration, stormwater management, and erosion control on behalf of the Department of Commerce. No separate submittal to Commerce or the WDNR is required.  This development includes multiple building permits within a single lot. The City Engineer and/or the Director of the Inspection Unit may require individual control plans and measures for each building.  If the lots within this site plan are inter-dependent upon one another for stormwater runoff conveyance, and/or a private drainage system exists for the entire site an agreement shall be provided for the rights and responsibilities of all lot owners. Said agreement shall be reviewed and placed on file by the City Engineer, referenced on the

		<ul> <li>□ Detain the 2, 10, &amp; 100-year storm events.</li> <li>□ Control 40% TSS (20 micron particle) off of new paved surfaces</li> <li>□ Control 80% TSS (5 micron particle) off of new paved surfaces</li> <li>□ Provide infiltration in accordance with Chapter 37 of the Madison General Ordinances</li> <li>□ Provide substantial thermal control.</li> <li>□ Provide oil &amp; grease control from the first 1/2" of runoff from parking areas.</li> <li>□ Complete an erosion control plan and complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website – as required by Chapter 37 of the Madison General Ordinances.</li> </ul>
_		Stormwater management plans shall be submitted and approved by City Engineering prior to signoff.
	4.10	The plan set shall be revised to show more information on proposed drainage for the site. This shall be accomplished by using spot elevations and drainage arrows or through the use of proposed contours. It is necessary to show the location of drainage leaving the site to the public right-of-way. It may be necessary to provide information off the site to fully meet this requirement.
	4.11	A portion of this project comes under the jurisdiction of the US Army Corp of Engineers and WDNR for wetland or flood plain issues. A permit for those matters shall be required prior to construction on any of the lots currently within the jurisdictional flood plain.
	4.12	The Applicant shall submit, prior to plan sign-off, a digital CAD file (single file) to the Engineering Program Specialist in the Engineering Division (Lori Zenchenko). The digital CAD file shall be to scale and represent final construction. The single CAD file submittal can be either AutoCAD (dwg) Version 2001 or older, MicroStation (dgn) Version J or older, or Universal (dxf) format and contain the following data, each on a separate layer name/level number:
		a) Building Footprints b) Internal Walkway Areas c) Internal Site Parking Areas d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.) e) Right-of-Way lines (public and private) f) Lot lines g) Lot numbers h) Lot/Plat dimensions i) Street names
		$NOTE: Email \ file\ transmissions\ preferred\ \underline{Izenchenko@cityofmadison.com}\ .\ Include\ the\ site\ address\ in\ this\ transmittal.$
	4.13	NR-151 of the Wisconsin Administrative Code will be effective on October 1, 2004. Future phases of this project shall comply with NR 151 in effect when work commences. Specifically, any phases not covered by a Notice of Intent (NOI) received from the WDNR under NR-216 prior to October 1, 2004 shall be responsible for compliance with all requirements of NR-151 Subchapter III. As most of the requirements of NR-151 are currently implemented in Chapter 37 of the Madison General Ordinances, the most significant additional requirement shall be that of infiltration.
		NR-151 requires infiltration in accord with the following criteria. For the type of development, the site shall comply with one of the three (3) options provided below:
		Residential developments shall infiltrate 90% of the predevelopment infiltration amount, 25% of the runoff from the 2-year post development storm or dedicated a maximum of 1% of the site area to active infiltration practices.
		Commercial development shall infiltrate 60% of the predevelopment infiltration amount, 10% of the runoff from the 2-year post development storm or dedicate a maximum of 2% of the site area to active infiltration practices.
	4.14	The applicant shall submit, prior to plan sign-off, digital PDF files to the Engineering Division (Jeff Benedict or Tim Troester). The digital copies shall be to scale, and shall have a scale bar on the plan set.
		PDF submittals shall contain the following information:  a) Building footprints. b) Internal walkway areas. c) Internal site parking areas. d) Lot lines and right-of-way lines. e) Street names. f) Stormwater Management Facilities. g) Detail drawings associated with Stormwater Management Facilities (including if applicable planting plans).
	4.15	The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:
		a) SLAMM DAT files. b) RECARGA files. c) TR-55/HYDROCAD/Etc d) Sediment loading calculations

		If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided.
	4.16	The area adjacent to this proposed development has a known flooding risk. All entrances shall be 2-feet above the adjacent sidewalk elevation or 1-foot above the 100-year regional flood elevation (whichever is greater). This includes garage entrances.
Utilities (	General	
	5.1	The Applicant shall obtain a Street Excavation permit for the installation of utilities required to serve this project. The Applicant shall pay the permit fee, inspection fee and street degradation fee as applicable and shall comply with all the conditions of the permit. This permit application is available on line at <a href="http://www.cityofmadison.com/engineering/permits.cfm">http://www.cityofmadison.com/engineering/permits.cfm</a> .
	5.2	The applicant shall obtain all necessary sewer connection permits and sewer plugging permits prior to any utility work. This permit application is available on line at <a href="http://www.cityofmadison.com/engineering/permits.cfm">http://www.cityofmadison.com/engineering/permits.cfm</a> .
	5.3	All proposed and existing utilities including gas, electric, phone, steam, chilled water, etc shall be shown on the plan.
	5.4	The applicant's utility contractor shall obtain a connection permit and excavation permit prior to commencing the storm sewer construction. This permit application is available on line at <a href="http://www.cityofmadison.com/engineering/permits.cfm">http://www.cityofmadison.com/engineering/permits.cfm</a> .
	5.5	The site plans shall be revised to show the location of existing utilities, including depth, type, and size in the adjacent right-of-way.
	5.6	The developer shall provide information on how the Department of Commerce's requirements regarding treatment of storm water runoff, from parking structures, shall satisfied prior to discharge to the public sewer system. Additionally, information shall be provided on which system (storm or sanitary) the pipe shall be connected to.
Sanitary	Sewer	
	6.1	Prior to approval of the conditional use application, the owner shall obtain a permit to plug each existing sanitary sewer lateral that serves a building that is proposed for demolition. For each lateral to be plugged the owner shall deposit \$1,000 with the City Engineer in two separate checks in the following amounts: (1). \$100 non-refundable deposit for the cost of inspection of the plugging by City staff; and (2). \$900 for the cost of City crews to perform the plugging. If the owner elects to complete the plugging of a lateral by private contractor and the plugging is inspected and approved by the City Engineer, the \$900 fee shall be refunded to the owner. This permit application is available on line at <a href="http://www.cityofmadison.com/engineering/permits.cfm">http://www.cityofmadison.com/engineering/permits.cfm</a> .
	6.2	All outstanding Madison Metropolitan Sewerage District (MMSD) and City of Madison sanitary sewer connection charges are due and payable prior Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Janet Dailey (608-261-9688) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff.
	6.3	Each unit of a duplex building shall be served by a separate and independent sanitary sewer lateral.
	6.4	The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service.