

# DIMENSION IV

Madison Design Group  
architecture · engineering · interior design

6515 Grand Teton Plaza, Suite 120, Madison, Wisconsin 53719  
p608.829.4444 608.829.4445 dimensionivmadison.com

## HOLIDAY INN EXPRESS

5110 HIGH CROSSING  
BLVD MADISON, WI

**Architecture :** **Dimension IV - Madison Design Group**  
6515 Grand Teton Plaza, Suite 120, Madison, WI 53719  
p: 608.829.4444 www.dimensionivmadison.com

**Architecture:** **KEE Architecture**  
621 Williamson Street, Madison, WI 53703  
p: 608.255.9202

**Civil  
Engineering:** **PROFESSIONAL ENGINEERING**  
818 N. Meadowbrook Ln, Waunakee, WI 53597  
p: 608.849.9378

**Landscape  
Architect:** **Paul Skidmore, Skidmore Property Services, LLC**  
13 Red Maple Trail, Madison, WI 53717  
p: 608.826.0032

**Site Lighting:** **Schultz Electric**  
8491 Murphy Dr., Middleton, WI 53562  
p: 608.836.7072 www.pieperpower.com


### LIST OF DRAWINGS

GENERAL  
G0.1 COVER SHEET  
G0.2 AERIAL VIEW

CIVIL  
C100 EXISTING CONDITIONS  
C102 SITE PLAN  
C200 GRADING PLAN - OVERALL  
C300 UTILITY PLAN  
L1.0 LANDSCAPE PLAN  
S1 SITE LIGHTING PLAN

ARCHITECTURAL - HOTEL  
AA1.0 BASEMENT FLOOR PLAN  
AA1.1 FIRST FLOOR PLAN  
AA1.2 UPPER FLOOR PLANS  
AA2.0 EXTERIOR ELEVATIONS  
AA2.1 EXTERIOR ELEVATIONS  
AA2.2 PERSPECTIVE VIEW

ARCHITECTURAL - HEALTH CLUB  
AB1.0 PARKING LEVEL  
AB1.1 FLOOR PLANS  
AB2.0 EXTERIOR ELEVATIONS  
AB2.1 EXTERIOR ELEVATIONS  
AB2.2 PERSPECTIVE VIEWS




LOCATION MAP

PLAN COMMISSION SUBMITTAL

PROJECT #14130 &14131 FEBRUARY 17, 2015

# GO.1



3/7/2015 5:46:52 PM C:\Users\mwh\Documents\14130 - Central Holiday Inn Express High Crossing - mwh\rv

**DIMENSION**

Madison Design Group

architecture - engineering - interior design

6515 Grand Teton Plaza, Suite 120  
Madison, Wisconsin 53719  
608.829.4444 608.829.4445  
dimensionmadison.com

**HOLIDAY INN EXPRESS**

5110 HIGH CROSSING BLVD  
MADISON, WI

**PLAN COMMISSION SUBMITTAL**


DATE OF ISSUE: \_\_\_\_\_

REVISIONS:

PROJECT # 14130 & 14131


AERIAL VIEW

**GO.2**




Kroll Survey Shows This Line  
 to be a Curve With the Following Information:  
 Delta=43°00'00", R=228.00'  
 Arc=216.74', LC=211.9'  
 LCB=10.92540'

- LEGEND**
- ▲ FOUND PK OR MAG NAIL
  - SOLID IRON ROD FOUND (0.75" Dia. unless noted)
  - IRON PIPE FOUND (1" Dia. unless Noted)
  - 3/4"x18" SOLID IRON ROD SET
  - 1.50Lbs./LINEAL FOOT.
  - ( ) INDICATES RECORDED AS DISTANCES ARE MEASURED TO THE NEAREST HUNDRETH OF A FOOT.
  - UTILITY POLE
  - HYDRANT
  - LIGHT POLE OR STOP LIGHT POLE
  - G — GAS UNDERGROUND
  - SS — STORM SEWER
  - OHW — OVERHEAD WIRES
  - T — TELEPHONE UNDERGROUND
  - SAN — SANITARY SEWER



<p> <b>5110 HIGH CROSSING BLVD          EXISTING CONDITIONS</b>          MADISON, WISCONSIN       </p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">DATE</td> <td>02-10-15</td> </tr> <tr> <td>ISSUANCE/REVISION</td> <td></td> </tr> <tr> <td>SITE PLAN REVIEW</td> <td></td> </tr> </table> <p style="text-align: center;"> <b>PROFESSIONAL          ENGINEERING LLC</b> </p> <p style="font-size: small;">       818 N Meadowbrook Ln        Waunakee, WI 53597        phone (608) 849-9378        fax (608) 237-2129     </p>	DATE	02-10-15	ISSUANCE/REVISION		SITE PLAN REVIEW	
DATE	02-10-15						
ISSUANCE/REVISION							
SITE PLAN REVIEW							

C100



- ### PLAN KEY
- 1 FUTURE DRIVE CONNECTION
  - 2 18" CURB AND GUTTER, TYP.
  - 3 CONCRETE SIDEWALK
  - 4 VAN ACCESSIBLE STALL, TYP.
  - 5 VAN ACCESSIBLE PARKING SIGN, TYP.
  - 6 PAVEMENT STRIPING, TYP.
  - 7 CURB RAMP
  - 8 DETECTABLE WARNING FIELD
  - 9 PATIO, SEE ARCHITECTURAL PLANS
  - 10 FENCE, SEE ARCHITECTURAL PLANS
  - 11 BIKE RACK TO BE U-SHAPED SURFACE MOUNTED BICYCLE RACKS (MADRAX U190-SF-O)
  - 12 BIORETENTION AREA
  - 13 THICKENED EDGE CONCRETE SIDEWALK
  - 14 HYDRANT
  - 15 TRANSFORMER
  - 16 LIGHT POLE
- ### PAVEMENT KEY
- ASPHALT PAVEMENT
  - CONCRETE
  - RETAINING WALL

### SITE INFORMATION

SITE ADDRESS: 5110 HIGH CROSSING BOULEVARD

LEGAL DESCRIPTION:  
 ALL THAT PART OF THE NORTHWEST 1/4 OF THE NORTHEAST 1/4 OF SECTION TWENTY-SEVEN (27), TOWNSHIP EIGHT (8) NORTH, RANGE TEN (10) EAST, IN THE CITY OF MADISON, DANE COUNTY, WISCONSIN, BOUNDED ON THE NORTH BY THE NORTH SECTION LINE OF SAO SECTION 27, ON THE SOUTH AND EAST BY THE NORTHWEST RIGHT-OF-WAY OF RELOCATED GISHOLT ROAD, NOW KNOWN AS HIGH CROSSING BOULEVARD, AND ON THE WEST BY THE EAST RIGHT-OF-WAY LINE OF I 90-94 HIGHWAY, EXCEPTING THEREFROM THAT PART CONVEYED BY QUIT CLAIM DEED TO THE TOWN OF BURKE RECORDED JANUARY 22, 1987 AS DOCUMENT NO. 192823, AND ALSO EXCEPTING THEREFROM THAT PART CONVEYED BY WARRANTY DEED TO THE STATE OF WISCONSIN RECORDED OCTOBER 14, 1997 AS DOCUMENT NO. 2897424.

SITE ACREAGE TOTAL: 170,549 SF (3.92 ACRES)  
 PROPOSED LOT 1: 80,000 SF (1.84 ACRES)  
 PROPOSED LOT 2: 90,549 SF (2.08 ACRES)

NUMBER OF BUILDING STORIES:  
 GOLD'S GYM: 2  
 HOTEL: 4

BUILDING HEIGHT:  
 GOLD'S GYM: 39'-10"  
 HOTEL: 47'-8"


BUILDING AREA:  
 GOLD'S GYM: 60,640 GROSS SF (22,270 SF FOOTPRINT)  
 HOTEL: 81,589 GROSS SF (16,775 SF FOOTPRINT)

GOLD'S GYM CAPACITY: 800

NUMBER OF BEDROOMS IN HOTEL: 106

NUMBER OF PARKING STALLS: 247 TOTAL  
 SURFACE: 179  
 UNDERGROUND: 68

TOTAL BIKE PARKING: 51  
 28 INTERIOR (21 GOLD'S GYM, 5 HOTEL)  
 25 EXTERIOR (19 GOLD'S GYM, 6 HOTEL)



DATE	02-10-15
ISSUANCE/REVISION	
SITE PLAN REVIEW	


818 N. Meadowbrook Ln  
 Waunakee, WI 53597  
 phone (608) 849-5378  
 fax (608) 237-2129

**PROFESSIONAL ENGINEERING LLC**

**5110 HIGH CROSSING BLVD  
 SITE PLAN**

MADISON, WISCONSIN

C102



X:\Mes11211 High Crossing\DWG\Design\1211 Grading.dwg | 2/16/2015 5:56:11 PM

DATE	02-10-15
DESIGNED/REVISION	
SITE PLAN REVIEW	


818 N Meadowbrook Ln  
 Waunakee, WI 53597  
 phone (608) 849-9378  
 fax (608) 237-2128


**PROFESSIONAL ENGINEERING** LLC

**5110 HIGH CROSSING BLVD  
 GRADING PLAN - OVERALL**

MADISON, WISCONSIN

C200





- ### UTILITY NOTES
- CONTRACTOR SHALL CALL DIGGERS HOTLINE PRIOR TO ANY CONSTRUCTION.
  - ALL EXISTING UTILITIES SHOWN ON THE PLAN ARE APPROXIMATE AND WERE FIELD LOCATED FROM GROUND MARKING OR BASED OFF OF CITY UTILITY RECORDS. THE LOCATIONS ARE SHOWN FOR INFORMATIONAL PURPOSES ONLY AND SHOULD BE FIELD VERIFIED PRIOR TO CONSTRUCTION.
  - ALL SITE UTILITY WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, LATEST EDITION.
  - PRIOR TO CONSTRUCTION, CONTRACTOR SHALL OBTAIN A STREET OPENING PERMIT FOR ANY WORK TO BE DONE WITHIN THE RIGHT-OF-WAY.
  - CONTRACTOR SHALL OBTAIN ALL NECESSARY PLUGGING/CONNECTION PERMITS FROM THE CITY OF MADISON PRIOR TO ANY UTILITY WORK. CONTRACTOR TO NOTIFY THE PUBLIC WORKS DEPARTMENT A MINIMUM OF 48 HOURS BEFORE CONNECTING TO PUBLIC UTILITIES.
  - RESTORATION OF PAVEMENT, CURB & GUTTER, AND SIDEWALK WITHIN THE STREET RIGHT OF WAY IS CONSIDERED INCIDENTAL AND SHALL BE INCLUDED IN THE COST OF THE UNDERGROUND IMPROVEMENTS.
  - ALL STORM SEWER PIPE TO BE ADS N-12, RCP CLASS III REINFORCED CONCRETE WITH RUBBER GASKETS OR SCHEDULE 40 PVC AS NOTED.
  - CONTRACTOR SHALL CONFIRM CONNECTION ELEVATION GRADES OF ALL PIPES PRIOR TO BEGINNING CONSTRUCTION.
  - WATER MAIN SHALL BE DUCTILE IRON, CLASS 52.
  - SANITARY SEWER SERVICES SHALL BE SDR-35 PVC.
  - ANY PERSON WHO INSTALLS A NONCONDUCTIVE WATER OR SEWER LATERAL MUST ALSO INSTALL A LOCATION WIRE OR OTHER EQUALLY EFFECTIVE MEANS FOR MARKING THE LOCATION OF THE LATERAL. METHOD SHALL BE APPROVED BY THE CITY.
  - CONTRACTOR TO COORDINATE NEW, RELOCATED AND/OR ABANDONED GAS, ELECTRIC, TELEPHONE, AND CABLE WITH APPROPRIATE UTILITY COMPANIES.
  - UTILITIES SERVING PROPOSED BUILDINGS SHALL BE STUBBED INTO THE PROPOSED BUILDING(S) A MIN. OF 5' AND STAKED.
  - ALL WATER MAIN PIPE AND FITTINGS SHALL BE INSTALLED TO A MIN. DEPTH OF COVER OF 6.5'. AFTER REGRADING, EXISTING WATER MAIN PIPE WHICH DOES NOT MEET THIS REQUIREMENT SHALL BE INSULATED.
  - STORM SEWERS WHICH CROSS AN ACTIVE SEWER OR WATER MAIN OR LATERAL SHALL HAVE A MINIMUM CLEAR VERTICAL CLEARANCE OF THREE (3) FEET. CROSSINGS WITH LESSER VERTICAL CLEARANCE SHALL BE PROTECTED FROM FROST DAMAGE BY PLACEMENT OF 2-INCH THICK POLYSTYRENE BOARD INSULATION.
  - BUILDING PLUMBER SHALL VERIFY SIZE, SLOPE, AND EXACT LOCATION OF PROPOSED SANITARY LATERALS AND WATER SERVICES PRIOR TO INSTALLATION.

- ### PLAN KEY
- |  |   |  |
|--|---|--|
| ① CONNECT TO EXISTING WATER MAIN. COORDINATE INSTALLATION WITH MADISON WATER UTILITY | ⑩ 8" WATER VALVE                                      | ⑳ CONNECT TO EXISTING MANHOLE PER CITY REQUIREMENTS                      |
| ② 8" D.I. PRIVATE WATER MAIN   | ⑪ 45' BEND  | ㉑ CONNECT TO ROOF DRAINAGE SYSTEM  |
| ③ 8" D.I. WATER SERVICE WITH VALVE, VERIFY SIZE WITH ARCHITECT                       | ⑫ 22.5' BEND  | ㉒ TRANSFORMER  |
| ④ 8" D.I. PRIVATE WATER MAIN   | ⑬ 8"x8"x6" TEE  | ㉓ PROPOSED ELECTRIC SERVICE. COORDINATE INSTALLATION WITH ALLIANT ENERGY |
| ⑤ HYDRANT AND VALVE  | ⑭ 8"x8"x8" TEE  | ㉔ PROPOSED GAS SERVICE. COORDINATE INSTALLATION WITH M&E                 |
| ⑥ RELOCATE EXISTING HYDRANT AND VALVE PER CITY OF MADISON REQUIREMENTS               | ⑮ PROPOSED 20' ELECTRICAL AND GAS EASEMENT            |  |
| ⑦ 8" SANITARY LATERAL 71 FT @ 2.0% SLOPE   | ⑯ PROPOSED 15' PRIVATE WATER MAIN EASEMENT            |  |
| ⑧ 8" SANITARY LATERAL 42 FT @ 2.0% SLOPE   | ⑰ PROPOSED 20' PUBLIC WATER MAIN EASEMENT             |  |
| ⑨ 6" WATER VALVE   | ⑱ SANITARY CLEANOUT                                   |  |
|  | ㉕ CONNECT TO SANITARY BLDG SEWER (SEE PLUMBING PLANS) |  |

ISSUANCE/REVISION	DATE
SITE PLAN REVIEW	02-10-15


818 N Meadowbrook Ln  
Wausaukee, WI 53597  
phone (608) 849-9378  
fax (608) 237-2129

**PROFESSIONAL ENGINEERING LLC**

**5110 HIGH CROSSING BLVD  
UTILITY PLAN  
MADISON, WISCONSIN**

**C300**

2/27/2015 10:33 AM C:\Users\chris\Documents\14130 - Grand Holiday Inn Express\Map Creation\14130.lwp



- NOTES:**
1. Lawn areas to receive a minimum of 4" of topsoil, starter fertilizer, and locally grown Maligna seed.
  2. No more turf areas to receive a minimum of 4" of topsoil, no more seed mix, starter fertilizer, and straw mulch.
  3. If areas to be drainage swales and slopes 3:1 and greater shall be established with DuRoi erosion control fabric (provided per manufacturer's specifications).
  4. Foundation retaining walls to be finished with 7" washed stone rubble spread to a depth of 3" over weed barrier fabric.
  5. Planting beds located on lawn mulch to be mulched with shredded hardwood bark mulch spread to a depth of 3" over weed barrier fabric.
  6. Individual trees and shrub groups to be installed in lawn areas to receive shredded hardwood bark mulch in a quantity of 50 lbs spread to a depth of 3".
  7. Designated planting beds to be separated from lawn areas with 6" black vinyl edging.
  8. Rain garden to receive 1" shredded hardwood bark mulch.
  9. Rain garden parts (RGP) to be installed 12" on center.
  10. Rain garden to be installed per MOW specifications.
  11. Furnish and install acceptable plants (from permit lists listed in parenthesis) in groups at building entrances, and other areas (owner will approve plant selection and location).
  12. Owner will be responsible for landscape maintenance after completion and acceptance of the project.
  13. None of the trees in the ATC assessment will grow taller than 15' at maturity.

**PLANT MATERIAL LIST - PHASE 1 TOTALS**

KEY	COMMON NAME	SIZE/ROOT	QTY
<b>CANOPY TREES</b>			
ABM	AUTUMN GLAZE MAPLE	2 1/2"	BB 6
AL	AMERICAN LINDEN	2 1/2"	BB 6
CH	COMMON HAZEL	2 1/2"	BB 6
LLL	LITTLE LEAF LINDEN	2 1/2"	BB 6
RSC	RIVER BIRCH CLUMP	12"	BB 5
RM	RED MAPLE	2 1/2"	BB 4
SL	SKYLINE HONEY LOCUST	2"	BB 14
SWD	SWAMP WHITE OAK	2 1/2"	BB 3
WBC	WHITE SPRUCE GRAY BIRCH	8"	BB 1
<b>LOW ORNAMENTAL TREES</b>			
CP	GALLERY PEAR	2"	BB 3
PD	PAGODA DOGWOOD	2"	BB 2
PC	PRUNE FIRE OAK	2"	BB 6
TSC	SARGENT THORN OAK	2"	BB 13
<b>EVERGREEN TREES</b>			
BHS	BLACK HILLS SPRUCE	4"	BB 3
<b>EVERGREEN SHRUBS</b>			
BRJ	BLUE JAY JUNIPER	2 GAL	CON 82
EA	EMERALD ARBORVITAE	4"	BB 11
<b>TALL SHRUBS</b>			
ABS	AUTUMN BRILLIANCE SERVICE BERRY	5"	BB 5
AVB	ARROWWOOD VIBURNUM	4"	BB 14
WH	WITCH HAZEL	4"	BB 3
WTV	WINTERBERRY TREE VIBURNUM	3"	BB 3
<b>MEDICAL SHRUBS</b>			
BC	BLACK CHERRYBERRY	24"	POT 15
DCN	DOUGLASS CORNUS HESPERIS	24"	POT 8
DCV	DOUGLASS CORNUS VIBURNUM	24"	POT 69
RTD	RED TWIG DOGWOOD	24"	POT 19
WS	WHITE SNOWDRIFT	24"	POT 32
YTD	YELLOW TWIG DOGWOOD	24"	POT 7
<b>LOW SHRUBS</b>			
AC	ALPINE CURRANT	18"	POT 32
DC	CORONILLA	18"	POT 56
GFS	COLD FLAME SPirea	18"	POT 8
<b>SO-RETENTION PLANTINGS</b>			
RSP	PLANTED UP ON CENTER COMMON BLUE STAR	2 1/2"	PLUG 1,610
<b>PERENNIALS</b>			
P	(ASSORTED) AUTUMN BELLS BLACK EYED SUSAN BUTTERFLY WING DWARF FOUNTAIN GRASS FERNS PRUNE BLAZING STAR PRUNE DROPPED RATTLESNOW MASTER LITTLE BELLESTEM STILLERIA DR. DRID DAILY PURPLE CORNFLOWER	1 GAL	CON 70

**MADISON LANDSCAPE WORKSHEET**

**Landscape Plants Received**  
 Impervious Area = 83,800 SF  
 Landscape Plants Required: \$1,500,000 = 270 units @ 5 plants/100' = 1,350 plants

**Landscape Plants Suggested**  
 Proposed canopy trees - 52 @ \$5 = 2,600 points  
 Proposed ornamental trees - 24 @ \$15 = 360 points  
 Proposed evergreen trees - 1 @ \$30 = 30 points  
 Proposed deciduous shrubs - 63 @ \$3 = 189 points  
 Proposed evergreen shrubs - 12 @ \$4 = 48 points  
 Proposed perennials & grasses 17 @ \$2 = 34 points  
 Total landscape points suggested = 3,261 points

**Street Frontage Landscape Required**  
 Street Frontage = 793 LF  
 Canopy Trees Required: 190 LF Frontage = 95 trees  
 Dry-Ze Required: 500 LF Frontage = 25 trees  
 Total Street Frontage Trees Required = 120 trees

**Street Frontage Landscape Suggested**  
 Proposed canopy trees = 22 trees  
 Proposed shrubs = 118 shrubs  
 Interior Plantings Landscapes Required

**Planting Area Required:** 71,145 SF @ 8% (1%) = 5,692 SF  
 Canopy Trees Required: 17,160 SF planting area = 85 trees  
 Interior Plantings Landscapes Suggested  
 Proposed canopy trees = 17 trees

**1 LANDSCAPE PLAN**  
1" = 32'0"



**DIMENSION**  
Madison Design Group  
architecture - engineering - interior design

6315 Grand Teton Plaza, Suite 120  
Madison, Wisconsin 53719  
608.829.4444 608.829.4445

dimension@dimension.com

**HOLIDAY INN EXPRESS**  
5110 HIGH CROSSING BLVD  
MADISON, WI

**PLAN COMMISSION SUBMITTAL**

DATE OF ISSUE: 2/17/2015

REVISIONS:


PROJECT # 14130 & 14131

**LANDSCAPE PLAN**

**L1.0**

CONTINUED FROM PAGE 1

NO.	DATE	BY	REVISION
1	01/15/14	MS	ISSUED FOR PERMITS
2	01/15/14	MS	ISSUED FOR PERMITS
3	01/15/14	MS	ISSUED FOR PERMITS
4	01/15/14	MS	ISSUED FOR PERMITS

NO.	DATE	BY	REVISION
1	01/15/14	MS	ISSUED FOR PERMITS
2	01/15/14	MS	ISSUED FOR PERMITS
3	01/15/14	MS	ISSUED FOR PERMITS
4	01/15/14	MS	ISSUED FOR PERMITS

SHEET 1 OF 1



1 SITE LIGHTING PLAN  
SCALE: 1/4" = 1'-0"



REVISIONS

SCHULTZ ELECTRIC  
8411 MURPHY DR.  
MIDDLETON, WI 53562  
(608)838-7072  
WWW.PEPPERPOWER.COM



ES  
SITE LIGHTING-LED  
PROJECT: HIGH CROSSING  
JOB #  
PH: JS CAD: AM



**HOLIDAY INN EXPRESS**

5110 HIGH CROSSING BLVD  
MADISON, WI

**PLAN COMMISSION  
SUBMITTAL**


DATE OF ISSUE: 2/17/2015

REVISIONS:

PROJECT # 14130 & 14131

**BASEMENT FLOOR  
PLAN**

**AA1.0**



1 BASEMENT  
332' x 110'

**HOLIDAY INN EXPRESS**  
 5110 HIGH CROSSING BLVD  
 MADISON, WI

**PLAN COMMISSION  
 SUBMITTAL**

DATE OF ISSUE: 2/17/2015


REVISIONS:


PROJECT # 14130 & 14131

**FIRST FLOOR PLAN**



**AA1.1**



**1 FIRST FLOOR**  
 332'-11" x 117'

2/17/2015 10:59 AM C:\Users\jordan\Documents\14130 - Grand Holiday Inn Express High Crossing\AA1.1.dwg

**HOLIDAY INN EXPRESS**

5110 HIGH CROSSING BLVD  
 MADISON, WI

**PLAN COMMISSION  
 SUBMITTAL**


DATE OF ISSUE: 2/17/2015

REVISIONS:


PROJECT # 14130 & 14131

**UPPER FLOOR  
 PLANS**

**AA1.2**



1 UPPER FLOORS  
 332' x 112'

3/17/2015 2:31:17 PM C:\Users\mwh\Documents\15101 - Condo Holiday Inn Express RFP - Condo - mwh\15101.dwg

**HOLIDAY INN EXPRESS**

5110 HIGH CROSSING BLVD  
MADISON, WI

**PLAN COMMISSION  
SUBMITTAL**


DATE OF ISSUE: 2/17/2015

REVISIONS:


PROJECT # 14130 & 14131

**EXTERIOR  
ELEVATIONS**

**AA2.0**



② WEST ELEVATION  
332' x 1'-0"



① NORTH ELEVATION  
332' x 1'-0"

3/17/2015 1:28:28 PM C:\Users\mwh\Documents\15101 - Central Holiday Inn Express High Crossing - exterior.dwg

**HOLIDAY INN EXPRESS**

5110 HIGH CROSSING BLVD  
MADISON, WI

**PLAN COMMISSION  
SUBMITTAL**


DATE OF ISSUE: 2/17/2015

REVISIONS:



PROJECT # 14130 & 14131

**EXTERIOR  
ELEVATIONS**

**AA2.1**



② EAST ELEVATION  
302' x 1'-0"



① SOUTH ELEVATION  
302' x 1'-0"

2/17/2015 2:51:47 PM C:\Users\mcm\Documents\14130 - Grand Holiday Inn Express High Crossing.mxd

**DIMENSION**

Madison Design Group  
architecture - engineering - interior design

6515 Grand Teton Plaza, Suite 120  
Madison, Wisconsin 53719  
608.829.4444 608.829.4445

dimensionmadison.com



**HOLIDAY INN EXPRESS**

5110 HIGH CROSSING BLVD  
MADISON, WI

**PLAN COMMISSION  
SUBMITTAL**

DATE OF ISSUE: 02/17/2015

REVISIONS:


PROJECT # 14130 & 14131

PERSPECTIVE VIEW

**AA2.2**

2/17/2015 12:38:19 PM C:\Users\mwh\Documents\14131\_Gold's Gym - High Crossing - mwh.dwg

**GOLD'S GYM HIGH CROSSING**

5110 HIGH CROSSING BLVD  
 MADISON, WI



**PLAN COMMISSION  
 SUBMITTAL**

DATE OF ISSUE: 2/17/2015

REVISIONS:


PROJECT # 14131

**PARKING LEVEL**



**AB1.0**

**GOLD'S GYM HIGH CROSSING**

5110 HIGH CROSSING BLVD  
MADISON, WI

**PLAN COMMISSION SUBMITTAL**




DATE OF ISSUE: 2/17/2015

REVISIONS:



PROJECT # 14131

**FLOOR PLANS**


**AB1.1**







① East Elevation  
1/8" = 1'-0"



② North Elevation  
1/8" = 1'-0"


**MATERIAL KEY**

1. Thermally Broken Aluminum Window System
2. Sandblasted White Concrete with reveals/nustications
3. Fabric Sunscreens with Steel/Cable support system
4. Exterior Soffit with Exterior Finish System (Direct Applied 100% Acrylic Architectural Coating)
5. Hot Dipped Galvanized (G90) Steel Channel with Thermal Break Attachment
6. Sandblasted Solid White Concrete Piers
7. Rooftop Screen (5/8" Cem-Clad Panels with Steel Support system)
8. Galvanized Steel Grate Sunshade Device with Steel Support system

**Gold's Gym**


5110 High Crossing Blvd  
Madison, Wisconsin

**KEE**  
architecture



① West Elevation  
1/8" = 1'-0"

5



② South Elevation  
1/8" = 1'-0"

8


5

**MATERIAL KEY**

1. Thermally Broken Aluminum Window System
2. Sandblasted White Concrete with reveals/rustications
3. Fabric Sunscreens with Steel/Cable support system
4. Exterior Soffit with Exterior Finish System (Direct Applied 100% Acrylic Architectural Coating)
5. Hot Dipped Galvanized (G30) Steel Channel with Thermal Break Attachment
6. Sandblasted Solid White Concrete Piers
7. Rooftop Screen (5/8" Cem-Clad Panels with Steel Support system)
8. Galvanized Steel Grate Sunshade Device with Steel Support system

**Gold's Gym**  
5110 High Crossing Blvd  
Madison, Wisconsin







① - Bridge View



③ - Street View



② - Entrance View



④ - View Showing Sunshade Transparency



⑤ - View from Highway (going west)

**Gold's Gym**  
5110 High Crossing Blvd  
Madison, Wisconsin

