University Crossing



Planned Unit Development General Development Plan Specific Implementation Plan

TABLE OF CONTENTS

SECTION 1

- 1.1 Letter of Intent
- 1.2 Legal Descriptions
- 1.3 Land Use Applications

SECTION 2

2.1 Planned Unit Development Zoning

SECTION 3

- 3.1 Existing Site Aerial Photograph
- 3.2 Existing Site Plan and Parcel Numbers
- 3.3 Photographs of Existing Structures
- 3.4 Photographs of Adjacent Structures

SECTION 4

- 4.1 Lot and Yard Diagram
- 4.2 Build-to Diagram
- 4.3 Concept Master Plan
- 4.4 Building Data and Utilization
- 4.5 Development Massing Study
- 4.6 Development Street Sections
- 4.7 Community Connectivity Diagram

SECTION 5

5.1 General Development Plan (GDP) Drawings

Preliminary Plat

- C101 Site Plan
- C102 Grading Plan
- C103 Utility Plan
- L200 Landscaping Plan
- 5.2 Specific Implementation Plan (SIP) Drawings
- C101 Site Plan
- C102 Grading/Erosion Control Plan
- C103 Utility Plan
- C104 Fire Apparatus Access Plan
- L100 Landscaping Plan and Details
- E101 Site Lighting Plan
 - Proposed Site Lighting Fixture Information
- A100 Level P1 Floor Plan
- A101 First Floor Plan
- A102 Second Floor Plan
- A103 Third Floor Plan
- A201 Building Elevations
- A202 Building Elevations

SECTION ONE

- 1.1 1.2
- Letter of Intent Legal Descriptions Land Use Application 1.3

1.1 LETTER OF INTENT

ZONING REQUEST

Planned Unit Development: General Development Plan and Specific Implementation Plan

PROJECT NAME

University Crossing

Applicant & Developer:

The Lenhart Company
2020 Eastwood Drive
Madison, WI 53704
Paul Lenhart
608-249-2020, plenhart@kruppconstruction.com

Land Owner

Erdman Real Estate Holdings, LLC 6720 Frank Lloyd Wright Ave. Middleton, WI 53562

Architect

Potter Lawson Inc. 15 Ellis Potter Court Madison, WI 53711 Doug Hursh, AIA, LEED AP 608-274-2741, dough@potterlawson.com

Civil Engineer

D'Onofrio, Kottke & Associates, Inc. 7530 Westward Way Madison, WI 53717 Dan Day, PE 608-833-7530, dday@donofrio.cc

Landscape Architect

Ken Saiki Design 303 South Paterson Street Suite 1 Madison, WI 53703 Ken Saiki 608-251-3600, ksaiki@ksd-la.com

Contractor

Krupp General Contractors, LLC 2020 Eastwood Drive Madison, WI 53704 Dietmar Bassuner 608-249-2020, dietmar.bassuner@kruppconstruction.com

1st Clinic Building Use

UW Hospital and Clinics – Digestive Health Center 600 N Highland Ave. Madison, WI 53792 Andrew Howick Director of Facilities Planning 608-263-9160, ahowick@uwhealth.org

Parcel Location

5117 University Avenue, Madison

SITE

The GDP site is 14.332 acres located at the southwestern corner of University Avenue and N. Whitney Way; Urban Design District 6; Aldermanic District 19 (Clear); Madison Metropolitan School District. The project requires the demolition of approximately 11 vacant existing commercial buildings located throughout the subject site. The existing five-story, 90,000 square-foot Wisconsin Public Service Commission (PSC) Building located in the southeastern corner of the subject site will remain and is not included in this PUD.

The SIP site is 3.74 Acres and is designated Lot 1 and Building 1.

Comprehensive Plan

The city of Madison Comprehensive Plan designates this site for Employment (E) and Neighborhood Mixed Use (NMU). The southeast corner of the site is also designated as a Transit Oriented Design (TOD) overlay located at the intersection of Whitney Way and Old Middleton Road.

Existing Zoning

The entire site is currently zoned C3 (Highway Commercial District) and is within a well-head protection zone, WP-14.

Existing Uses

Vacant Office, Vacant Restaurant, Vacant Warehouses, and Vacant Motel

Surrounding Uses

North: Single-family residences in the Spring Harbor neighborhood and Water Utility Well 14, zoned R1 (Single-Family Residence District)

South: Wisconsin Southern Railroad right of way and Old Middleton Road; Knupp, Watson & Wallman Advertising, zoned C2 (General Commercial District); single-family residences, zoned R2 (Single-Family Residence District); two-family residences, zoned R3 (Single- and Two-Family Residence District) and PUD-SIP

West: Trillium Homes, zoned R4 (General Residence District)

East: Multi-tenant commercial development, Taco Bell, zoned C3 (Highway Commercial District).

Design Description

This infill master plan is a multi-phase redevelopment designed to create an urban campus environment that includes a mix of complimentary uses. The project takes advantage of an existing under-utilized site within the city to help to reduce suburban sprawl and utilize existing infrastructure. The plan balances the need for increased density while being sympathetic to the surrounding uses and scale. The structures are closely spaced to create defined public street spaces with pedestrian friendly connections while maintaining access to day light and views. Parking structures are utilized to reduce the need for surface parking and to allow the buildings to be placed closer together. Streets will be designed to encourage pedestrian use and will have parallel parking to further define the pedestrian scale and urban nature of the development.

The 3 buildings to the North West of the site are intended to provide clinic space for the University of Wisconsin Hospital and Clinics. The buildings that define the corner of University Avenue and Whitney Way will have a mix of uses including retail, service commercial, office and hospitality. It is the intent that the retail component will provide a public gathering place for the neighborhood and will include a shared outdoor dining/gathering common space between the mixed use building, the hotel and the apartments.

Apartment units surround the internal parking structure to provide definition and activity to the 2 north south streets. A non-profit hospitality/residential component is located internally on a donated site near the round-about intersection. Along with the hotel, these buildings provide activity and ownership on the site after hours.

The mix of uses encourages walking, shared parking and activities in the evening.

A new north south bike path connection is planned for the west edge of the site to connect to the future planned bike path along Old Middleton Road. The site provides accessibility to diverse modes of transportation including pedestrians, bikes, buses, cars, and future rail.

Proposed Uses

Building 1

The General Development Plan (GDP) includes 7 buildings and 3 parking structures. The following is a potential full site build out summary of uses. The final building area, apartment count and parking count will vary based on the Specific Implementation Plans. See Section 5.3 for building data.

Building 1A	Clinic
Building 2	Clinic
Building 3	Non-Profit Hospitality
Building 4	Mixed Use, Retail, Service and Office
Building 5	Hotel, approximately 130 Rooms
Building 6	Apartment Homes – Approximately 65 units

Clinic – Digestive Health Center – SIP

Approximate Total Area 488,200 sf

Approximate Total Parking 1,360 - 1,460 stalls
Approximate Parking Ratio 2.78 to 2.99 per 1,000 sf

Environmental Sustainability

This project will follow sustainability guidelines. The first proposed clinic building is pursuing LEED Healthcare certification.

Sustainable Site

The project is a redevelopment of an existing site within the city. It provides increased density to reduce sprawl, utilizes existing infrastructure, and provides community connectivity with opportunities for biking, pedestrian access and transit use. The project includes a mix of uses including employment, retail and residential uses. The retail and residential uses compliment the employment use by allowing the employees to walk to the retail amenities and potentially walk to work. The mix of use also allows for sharing of parking stalls to reduce the amount of parking on the site. Landscaping will include indigenous species and will not include permanent irrigation.

LEED Certification

The first clinic building will be pursuing LEED for Healthcare designation.

Energy Efficient Buildings

The buildings will be much more energy efficient than the existing buildings on the site. The building shell and mechanical systems will be designed to provide increased energy efficiency. Sustainable strategies may include energy recovery, harvesting natural daylight and solar hot water heating.

Water Efficiency – roof water collection and reuse The building's plumbing fixtures will be chosen to save water. Strategies may include roof water collection for flushing of toilets.

Recycling during demo and construction

During demolition and construction the contractors will be looking for ways to recycle as much as possible to reduce waste that ends up in the landfills.

Materials and Indoor air quality

The project will utilize low and zero VOC products to create healthy interior spaces, regional materials to reduce transportation energy and materials with recycled content to reduce resource use.

Architectural Design

The Architectural design of the buildings will be of their time, energy efficient, utilizing clean contemporary lines with warm and inviting materials. Special care will be taken for the buildings to respond to the pedestrian scale along the streets.

The buildings are intended to define the public spaces of the streets and the common plaza area between the proposed hotel and the mixed use building. An architectural review board will be established that includes the developer and the major land user; the UW Hospital and Clinics.

- External Mechanical Equipment will be screened.
- Trash dumpsters and service areas will be screened from public spaces.
- Building materials will be durable and low maintenance.

Signage

The signage for each of the buildings will be submitted during the SIP process. The design of the signage within the UW Hospital and Clinics sites will be designed to help to designate the area as a campus. The remainder of the office and commercial areas will have unique signage.

Schedule

The first clinic building is intended to be occupied by January 2013, with construction starting in November of 2011. The remainder of the site is intended to be completed within 5 years.

Demolition

It is the developer's intent to follow any and all City of Madison Demolition Recycling and Reuse regulations. As directed, ReStore will be contacted for items that can be removed for resale. Any and all appliances, which include HVAC equipment and water heaters, will be recycled and/or sold/reused. Devices that contain mercury, i.e. thermostats or fluorescent lights, will be recycled in the appropriate manner. Concrete, asphalt, and metal will be recycled for reuse.

Transportation Demand Management

The location of this site at the crossroads of University Avenue, Whitney Way and Old Middleton Road affords great opportunities for alternative forms of transportation. The design of the master plan includes amenities to encourage bike, pedestrian and bus usage. The UW Hospital and Clinics have a sophisticated TDM program to encourage multi modes of transportation to reduce single occupant vehicular trips for their employees.

Bike

The clinic building will include internal bike storage, showers, lockers and changing rooms to encourage bike use by employees. The site master plan includes a new North South bike path to connect to the new development. The bike path will provide a connection to the Trillium Neighborhood to the west and will allow for bike and pedestrian connections.

Transit

The UW provides complimentary bus passes to all employees. The passes work for any city bus and this site is currently served by several bus routes on University Avenue and Whitney Way.

Future Transit

The corner of Whitney Way and Old Middleton Road has been designated for a future Light Rail Station and would provide excellent connectivity for all users of the site including the employees of the UW Hospital and Clinics.

Park and Ride

Madison Metro provides 4 free Park and Ride lots

Carpool

Carpool matching is available through Dane County's Rideshare program.

Vanpool

WI Department of Administration runs a statewide vanpool which many UW employees use.

Custom Route Planning and Individualized Marketing UW Transportation Services periodically sends out (or holds special events to distribute) targeted marketing information on alternatives to driving. For those with an interest, we can provide a tailored information packet including door-to-door transit and bicycle routes and/or advice on using our support services or taking alternative modes.

Traffic Study

A traffic study is partially completed and will be part of the final SIP submittal.

Public Assistance

Build out of the project at densities requiring parking ramps is dependent on Tax Incremental Financing. Preliminary discussions have occurred with the city and a TIF application is in the process.

1.2 LEGAL DESCRIPTIONS

GENERAL DEVELOPMENT PLAN

Part of Lot 2 Certified Survey Map No. 4473, recorded in Volume 19 of Certified Survey Maps on Pages 181 and 182 as Document No. 1850622 and a parcel of land located in the SE1/4 and SW1/4 of the SE1/4 of Section 18 and in the NE1/4 and NW1/4 of the NE1/4 of Section 19, T7N, R9E, City of Madison, Dane County, Wisconsin to-wit: Commencing at the north quarter corner of said Section 19; thence N88°39'15"E along the north line of said NE1/4, 662.06 feet to the point of beginning; thence N00°11'21"W, 486.39 feet; thence N44°18'07"E, 182.13 feet; thence S43°38'23"E, 74.49 feet; thence N44°17'58"E, 237.90 feet to the southerly right-of-way line of University Avenue and a point of curve; thence southeasterly, along said southerly rightof-way line, on a curve to the left which has a radius of 2.925.00 feet and a chord which bears S46°42'50"E, 224.44 feet; thence S46°06'07"E, 90.04 feet to a point of curve; thence southeasterly on a curve to the left which has a radius of 2052.00 feet and a chord which bears \$54°17'02"E, 171.45 feet to a point on a curve; thence southeasterly on a curve to the left which has a radius of 2925.00 feet and a chord which bears \$55010'19"E, 117.15 feet to a point of reverse curve; thence continuing along said southerly right-of-way line and westerly right-of-way line of Whitney Way, on a curve to the right which has a radius of 75.00 feet and a chord which bears \$13°47'28"E, 105.21 feet; thence \$30°19'22"W along said westerly right-of-way line, 127.18 feet; thence S12°03'20"E along said westerly right-of-way line, 215.17 feet; thence S12°19'04"E along said westerly right-ofway line, 4.96 feet; thence N85°21'00"W, 144.57 feet; thence N89°34'30"W, 271.00 feet; thence S00°25'30"W, 319.96 feet to the State of Wisconsin Department of Transportation north right-of-way line and a point on a curve; thence northwesterly on a curve to the right which has a radius of 2406.20 feet and a chord which bears N84°14'42"W, 397.06 feet; thence N00°11'21"W, 343.86 feet to the point of beginning. Containing 624,281 square feet (14.332 acres).

SPECIFIC IMPLEMENTATION PLAN

LOT 1 LEGAL DESCRIPTION PARCEL TO BE ZONED SIP

A parcel of land located in the SW1/4 of the SE1/4 of Section 18, T7N, R9E, City of Madison, Dane County, Wisconsin to-wit: Commencing at the south quarter corner of said Section 18; thence N88°39'15"E, 662.06 feet; thence N00°11'21"W, 248.94 feet to the point of beginning; thence continuing N00°11'21"W, 131.20 feet; thence N44°17'58"E, 493.15 feet to the southerly right-of-way of University Avenue and a point of curve; thence along said right-of-way line, southeasterly on a curve to the left which has a radius of 2,925.00 feet and a chord which bears S46°42'50"E, 224.44 feet; thence S46°06'07"E along said right-of-way line, 68.47 feet; thence S38°18'40"W, 36.13 feet; thence S24°11'45"W, 98.41 feet; thence S38°18'40"W, 211.56 feet to a point of curve; thence southwesterly on a curve to the left which has a radius of 268.00 feet and a chord which bears \$34°22'25"W, 36.81 feet; thence \$\text{N59}\circ{33}'50"W, 64.48 feet; thence S89°48'40"W, 286.44 feet to the point of beginning. Containing 163,135 square feet (3.745 acres).



- Th C sh
- Be re
- Ple re
- Th W
- All

		-					
116571111	SE APPLICATION Plan Commission	FOR OFFICE USE ONLY: Amt. Paid Receipt No.					
215 Martin Luther Kir PO Box 2985; Madiso	ng Jr. Blvd; Room LL-100 n, Wisconsin 53701-2985 Facsimile: 608.267.873	- 1	Parcel No.				
Commission review exce should be filed with the • Before filing your applic	n is required for all applications for subdivisions or land divisions Subdivision Application. Sation, please review the inform of the first parts.	, which mation	Aldermanic District GQ Zoning District For Complete Submittal Application Letter of				
required fields. This application form www.cityofmadison.com	he application completely and f may also be completed onl /planning/plan.html ns should be filed directly wi	line at	Intent				
1. Project Address:	5115 University Avenue	L	Project Area in Acres: 14.33, 3.74				
	University Crossing (GDP), Di	gestive He	ealth Center (SIP)				
2. This is an applicat	ion for:						
Zoning Map Amendmen	${f t}$ (check the appropriate box(es) ir	n only one	of the columns below)				
Existing Zoning:			Rezoning to or Amendment of a PUD or PCD District: Ex. Zoning: to PUD/PCD-GDP Ex. Zoning: to PUD/PCD-SIP Amended Gen. Dev. Amended Spec. Imp. Plan				
☐ Conditional Use	✓ Demolition Permit	☐ Ot	her Requests (Specify):				
Applicant's Name: Paul Ler Street Address: 2020 East Telephone: (608) 249-20	wood Dr. Ci	Com ity/State:	Email: plenhart@kruppconstruction.com				
Project Contact Person:	ug Hursh, Executive Vice Presid	lent Com	pany: Potter Lawson, Inc.				
Street Address: 15 Ellis Po	tter Dr.	ity/State:	Madison.WI zip: 53711 Email: dough@potterlawson.com				
Property Owner (if not application Street Address: 6720 Franch	Fax: () ant): Erdman Real Estate Holdin k Lloyd Wright Ave	igs, LLC ity/State: N	Erdman Future, LLC University Avenue Profiled Indicated August 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				
4. Project Information Provide a brief description	on: of the project and all proposed	d uses of t	the site:				
In-till redevelopment creati	ng an urban campus environme	nt includir	ng clinic, hospitality, retail, office, and housing uses.				
Development Schedule:	Commencement Nov 2011	·	Completion Jan 2013 (SIP), Jan 2019 (GDP)				

5. Required Submitta	als:
----------------------	------

\bigcirc	Plans submitted as follows below and depicts all lot lines; existing, altered, demolished or proposed buildings;
	parking areas and driveways; sidewalks; location of any new signs; existing and proposed utility locations; building
	elevations and floor plans; landscaping, and a development schedule describing pertinent project details:

- 7 copies of a full-sized plan set drawn to a scale of one inch equals 20 feet (collated and folded)
- 7 copies of the plan set reduced to fit onto 11 inch by 17 inch paper (collated, stapled and folded)
- 1 copy of the plan set reduced to fit onto 8 ½ inch by 11 inch paper
- Letter of Intent (12 copies): describing this application in detail including, but not limited to: existing conditions and uses of the property; development schedule for the project; names of persons involved (contractor, architect, landscaper, business manager, etc.); types of businesses; number of employees; hours of operation; square footage or acreage of the site; number of dwelling units; sale or rental price range for dwelling units; gross square footage of building(s); number of parking stalls, etc.
- Legal Description of Property: Lot(s) of record or metes and bounds description prepared by a land surveyor. For any application for rezoning, the description must be submitted as an electronic word document via CD or e-mail. For applications proposing rezoning to more than one district, a separate description of each district shall be submitted.
- $\boxed{}$ Filing Fee: $\$ \frac{4,050}{}$ See the fee schedule on the application cover page. Make checks payable to: City Treasurer.
- Electronic Submittal: All applicants are required to submit copies of all items submitted in hard copy with their application (including this application form, the letter of intent, complete plan sets and elevations, etc.) as Adobe Acrobat PDF files on a non-returnable CD to be included with their application materials, or in an e-mail sent to pcapplications@cityofmadison.com. The e-mail shall include the name of the project and applicant, Applicants unable to provide the materials electronically should contact the Planning Division at (608) 266-4635 for assistance,

In Addition, The Following Items May Also Be Required With Your Application:

- For any applications proposing demolition or removal of existing buildings, the following items are required:
 - Prior to the filing of an application, the applicant or his/her agent is required to notify a list of interested persons registered with the City 30 or 60 days prior to filing their application using the online notification tool found at: https://www.cityofmadison.com/developmentCenter/demolitionNotification/
 - A photo array (6-12 photos) of the interior and exterior of the building(s) to be demolished or removed. A written assessment of the condition of the building(s) to be demolished or removed is highly recommended.
 - Note: A Reuse and Recycling Plan approved by the City's Recycling Coordinator is required prior to issuance of wrecking permits and the start of construction.

\checkmark	Zoning	Text (12 copies)	: must acco	mpany Planne	d Community	or Planned	Unit (Development	(PCD/PUD)) submittals
--------------	--------	------------------	-------------	--------------	-------------	------------	--------	-------------	-----------	--------------

6. Applicant Declarations:

Ψ.	Apprount become attends
✓	Conformance with adopted City plans: Applications shall be in accordance with all adopted City of Madison plans → The site is located within the limits of the City of Madison Comprehensive Plan, which recommends:
	(E) Employment, (NMU) Neighborhood Mixed Use, (TOD) Transit Oriented Design for this property.
V	Pre-application Notification: Section 28.12 of the Zoning Code requires that the applicant notify the district alde and any nearby neighborhood & business associations in writing no later than 30 days prior to filing this request:
	-> List below the Alderperson, Neighborhood Association(s), Business Association(s) AND dates you sent the notices: 27 April 2011 - Alder Mark Clear; 10 May 2011 -Spring Harbor Neighborhood Association
	NOTE: If the alder has granted a waiver to this requirement, please attach any such correspondence to this form.
√	Pre-application Meeting with staff: <u>Prior</u> to preparation of this application, the applicant is required to discuss the proposed development and review process with Zoning and Planning Division staff; note staff persons and date.
	Planning Staff: Brad Murphy Date: 4/18/11 Zoning Staff: Matt Tucker Date: 4/18/11
\checkmark	Check here if this project will be receiving a public subsidy. If so, indicate type in your Letter of Intent.
TI	ne signer attests that this form is accurately completed and all required materials are submitted:
Pr	Douglas R. Hursh, AIA, LEED AP Date 13 July 2011
Sı	gnature August M. Relation to Property Owner Architect, Potter Lawson
Αι	uthorizing Signature of Property Owner University Avenue Properties, LLC Date 13 July 2011
	Gentlective May 1.2009 By Erdman Holdings Inc., Solo member and Agent Scoulan, Vice President

SECTION TWO

2.1 Planned Unit Development Zoning

2.1 PLANNED UNIT DEVELOPMENT ZONING

- 1. Legal Description: Part of Lot 2 Certified Survey Map No. 4473, recorded in Volume 19 of Certified Survey Maps on Pages 181 and 182 as Document No. 1850622 and a parcel of land located in the SE1/4 and SW1/4 of the SE1/4 of Section 18 and in the NE1/4 and NW1/4 of the NE1/4 of Section 19, T7N, R9E, City of Madison, Dane County, Wisconsin to-wit: Commencing at the north quarter corner of said Section 19; thence N88°39'15"E along the north line of said NE1/4, 662.06 feet to the point of beginning; thence N00°11'21"W, 486.39 feet; thence N44°18'07"E, 182.13 feet; thence S43°38'23"E, 74.49 feet: thence N44°17'58"E, 237.90 feet to the southerly right-of-way line of University Avenue and a point of curve; thence southeasterly, along said southerly rightof-way line, on a curve to the left which has a radius of 2,925.00 feet and a chord which bears S46°42'50"E, 224.44 feet; thence S46°06'07"E, 90.04 feet to a point of curve; thence southeasterly on a curve to the left which has a radius of 2052.00 feet and a chord which bears S54°17'02"E, 171.45 feet to a point on a curve; thence southeasterly on a curve to the left which has a radius of 2925.00 feet and a chord which bears S55°10'19"E, 117.15 feet to a point of reverse curve; thence continuing along said southerly right-of-way line and westerly rightof-way line of Whitney Way, on a curve to the right which has a radius of 75.00 feet and a chord which bears \$13°47'28"E, 105.21 feet; thence \$30°19'22"W along said westerly right-of-way line, 127.18 feet; thence S12°03'20"E along said westerly right-of-way line, 215.17 feet; thence S12°19'04"E along said westerly right-of-way line, 4.96 feet; thence N85°21'00"W, 144.57 feet; thence N89°34'30"W, 271.00 feet; thence S00°25'30"W, 319.96 feet to the State of Wisconsin Department of Transportation north right-of-way line and a point on a curve; thence northwesterly on a curve to the right which has a radius of 2406.20 feet and a chord which bears N84°14'42"W, 397.06 feet; thence N00°11'21"W, 343.86 feet to the point of beginning. Containing 624,281 square feet (14.332 acres).
- 2. Statement of Purpose: This Planned Unit Development zoning is established to allow for the development of a mixed-use redevelopment project containing a mix of office, medical, retail and housing uses with accessory parking, as shown on the attached General Development Plan. Implementation of the Planned Unit Development is likely to occur in phases following approval of individual projects on one or more Specific Implementation Plans.
- Permitted Uses: Uses as permitted on Exhibit A, attached hereto.
- **4. Lot Area, Floor Area Ratio and Building Heights:** Lot Area, Building Heights and Floor Area Ratio shall be as shown on approved specific implementation plans.
- Yard Requirements: Yard Areas and Usable Open Space for any residential units shall be provided as shown on approved specific implementation plans.
- **6. Landscaping:** Site Landscaping shall be provided as shown on the approved specific implementation plans.
- Accessory Off-Street Parking & Loading: Accessory Off-Street Parking & Loading shall be provided as shown on the approved specific implementation plans.
- **8. Lighting:** Site Lighting shall be provided as shown on the approved specific implementation plans.
- **9. Signage:** Signage will be provided per Chapter 31 of Madison General Ordinances (MGO), as compared to the C2 district, and as approved by the Urban Design Commission or its secretary and by the Zoning Administrator.
- 10. Family Definition: The Family Definition for any future multi-family dwelling units (including apartments, townhouses, etc.) shall coincide with the definition given in MGO Sec. 28.03, for the R4 zoning district.

- 11. Alterations and Revisions: No alteration or revision of this planned unit development shall be permitted unless approved by the City Plan Commission, however, the zoning Administrator may issue permits for minor alterations or additions which are approved by the Director of Planning and Community & Economic Development and the alderperson of the district and are compatible with the concept approved by the City Plan Commission.
- 12. Outdoor Eating Areas: Outdoor Eating Areas for restaurants shown on approved specific implementation plans approved by the Plan Commission, or as minor alterations to approved and recorded specific implementation plans for existing restaurants when approved by the District Alderperson and Planning Division Director, with the following conditions or as otherwise provided for through the alteration process:
 - a. Hours of Operation: Sunday-Thursday -7:00 am to 10:00 pm; Friday-Saturday -7:00 am to 11:00 pm
 - b. **Music:** No outdoor amplification of sound is permitted
 - c. **Outdoor eating areas:** shall be subject to the Plan Commission's continuing jurisdiction, as provided for in Section 28.12(11)h.4.

EXHIBIT A - PERMITTED USES

The following uses shall be permitted in this Planned Unit Development:

- 1. Amusement arcades.
- 2. Appliance stores.
- 3. Art and school supply stores.
- 4. Art galleries, antique shops and museums.
- 5. Automobile accessory stores.
- 6. Banks and financial institutions, including drive-up service windows for same when shown on an approved specific implementation plan.
- 7. Barbershops and beauty parlors.
- 8. Bedding sales.
- 9. Beauty supply stores.
- 10. Bicycle sales, rental and repair establishments.
- 11. Book, magazine and stationery stores, excluding adult bookstores.
- 12. Building supply stores.
- 13. Camera and photographic supply stores.
- 14. Candy, ice cream stores, and other food establishments.
- 15. Card and gift shops.
- 16. Carpet and Floor covering stores.
- 17. China and glassware stores.
- 18. Clothing and costume rental stores
- 19. Coffee shops
- 20. Coin and stamp shops
- 21. Dance studios.
- 22. Day care centers for children and adults.
- 23. Department stores.
- 24. Drugstores and pharmacies including drive-up service windows for same when shown on an approved specific implementation plan.
- 25. Dry cleaning and laundry establishments provided that no cleaning or laundering occur on premises.
- 26. Dry goods stores.

- 27. Electronic stores, including the sale and service of computer, audio, radio, telecommunications and television video equipment and accessories.
- 28. Entertainment Uses, including Theater Uses.
- 29. Engraving businesses.
- 30. Express and parcel delivery establishments.
- 31. Financial institutions, including automated teller machines, banks, savings banks and credit unions, insurance agencies and securities dealers.
- 32. Florist shops and nurseries.
- 33. Food stores grocery stores, meat stores, fish markets, bakeries, delicatessens, and catering establishments.
- 34. Furniture stores.
- 35. General Merchandise Retail Stores.
- 36. Gift shops.
- 37. Hardware stores.
- 38. Hobby shops.
- 39. Home Furnishings stores.
- 40. Hotels and hospitality uses as shown on approved specific implementation plans.
- 41. Household appliance stores, including radio and television sales and service.
- 42. Jewelry and watch stores, including repair.
- 43. Leather goods and luggage stores.
- 44. Libraries.
- 45. Liquor stores (packaged goods only).
- 46. Locksmith shops.
- 47. Luggage and travel stores.
- 48. Massage therapy.
- 49. Hospital, medical, dental, hearing, optical and allied medical clinics and offices and research laboratories, including accessory laboratories.
- 50. Musical instrument lessons, sales and repair.
- 51. Multi-family and senior residences as shown on the approved specific implementation plans, including home occupations as defined in MGO Sec. 28.04(26).
- 52. Nail salons.
- 53. Office supply and stationery stores.
- 54. Offices, business, government and professional.

- 55. Optical sales.
- 56. Orthopedic and medical appliance and supply stores.
- 57. Outdoor seating and recreation areas.
- 58. Parking lots, garages and structures.
- 59. Personal computers and home electronics, sales and service.
- 60. Pet stores and pet kennels, provided however there shall be no outdoor pet runs.
- 61. Phonograph, record and sheet music stores.
- 62. Physical culture, health services, reducing salons and health clubs/ gyms.
- 63. Physical therapy and therapeutic massage services.
- 64. Picture framing.
- 65. Post offices, including private parcel business.
- 66. Record, compact disc and cassette stores.
- 67. Restaurants, including brewpubs and restaurant-taverns and excluding adult entertainment taverns. Outdoor eating areas associated with the approved uses.
- 68. Sewing machine sales and service, household appliances only.
- 69. Shoe and hat repair stores.
- 70. Sporting goods stores.
- 71. Tailor shops.
- 72. Tobacco shops.
- 73. Tov shops.
- 74. Travel bureau and transportation ticket offices.
- 75. Upholstery and interior decorating shops.
- 76. Variety stores.
- 77. Veterinary clinics (outside kennels prohibited).
- 78. Video and video game rental and sale establishments, excluding adult video stores.
- 79. Wearing apparel and shoe shops.
- 80. Farmers markets for the sale of personally prepared food and handcrafted goods.
- 81. Secondhand and rummage shops.
- 82. Outdoor charging stations for electric and alternative vehicles.
- 83. Shared bicycle stations
- 84. Accessory uses directly associated with the permitted uses listed herein.

SECTION THREE

- 3.1 3.2
- 3.3 3.4
- Existing Site Aerial Photograph Existing Site Plan Photographs of Existing Structures Photographs of Adjacent Structures


3.1 EXISTING SITE AERIAL PHOTOGRAPH



- 5117 University Ave
 5105 University Ave
 5063 University Ave
- 4. 702 N Whitney Way
 5. 650 N Whitney Way
 6. 610 N Whitney Way
 7. 610 N Whitney Way
 8. 5111 University Ave

- 9. 5115 University Ave
- 10. 5107 University Ave 11. 5119 University Ave

3.2 EXISTING SITE PLAN AND PARCEL NUMBERS



^{*}Drawing not to scale

5117 UNIVERSITY AVENUE, FORMER HOME OFFICE OF MARSHALL ERDMAN & ASSOCIATES



5105 UNIVERSITY AVENUE, FORMER OFFICE BUILDING FOR MARSHALL ERDMAN & ASSOCIATES













5107 UNIVERSITY AVENUE, FORMER "LOWER WAREHOUSE"







5111 UNIVERSITY AVENUE, FORMER "UPPER WAREHOUSE"







5115 UNIVERSITY AVENUE, FORMER "BLUE WAREHOUSE"







5119 UNIVERSITY AVENUE, FORMER "GREY SHED"







5101 & 5063 UNIVERSITY AVE, FORMER MERRILL SPRINGS INN











702 N. WHITNEY WAY, FORMER IRISH WATERS







3.4 PHOTOGRAPHS OF ADJACENT STRUCTURES

5129 UNIVERSITY AVENUE, SPRING HARBOR ANIMAL HOSPITAL





650 N. WHITNEY WAY, OPEN PANTRY




610 N. WHITNEY WAY, PSC BUILDING



SECTION FOUR

- 4.1
- 4.2
- 4.3
- 4.4
- 4.5
- Lot and Yard Diagram
 Build-to Diagram
 Development Master Plan
 Building Data and Utilization
 Development Massing Study
 Development Street Sections 4.6
- 4.7 Community Connectivity Diagram


4.1 LOT AND YARD DIAGRAM



*Drawing not to scale

------ PRELIMINARY PLAT
------ BUILDING SETBACK LINE
------ POSSIBLE BUILDING FOOTPRINTS

4.2 BUILD-TO DIAGRAM



"BUILD—TO LINES" ARE TYPICALLY WITHIN 5' OF MINIMUM SETBACK LINES AT POTENTIAL BUILDING LOCATIONS. THE LOCATION OF BUILD—TO LINES MAY VARY AT CURVED R.O.W.'S. PORTIONS OF BUILDINGS CAN BE SET BACK FROM THE BUILD TO LINE BUT THE INTENT IS FOR MOST OF THE BUILDING TO BE BUILT UP TO THE BUILD—TO LINE. FINAL BUILDING LOCATIONS ARE TO BE DETERMINED IN S.I.P. PROCESS.

STRUCTURES CAN BE RECESSED FROM THE BUILD-TO LINE TO ALLOW FOR ADDITIONAL LANDSCAPING

4.3 CONCEPT MASTER PLAN



**This is a Concept Masterplan. Final building footprint uses and sizes will be determined during the SIP submittals.

4.4 BUILDING DATA AND UTILIZATION

Building Data and Utilization Chart

Lot #	Potential Land Use	Net Lot Area (sf)	Proposed Footprint Area (sf)		Proposed Height (stories)	Proposed Building Area (sf)		F.A.R.	Proposed Parking Stalls	
			Bldg 1:	20,000	3	Bldg 1:	60,000		Surface: Structure A:	60 426
1	Clinic	186,000	Bldg 1A:	17,500		Bldg 1A:	70,000		Below Bldg:	38
2	Clinic	144,184	Bldg 2:	26,700	3	Bldg 2:	80,000	.55	Surface: Structure B: Below Bldg:	19 342 50
3	Non-profit hospitality	43,560	Bldg 3:	13,400	3	Bldg 3:	40,000	.92	Surface:	56
4	Office/Retail	54,014	Bldg 4:	21,000	3	Bldg 4 retail: Bldg 4 office:	9,500 43,500		Surface: Below Bldg:	9 38
5	Hotel	40,075	Bldg 5:	14,000	6	Bldg 5:	84,000	2.10	Surface:	29
6	Residential/ Retail	33,977	Bldg 6:	25,800	4	Bldg 6 retail: Bldg 6 res:	4,200 87,000		0	
7	Parking*	38,768	_		-	-	400,000	-	Structure C:	293-393

Total Building Area: 488,200 Total Parking Stalls 1,360-1,460

2.99 stalls/ 1,000 sf

Parking

Parking Structure A: 3-4 Levels Parking Structure B: 3 Levels Parking Structure C: 3-4 Levels

^{*}Parking Structure C for Buildings 4, 5, & 6

4.5 DEVELOPMENT MASSING STUDIES



NORTH AERIAL

4.5 DEVELOPMENT MASSING STUDIES



EAST AERIAL


4.5 DEVELOPMENT MASSING STUDIES



COURTYARD AERIAL

CONCEPTUAL STREET DESIGN


The following diagrams illustrate the street sections as shown in the GDP master plan. The buildings are shown with minimal set backs to create definition of the public street space and enhance pedestrian access on the site. The street cross sections will serve as a template for the development of the street layouts with the goal of implementing balanced pedestrian and vehicular uses. The conceptual street designs will be finalized as part of the development agreement.

















4.7 COMMUNITY CONNECTIVITY DIAGRAM



5


SECTION FIVE


5.1	General Development Plan (GDP) Drawings Preliminary Plat
C101	Site Plan
C102	Grading Plan
C103	Utility Plan
L200	Landscaping Plan
5.2	Specific Implementation Plan (SIP) Drawings
C101	Site Plan
C102	Grading/Erosion Control Plan
C103	Utility Plan
C104	Fire Apparatus Access Plan
L100	Landscaping Plan and Details
E101	Site Lighting Plan
	Proposed Site Lighting Fixture Information
A100	Level P1 Floor Plan
A101	First Floor Plan
A102	Second Floor Plan
A103	Third Floor Plan
A201	Building Elevations
A202	Building Elevations


YOUR NATURAL RESOURCE FOR LAND DEVELOPMENT D'ONOFRIO KOTTKE AND ASSOCIATES, INC. CILL OE WYDISON' DYNE CONNLL' MISCONSIN YND BYKL OE LHE NEI'\# WND NMI'\# OE SECLION 18' LLN' K9E' BYKL OE LHE ESI'\# E RAILY OE LHE ESI\# OE SECLION 18' BYKL OE FOL 7' CEKILHED SNKAEL WYB NO ##\3'


MNINERSILA CROSSING

































FEATURES & SPECIFICATIONS

INTENDED USE — For building- and wall-mounted applications.

CONSTRUCTION — Rugged, die-cast, single-piece aluminum housing. Die-cast doorframe has a 1/8" thick tempered glass lens. Doorframe is fully gasketed with one-piece solid silicone.

OPTICS — Segmented reflectors for superior uniformity and control. Medium throw (MD) full cutoff distribution available.

ELECTRICAL — Ballast: Class P, multi-volt electronic, high power factor, <10%THD, with starting temperature of 0°F (-18°C).

Socket: High temperature thermoplastic with an integral lamp retention clip.

Finish: Standard finish is textured dark bronze (DDBT) corrosion-resistant polyester powder finish. Additional architectural colors are available. Striping is also available.

INSTALLATION — Universal mounting mechanism with integral mounting support allows fixture to hinge down. Bubble level provides correct alignment with each installation.

LISTINGS — UL Listed (standard). CSA Certified (see Options). Suitable for wet locations (damp location listed in lens-up orientation). WLU option offers wet location listing in up orientation (see Options). IP65 Rated. 25°C ambient. ELED: U.S. Patent No. 7,737,640.

Note: Specifications subject to change without notice.

Catalog Number		
Number		
Notes		
T		
Туре		



Decorative Wall-Mounted Lighting

WST

COMPACT FLUORESCENT: 26W DTT 26W-42W TRT

Specifications

Length: 16-1/4 (41.2)

Depth: 9-1/8 (23.2)

Overall Height: 7-1/4 (18.4)

*Weight: 30 lbs (13.6 kg)

*University of the specific and the specif

All dimensions are inches (centimeters) unless otherwise indicated.

ORDERINGINFORMATION

For shortest lead times, configure product using standard options (shown in bold).

Example: WST 42TRT MD 120 LPI

WST		MD				
Series	Wattage	Distribution	Voltage	Ballast	Mounting	Options
WST	26DTT 2/26DTT 26TRT 2/26TRT 32TRT 2/32TRT 42TRT 2/42TRT	MD Medium throw	120 277 347 MVOLT ¹	(blank) Electronic 0° F	(blank) Surface mount Shipped separately ² BBW Surface mount back box UTS Uptilt 5 degrees	Shipped installed in fixture DC12 Emergency circuit 12-volt (35W lamp included) ³ 2DC12 Emergency circuit 12-volt (two 35W lamps included) ³ DC2012 Emergency circuit 12-volt (20W lamp included) ³ 2DC2012 Emergency circuit 12-volt (two 20W lamps included) ³ DFL Diffusing lens

Options (c	ontinued)					Finish ¹³		Lamp	15
EC ELDW ELDWC ELDWR ELDWRPS ELED 2ELED	Emergency circuit ⁴ Emergency battery pack (32° min. operating temp) ^{5, 6, 7, 8} Emergency battery pack (0° min. operating temp) ^{5, 6, 7, 8} Fixture wired ready for Bodine [®] B30 battery pack (battery pack not included; 32° min. operating temp) ⁵ Fixture wired ready for PS1400 or PSDI remote battery pack (battery pack not included; 32° min. operating temp) ^{5, 9} Emergency LED secondary source battery pack with time delay (-4°F min. operating temperature) ^{10, 11} Emergency LED secondary source (two modules) battery pack with time delay (-4°F min. operating temperature) ^{10, 11}	GMF PE WLU CSA NOM	Internal slow-blow fusing ⁵ Photoelectric cell-button type ¹² Wet location door for up orientation CSA certified NOM certified	<u>Shipp</u> WG VG	oed separately ¹³ Wire guard Vandal guard	(blank) DSST DNAT DWHG DBLB CR CRT	Dark bronze, textured Sandstone, textured Natural aluminum, textured White, textured Black, textured Corrosion-resistance Non-stick protective coating ¹⁴	LPI L/LP	Lamp included Less lamp

Notes

- Multi-volt electronic ballast capable of operating on any line voltage from 120-277V.
- $2\qquad \text{May be ordered as an accessory. Prefix with "WS". Must specify finish.}$
- 3 Not available with GMF, EC, ELDWs.
- 4 Maximum allowable wattage lamp included.
- 5 Not available with MVOLT; must specify voltage.
- 6 Not available with 2/32TRT or 2/42TRT
- 7 Not available with DCs or EC.

- 8 Not available with 2/26DTT or 2/26TRT.
- 9 Not available with 2/42TRT.
- 10 Not available with EC, DCs OR ELDWs.
- 11 Must specify 120V or 277V.
- 12 Must be ordered with fixture; cannot be field installed.
- 13 See www.lithonia.com/archcolors for additional color options.
- 14 Black finish only.
- 15 Must be specified (35K lamp with LPI).




Consistent with LEED® goals & Green Globes™ criteria for light pollution reduction

^{*}Weight as configured in example below.

WST 2/42TRT MD TEST NO: LTL11108

ISOILLUMINANCE PLOT (Footcandle)



2/42TRT lamp, horizontal lamp orientation Footcandl e values based on 12' mounting height, 3200 rated lumens (per lamp). Luminaire Efficiency: 49.6%

Lamp	Initial lumens		Mounting	height	
Compact Fluorescent		10′	12′	14'	16′
42W TRT	3,200	0.72	0.50	0.37	0.28
(2) 42W TRT	6,400	1.44	1.0	0.73	0.53

			Emer	gency Optio	n Lamp	Compata	ability				
Lamp options # of lamps/wattage	DC12	2DC12	DC2012	2DC2012	EC	ELED	2ELED	ELDW	ELDWC	ELDWR	ELDWRP
26DTT (1 lamp)											
2/26DTT											
26TRT (1 lamp)											
2/26TRT											
32TRT (1 lamp)											
2/32TRT											
42TRT (1 lamp)											
2/42TRT											



6" Recessed Downlight

Product Information

Cree TrueWhite® Technology

- A better way to generate white light that utilizes a patented mixture of unsaturated yellow and saturated red LEDs.
- Tuned to optimal color point before shipment.
- Color management system maintains color consistency over time and temperature.
- Designed to last 50,000 hours and maintain at least 70% of initial lumen output.

Construction

- Durable die-cast aluminum upper housing, lower housing, and upper cover.
- Integrated thermal management system conducts heat away from LEDs and transfers it to
 the surrounding environment. LED junction temperatures stay below specified maximums
 even when installed in attic insulation with temperatures exceeding 60 degrees Celsius.

Optical System

- Proprietary optical system utilizes a unique combination of reflective and refractive optical components to achieve a uniform, comfortable appearance. Pixelation and direct view of unshielded LEDs are eliminated.
- White Lower Reflector balances brightness of refractor with the ceiling to create comfortable high-angle appearance. Works with refractor to deliver an optimized distribution that illuminates walls and vertical surfaces increasing the perception of spaciousness.

Electrical System


- Integral, high efficiency driver and power supply.
- Power factor > 0.9
- Input voltage = 120V, 60Hz.
- Dimmable to 20% with certain incandescent dimmers (reference www.CreeLEDLighting.com for recommended dimmers).

Regulatory and Voluntary Qualifications

- cULus Listed®. Suitable for damp locations.
- Utilize GU-24 base for new construction projects in California or other areas where high
 efficacy line voltage sockets are required.
- Exceeds California Title-24 high efficacy luminaire requirements.
- ENERGY STAR® qualified Solid-State Lighting Luminaire.

Photometry

Lighting Sciences Inc. Certified Test #22226




Intensity (Candlepower							
Summary							
ANGLE	MEAN CP						
0°	249						
5°	248						
15°	242						
25°	228						
35°	203						
45°	165						
55°	115						
65°	62						
75°	24						
85°	6						
90°	0						

Zonal Lumen Summary

ZONE	LUMENS	%LAMP	%FIX
0°-30°	197	30.39	30.39
0°-40°	325	49.94	49.94
0°-60°	556	85.35	85.35
0°- 90°	650	100.00	100.00

Installation

- Designed to easily install in standard 6" downlight housings from Cree and other manufacturers.*
- Quick install system utilizes a unique retention feature. Simply attach socket to LR6. Move light to ready position and slide into housing.



* Reference www.CreeLEDLighting.com for a list of compatible housings.

Application Comparison

NOOTT							
	6' x 6' 5	Spacing	5' x 5' Spa	acing	4' x 4' Spacing		
	Workplane Illuminance	Wall Illuminance	Workplane Illuminance	Wall Illuminance	Workplane Illuminance	Wall Illuminance	
LR6	15.1	8.0	19.9	10.7	27.2	15.4	
65W BR30 White Baffle	14.0	6.3	18.7	8.6	26.1	12.6	
18W CFL White Baffle	15.5	7.9	20.8	10.6	28.7	15.4	
50W PAR30 White Baffle	16.7	4.1	22.9	5.7	34.1	8.6	

Notes:

Average initial illuminance in footcandles, reflectances = 80/50/30, workplane height = 2.5', ceiling height = 9', Nine lights per room. Room sizes = 18×18 '; 15×15 ', 12×12 '

Hallway

	6' Spa	acing	8' Spaci	ng	10' Spacing		
	Workplane Illuminance	Wall Illuminance	Workplane Illuminance	Wall Illuminance	Workplane Illuminance	Wall Illuminance	
LR6	12.6	6.8	9.6	5.2	7.6	4.0	
65W BR30 White Baffle	12.0	5.3	9.1	4.0	7.2	3.2	
18W CFL White Baffle	13.0	6.6	10.1	5.1	7.9	4.0	
50W PAR30 White Baffle	14.6	3.1	11.2	2.6	9.1	1.8	

Note

Average initial illuminance in footcandles, reflectances = 80/50/30, workplane height = 2.5′, ceiling height = 9′, Six lights per hall, width = 6′



6" Recessed Downlight



Product Description

The LR6 is a downlight module for new construction and retrofit that installs easily in most standard six inch recessed IC or non-IC housings. The LR6 downlight generates white light with LEDs in a new way that enables an unprecedented combination of light output, high efficacy, beautiful color, and affordability. U.S. Patent #7,213,940 issued. Numerous patents pending.

Performance Summary


- Utilizes Cree TrueWhite® Technology
- Delivered Light Output = 650 lumens
- Input Power = 10.5 Watts
- CRI = 90
- CCT = 2700K or 3500K
- Dimmable to 20%
- · Five Year Warranty

Ordering Information

- LR6 120V, Incandescent Color (2700K), Edison Base
- LR6-GU24 120V, Incandescent Color (2700K), GU24 Base
- LR6C 120V, Neutral Color (3500K), Edison Base
- LR6C-GU24 120V, Neutral Color (3500K), GU24 Base



LR6-GU24



Accessories - Reference accessory product information sheets for more detail

Accessory Trims

- LT6A Diffuse anodized finish
- LT6AW Wheat diffuse anodized finish
- LT6AP Pewter diffuse anodized finish
- LT6AB Black anodized finish
- LT6WH Smooth white
- LT6AG Graphite diffuse anodized finish
- LT6BB Black ABS thermoplastic full trim

Housings


- **H6** Architectural
- RC6 New construction
- RR6 Retrofit
- SC6 Surface mount
- SC6-CM Cord mount
- SC6-WM Wall mount







LR6C













FEATURES & SPECIFICATIONS

INTENDED USE — Streets, walkways, parking lots and surrounding areas.

CONSTRUCTION — Rugged, die-cast, single piece aluminum housing with nominal wall thickness of 1/8". Die-cast doorframe has impact-resistant, tempered, glass lens (3/16" thick). Doorframe is fully gasketed

Finish: Standard finish is dark bronze (DDB) corrosion-resistant polyester powder finish, with other architectural colors available.

OPTICS — MIRO finish, segmented reflectors for superior uniformity and control. Reflectors attach with tool-less fastener and are rotatable and interchangeable. Five full cutoff distributions available: Type II (roadway), Type III (asymmetric), Type IV (forward throw), Type IV (forward throw sharp cutoff) and Type V (symmetric square).

ELECTRICAL — Ballast: Constant wattage autotransformer. Metal Halide: Super CWA (pulse start ballast), 88% efficient and EISA legislation compliant, is required for 175-400W (SCWA option) for US shipments only. ${\sf CSA}, {\sf NOM\, or\, INTL\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, ballast\, ({\sf SCWA})\, required\, for\, probe\, start\, shipments\, outside\, of\, the\, US.\, Pulse-start\, shipments\, outside\, ou$ 200W, 320W, or 350W. Ballast is 100% factory-tested. All ballasts are mounted on a removable power tray.

Socket: Porcelain, mogul-based socket with copper alloy, nickel-plated screw shell and center contact.

LISTINGS — Listed and labeled to UL standards for wet locations. Listed and labeled to CSA standards (see Options). NOM Certified (see Options). IP65 Rated. U.S. Patent No. D556,357.

Note: Specifications subject to change without notice.



istent with LEED® goals

Catalog Number Notes Type



Architectural Area & Roadway Lighting





METAL HALIDE: 175W-400W HIGH PRESSURE SODIUM: 200W -400W

Diameter: 25 (63.5) Overall Height: 8-1/4 (21.0) *Weight: 46 lb. (20.9 kg) EPA: 0.91 ft² (0.08²)

Specifications

Length: 32-7/8 (83.5)

Н

All dimensions are inches (centimeters) unless otherwise indicated

*Weight as configured in example below.

ORDERINGINFORMATION

For shortest lead times, configure product using standard options (shown in bold.)

Example: MR2 400M SR3 TB SCWA LPI

	I								
MR2							S2H S2H		
Series	Wattage	Distribut	on	Voltage	Ballast	Mounting	Option:	Finish ¹⁷	Lamp ¹⁸
MR2	Metal halide 175M¹ 200M² 250M³ 320M² 350M¹.².⁴ 400M³.⁴ High pressure sodium⁵ 200S 250S 400S	SR4W	Segmented type II roadway Segmented type III asymmetric Segmented type IV forward throw, sharp cutoff Segmented type IV wide, forward throw Segmented type V symmetric square	2086 2406 277 347 4806 TB ⁷ 23050HZ ⁸	(blank) Magnetic CWI Constant wattage isolated Pulse Start SCWA Super CWA pulse start ballast Note: For shipments to U.S. territories, SCWA must be specified to comply with EISA.	SPA Square pole mounting RPA Round pole mounting WBA Wall bracket (up or down) ⁹ Shipped separately ^{10,11} DCMR2 Decorative curved arm, (square pole only) DCMR2R Decorative only) DCMR2R Decorative only)	Shipped installed in fixture SF Single fuse (120, 277, 347V) ^{12,13} DF Double fuse (208, 240, 480V) ^{12,13} PER NEMA twist-lock receptcle only (no photocontrol) QRS Quartz restrike system ^{13,14} HS Houseside shield (SR2, SR3, SR4W) ^{10,15} EC Emergency circuit ¹⁴ CSA Listed and labeled to Canadian safety standards NOM NOM certified ⁸ INTL Available for MH probe start shipping outside the U.S. REGC1 California Title 20 effective 1/1/2010 Shipped separately ¹⁰ PE1 NEMA twist-lock PE (120, 208, 240V) PE3 NEMA twist-lock PE (347V) PE4 NEMA twist-lock PE (277V) SC Shorting cap for PER option VG Vandal guard ¹⁶	(blank) Dark bronze DBL Black DGC Charcoal gray DMB Medium bronze DWH White DNA Natural aluminum CR Enhanced corrosion-resistance	LPI Lamp included L/LP Less lamp

Accessories: Tenon Mounting Slipfitter Order as separate catalog number. Must be used with pole mounting (RPA). Two@90° Three@90° Tenon O.D. 0ne Two@180° Three@120° Four@90° AST20-280 AST20-320 AST20-490 2-3/8 AST20-190 AST20-290 AST20-390 2-7/8 AST25-190 AST25-280 AST25-290 AST25-320 AST25-390 AST25-490 AST35-190 AST35-280 AST35-290 AST35-320 AST35-390 AST35-490


- These wattages do not comply with California Title 20 regulations.
- These wattages require the REGC1 option to be chosen for shipments into California for Title 20 compliance. 250M REGC1 is not available in 347 or 480V.
- Must use reduced jacket lamp ED28.
- Not availble with SCWA.
- Must specify CWI for use in Canada.
- Optional multi-tap ballast (120, 208, 240, 277V; 120, 277, 347V 17 in Canada).
- Consult factory for available wattages.

- Mounted in lens-up orientation, fixture is damp location rated.
- May be ordered as an accessory.
- Must specify finish when ordered as accessory.
- Must specify voltage. Not available with TB.
- SF, DF or QRS options cannot be ordered together.
- Maximum allowable wattage lamp included.
- Order MR2SR2/3HS U or MR2SR4WHS U as an accessory.
- Order MR2VG U as an accessory.
- See www.lithonia.com/archcolors for additional color options
- Must be specified.

OUTDOOR MR2-M-S

MR2 400M SR3 Test No. LTL10099P

ISOILLUMINANCE PLOT (Footcandle)




400W pulse start metal halide lamp, rated 38,000 lumens. Footcandle values based on 20' mounting height.

Classification: Type III, Medium, Full Cutoff

MR2 400M SR4SC Test No. LTL10100P

ISOILLUMINANCE PLOT (Footcandle)




400W pulse start metal halide lamp, rated 38,000 lumens. Footcandle values based on 20' mounting height.

Classification: Unclassified (Type IV, Very Short), Full Cutoff

MR2 400M SR4W Test No. LTL10101P

ISOILLUMINANCE PLOT (Footcandle)




400W pulse start metal halide lamp, rated 38,000 lumens. Footcandle values based on 20' mounting height.

Classification: Type IV, Short, Full Cutoff

MR2 400M SR5S Test No. LTL10102P

ISOILLUMINANCE PLOT (Footcandle)




400W pulse start metal halide lamp, rated 38,000 lumens. Footcandle values based on 20'

mounting height. Classification: Unclassified (Type IV, Very Short), Full Cutoff

MR2 400S SR3


TEST NO: LTL10104



400W lamp, rated 50000 lumens. Footcandle values based on 20' mounting height.

Classification: Type II, Medium, Full Cutoff

MR2 400S SR4SC TEST NO: LTL10105




400W lamp, rated 50000 lumens. Footcandle values based on 20' mounting height.

Classification: Unclassified (Type IV, Very Short), Full Cutoff

DRILLING TEMPLATE #8

AERIS" OMERO**)) FILX**

Pole-Mounted Luminaire (not for suspend)



Note: Dimension varies by pole type to allow clearance for pole cap. Check pole cap depth if field drilling poles.

NOTE: This drawing is <u>NOT</u> to scale and should be used for dimensional purposes only.

Notes

- 1 Photometric data for other distributions can be accessed from the Lithonia Lighting web site (www.lithonia.com).
- 2 For electrical characteristics consult outdoor technical data specification sheets on www.lithonia.com.
- 3 Tested to current IESNA and NEMA standards under stabilized laboratory conditions. Various operating factors can cause differences between laboratory and actual field measurements. Dimensions and specifications are based on the most current data and are subject to change.


When ordering poles, specify the appropriate drilling pattern. See below example.


Example: SSA 20 4C DM19AS DM19AS 1 at 90 degrees


DM39AS 3 at 90 degrees DM49AS 4 at 90 degrees DM32AS 3 at 120 degrees


3 at 120 degrees (round poles only)













KRUPP

NORTH ELEVATION
A201 1.8" = 1:0"

JW Health Digestive Health Center The Lerhart Company & Krupp General Contactors

Enter address here


BUILDING ELEVATIONS

	A201
Oraning No.	

*Drawing not to scale

SOUTH ELEVATION





WEST ELEVATION
A202 1.8" = 1.-0"

*Drawing not to scale

A202

BUILDING ELEVATIONS





Building Illustrations