

WELL #12 INORGANIC CHEMICAL RESULTS

PARAMETER	UNITS	MCL	MCLG	2020	2021	2022	PARAMETER
Alkalinity (CaCO ₃)	mg/L	--	--	260	281	275	Alkalinity (CaCO ₃)
Aluminum	µg/L	--	--	< 24	0.9	0.6	Aluminum
Antimony	µg/L	6	6	< 0.3	< 0.1	< 0.1	Antimony
Arsenic	µg/L	10	zero	< 0.2	< 0.2	< 0.2	Arsenic
Barium	µg/L	2000	2000	15	14	16	Barium
Beryllium	µg/L	4	4	< 0.06	< 0.1	< 0.1	Beryllium
Cadmium	µg/L	5	5	< 0.1	< 0.1	< 0.1	Cadmium
Calcium	mg/L	--	--	61	61	62	Calcium
Chloride	mg/L	--	--	4.2	3.4	3.4	Chloride
Chromium	µg/L	100	100	< 0.6	0.8	1.0	Chromium
Chromium, Hexavalent	µg/L	--	--	n/s	0.7	n/s	Chromium, Hexavalent
Conductivity	umhos / cm	--	--	550	545	549	Conductivity
Copper	µg/L	1300	1300	2.6	1.3	2.0	Copper
Fluoride	mg/L	4	4	0.8	0.7	0.9	Fluoride
Hardness (CaCO ₃)	mg/L	--	--	300	285	291	Hardness (CaCO ₃)
Iron	mg/L	--	--	0.01	0.01	< 0.06	Iron
Lead	µg/L	15	zero	< 0.03	< 0.1	< 0.1	Lead
Magnesium	mg/L	--	--	34	32	33	Magnesium
Manganese	µg/L	--	--	2.4	2.4	0.2	Manganese
Mercury	µg/L	2	2	< 0.02	< 0.01	< 0.01	Mercury
Nickel	µg/L	100	--	0.7	1.2	0.8	Nickel
Nitrogen - Nitrate	mg/L	10	10	1.0	1.0	1.2	Nitrogen - Nitrate
Nitrogen - Nitrite	mg/L	1	1	< 0.04	0.3	< 0.02	Nitrogen - Nitrite
pH (Lab)	s.u.	--	--	7.1	7.5	7.6	pH (Lab)
Selenium	µg/L	50	50	< 0.5	< 0.5	1.0	Selenium
Silver	µg/L	--	--	< 0.1	< 0.1	< 0.1	Silver
Sodium	mg/L	--	--	2.5	2.4	2.6	Sodium
Strontium	µg/L	--	--	60	55	60	Strontium
Sulfate	mg/L	--	--	9.2	11	11	Sulfate
Thallium	µg/L	2	0.5	< 0.1	0.2	0.1	Thallium
Total Solids	mg/L	--	--	270	304	294	Total Solids
Zinc	µg/L	--	--	9.7	17	16	Zinc

KEY:

µg/l = micrograms per liter = parts per billion = ppb; mg/l = milligrams per liter = parts per million = ppm

MCL - Maximum contaminant level = EPA's maximum allowable amount

MCLG = Maximum contaminant level goal = EPA's public health goal

n/s - not sampled